



Republic of the Philippines
VISAYAS STATE UNIVERSITY
PROCUREMENT OFFICE

REQUEST FOR QUOTATION (RFQ)

PR No: 2FB-22-17

Date: 18/03/2022

Name of Supplier: _____

Mode of Procurement : 2-Failed Bidding

Address of Supplier: _____

Delivery Period: *within 30 calendar days from receipt of P.O*

Deadline for Submission of RFQ: 7 days from receipt

Note : Please put brand and model of your offered

Payment terms: Upon Full Delivery

FOB : VSU Main Campus

| Item | DESCRIPTION | Unit | Qty | ABC (Pesos) | Bid Price/Unit | Offer Brand and Model |
|------|---|--------|-----|-------------|----------------|-----------------------|
| | Rebidding (from GOODS-21-54) | | | | | |
| 1 | Drip Irrigation Fitting, Single Barb Connector, 1/4" | pcs | 20 | 20.00 | | |
| 2 | Fixed bronze clear glass with brown aluminum frame (9mtrs x 2.9 mtrs with glass thickness of 1/4) | unit | 1 | 55,000.00 | | |
| | Bronze pane color glass | | | | | |
| | Fixed aluminum frame bronze | | | | | |
| | Installation cost included in the Item | | | | | |
| 3 | Galvanized Corrugated Color Roof (Blue), 10' | sheets | 34 | 800.00 | | |
| 4 | General Overhaul of Genset, Yangdong diesel (Engine Y4102D) | unit | 1 | 90,000.00 | | |
| | ☐1 set Overhauling gasket | | | | | |
| | ☐4 pcs Piston standard | | | | | |
| | ☐1 set Piston ring" | | | | | |
| | ☐4 pcs Cylinder liner; | | | | | |
| | ☐1 set Main bearing | | | | | |
| | ☐1 set Con-rod bearing | | | | | |
| | ☐1 set Thrust bearing | | | | | |
| | ☐4 pcs Intake valve | | | | | |
| | ☐4 pcs Exhaust valve | | | | | |
| | ☐8 pcs Valve guide | | | | | |
| | ☐1 pc Oil filter | | | | | |
| | ☐1 pc Fuel filter | | | | | |
| | ☐10 ltrs Engine oil | | | | | |
| | ☐4 ltrs Coolant | | | | | |

| | | | | | |
|----------|---|------|---|-----------------|--|
| | ☐1 pc Radiator hose upper | | | | |
| | ☐1 pc Radiator hose lower | | | | |
| | ☐1 pc Alternator belt | | | | |
| | ☐10 pcs Clip, hose | | | | |
| | ☐Machining of cylinder head/block | | | | |
| | ☐Calibration injection pump | | | | |
| 5 | Glass Mirror, 1/4"(thick) x 12" x 24", good quality | pc | 1 | 210.00 | |
| 6 | Heavy Duty Aluminum Come-along Clamp | pcs | 4 | 3,000.00 | |
| | ☐Aluminum Come-along Clamp | | | | |
| | ☐Alloy Grip for ACSR AAAC conductor (at least 25-70mm ² Wires) | | | | |
| 7 | Heavy Duty Crimping Clamp | unit | 1 | 6,500.00 | |
| | ☐Mechanical Crimping Clamp Crimp 10-240mm | | | | |
| | ☐Terminal handle retractable long handle crimping pliers | | | | |
| 8 | Heavy Duty Socket Wrench Set (1/4" & 1/2" Drive), 94 pcs | set | 1 | 7,000.00 | |
| | ☐13 Pcs. 1/4" Drive Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm | | | | |
| | ☐8 Pcs. 1/4" Drive Deep Sockets:6,7,8,9,10,11,12,13mm | | | | |
| | ☐17 Pcs.1/4" Drive Bits Socket: FD4,5.5,7,PH1,2,PZ1,2,HW3,4,5,6,T8,10,15,20,25,30 | | | | |
| | ☐1 Pc. 1/4" Drive Bit Adaptor | | | | |
| | ☐1 Pc. 1/4" Drive Universal Joint | | | | |
| | ☐1 Pc. 1/4" Drive Quick Release Ratchet Handle | | | | |
| | ☐1 Pc. 1/4" Drive Spinner Handle:6" | | | | |
| | ☐1 Pc. 1/4" Drive Flexible Extension Bar:6" | | | | |
| | ☐2Pcs. 1/4" Drive Extension Bars:2",4" | | | | |
| | ☐1 Pc. 1/4" Drive Sliding T Bar | | | | |
| | ☐18 Pcs. 1/2" Drive Sockets:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm | | | | |
| | ☐4Pcs. 1/2" Drive Deep Sockets:14,15,17,19mm | | | | |
| | ☐2Pcs. 1/2" Drive Spark Plug Sockets:16,21mm | | | | |
| | ☐1Pc. 1/2" Drive Bit Adaptor | | | | |
| | ☐2Pcs. 1/2" Drive Extension Bars:5",10" | | | | |
| | ☐1Pc. 1/2" Drive Universal Joint | | | | |
| | ☐1Pc. 1/2" Drive Quick Release Ratchet Handle | | | | |
| | ☐15Pcs. 8mm*30mm Bits:FD8,10,12 T40,45,50,55 PH3,4 PZ3,4 HW8,10,12,14 | | | | |
| | ☐1Pc. 1/2" Drive 3-Way Adaptor☐3 Pcs. Hex Keys: 1.5,2,2.5mm | | | | |
| 9 | Heavy Duty Storage Box, 35L | pcs | 5 | 300.00 | |
| | ☐Specification | | | | |

| | | | | | |
|----|---|--------|----|------------------|--|
| | ◀Capacity: 35L | | | | |
| | ◀Color: Gray | | | | |
| | ◀Size (cm): 57 x 42 x 22 | | | | |
| | ◀Material: Durable plastic | | | | |
| 10 | Paint Brush, Lettering, 1", Camel's hair, Good Quality | pcs | 2 | 880.00 | |
| 11 | Paint, Sundance Yellow | pails | 6 | 3,400.00 | |
| 12 | PE Tube for NFT, (Silicone Microtube) 1/4" x 10' | length | 2 | 200.00 | |
| 13 | Pipe Fittings, (PVC) Adapter/Bushing, 1" | pcs | 10 | 58.00 | |
| | ☐PVC pipe fitting adapter/connector, 25mm (1 in.) | | | | |
| 14 | Pipe, (PVC) Blue , 3" x 10' , Schedule 40 | pcs | 10 | 500.00 | |
| 15 | Planer Blade, 1/8"(thickness) x 1-1/2" x 12", Durable, Premium Quality | pcs | 4 | 750.00 | |
| 16 | Planer Blade, 1/8"(thickness) x 1-1/2" x 18" , Durable, Premium Quality | pcs | 8 | 1,000.00 | |
| 17 | Polyurethane Plastic Corrugated Roofing Sheet, (Transparent) | sheet | 27 | 1,000.00 | |
| | ☐Polyurethane transparent Plastic Corrugated Roofing Sheet | | | | |
| | ◀9 Sheets 12ft. | | | | |
| | ◀9 Sheets 10ft. | | | | |
| | ◀9 Sheets 8ft. | | | | |
| 18 | PVC Cement, 1 gal | unit | 1 | 1,350.00 | |
| 19 | PVC Downspout, (White) 2 1/2" x 4" x 8' | pcs | 10 | 400.00 | |
| | Premium Quality PVC, Heavy Duty | | | | |
| 20 | Screened Sand | cu.m. | 13 | 1,500.00 | |
| 21 | Sheets, (G.I.) Corrugated, Gauge 24 (0.51mm) x 8', Standard, Good Quality | sheet | 5 | 600.00 | |
| 22 | Single Swing Door, Analok frame with bronze glass, Standard Size with installation | set | 1 | 12,000.00 | |
| | Single Swing Door, | | | | |
| | Analok frame with bronze glass, | | | | |
| | Standard Size with installation | | | | |
| 23 | Submersible Water Pump | unit | 1 | 2,200.00 | |
| | ◀Rated Power: 24W | | | | |
| | ◀Voltage: 220-240 V | | | | |
| | ◀Frequency: 60 HZ | | | | |
| | ◀Discharge Head: at least 2.5m | | | | |
| | ◀Pump Capacity: at least 2,500 L/hr. | | | | |

| | | | | | | |
|----|--|-------|-----|------------|--|--|
| 24 | Tempered Glass for the ARIC Building | pc | 1 | 9,750.00 | | |
| | Tempered Glass .92cm x 2.39cm x 1/4" | | | | | |
| | Note: Including Installation | | | | | |
| 25 | Transformer, Distribution, 50 KVA | sets | 2 | 120,000.00 | | |
| | 50 KVA OISC | | | | | |
| | Copper to copper winding both primary and secondary | | | | | |
| | 8 KV with changer 2-2 1/2% above rated primary voltage & 2-2 1/2% below rated primary voltage double bushing | | | | | |
| | Secondary voltage 120/240 volts with changer tap | | | | | |
| | Pad/pole mounted | | | | | |
| | Amorphous Metal Core | | | | | |
| 26 | Varnish, Clear Gloss, Premium Quality | gals | 2 | 900.00 | | |
| 27 | Windows (glass), (1/4" thickness) 3.60m x 1.60m Fixed Slide Aluminum with bronze glass, White | unit | 4 | 14,500.00 | | |
| | Installation cost included in the item | | | | | |
| | Rebidding (from GOODS-22-06) | | | | | |
| 28 | 1/2" Air and Vacuum Relief Valve Male Thread | piece | 1 | 25.00 | | |
| 29 | 3/4" NDJ Superflow Screen Filter 130 micron | piece | 1 | 535.00 | | |
| 30 | Bitumen/Polyurethane(Water proofing) based membrane (liquid type), 20kg per pail | pails | 100 | 7,000.00 | | |
| 31 | Butane gas, 250gms, Canister | can | 1 | 180.00 | | |
| 32 | Cement Steel Trowel, 14" x 4" | pc | 15 | 600.00 | | |
| 33 | Compression Fittings, (PE) End Cap, 3/4" | piece | 1 | 35.00 | | |
| 34 | Compression Fittings, (PE) Female Adapter, 3/4" | piece | 1 | 48.00 | | |
| 35 | Compression Fittings, (PE) Female Elbow, 3/4" | piece | 1 | 65.00 | | |
| 36 | Compression Fittings, (PE) Saddle Clamp, 3/4" x 1/2" | piece | 1 | 160.00 | | |
| 37 | Evaporative Cooling Pad | pad | 24 | 350.00 | | |
| | 1. Corrugated paper with the spatial crossing-link technology, ensuring high-absorb ability. | | | | | |
| | 2. high-water resistance, economic and durable. | | | | | |
| | 3. low energy consumption, just one-tenth of traditional air conditioner. | | | | | |
| | 4. environment-friendly. | | | | | |
| | 5. Dimension: 1500*300*100mm | | | | | |
| | 6. Color: brown, green | | | | | |
| | 7. Good quality | | | | | |

| | | | | | | |
|----|---|-------|------|-----------|--|--|
| 38 | Fire Extinguisher, Refill (5kg or 11lbs) | tank | 4 | 1,100.00 | | |
| 39 | Floor Tiles, 0.30 x 0.30m, Unskid, Beige, Good Quality | pcs | 2000 | 50.00 | | |
| 40 | Industrial Hand Gloves, Denim (maong type), Large, Good Quality | pair | 5 | 65.00 | | |
| 41 | Lavatory, Rectangular, complete with accessories, for counter | sets | 20 | 6,000.00 | | |
| 42 | Multipurpose contact cleaner, 360ml | cans | 10 | 300.00 | | |
| 43 | Multi-Purpose Penetrating Oil, 382mL | btl | 6 | 265.00 | | |
| | <i>Product Use:</i> | | | | | |
| | <i>Lubricant,</i> | | | | | |
| | <i>Penetrant,</i> | | | | | |
| | <i>Drives Out Moisture,</i> | | | | | |
| | <i>Removes and Protects Surfaces From Corrosion</i> | | | | | |
| 44 | Paint, TTC, Cobalt Blue, Latex, Premium Quality | Liter | 12 | 500.00 | | |
| 45 | Pipe Fittings, (PE) Elbow Reducer, 3/4"Ø x 1/2"Ø | pc | 24 | 120.00 | | |
| | ☐Good Quality | | | | | |
| | ☐Sched 40, Durable, Good Quality | | | | | |
| 46 | Plywood, Ordinary, 1/8"(thickness) x 4' x 8' | piece | 1 | 214.00 | | |
| | ☐Standard, Good Quality | | | | | |
| | ☐Good Quality, Rugged Rubber | | | | | |
| 47 | Screened Sand | cu.m. | 28 | 1,500.00 | | |
| 48 | Screw, Wood, Gauge 14 x 2 1/2" | piece | 30 | 15.00 | | |
| | ☐Cross head stainless steel, Self drilling wood screw | | | | | |
| 49 | Screw, Wood, Gauge 5 x 3/4" | piece | 30 | 5.00 | | |
| | ☐Cross head stainless steel, Self drilling wood screw | | | | | |
| 50 | Wall Tiles, 0.30 x 0.30m, Unskid, Beige, good quality | pcs | 3200 | 50.00 | | |
| 51 | Waterproofing fiber mesh, 1m x 50m | roll | 25 | 2,400.00 | | |
| 52 | Weighing Scale, Top Loading Dial Scale, (20 kg) | unit | 1 | 2,460.00 | | |
| | ☐Hi-strength flat plate top loading, Spring loaded Dial Scale, Durable, Good Quality | | | | | |
| 53 | Windows (glass), (1/4" thickness) 3.60m x 1.60m Fixed Slide Aluminum with bronze glass, White | unit | 4 | 13,500.00 | | |
| | ☐Fane/bronze color GlassFixed and slide aluminum frame bronzeWith installation | | | | | |
| 54 | Windows, 1.20m x 1.60m Fixed Slide Aluminum with bronze glass, white, including installation | sets | 1 | 5,000.00 | | |

| Rebidding (from GOODS-22-05) | | | | | |
|-------------------------------------|--|-----|---|-----------------|--|
| 55 | Soldering Iron Kit, with carrying case | set | 2 | 1,000.00 | |
| | <ul style="list-style-type: none"> ■ <i>Electronics 15 Pieces Set Adjustable Temperature Soldering Tool, 5 Soldering Tips, Desoldering Pump w/ heater, Soldering Iron Stand, Tweezers, with carrying bag</i> ■ <i>Work Voltage: 220V</i> ■ <i>Power: 60W</i> ■ <i>Temp Range: 200 - 450 deg. C</i> ■ <i>Tweezers: ESD-15, Length at least 4.7inches</i> ■ <i>Soldering Iron Stand: Steel</i> ■ <i>Tips Model: 900M series</i> ■ <i>Desoldering Pump: Plastic and aluminum alloy</i> ■ <i>Carrying bag: Fabric</i> | | | | |

Total ABC 1,900,467.00

Important Requirements:

1. PhilGEPS (Platinum)
2. Tax Clearance
3. Mayor/Business Permit

Instructions:

- 1) Please quote your **best offer** for the items listed above in your **least government price** inclusive of taxes, delivery, and other applicable charges. **Please put brand and Model of your offered products.**
- 2) Accomplish this RFQ correctly and accurately. Please put initials for erasures.
- 3) Submit along with this RFQ the attached needed documentary requirements. Bidders who already submitted an updated file of requirements in VSU need not to re-submit the needed documentary
- 4) Quotations that are above the set ABC will be rejected.
- 5) Submit this RFQ within the set deadline for submission indicated above. Late bids will not be accepted.

Authorized by:


JESSAMINE ECLEO
 Head, Procurement Office

Prepared by:


LEOPOLDO S. ESCALA JR.
 BAC Secretariat

Printed Name and Signature of Supplier

Contact Number: _____