



BID BULLETIN 01

Date: 14 November 2023

Project Title: *Supply and Delivery of Hardware, Electrical and Construction Supplies (GOODS-24-06)*

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

(1st Envelope) TECHNICAL COMPONENT ENVELOPE	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 25% of the ABC or Php 2,130,144.75 .
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 2,130,144.75 and the largest of which should be at least PhP 1,065,072.37
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 8,520,579.00)
	Or
	Committed Line of Credit (at least Php 852,057.90)
(2nd Envelope) FINANCIAL COMPONENT ENVELOPE	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

1. In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

2. Bidders are advised to use the latest GPPB forms for the following documents:

- a) Omnibus Sworn Statement
- b) Performance Securing Declaration (if applicable)
- c) Price Schedule for Goods Offered
- d) Bid Form
- e) Bid Securing Declaration

These forms can be accessed from the GPPB website: <https://www.gppb.gov.ph/downloadables.php>. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

- 1. **Scan per document** into Portable Document Format (PDF) and should be printable.
- 2. Properly label all scanned documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
3. Statement of Bidder's Single Largest Completed Contract	SLCC
4. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
5. Bid Security	Bid Security
6. Technical Specifications	Technical Specifications
7. SCHEDULE of Requirements/ 8. Production and delivery schedule	Schedule of Requirements
9. Manpower Requirements	Manpower Requirements
10. After Sales service/parts	After Sales
11. Omnibus Sworn Statement	Omnibus Sworn Statement
12. Audited Financial Statements	Audited Financial Statements
13. Net Financial Contracting Capacity	NFCC
14. Committed Line of Credit	CLC
15. Bid Form	Bid Form
16. Price Schedule	Price Schedule



- 3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

Original	
<p>Section I. Invitation to Bid</p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on on <i>31 October – 21 November 2023 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p>	<p><i>(Amendment)</i></p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>31 October – 21 November 2023 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means:</p> <p>The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details:</p> <p>Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u></p> <p>Then send the deposit slip to <u>jessamine.ecleo@vsu.edu.ph</u></p>



<p>Section II. Instructions to Bidders</p> <p>15. Sealing and Marking of Bids</p>	<p><i>(Additional Instructions)</i></p> <p>Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.</p> <p>For filing purposes, the bidders are urged to use Light Blue envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>
--	---

IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

Item #	Description	Unit	Qty	Unit Price	Total Price
1	10 Amperes, Type K Fuse links, 10 pcs. per box	box	10	4,000.00	40,000.00
	<i>10 Amperes, Type K Fuselinks, 23" length, removable head, stainless steel strain wire and a silver copper fuse wire fuse element (ANSI, IEEE, NEMA certified)</i>				
2	15 Amperes, Type K Fuselinks, 10 pcs. per box	box	10	5,000.00	50,000.00
	<i>15 Amperes, Type K Fuselinks, 23" length, removable head, stainless steel strain wire and a silver copper fuse wire fuse element (ANSI, IEEE, NEMA certified)</i>				
3	2021 Arduino MEGA 2560 R3 Microcontroller Board with USB Cable Arduino Compatible Motherboard ATMEGA	set	1	1,800.00	1,800.00
	<i>2021 Latest Model Arduino MEGA 2560 Microcontroller Motherboard Comes with Free 40CM USB Data Cable Clock Speed:16 MHz EEPROM:4 KB SRAM:8 KB Flash Memory:256 KB of which 8 KB used by bootloader Operating Voltage:5V Input Voltage:7-12V Analog Input Pins:16 Digital I/O Pins:54 (of which 14 provide PWM output) DC Current for 3.3V Pin:50 mA DC Current per I/O Pin:40 mA</i>				
4	25 Amperes, Type K Fuselinks, 10 pcs. per box	box	10	6,500.00	65,000.00
	<i>25 Amperes, Type K Fuselinks, 23" length, removable head, stainless steel strain wire and a silver copper fuse wire fuse element (ANSI, IEEE, NEMA certified)</i>				
5	260 Watts Beam Lamp/Bulb	pc	8	6,000.00	48,000.00
	Replacement part for the existing 260 moving head lights				
	<i>YODN Light 260 watts Original Beam Lamp</i>				
	<i>MSD 260R9, M60250-0007510</i>				
6	30 Amperes, Type K Fuselinks, 10 pcs. per box	box	10	7,500.00	75,000.00
	<i>30 Amperes, Type K Fuselinks, 23" length, removable head, stainless steel strain wire and a silver copper fuse wire fuse element (ANSI, IEEE, NEMA certified)</i>				
7	3in1 Tree Pruner	pc	1	5,500.00	5,500.00
	<i>Type: Tree Pruner Extendable, Tree Trimmer, Clipper Tool</i>				



	<i>Pole: Telescopic Pole</i>				
	<i>Material: High-carbon Steel,</i>				
	<i>Cutter head material: SK5 hacksaw blades</i>				
	<i>Color: Silver</i>				
	<i>Length of the saw: 36 cm</i>				
	<i>Opening Size: 6cm</i>				
	<i>Extension: up to 5m</i>				
8	8 amperes, Type K Fuse links, 10 pcs. per box	box	10	3,500.00	35,000.00
	<i>8 Amperes, Type K Fuselinks, 23" length, removable head, stainless steel strain wire and a silver copper fuse wire fuse element (ANSI, IEEE, NEMA certified)</i>				
9	8 ways MCB distribution Box, surface type	pc	5	1,000.00	5,000.00
	<i>-High Quality</i>				
	<i>-With free din rails and bush bar</i>				
	<i>-waterproof</i>				
10	AC Water Pump with Pressure Switch	pc	1	15,000.00	15,000.00
	<i>Fitted with an electronic pressure switch that starts and stops the pump as required when a tap is turned on or off. The pump is also protected against dry running.</i>				
	<i>Motor connection: SINGLE PHASE</i>				
	<i>Motor power (HP): 0.75</i>				
	<i>Absorption at 230V (A)": 3.9</i>				
	<i>Suction mouth: 1 "</i>				
	<i>Delivery port: 1 "</i>				
	<i>Body Pump</i>				
	<i>Flow rate min. (l./min.): 5</i>				
	<i>Max flow (l./min.): 60</i>				
	<i>Min head (m.): 17</i>				
	<i>Max head (m.): 48</i>				
11	Adjustable Wrench 10"	pc	2	2,000.00	4,000.00
	<i>Wide-capacity Jaws (10")</i>				
	<i>Quality- Chrome Vanadium steel</i>				
	<i>Dependable-Fully supported anti-slip jaw for greater wear resistance and</i>				
	<i>safety for end-users</i>				
	<i>Universal-Laser etched jaw scales in SAE and metric scales</i>				
12	Adjustable Wrench 12"	pc	3	4,600.00	13,800.00
	<i>Wide- capacity jaw (12")</i>				
	<i>Quality- Chrome Vanadium steel,</i>				
	<i>Dependable-Fully supported anti-slip jaw for greater wear resistance and</i>				
	<i>safety for end-users</i>				
	<i>Universal-Laser etched jaw scale in SAE and metric scales</i>				
13	AIR COMPRESSOR, 1/2HP	set	1	20,000.00	20,000.00
	Inclusions:				
	<i>AIR FILTER</i>				
	<i>TANK WHEELS</i>				
	<i>MANUAL</i>				
	Specifications:				
	<i>MAX. PRESSURE: 90 PSI</i>				



	TANK CAPACITY: 46 LITERS				
	VOLTAGE: 220V				
	DISPLACEMENT: 3.8 CFM				
	SINGLE PHASE				
14	Allen wrench_Hexagonal 9pc/sets	set	1	400.00	400.00
	☑9pcs hex key set				
	☑Material: Cr-V Size:1.5 /2 / 2.5 /3 / 4 /5/5.5/6/8/10 mm				
	☑Long Arm heat treatment and chrome plate				
	☑Standard hex keys in high tensile steel for long life				
15	Allen wrench_Star 9pcs/set	set	1	750.00	750.00
	Specification:				
	Heavy duty Star Allen Wrench				
	Qty: 9 pcs				
	Torx Or Star Screwdriver				
	Unit: Sets				
15a	Allen wrench_Star 9pcs/set	set	1	400.00	400.00
	Specification:				
	Heavy duty Star Allen Wrench				
	Qty: 9 pcs				
	Torx Or Star Screwdriver				
	Unit: Sets				
16	Angle Grinder 4"Ø, Grinding Wheel	pc	4	100.00	400.00
	☑General Purpose Angle Grinder Wheel (Rough) for Steel				
	☑Unthreaded Arbor Hole				
	☑4" Diameter, 1/4" Thick				
	☑Heavy Duty, Durable				
17	Angle Grinder, 4"Ø (100mm)	pc	1	4,500.00	4,500.00
	☑Heavy Duty				
	☑Durable				
	☑Power Rating: At least 840 Watts				
	☑No load speed: At least 11,000 rpm				
	☑Wheel diameter: 4"(100mm)				
18	Automatic timer with system clock	pc	1	4,000.00	4,000.00
	24 hour program				
	Surface and DIN rail mount				
	Easy to read and set clock display				
	220-240V AC 60Hz				
	Single pole, single through contact				
	Load Capacity: 250V AC 20Amp resistive				
	96 operations per day				
	15 minutes minimum setting interval				
19	Balanced Microphone Cable, 100meter	roll	1	7,000.00	7,000.00
	Heavy duty				
	Three Conductors				
	Ground with cotton shield				
	Compatible for XLR, TS & TRS connectors				
20	Bench Grinder, 5"Ø	unit	2	3,500.00	7,000.00
	Heavy Duty				
	Durable				
	Rated Power: at least 180 Watts or 1/4Hp				
	Speed: at least 2950 rpm				
	Frequency: 60hz				
	Rated Voltage: 220v				



	Grinder Wheel Dimension: at least 125mm x16mm x 12.7mm				
	5" Inches				
21	Bulb Socket, PVC	pc	2	50.00	100.00
	☑Standard size, 4"				
	☑round,				
	☑ISO Certified and Good Quality				
22	Bulb, LED, 15W	pc	90	300.00	27,000.00
	☑Wattage: 15 Watts				
	☑Lumens: 1521				
	☑Color Temp. : Daylight				
	☑Beam Angle: 200 degrees				
	☑Voltage: 170-240 V AC 50/60Hz				
	☑Bulb Holder: E27				
	☑Life Hours: 15,000 hrs.				
	☑Material: PC cover & Aluminum PCB				
23	Bulb, LED, 20 Watts	pc	52	400.00	20,800.00
	☑Up to 80% energy savings,				
	☑Eco-friendly,				
	☑No UV radiation,				
	☑No mercury,				
	☑Wattage: 20 Watts,				
	☑Color Temperature: 6500K,				
	☑Daylight Brightness: at least 1800 Lumens				
	☑Base: E27,				
	☑Lifetime: at least 30,000 hours,				
	☑Power Input: 220-240Vac, 50/60Hz				
24	Bulb, LED, 7W	pc	100	200.00	20,000.00
25	Bulb, LED, 9W	pc	173	200.00	34,600.00
26	Car Wheel, A/T 697 OWT 27x8.5 R14 95S	pc	2	10,000.00	20,000.00
	good quality standard				
27	Ceiling Socket, 4" x 4"	pc	15	60.00	900.00
28	Cement Waterproofing Compound, 1kg/pack	pack	10	200.00	2,000.00
	Good Quality				
29	Cement, (PVC) Solvent, 400cc/can	can	2	250.00	500.00
	Premium Quality				
30	Cement, Portland	bag	1035	330.00	341,550.00
	☑Type 1P, Premium Quality				
	☑ASTM C150				
31	Chain Block, 3 tons	unit	1	7,500.00	7,500.00
	Durable				
	Reliable				
	Sturdy				
32	Chainsaw 11.5" attachment for 4" angle grinder	pc	1	2,000.00	2,000.00
	Heavy duty and durable 11.5" chain saw				
	Heavy duty blade protection				
	Safety grip				
	Heavy duty and durable chain blade cover				
	Heavy duty and durable guide bar adapter				
33	Concrete Hollow Blocks (CHB), 4"	pc	100	25.00	2,500.00
	☑Standard Size				
	☑3-Cell Concrete Hollow Block 4"				
	☑At least 350psi				
34	Contact cleaner	pc	12	350.00	4,200.00
	☑Anti-rust				



	☐Wet-type Lubricant				
	☐Spray-type				
	☐Penetrating-type				
	☐360ml/can				
35	Cross arm steel brace (V-shaped angle), Standard	pc	20	2,000.00	40,000.00
	<i>V-brace Steel Standard;</i>				
36	Cut off Blade, 14" x 1/8" x 1", good quality	pc	2	360.00	720.00
37	Cutting Disc for Steel/Stainless, 4"	pc	11	60.00	660.00
38	Cutting Disc, 4" (Super Thin)	pc	26	70.00	1,820.00
39	Drum, Barrel Drum, Blue 200-220L capacity	drum	5	2,100.00	10,500.00
	☐HDPE				
	☐Closed Head				
	☐Good Quality				
	☐Clean				
	☐Use for storing for fuel generator				
	For used oil storage of biodiesel production (batch production)				
40	Electric Drill Bit Set for metal	set	1	2,000.00	2,000.00
	☐Titanium bits for High-Speed Steel				
	☐Drill size: 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2				
41	Electric Hand Drill	set	1	14,900.00	14,900.00
	☐Rotary hammer, 26mm max. cap., 800W, 230V, 50/60Hz, 0-1150rpm, 2.3KJ,				
	☐5kg. with reverse				
42	Electric Motor, DC 12V, 200rpm	pc	3	400.00	1,200.00
	Operating voltage: between 6 V and 18 V				
	Nominal voltage: 12 V				
	Free-run speed at 12 V: 250 RPM				
	Free-run current at 12 V: 50 mA				
	Stall current at 12V: 1200 mA				
	Stall torque at 12V: 38 kg.cm				
	Gear ratio: 1:35				
43	Electrical Aircon Outlet, 1 gang (flush type)	set	50	250.00	12,500.00
44	Electrical Conduit (PVC) Orange, 1-1/2"(50mm) x 3m	length	100	300.00	30,000.00
	<i>Sched 40, Durable, Good Quality</i>				
45	Electrical Conduit, (PVC) Orange, 3" x 3m	length	1	750.00	750.00
46	Electrical Outlet, 3 gang universal outlet with ground, (surface type)	pc	10	150.00	1,500.00
	☐10A				
	☐250V				
	☐Heavy Duty				
	☐Durable				
47	Electrical Outlet, Single gang universal outlet with ground, (surface type)	pc	10	100.00	1,000.00
	10A				
	250V				
	Durable				
	Heavy duty				
48	Electrical PVC Clip, 20mm/ 1/2" diameter	pc	200	5.00	1,000.00
49	Electrical Square Box (PVC), 6" x 6"	pc	100	200.00	20,000.00
50	Electrical Square Box (PVC), 4" x 4"	pc	100	120.00	12,000.00
51	Electrical Switch, 3 Gang (Flush type)	set	100	250.00	25,000.00
52	Electrical Switch,1 Gang, Surface Type	pc	50	115.00	5,750.00
53	Electrical Tape, Vinyl	roll	75	75.00	5,625.00
	☐Flame retardant and compatible with plastic cable and				



	wire harness insulations				
	☐Flexible PVC with aggressive rubber adhesive				
	☐Primary electrical insulation for all wire and cable splices rated up to 600 volts.				
	☐19mm x 16m x 0.155mm				
	☐Heavy Duty				
	☐ASTM approved				
54	Electrical Wire, # 3/0 AWG/80 mm ² THHN Stranded Copper Wire 600 volts	meter	150	850.00	127,500.00
55	Electrical Wire, Flat cord #16/2Core	meter	25	40.00	1,000.00
	☐Wire Flat cord #16/2 Core;				
56	Electrical Wire, THHN / THWN, AWG 10 (5.5mm ²), Stranded, 150 meters/box	box	1	9,000.00	9,000.00
	☐Building Wire				
	☐Stranded with Nylon Insulation				
	☐Gauge 10				
	☐UL listed				
57	Electrical Wire, THHN / THWN, AWG 12 (3.5mm ²), Stranded, 150 meters/box	box	3	6,300.00	18,900.00
	☐Building Wire				
	☐Stranded with Nylon Insulation				
	☐Gauge 12				
	☐UL listed				
58	Electrical Wire, THHN/THW AWG 1 (38 mm ²), Stranded wire	meter	150	400.00	60,000.00
59	Electrical Wire, THHN/THWN, AWG 2 (30 mm ²), Stranded	meter	150	400.00	60,000.00
	Building WireStranded with Nylon InsulationGauge 2UL listed				
60	Electrical, (PVC) Orange, Flexible Hose, 1/2", 100 meters per roll	roll	3	1,200.00	3,600.00
61	Electrical, 2 gang convenience outlet with ground (flush type)	set	100	300.00	30,000.00
62	Electrical, 2 gang convenience outlet, (surface type) universal	pc	50	1000.00	5,000.00
63	Electrical, Grounding Clamp (Galvanize)	pc	15	120.00	1,800.00
64	Electrical, Junction Box (Octagonal) with cover, PVC	pc	100	50.00	5,000.00
65	Electrical, male plug, 3 pin	pc	25	65.00	1,625.00
	Heavy Duty, Good Quality				
66	Electrical, PVC long sweep elbow, 1 1/2" x 90deg	pc	20	150.00	3,000.00
67	Electrical, PVC long sweep elbow, 3' x 90deg	pc	20	200.00	4,000.00
68	Electrical, THHN/THWN, AWG 14 (2.0mm ²), Stranded, 150m/box	box	1	4,000.00	4,000.00
69	Electrical, Utility Box, 2" x 4"(Surface Type)	pc	50	50.00	2,500.00
70	Electrical, Utility Box, 2" x 4", PVC, Orange	pc	100	40.00	4,000.00
71	Electro Mechanical Gloves, (Medium)	pair	15	310.00	4,650.00
	Safety gloves for Electro-Mechanical Works				
	Dry Environment, Palm Coated Elbow Length				
	Nitrile Foam Seamless Nylon Liner				
	ISO and OSH certified				
72	Electro-Mechanical Gloves, safety Gloves, (Large)	pair	2	310.00	620.00
73	Emergency Light, 2 x 3 Watts	pc	1	2,500.00	2,500.00
	Good quality				
	Durable				



	Dome reflector for wider light distribution				
	Automatic Operation (turns on instantly when power is cut-off)				
	Equipped with Overcharging protection				
	Fuse protected				
	Illuminates areas more than 1 lux				
	Light Source: 2x1W High Power SMT LED				
	Battery: 4V 4.0Ah - 6V 4.5Ah Sealed Lead Acid				
	Charging Time: <20 hours				
	Performance Time: ≤6 hours (at full charge)				
74	Epoxy Primer with catalyst	gal	2	1,000.00	2,000.00
	Premium Quality for Auto Body Repair				
75	Epoxy, A & B (Liter/set)	set	12	750.00	9,000.00
	■All Purpose Structural Adhesive				
	■Premium Grade				
76	Extension wire with 4 gang Universal Convenience Outlet, at least 10m long	pc	10	500.00	5,000.00
	■at least 10 amperes wire capacity;				
77	Extension wire with 4 gang Universal Convenience Outlet, at least 20 meters long	pc	4	750.00	3,000.00
78	Flourescent Lamp Set 40 watts, 220 volts	set	10	400.00	4,000.00
	with casing ballast and starter.;				
79	G.I. Tie Wire #14	kl	1	140.00	140.00
	Good Quality				
80	Garden Hose, 3/4"Ø	meter	160	60.00	9,600.00
	Diameter 3/4"				
	Material: PVC				
81	Gloves, Utility, Medium	pair	25	150.00	3,750.00
	Medium size				
	Excellent quality				
82	Good Lumber Wood 2x2x12 (s4s)	pc	10	480.00	4,800.00
	2x2x12 (s4s)				
83	Good lumber, 2" x 3" x 10'	pc	5	600.00	3,000.00
84	Good Lumber, 2" x 3" x 12"	pc	10	720.00	7,200.00
85	Good lumber, 2" x 4" x 8'	pc	4	640.00	2,560.00
86	Good Lumber, 2" x 6" x 12'	pc	20	1,500.00	30,000.00
87	Good lumber, 4" x 4" x 8'	pc	4	1,280.00	5,120.00
88	Grass cutter set	pc	1	14,999.00	14,999.00
	Displacement 35.8cc Single Cylinder OHC Aircooled 0.95KW/6500 RPM Recoil starterDiaphragm Carburetor0.63L tank0.1L oil tankGX35 Japan Quality Engine FREE: Nylon Cutter and Metal Blade				
89	GRASS CUTTER, 4 stroke	unit	2	23,000.00	46,000.00
90	Grounding Rod, Galvanized, rust resistant	pc	10	1,000.00	10,000.00
	Hot Dip				
	1 year warranty				
91	Hacksaw Blade, 18 TPI x 12"	pc	5	100.00	500.00
	Bi-metal, High-Speed, Durable, Premium Quality				
92	Hammer Drill 16mm 710W (Variable Speed & Reversible) with Carrying Case and 17-pc. Dr	set	1	6,000.00	6,000.00
93	HDPE Barrel, 30L	pc	2	750.00	1,500.00
	Good Quality, Durable				
94	Heat Gun 2000W 4 nozzle	unit	2	3,000.00	6,000.00



	Voltage: 202V-240V, 50/60 hz				
	Power: 2000W				
	AirFlow: 300/500L/min with 1 pc scrapper and 4 pcs Nozzles				
95	Heavy Duty Electric Hand Drill	pc	2	2,500.00	5,000.00
	Rated power input 320 W				
	No-load speed 0 - 4 / 200 rpm				
	Weight without cable 1 kg				
	Chuck capacity 6,5 mm				
	Length 204 mm				
	Width 58 mm				
	Height 174 mm				
96	Impact Hand Drill, (Cordless)	unit	1	10,000.00	10,000.00
	☑Rated Power: At least 710W				
	☑Capacity: Concrete: 16mm (5/8")				
	☑Steel: 13mm (1/2")				
	☑Wood: 30mm (1-3/16")				
	☑17pc Combination Drill Sets,				
	☑Heavy Duty & Durable				
97	Insulated Staple wire #1, atleast 50pc/box	box	20	80.00	1,600.00
98	Knife Switch 225 ampere Double Throw 3 Phase	unit	1	15,000.00	15,000.00
99	LAWN MOWER	unit	2	19,000.00	38,000.00
	☑LAWN MOWER GARDEN WITH KOHLER ENGINE AND GRASS CATCHER				
	—LAWN MOWER				
	—With Kohler Gasoline				
	—Engine 5HP				
	—Cutting Width : 501 mm (20 inch)				
	—Height Adjustment : 8 levers adjustment				
	—Use for trimming backyard grass or small, tiny grasses				
	—ITEM : Lawnmower				
	☑SPECIFICATIONS:				
	—With Kohler Gasoline				
	—Cutting Width: 501 mm (20 inch)				
	—Height Adjustment: 8 adjustment				
	—Use for trimming backyard grass or small, tiny grasses				
100	LED Bulb 9 watts, daylight, 220-240V	pc	20	200.00	4,000.00
101	LED Bulb, 13 watts, 87% Energy Saving	pc	124	250.00	31,000.00
102	LED Bulb, 15 watts	pc	10	300.00	3,000.00
103	LED Bulb, 9 watts	pc	189	150.00	28,350.00
104	LED Ceiling Mini Chandelier Hanging Lights	set	2	3,000.00	6,000.00
	LED Ceiling Mini Chandelier Hanging Lights with 2 square shape Nordic lamp fixture pendant lighting for Bedroom daylight				
105	LED Fluorescent Tube (T8) with louver reflector (Single),18 watts x 4ft, Recessed type	set	100	2,500.00	250,000.00
106	LED Tube with housing/holder (T8), 18 watts, 4ft (Daylight)	set	100	500.00	50,000.00
107	LED Tube, 18 watts	set	10	600.00	6,000.00
	☑Box Type Enclosure				
	☑At least 1,600 lm				
	☑At least 120 degree beam angle				



	☑ Good quality				
	☑ Durable				
108	Lever Block 1 ton	unit	1	3,500.00	3,500.00
	Heavy Duty Lever Block 1 ton				
	Chain Lifting & Tighting				
	Light weight and easy handling				
	Durable				
109	Louver Housing with 18 watts T8 LED tube Surface mount, Troffer fixture, rust proof Double lights, 4	set	100	1,600.00	160,000.00
110	Louver Housing with 18 watts T8 LED tube surface mount, Troffer fixture, rust proof single lights, 4	set	100	1,200.00	120,000.00
111	Magnetic contactor with overload relay, 3Phase	pc	3	5,000.00	15,000.00
	☑ AC-1=Ith=20A Three Phase 220V/440V. 60Hz Orange Line (Non-reversing)				
	☑ motor capacity: 220v- 4.7hp (3.5kw) 440v- 7.5hp (5.5kw)				
	☑ operational current: 220v-13a/ 440v-12a				
	☑ auxiliary contact: 1no+1nc				
112	Manual Crimping Tool with Interchangeable Dies	unit	1	30,000.00	30,000.00
	"D3" and "BG" Die Grooves/Inserts				
	Designed to crimp range of overhead service entrance connections, splices and taps electrical wire for both aluminum & copper				
	Heavy duty and durable				
	ISO certified				
113	Masonry Drill Bit Set	set	1	2,000.00	2,000.00
	☑ Titanium bits for High-Speed Steel				
	☑ Drill size: 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2				
114	MCB Miniature Circuit Breaker, single pole, 20A, 220-230V	pc	10	500.00	5,000.00
	-Good Quality				
	-iC60N C 20A				
	-Din Rail type				
115	Mini submersible Water Pump, DC 12V	pc	2	1,000.00	2,000.00
	Ultra Quiet Mini DC Lift 5M Brushless Motor 12V Submersible Water Pump				
	Specifications:				
	Material: ABS				
	Inlet: 4mm Threaded port				
	Voltage: DC12V				
	Power: 19W				
	Maximum Rated Current: 1000MA				
	Flow Rate: 800L/h(m3/h)				
	Max Water Lift: 5 metre				
	Working Environment Temperature: 1-60 °C				
	Max Circulating Water Temperature: 100°C				
	Noise: < 40 db (water) under operation				
	Drive Mode: Electromagnetic				
	Pump Shaft Position: Horizontal				
	Impeller Structure: Open impeller				
	Impeller Suction Method: one suction type				
	Cable Line: 500mm / 19.69in				
	Item Size: 77 * 65 * 42mm / 3.03 * 2.56 * 1.65in				
	Package Weight: 220g / 7.76ounces				



	Package Size: 80 * 70 * 50mm / 3.15 * 2.76 * 1.97in				
116	Nails, Common Wire, 1" <i>Smooth Shank</i>	kl	2	90.00	180.00
117	Nails, Common Wire, 1-1/2"	kl	2	90.00	180.00
118	Nails, Common Wire, 2" <i>Smooth Shank</i>	kl	4	90.00	360.00
119	Nails, Common Wire, 3" <i>Smooth Shank</i>	kl	4	90.00	360.00
120	Nails, Common Wire, 4" <i>Smooth Shank</i>	kl	304	90.00	27,360.00
121	Nails, Common Wire, 5" <i>Smooth Shank</i>	kl	4	90.00	360.00
122	Nails, Concrete, 3" <i>Fluted Shank</i>	kl	3	130.00	390.00
123	Nails, Roofing (Umbrella), 2 1/2" <i>Twist Shank</i>	kl	104	130.00	13,520.00
124	Nylon Line (Monoline) #300 <i>Good Quality</i>	kl	3	600.00	1,800.00
125	Oil Pump, 12V, 50L/min <i>Waterproof switch designed, effectively prevent liquid erosion. Bionics handle designed, easy to handle, comfortable grip.</i> <i>power : 260W</i> <i>Voltage: 12V</i> <i>Maximum flow: 50L</i> <i>usd for: kerosene, diesel</i>	pc	1	2,000.00	2,000.00
126	Paint Brush, 2"	pc	53	80.00	4,240.00
127	Paint Brush, 3"	pc	3	95.00	285.00
128	Paint Brush, Roller with handle and PVC Tray, 9" <i>Durable, Good Quality</i>	pc	3	350.00	1,050.00
129	Paint Thinner <i>Premium Quality</i>	gal	5	590.00	2,950.00
130	Paint, Flat Wall Enamel, White <i>Premium Quality Paint</i>	gal	53	820.00	43,460.00
131	Paint, Latex Flat, White <i>Premium Quality Paint</i>	gal	20	800.00	16,000.00
132	Paint, Latex, Chocolate Brown <i>Premium Quality Paint</i>	gal	1	950.00	950.00
133	Paint, Latex, Glossy White <i>Premium Quality Paint</i>	pail	10	3,500.00	35,000.00
134	Paint, Latex, Glossy White <i>Premium Quality Paint</i>	gal	6	800.00	4,800.00
135	Paint, Metal Primer, Red Oxide <i>Premium Quality</i>	gal	10	900.00	9,000.00
136	Paint, QDE, Chocolate Brown <i>Premium Quality Paint</i>	liter	3	200.00	600.00
137	Paint, QDE, White <i>Premium Quality Paint</i>	gal	1	850.00	850.00
138	Paint, Quick Dry Enamel, White	gal	85	890.00	75,650.00
139	Paint, Red Oxide Primer	gal	15	700.00	10,500.00
140	Paint, Roof, Baguio Green <i>Premium Quality Paint</i>	gal	6	800.00	4,800.00
141	Paint, Silver Alum	gal	1	1,200.00	1,200.00



	<i>Premium Quality Paint</i>				
142	Pipe Fittings, (G.I.) Flange, 3"Ø with bolt and nut	pc	2	180.00	360.00
	<i>Schedule 40, Good Quality</i>				
143	Pipe Fittings, (PVC) Ball Valve P, 3/4"Ø	pc	2	500.00	1,000.00
	<i>Heavy Duty, Good Quality</i>				
144	Pipe Fittings, (PVC) Elbow, 90 deg x 3/4"Ø	pc	10	58.00	580.00
	<i>Heavy Duty, Good Quality</i>				
145	Pipe Fittings, (PVC) Tee, 1/2"Ø	pc	12	50.00	600.00
	<i>Heavy Duty, Good Quality</i>				
146	Pipe Fittings, (PVC) Tee, 3/4"Ø	pc	10	70.00	700.00
	<i>Heavy Duty, Good Quality</i>				
147	Pipe Fittings, (PVC) Union, 1/2"Ø	pc	12	120.00	1,440.00
	<i>Heavy Duty, Good Quality</i>				
148	Pipe Fittings, (PVC) Union, 3/4"Ø	pc	6	146.00	876.00
	<i>Heavy Duty, Good Quality</i>				
149	Pipe Wrench, 12"	unit	2	4,600.00	9,200.00
	<i>Heavy Duty Straight Pipe Wrench</i>				
	<i>Durable</i>				
150	Pipe, (G.I.), 1"Ø x 20'	length	2	1,400.00	2,800.00
	<i>Schedule 40, Good Quality</i>				
151	Pipe, (G.I.), 1/2"Ø x 20'	length	2	580.00	1,160.00
	<i>Schedule 40</i>				
	<i>Wall Thickness: 2.77mm</i>				
152	Pipe, (G.I.), 2"Ø x 20'	length	6	2,700.00	16,200.00
	■ <i>Schedule 40</i>				
	■ <i>Wall thickness: 3.91mm</i>				
153	Pipe, (G.I.), 3"Ø x 20'	length	2	5,000.00	10,000.00
	<i>Schedule 40</i>				
	<i>Wall Thickness: 5.49mm</i>				
154	Pipe, (G.I.), 3/4"Ø x 20'	length	2	1,000.00	2,000.00
	<i>Schedule 40, Good Quality</i>				
155	Pipe, (PVC) Blue, 1/2" x 10'	length	6	100.00	600.00
	<i>Sched 40, Durable, Good Quality</i>				
156	Pipe, (PVC) Blue, 3/4" x 10'	length	6	150.00	900.00
	<i>Sched 40, Durable, Good Quality</i>				
157	Plastic Round Pots	pc	10	500.00	5,000.00
	<i>Capacity: 1 gallon</i>				
	<i>Color: Black</i>				
	<i>Top diameter: 6.7inches</i>				
	<i>Bottom diameter: 5.3inches</i>				
	<i>Height: 6.7inches</i>				
	<i>With drainage holes</i>				
	<i>UV protected</i>				
158	Plastic Round Pots 10gals	pc	5	1,250.00	6,250.00
	<i>Capacity: 10 gallons</i>				
	<i>Color: Black</i>				
	<i>Top diameter: 18.11inches</i>				
	<i>Bottom diameter: 14.57inches</i>				
	<i>Height: 13.40inches</i>				
	<i>With drainage holes</i>				
	<i>UV protected</i>				
159	Plastic Round Pots 2gals	pc	10	750.00	7,500.00
	<i>Capacity: 2 gallons</i>				
	<i>Color: Black</i>				



	Top diameter: 9.65inches				
	Bottom diameter: 7.87inches				
	Height: 8.27inches				
	With drainage holes				
	UV protected				
160	Pliers, 6", Long nose	pc	5	400.00	2,000.00
	Heavy Duty, Durable, Good Quality				
161	Pliers, 8", Long nose	pc	5	500.00	2,500.00
	Heavy Duty, Durable, Good Quality				
162	Plywood, Marine, 1/2"(thickness) x 4' x 8'	pc	10	1,100.00	11,000.00
	Standard, Good Quality				
163	Plywood, Marine, 1/4"(thickness) x 4' x 8'	pc	938	580.00	544,040.00
	Standard, Good Quality				
164	Plywood, Marine, 3/4"(thickness) x 4' x 8'	pc	22	1,650.00	36,300.00
	Standard, Good Quality				
165	Pointed Shovel	pc	5	667.00	3,335.00
	Brand: Tolsen				
	Material: Carbon steel				
	Weight: 1 kg				
	Shovel head width: 215 mm				
	Shovel head length: 295 mm				
	Handle length: 1025 mm				
	Other: Wooden handle				
166	Portable Electric Welding Machine, 300A Inverter	unit	1	10,000.00	10,000.00
	☑Phase: Single				
	☑Max. No-Load Voltage: 60V				
	☑Duty Cycle: 60%				
	☑Rated output current : 300 Amperes				
	☑Single phase, portable, fan cooled				
	☑Low energy consumption, light in weight with handle for easy handling				
167	Power Generator Equipment	pc	1	250,000.00	250,000.00
	Engine/ Driveline				
	Fuel- Diesel				
	Engine Cylinders: 4				
	Power Output: 24hp				
	Model Year: 2023				
	Generator Capacity: 30KVA				
	Net Weight: 680kg				
	Voltage: 400				
	Color: Any Color				
168	Propeller, stainless steel	pc	2	700.00	1,400.00
	-Heavy Duty				
	-Stainless S304 material				
	-Solid Casted				
	two blades				
	OD 6 1/2"				
169	Pruning Shear	pc	5	500.00	2,500.00
	Brand: Tolsen				
	Material: Aluminum body				
	Side: 8"				
	Blade: 65Mn				
	Heavy duty				
	Teflon coated				



170	PVC Clip 1 heavy duty	pc	250	15.00	3,750.00
171	PVC Clip 3/4 heavy duty	pc	250	5.00	1,250.00
172	Rainboots, Size: 6 (Men), Black	pair	2	365.00	730.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
173	Rainboots, Size: 6 (Women), Blue	pair	2	365.00	730.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
174	Rainboots, Size: 7 (Men), Black	pair	4	600.00	2,400.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
175	Rainboots, Size: 8 (Men), Black	pair	18	600.00	10,800.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
176	Rainboots, Size: 9 (Men), Black	pair	12	600.00	7,200.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
177	Raincoat, Jacket & Pants, Extra Large, Transparent	pair	8	600.00	4,800.00
	<i>Heavy Duty, Good Quality</i>				
178	Raincoat, Jacket and Pants, Large, Mint Green	pair	14	600.00	8,400.00
	<i>Heavy Duty, Good Quality</i>				
179	Raincoat, Jacket and Pants, Large, Transparent	pair	8	600.00	4,800.00
	<i>Heavy Duty, Good Quality</i>				
180	Receptacle Socket, 4" x 4"	pc	125	50.00	6,250.00
181	Roof Sealant, All-Purpose, 1L/can	can	3	540.00	1,620.00
	<i>Premium Quality</i>				
182	Rubber gasket (sheet) 3mm x 4' x 20'	sheet	1	2,000.00	2,000.00
	<i>Nitrile rubbergood quality</i>				
183	Rubber Socket	pc	125	45.00	5,625.00
	<i>Rubber Socket 3A 250V E27-602</i>				
	<i>heavy duty •buildmate• 100% original / authentic □heavy duty</i>				
184	Safety Breaker, 60A	pc	2	950.00	1,900.00
185	Safety Gloves, Cotton knitted with Latex Orange Coated Palm	pair	20	40.00	800.00
	☑Five fingers freedom, can satisfy various movements and comfortable and flexible.				
	☑Anti-skid				
	☑Wear-resistant				
	☑Oil resistant				
	☑Corrosion resistant				
186	Safety Goggles Eye Protection	pc	5	260.00	1,300.00
	<i>Comfort Features: Adjustable Temples, Brow and nose bridge, Integrated sideshields, Polycarbonate lens</i>				
	<i>Eyewear Range: Economy</i>				
	<i>Frame Material: Plastic</i>				
	<i>Frame Style/Type: Frameless</i>				
	<i>Lens Coating: Anti-Fog</i>				
	<i>Lens Color: Clear</i>				
	<i>Product Series: Plus</i>				
	<i>Product Type: Safety Glasses</i>				
187	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'	sheet	722	990.00	714,780.00
	<i>Standard width, Good Quality;</i>				
188	Sheets, (G.I.) Corrugated, (0.5mm thickness) 10'	pc	4	700.00	2,800.00
189	Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8'	sheet	10	600.00	6,000.00
	<i>Standard, Good Quality</i>				
190	Shovel, Tempered steel round pointed end	pc	58	370.00	21,460.00
	☑Heavy duty wooden handle				
	☑Good quality;				



191	Silicon oil, spray (360ml/can)	can	10	350.00	3,500.00
192	Silicon Sealant, at least 300g	tube	8	200.00	1,600.00
193	Sliding Window, (1/4" thickness), 1.5m x 3.5m, with analok frame, bronze, with free installation	set	1	17,000.00	17,000.00
	<i>With free installation; bronze colored glass and aluminium frame;</i>				
194	Sliding Window, (1/4" thickness), 1m x 0.60m, with analok frame, bronze, with free installation	set	1	4,000.00	4,000.00
	<i>with free installation; colored bronze glass and frame;</i>				
195	Sliding Window, (1/4" thickness), 1m x 2m, with analok frame, bronze, with free installation	set	2	9,000.00	18,000.00
	<i>With free installation; Colored bronze glass and frame;</i>				
196	Solar Battery ,12V, 100ah	unit	2	8,160.00	16,320.00
	Sealed 18650 Lithium ion battery pack				
	long life deep cycle				
	nominal voltage: 12.6 V				
	nominal capacity: 100 Ah				
	Size (body): 215 x 20 x 15 cm				
	with charger cord				
197	Solar charge controller 100amps	unit	2	1,500.00	3,000.00
	☐Solar charge controller				
	☐Charge current: 100amps				
	☐Battery voltage: 12v/24v auto adapt				
198	Solar powered Water Pump, DC 12V	set	2	2,700.00	5,400.00
	Voltage: 12V				
	Power: 180W				
	Max. flow rate: 1.5M ³ /H				
	Max. head: 15m				
	Outlet Size: 1 Inch				
	Good quality, durable				
199	Square tube 1mm x 1 x 1 x 8	pc	8	800.00	6,400.00
	-with 1mm thickness				
	high quality				
200	SS Bolt and Nut with washer (1/2" x 2 1/2")	pc	25	75.00	1,875.00
	Stainless				
	Good quality 304 grade stainless steel				
201	SS Bolt and Nut with washer (3/8" x 1")	pc	25	50.00	1,250.00
	Stainless				
	Good quality 304 grade stainless steel				
202	Stainless Steel Plate, (6mm) 4' x 8'	sheet	1	8,500.00	8,500.00
	good and standard quality stainless				
203	Star Delta Timer 220V	pc	2	3,000.00	6,000.00
	☐Operating Voltage: 220V				
	☐Time: 30sec				
	☐Operating Volt. Range: 85-110% of rated operating voltage				
	☐Rated Frequency: 50/60 Hz				
	☐Contact Rating: 250 VAC 5A (resistive load)				
	☐Reset Time: MAX 0.3S				
	☐Power Consumption: Approx. 3 VA				
204	Steel Bar, Deformed(Corrugated),10mm x 6m	length	10	250.00	2,500.00
	☐0.616 kg/M PNS 230				
	☐ASTM / Grade 33 Structural				



205	Steel Bar, Round (plain), 10mm x 6m <i>Standard size</i>	length	10	295.00	2,950.00
206	Steel conduit saddle clamp/U clamp 1 1/2" double hole	pc	100	50.00	5,000.00
207	Steel Conduit saddle clamp/U clamp 1 1/4" double hole	pc	100	30.00	3,000.00
208	Steel Conduit saddle clamp/U clamp 2" double hole	pc	100	70.00	7,000.00
209	Steel Matting ■Wire Diameter: 4.5mm ■Wire Mesh: 2" x 2" ■Sheet size: 4' x 8'	sheet	1	1,300.00	1,300.00
210	Surge Arrester, 230V,Max 125A gL, iPRD Neutral, iPRD 8-350 -high quality Din rail type Surge Protection	pc	5	1,800.00	9,000.00
211	Switch 2 gang Luminous flush type	set	100	230.00	23,000.00
212	Switch 3 gang luminous flush type	set	2	300.00	600.00
213	Switch Single Luminous flush type	set	100	180.00	18,000.00
214	Tapping Screw Black 1", 50 pcs. per box	box	4	100.00	400.00
215	Terminal Lug 120 mm2	pc	10	200.00	2,000.00
216	Terminal Lug 150 mm2	pc	1	400.00	400.00
217	Terminal Lug 185 mm2	pc	10	600.00	6,000.00
218	Terminal Lug, 16mm2	pc	10	50.00	500.00
219	Terminal Lug, 240 mm2	pc	10	500.00	5,000.00
220	Terminal Lug, 25mm2	pc	10	70.00	700.00
221	Terminal lug, 35mm2	pc	10	80.00	800.00
222	Terminal Lug, 70 mm2	pc	10	150.00	1,500.00
223	Thermoplastic fixture (TF) wire, #16AWG 1.25mm, single one	roll	30	3,000.00	90,000.00
224	Universal Adaptor for Plug Outlet <i>Universal Socket Adaptor Plug Outlet Adaptor-WUA-002</i>	pc	40	70.00	2,800.00
225	Welding Rod, E-6013, 3/32" <i>Premium Quality</i>	kl	6	240.00	1,440.00
226	Wheel Borrow Brand: Viking Material: Steel Tire type: Solid, flat free type Wheel diameter: 16" Capacity: 6 cu.ft Other: Anti-tilt leg stabilizer	pc	2	4,025.00	8,050.00
227	Lumber, 1" x 2" x 10'	pc	6	200.00	1,200.00
228	Wood Preservative Clear	gal	1	2,100.00	2,100.00
229	Sharpening Stone, Silicon Carbide(Carborundum), 6", original <i>Premium Grade, 6" x 2" x 1.2"</i>	pc	13	220.00	2,860.00
230	Shovel, Tempered steel spade <i>Heavy duty wooden handle, Good Quality</i>	pc	5	300.00	1,500.00
231	Spade Shovel Flat, end	pc	5	300.00	1,500.00
232	Charging Line for Refrigeration and Airconditioning	pc	10	55.00	550.00
233	Heavy Duty Socket Wrench Set (1/4" & 1/2" Drive), 94 pcs ■13 Pcs. 1/4" Drive Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm	set	1	14,000.00	14,000.00



	<ul style="list-style-type: none"> ■ 8 Pcs. 1/4" Drive Deep Sockets:6,7,8,9,10,11,12,13mm 				
	<ul style="list-style-type: none"> ■ 17 Pcs.1/4" Drive Bits Socket: FD4,5,5,7,PH1,2,PZ1,2,HW3,4,5,6,T8,10,15,20,25,30 				
	<ul style="list-style-type: none"> ■ 1 Pc. 1/4" Drive Bit Adaptor 				
	<ul style="list-style-type: none"> ■ 1 Pc. 1/4" Drive Universal Joint 				
	<ul style="list-style-type: none"> ■ 1 Pc. 1/4" Drive Quick Release Ratchet Handle 				
	<ul style="list-style-type: none"> ■ 1 Pc. 1/4" Drive Spinner Handle:6" 				
	<ul style="list-style-type: none"> ■ 1 Pc. 1/4" Drive Flexible Extension Bar:6" 				
	<ul style="list-style-type: none"> ■ 2Pcs. 1/4" Drive Extension Bars:2",4" 				
	<ul style="list-style-type: none"> ■ 1 Pc. 1/4" Drive Sliding T Bar 				
	<ul style="list-style-type: none"> ■ 18 Pcs. 1/2" Drive Sockets:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm 				
	<ul style="list-style-type: none"> ■ 4Pcs. 1/2" Drive Deep Sockets:14,15,17,19mm 				
	<ul style="list-style-type: none"> ■ 2Pcs. 1/2" Drive Spark Plug Sockets:16,21mm 				
	<ul style="list-style-type: none"> ■ 1Pc. 1/2" Drive Bit Adaptor 				
	<ul style="list-style-type: none"> ■ 2Pcs. 1/2" Drive Extension Bars:5",10" 				
	<ul style="list-style-type: none"> ■ 1Pc. 1/2" Drive Universal Joint 				
	<ul style="list-style-type: none"> ■ 1Pc. 1/2" Drive Quick Release Ratchet Handle 				
	<ul style="list-style-type: none"> ■ 15Pcs. 8mm*30mm Bits:FD8,10,12 T40,45,50,55 PH3,4 PZ3,4 HW8,10,12,14 				
	<ul style="list-style-type: none"> ■ 1Pc. 1/2" Drive 3-Way Adaptor 				
	<ul style="list-style-type: none"> ■ 3 Pcs. Hex Keys: 1.5,2,2.5mm 				
234	Cut-off Machine, 14"Ø (355 mm)	pc	1	15,000.00	15,000.00
	<ul style="list-style-type: none"> ■ Voltage: 220V 				
	<ul style="list-style-type: none"> ■ Rating Input: at least 2,200 Watts 				
	<ul style="list-style-type: none"> ■ Durable, Heavy Duty 				
	<ul style="list-style-type: none"> ■ Blade Diameter: 14" (355mm) 				
	<ul style="list-style-type: none"> ■ Compatible cutting for wood and metal and stone 				
	<ul style="list-style-type: none"> ■ No-Load Speed: at least 3,800 rpm 				
235	Screwdriver, Flat Head (Slotted), 8"	pc	2	200.00	400.00
	<ul style="list-style-type: none"> Heavy Duty, Cushion Grip, Durable, Good Quality 				
236	Screwdriver, Philips(Cross Head), 8"	pc	2	200.00	400.00
	<ul style="list-style-type: none"> Heavy Duty, Cushion Grip, Durable, Good Quality 				
237	Screwdriver, Philips(Cross Head), 6" Magnetic	pc	2	200.00	400.00
	<ul style="list-style-type: none"> Heavy Duty, Cushion Grip, Durable, Good Quality 				
238	Solenoid Valve, 1/2" NPS, Brass	pc	2	600.00	1,200.00
	<ul style="list-style-type: none"> Working Liquid Pressure: 0 Mpa - 1.0 Mpa (140 PSI) 				
	<ul style="list-style-type: none"> Working Temperature: -5 °C - 80 °C 				
	<ul style="list-style-type: none"> Actuating life: ≥ 50 million cycles 				
	<ul style="list-style-type: none"> Actuating voltage: 12VDC 				
239	Solenoid Valve, Normally close, DC 24V	pc	4	600.00	2,400.00
	<ul style="list-style-type: none"> Normally closed 				
	<ul style="list-style-type: none"> 24V DC 				
	<ul style="list-style-type: none"> Power: 4.8W 				
	<ul style="list-style-type: none"> Water pressure: 0.02-0.8MPa 				
	<ul style="list-style-type: none"> Nominal diameter: 4 point double thread, outlet diameter 13 (mm) 				
	<ul style="list-style-type: none"> G1/2 Brass Electric Solenoid Valve Normally Closed Water Inlet Switch 				
	<ul style="list-style-type: none"> Precise and reliable, with the characteristics of wear resistance, corrosion resistance, high temperature resistance, etc. 				
240	Switch Button, 15 A, 250V (arduino)	pc	4	100.00	400.00
241	Temperature Controller, Digital PID	set	2	1,500.00	3,000.00



	Measuring accuracy: +/-0.5%FS				
	Cold-end compensation tolerance: +/-2 Celsius (can be modified by software in 0~50 Celsius)				
	Resolution: 14 bit				
	Sampling cycle: 0.5 Sec				
	Power : AC 100-240V 50/60HZ				
	Process value (PV), Setting value (SV)				
	PIN control (including ON/OFF, step-type PID and continuous PID)				
	Self-tuning control				
	Relay output: contact capacity 250V AC 3A (resistive load)				
	Proportional band (P): 0~full range (ON/OFF control when set to 0)				
	Detective temperature range: 0 to 400 Celsius				
	Insulation resistance: more than the 50M ohm(500V DC)				
	Insulation resistance : 1500V AC/min				
	Insulation resistance : Power Consumption Less than 10 VA				
	Service environment: 0~50 Celsius				
	environment with no corrosive gas 30~85% RH				
	Aluminum Alloy Heat Sink				
242	Industrial Hand Gloves, Denim (maong type), Large	pair	12	65.00	780.00
	Good Quality				
243	Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard	length	150	1,000.00	150,000.00
	Premium Grade				
244	Angle Bar, 1/4"(thickness) x 2" x 2" x 20', standard	length	20	1,300.00	26,000.00
	Premium Grade				
245	Ball Flapper	pc	100	200.00	20,000.00
246	Blind Rivets, 5/32" x 1/2" at least 1000 pcs. per box	box	50	1,100.00	55,000.00
247	Coco Lumber, 2" x 6" x 12'	pc	500	450.00	225,000.00
248	C-Purlins, (2.0 mm thickness) x 2" x 4" x 20'	length	250	1,500.00	245,000.00
249	Electrical PVC elbow 2"	pc	20	200.00	4,000.00
250	Faucet Brass, Ball Type	pc	50	600.00	30,000.00
251	Screw for Fiber Cement (FiCem), #7(3.5mm) x 1"	pc	30000	1.50	45,000.00
252	Fiber Reinforced Cement Board, (Fascia), 1/2"(thickness) x 4" x 8"	pc	70	550.00	38,500.00
	Premium Quality				
	Heavy Duty				
	Durable				
253	Fiber Reinforced Cement Board, 1/4" (thickness) x 4' x 8'	sheet	700	900.00	630,000.00
254	Flat Bar, 3/16"(thickness) x 1" x 20'	length	50	190.00	9,500.00
	Premium Grade				
255	G.I. Tie Wire #16	kl	300	90.00	27,000.00
	Good Quality				
256	Hacksaw Blade, 18 TPI x 12"	pc	500	75.00	37,500.00
	Bi-Metal				
	High-Speed				
	Durable				



	<i>Premium Quality</i>				
257	Lavatory Faucets, Single	pc	50	500.00	25,000.00
258	Lavatory P-Trap Stainless	set	50	500.00	25,000.00
259	Metal Screw, Furring (size 1") At least 450 pcs. box	box	100	450.00	45,000.00
260	Nails, for Fiber Cement Board, 1"	kl	20	150.00	3,000.00
	<i>Heavy Duty, Good Quality</i>				
261	Nipple G.I. 1/2" x 1" dia.	pc	100	100.00	10,000.00
262	Paint Brush, Roller with handle, 7"	pc	100	100.00	10,000.00
	<i>Durable, Good Quality</i>				
263	Paint, Flat Latex, Chocolate Brown	gal	50	1000.00	50,000.00
264	Paint, Latex Flat, White	gal	150	900.00	135,000.00
	<i>Premium Quality Paint</i>				
265	Paint, Roof Guard (Blue)	gal	50	1,000.00	50,000.00
266	Paint, Semi Gloss Latex, Good Quality	gal	600	950.00	570,000.00
267	Paint, TTC, Bulletin Red, Latex	L	50	500.00	25,000.00
	<i>Premium Quality</i>				
268	Paint, TTC, Burnt Sienna, Latex	L	50	500.00	25,000.00
	<i>Premium Quality</i>				
269	Paint, TTC, Hansha Yellow, Latex	L	50	500.00	25,000.00
	<i>Premium Quality</i>				
270	Paint, TTC, Lamp Black, Latex	can	100	120.00	12,000.00
	<i>Premium Quality, 0.25L per can;</i>				
271	Paint, TTC, Raw Sienna, Latex	L	75	500.00	37,500.00
	<i>Premium Quality</i>				
272	Paint, TTC, Thalo Green, Latex	L	50	500.00	25,000.00
	<i>Premium Quality</i>				
273	Paint, TTC, Ultramarine Blue, Latex	L	50	500.00	25,000.00
	<i>Premium Quality</i>				
274	Pipe Fittings, (G.I.) Coupling, 1/2"Ø	pc	50	50.00	5,000.00
	<i>Schedule 40, Good Quality</i>				
275	Pipe Fittings, (G.I.) Nipple, 2"Ø x 2", Sched 80	pc	40	80.00	3,200.00
276	Pipe Fittings, (G.I.) Nipple, 1/2"Ø x 2", Sched 80	pc	100	60.00	6,000.00
277	Pipe Fittings, (G.I.), Union, 1/2"Ø	pc	30	120.00	3,600.00
	<i>Schedule 40, Good Quality</i>				
278	Pipe Fittings, (PVC) Saddle Clamp, 4"Ø x 1"Ø	pc	2	350.00	700.00
	<i>Schedule 40, Good Quality</i>				
279	Pipe Fittings, Angle Valve, 3/8" x 3/8"	pc	40	400.00	16,000.00
280	Pipe Fittings, Supply Pipe, 3/8" x 7/8"	pc	30	320.00	9,600.00
281	Piping Fittings, Angle Valve, 1/2" x 1/2"	pc	45	200.00	9,000.00
282	PVC Solvent, 400 cc	pc	10	250.00	2,500.00
283	Saddle Clamp 6" x 1"	pc	2	6,000.00	12,000.00
284	Sand, Washed	cu.m.	70	1,500.00	105,000.00
285	Sheets, (G.I.) Plain, Gauge 16 x 4' x 8'	sheet	150	2,200.00	330,000.00
	<i>Standard, Good Quality</i>				



286	SS Floor Drain Strainer, 6" x 6"	pc	50	450.00	22,500.00
287	Tank Lever	pc	100	300.00	30,000.00
288	Teflon Tape, 1/2"Ø x 10m	roll	35	50.00	1,750.00
	<i>Good for sealing on pipe thread</i>				
289	Tile Adhesive Additive	gal	50	1,000.00	50,000.00
	<i>Acrylic based polymer additive</i>				
	<i>Good Quality</i>				
290	Tile Adhesive, 25kg/bag	bag	50	400.00	20,000.00
291	Wall Tiles, 0.30 x 0.30m, Unskid, Beige	pc	2000	50.00	100,000.00
	<i>Good Quality</i>				
292	Wall Tiles, 40 cm x 40 cm, (White)	pc	4000	100.00	400,000.00
293	Water Closet Tank Fitting	set	37	800.00	29,600.00
294	Welding Rod, E-6010, 1/8"	kl	8	200.00	1,600.00
	<i>Premium Quality</i>				
295	Bulb Socket, Porcelain	pc	8	120.00	960.00
	<i>at least 3 inches diameter</i>				
	<i>Standard size</i>				
	<i>ISO Certified and Good Quality</i>				
296	Mini claw hammer	pc	1	400.00	400.00
	<i>handle: 12 cm</i>				
	<i>Head/claw: 8 oz</i>				
	<i>Material: Stainless head/claw, handle with rubber</i>				
297	Multi-Purpose Penetrating Oil, 382mL	btl	2	650.00	1,300.00
	<i>Lubricant,</i>				
	<i>Penetrant,</i>				
	<i>Drives Out Moisture,</i>				
	<i>Removes and Protects Surfaces From Corrosion</i>				
298	Bidet spray toilet bidet rinse set, Heavy Duty	pc	2	2,000.00	4,000.00
	<i>Stainless Steel</i>				
	<i>Comes complete with Spray Head, Flexible Hose, Bidet Holder, Screws and Tox</i>				
299	Fluorescent Starter, 40 watts	pc	12	20.00	240.00
300	Hose	set	1	1,000.00	1,000.00
	<i>garden, 1/2 inch with spray nozzle and solid brass connector, green, 50 m</i>				
301	Fluorescent Tube, 40 watts	pc	8	300.00	2,400.00
302	Saw, Crosscut, 18"(wooden handle)	pc	1	200.00	200.00
	<i>Heavy Duty, Good Quality</i>				
				TOTAL:	8,520,579.00

DILBERTO O. FERRAREN
BAC Chairman