



BID BULLETIN 01

Date: 08 March 2022
Project Title: Supply and Delivery of Office Equipment (GOODS-22-16)
Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

(1st Envelope) TECHNICAL COMPONENT ENVELOPE	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
	or
	a. Registration Certificate (SEC, DTI or CDA)
	b. Mayor's/Business Permit
	c. Tax Clearance
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php 612,000.00)
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 612,000.00 and the largest of which should be at least Php 306,000.00 .
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 1,224,000.00)
	Or
	Committed Line of Credit (at least Php 122,400.00)
(2nd Envelope) FINANCIAL COMPONENT ENVELOPE	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

1. Convert all documents into Portable Document Format (PDF) and should be printable.
2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Registration Certificate (SEC/DTI)	Registration Certificate
3. Mayor’s/Business Permit	Mayor’s-Business Permit
4. Tax Clearance	Tax Clearance
5. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
6. Statement of Bidder's Single Largest Completed Contract	SLCC
7. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
8. Bid Security	Bid Security
9. Technical Specifications	Technical Specifications
10. SCHEDULE of Requirements/Production and delivery schedule	Schedule of Requirements
11. Manpower Requirements	Manpower Requirements
12. After Sales service/parts	After Sales
13. Omnibus Sworn Statement	Omnibus Sworn Statement
14. Audited Financial Statements	Audited Financial Statements
15. Net Financial Contracting Capacity	NFCC
16. Committed Line of Credit	CLC
17. Bid Form	Bid Form
18. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.



4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

Original	
<p>Section I. Invitation to Bid</p> <p>6. A complete set of Bidding Documents may be acquired by interested Bidders on <i>22 February – 16 March 2022 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p>	<p><i>(Amendment)</i></p> <p>A complete set of Bidding Documents may be acquired by interested Bidders on <i>22 February – 16 March 2022 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means:</p> <p>The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p> <p>The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details:</p> <p>Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u></p> <p>Then send the deposit slip to jessamine.ecleo@vsu.edu.ph</p>
<p>Section I. Invitation to Bid</p> <p>15. Sealing and Marking of Bids</p>	<p><i>(Additional Instructions)</i></p> <p>Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.</p> <p>For filing purposes, the bidders are urged to use Orange envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>



IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

Item No.	Description	Unit	Qty	ABC/Unit	Total ABC
1	3 Hp Split Type Air-Conditioner	unit	3	80,000.00	240,000.00
	<i>3.0 HP Split Type Wall Mounted Inverter Air Conditioner</i>				
	<i>Long Reach Air Flow</i>				
	<i>Design For Long Piping up to 30m Maximum</i>				
	<i>With Hi-Power Function</i>				
	<i>Cooling Capacity 7.1 kW</i>				
	<i>Heating Capacity 8.0 kW</i>				
	<i>Warranty Duration: 5 Year Warranty on Compressor; 1 Year Warranty on Spare parts</i>				
	<i>FREE 10- feet copper tube and insulated wire, polyethylene tape, drain hose</i>				
	<i>FREE installation</i>				
2	Air Condition Non-Inverter Window type 0.5HP, Standard size	unit	2	14,500.00	29,000.00
	■at most 600 Watts				
	■cooling capacity: at least 5000 Kilo joules/hr				
	■at least EER 10.0				
3	Air Condition, Split type, Inverter, 2.5 HP	pc	1	65,000.00	65,000.00
	<i>Cooling capacity: at least 20,000 kj/hr</i>				
	<i>wall mounted</i>				
	<i>EER rating above 10</i>				
	<i>with remote control</i>				
	<i>with one year warranty on parts and services</i>				
	<i>with free installation</i>				
4	Air Condition, Window type, Inverter, 1 HP, Standard size	pc	2	33,000.00	66,000.00
	<i>at least 10,300 Kilo Joules per hour</i>				
	<i>at most 800 watts power consumption</i>				
	<i>EER at least 12.0</i>				
	<i>with 3 speed control and timer</i>				
5	Air condition, window type, Inverter, 2 HP (Manual), Standard size	pc	1	47,000.00	47,000.00
	<i>at least 12,000 kj/Hr</i>				
	<i>EER: at least 10.5</i>				
	<i>with three speed cooling switch and timer</i>				
6	Air conditioner	unit	2	20,000.00	40,000.00
	<i>1.5 HP, window type (non-inverter).</i>				
7	Air Conditioner, 1.5HP, Split Type, Wall Mounted, Deluxe Inverter	unit	1	35,000.00	35,000.00
	■1.5 HP				
	■Split Type Air Conditioner				
	■Wall Mounted, Deluxe Inverter				
	■Intelligent Inverter Technology				
	■Honeycomb Intake Grille				
	■Nanoe-G, Auto Comfort				
	■Quite Mode, Mild Dry Cooling				
	■Soft Dry Operation Mode				
	■Odour-Removing Function				
	■Blue Fin Condenser				
	■R410A Refrigerant				



	☑Installation Included				
8	Aircon, Window Type, 2HP	unit	1	35,000.00	35,000.00
	Cooling Capacity hp: 2.0, kJ/h 19,100				
	Power Input W: 1,640				
	EER kJ/hW: 11.6				
	Noise Level Indoor (Low) dB A: 48				
	Power Source: V/Phase Hz 230 V, 1Ø Phase - 60 Hz				
	Refrigerant: R32				
	Anti-bacterial filter				
	12-hour off timer				
	Automatic condensate removal				
9	Branded Portable Array System Entertainment Set Including Distance Bar & Speaker Cable	set	1	167,000.00	167,000.00
	☑Branded PA Complete Systems				
	☑With free 1 wired microphone				
	☑With free 1 wired microphone				
	☑At least 1 year warranty on parts and laborSystem output (RMS): 460 W				
	☑Specifications:				
	☑Color Black				
	☑Number of array satellites 4				
	☑Number of Smartlink adapters 1				
	☑Number of subwoofers1				
	☑Max. SPL (continuous) 122 dB				
	☑Max. SPL (peak) 128 dB				
	☑Frequency response 47 - 20000 Hz				
	☑Dispersion (H x V) 110° horizontal, vertical (each satellite) 10				
	☑RMS Subwoofer: 300 W , Array Satellites: 2 x 160 W				
	☑Peak power Subwoofer: 1200 W , Array Satellites: 2 x 640 W>				
	☑Amplifier Class D				
	☑Protection circuits DSP-based multiband limiter, overload, short circuit, thermal overload				
	☑Weight26,8 kg				
	☑Accessories (included) Distance bar, Power cord, Speaker cable CURV 500 CABLE 1 (2.2 m)				
	☑Subwoofer				
	☑Low/mid driver dimensions 10 "				
	☑Woofer size 254 mm				
	☑Cabinet construction Bass Reflex				
	☑Cabinet material plywood				
	☑Cabinet surfacePA painting				
	☑Dimensions Subwoofer (W x H x D) 325 x 383 x 491 mm				
	☑Subwoofer weight 16.5 kg				
	☑Subwoofer features 16 DFX Presets, 3 ergonomic handels, 4 channel mixer, 4 System DSP Presets, Bluetooth, Threaded flange M20				
	☑Array Satellites				
	☑Mid/Hi system MF: 1 x 4" / HF: 3 x 1" with WaveAhead® Technology / 16 ohms				
	☑Array Satellite Featuresinternal crossover, metal grille, WaveAhead® Technology				



	<ul style="list-style-type: none"> ■ Array Satellite Material Die-cast aluminium ■ Array Satellite Surface: Powder coated ■ Array Satellite Dimensions (W x H x D) 122 x 122 x 122 mm ■ Array Satellite Weight 1.7 kg ■ Smartlink® Adapter ■ Smartlink Adapter Features 2 x 16 mm pole mount socket, 2x M6 thread for optional wall mount ■ Smartlink Adapter Connectors 1 x Speakon-compatible, 1x Phoenix ■ Smartlink Adapter Material Die-cast aluminium ■ Smartlink Adapter Surface Powder coated ■ Smartlink Adapter Dimensions (W x H x D) 122 x 57 x 122 mm ■ Smartlink Adapter Weight 0.6 kg 				
10	<p>Conference room speaker with microphones and mixer(1 set)</p> <ul style="list-style-type: none"> ■ Portable PA System ◀ Speaker Configuration: 2x2-way loudspeakers ◀ Number of Input Channels: 7 (5 x Mono, 2 x Stereo) ◀ Amplifier Power Rating: 375 W ◀ Amplifier Class: Class-D ■ Speakers ◀ Enclosure Type: Bass-Reflex ◀ HF Driver: 1 x 1.2" / 30 mm Horn-Loaded Tweeter (per Speaker) ◀ LF Driver: 1 x 8" / 203 mm (per Speaker) ■ Signal Processing ◀ Input Pad: None ◀ EQ: HF Shelf (per Channel) LF Shelf (per Channel) ◀ Effects: Reverbs ◀ Filters: 1 x High-Pass: 120 Hz ■ Connectivity: ◀ Audio I/O: ◀ 4 x Combo XLR-1/4" 3-Pin Female Balanced/Unbalanced Mic/Line Input ◀ 1 x 1/4" TS Female Unbalanced Line/Hi-Z Input ◀ 2 x 1/4" TS Female Unbalanced Line Input ◀ 1 x 1/8" / 3.5 mm TRS Female Unbalanced Aux Input ◀ 1 x 1/4" TS Female Unbalanced Line Output ◀ 1 x 1/4" TS Female Unbalanced Subwoofer Output ◀ 1 x 1/8" / 3.5 mm TRS Female Headphone Output ■ Bluetooth ◀ Bluetooth: Yes ◀ Pairing: Manual ■ Power ◀ AC Input Power (User Selectable): 100 to 120 VAC, 50 / 60 Hz (T 6.3 A H 250 V) 220 to 240 VAC, 50 / 60 Hz (T 6.3 A H 250 V) 	set	1	49,000.00	49,000.00



	◀Consumption: 450 W				
	▣Physical				
	◀Transport Option: 1 x Handle (Top)				
	◀Mounting: 1 x Pole Socket (Bottom)				
	◀Construction Material: Plastic				
	◀Dimensions: 29 x 23 x 11" / 73.66 x 58.42 x 27.94 cm				
	◀Weight: 44 lb / 19.96 kg				
	◀Warranty: At least 1 year warranty from the date of delivery				
11	Electric fan	pc	1	2,500.00	2,500.00
	▣Stand fan 16" metal blade				
	▣Adjustable height				
	▣three speed controller				
12	Electric Paper Shredder	unit	2	40,000.00	80,000.00
	▣16 sheets shredder Infrared automatic paper feeding				
	▣Shredding Capacity: <10 Sheets/Shred				
	▣Shredding Medium: Photo				
	▣Shredding Medium: Card				
	▣Shredding Medium: CD				
	▣Shredding Medium: Paper				
	▣Capacity: <50L				
	▣Power: Electricity				
	▣Shredder Type: Cross-Cut				
	▣Security grade: s4				
	▣Volume: 30L				
	▣Power: 400w				
13	Laminator Machine, A3	unit	1	5,000.00	5,000.00
	▣Heavy Duty, for A3 & A4 size, infrared heating system and adjustable temperature control with overheating protection				
14	Portable Trolley 15" Speaker with wireless microphone	unit	1	10,000.00	10,000.00
	▣15" 2 Way 480 Watts Powered Portable Sound System				
	▣Plastic Cabinet				
	▣AC220V or DC12V (With built-in Rechargeable Batteries)				
	▣With 2 Wireless Microphone				
	▣With 2 Mic Input (1 XLR, 1 PL55)				
	▣With FM Radio, Bluetooth, Guitar Input (Shared with Mic 2 input), USB & SD Port				
	▣With 5 Band Equalizer and LCD Display				
	▣With Aux / Line In and Line Out				
	▣With Remote Control, Handle and Wheel				
15	Smart 32-inch TV	piece	1	14,999.99	14,999.99
	▣Features				
	◀Android TV (with Google Assistant + Chromecast Built-in				
	◀Bezel Less Ultra Bright LED Display				
	◀Chroma Boost Picture Engine				
	◀24 watts Quad-Stereo Speakers				
	◀Powerful 64-Bit Quad-Core Processors				
	▣Product Highlights				
	◀Height: 43.2 cm				
	◀Width: 73 cm				
	◀Length: 8.8 cm				
	◀Screen Size: 32-inch				



	◀ TV Resolution: HD Ready				
	◀ Connectivity: 2.4 GHz Wi-Fi				
	◀ HDMI Ports: 3				
	◀ USB Ports: 2				
	◀ Voltage: 90V-240v 50hz				
	◀ Wattage: 45 watts				
16	Smart Television 75"	unit	1	111,000.00	111,000.00
	▣ Specifications				
	◀ Picture Engine: Crystal Processor 4K				
	◀ Color: Dynamic Crystal Color				
	◀ Contrast: Mega Contrast				
	◀ Sound: Q-Symphony				
	◀ Smart: Tap-View				
	◀ Design: AirSlim				
	▣ Specifications Detail				
	▣ Product Type: LED				
	▣ Series: 8				
	▣ Display				
	◀ Screen Size: 75"				
	◀ Resolution: 3,840 x 2,160				
	◀ Screen Curvature: N/A				
	▣ Video				
	◀ Picture Engine: Crystal Processor 4K				
	◀ PQI (Picture Quality Index): 2200				
	◀ HDR (High Dynamic Range): HDR				
	◀ HDR 10+: Support				
	◀ HLG (Hybrid Log Gamma): Yes				
	◀ Contrast: Mega Contrast				
	◀ Viewing Angle: N/A				
	◀ Color: Dynamic Crystal Color				
	◀ Micro Dimming: UHD Dimming				
	◀ Auto Depth Enhancer: N/A				
	◀ Contrast Enhancer: Yes				
	◀ Auto Motion Plus: Yes				
	◀ Film Mode: Yes				
	◀ Natural Mode Support: Yes				
	▣ Audio				
	◀ Dolby Digital Plus: Yes				
	◀ Dolby 5.1 Decoder: N/A				
	◀ Object Tracking Sound: N/A				
	◀ Q-Symphony: Q-Symphony				
	◀ Audio Pre-selection Descriptor: N/A				
	◀ Hole Array Speaker: N/A				
	◀ Sound Output (RMS): 20W				
	◀ Speaker Type: 2CH				
	◀ Woofer: N/A				
	◀ Multiroom Link: Yes				
	◀ Bluetooth Audio: Yes				
	▣ Smart Service				
	▣ SMART TV: Smart				
	▣ Operating System: Tizen™				
	▣ Bixby: US English, UK English, India English, Korean, French, German, Italian, Spanish, Portuguese (features vary by language)				
	▣ Voice Interaction: N/A				
	▣ Far-Field Voice Interaction: N/A				
	▣ Alexa Built-in: N/A				
	▣ Google Assistant Built-in: N/A				



☑ Works with Google Assistant: N/A				
☑ Works With Alexa: N/A				
☑ TV Plus: N/A				
☑ Web Browser: Yes				
☑ Gallery: Yes				
☑ Convergence				
◀ TV to Mobile – Mirroring: N/A				
◀ Mobile to TV - Mirroring, DLNA: Yes				
◀ NFC on TV: N/A				
◀ Tap View: Yes				
◀ Digital Butler: N/A				
◀ Multi-View: N/A				
◀ Sound Wall: Yes				
◀ Remote Access: Basic				
◀ 360 Video Player: N/A				
◀ 360 Camera Support: N/A				
◀ Bluetooth Low Energy: Yes				
◀ WiFi Direct: Yes				
◀ TV Sound to Mobile: Yes				
◀ Sound Mirroring: Yes				
☑ Differentiation				
◀ Tune Station: N/A				
◀ Auto Hotspot Connect: N/A				
◀ S-Share: N/A				
◀ Auto Data Backup: N/A				
◀ Dongle Compatibility (3G / LTE / WiFi): N/A				
◀ Analog Clean View: N/A				
◀ Triple Protection: N/A				
☑ Tuner/Broadcasting				
◀ Digital Broadcasting: ISDB-T				
◀ Analog Tuner: Yes				
◀ 2 Tuner: N/A				
◀ CI (Common Interface): N/A				
◀ Data Broadcasting: N/A				
◀ TV Key Support: Yes				
☑ Connectivity				
◀ HDMI: 3				
◀ USB: 2				
◀ Component In (Y/Pb/Pr): N/A				
◀ Composite In (AV): 1				
◀ Ethernet (LAN): Yes				
◀ Audio Out (Mini Jack): N/A				
◀ Digital Audio Out (Optical): 1				
◀ RF In (Terrestrial / Cable input): 1/1(Common Use for Terrestrial)/0				
◀ Ex-Link (RS-232C): N/A				
◀ CI Slot: N/A				
◀ HDMI A / Return Ch. Support: Yes				
◀ eARC: Yes				
◀ HDMI Quick Switch: Yes				
◀ Wireless LAN Built-in: Yes (WiFi5)				
◀ Bluetooth: Yes (BT5.2)				
◀ Anynet+ (HDMI-CEC): Yes				
☑ Design				
◀ Design: AirSlim				
◀ Bezel Type: 3 Bezel-less				
◀ Slim Type: Slim look				
◀ Front Color: TITAN GRAY				



	◀Speaker Jersey Color: N/A				
	◀Light Effect (Deco): N/A				
	◀Stand Type: FLOAT LIFT				
	◀Stand Color: TITAN GRAY				
	■Additional Feature				
	◀Adaptive Picture: N/A				
	◀Active Voice Amplifier: N/A				
	◀Adaptive Sound: Adaptive Sound				
	◀AI Streaming: N/A				
	◀AI Upscale: N/A				
	◀Auto Rotation: N/A				
	◀Décor Mode: N/A				
	◀Motion Detection (Frame): N/A				
	◀Ambience: Ambient Mode				
	◀Brightness/Color Detection: Brightness Detection				
	◀Portrait Mode: N/A				
	◀Accessibility - Voice Guide: UK English, Korean, Mandarin Chinese				
	◀Accessibility - Learn TV Remote / Learn Menu Screen: UK English				
	◀Accessibility – Others: Enlarge / High Contrast / Multi-output Audio / Color Inversion / Grayscale / Sign Language Zoom / Slow Button Repeat				
	◀Digital Clean View: Yes				
	◀Auto Channel Search: Yes				
	◀Auto Power Off: Yes				
	◀Caption (Subtitle): Yes				
	◀Connect Share™ (HDD): Yes				
	◀ConnectShare™ (USB 2.0): Yes				
	◀EPG: Yes				
	◀Extended PVR: N/A				
	◀Freesync: N/A				
	◀G-SYNC: N/A				
	◀Filmmaker Mode (FMM): Yes				
	◀OSD Language: Local Languages				
	◀Picture-In-Picture: N/A				
	◀BT HID Built-in: Yes				
	◀USB HID Support: Yes				
	◀Teletext (TTX): N/A				
	◀Time Shift: N/A				
	◀V-Chip: N/A				
	◀IPv6 Support: Yes				
	◀MBR Support: Yes				
	■Eco Feature				
	◀Eco Sensor: Yes				
	◀Energy Efficiency Class: N/A				
	■Power				
	◀Power Supply: AC100-240V 50/60Hz				
	◀Power Consumption (Max): 260 W				
	◀Power Consumption (Stand-by): N/A				
	◀Power Consumption (Energy Saving Mode): N/A				
	◀Power Consumption (Typical): N/A				
	■Dimension				
	Package Size (WxHxD): 1834 x 1110 x 190 mm				
	◀Set Size with Stand (WxHxD): 1676.7 x 1005.5 x 340.4 mm				



	◀ Set Size without Stand (WxHxD): 1676.7 x 960.3 x 26.6 mm				
	◀ Stand (Basic) (WxD): 1269.6 x 340.4 mm				
	◀ Stand (Minimum) (WxD): 1049.8 x 340.4 mm				
	▣ Weight				
	◀ Package Weight: 43.6 kg				
	◀ Set Weight with Stand: 33.3 kg				
	◀ Set Weight without Stand: 32.1 kg				
	▣ Accessory				
	◀ Remote Controller Model: TM2180A				
	◀ Batteries (for Remote Control): Yes				
	◀ Smart Control (Included): Yes				
	◀ Optional Stand Support (Y20 Studio): N/A				
	◀ 15m/10m One Invisible Connection Support: N/A				
	◀ Mini Wall Mount Support: N/A				
	◀ Vesa Wall Mount Support: Yes				
	◀ User Manual: Yes				
	◀ E-Manual: Yes				
	◀ ANT-Cable: N/A				
	◀ Power Cable: Yes				
	◀ HDMI Cable: N/A				
	◀ Slim Gender Cable: N/A				
17	Water Dispenser, Cabinet type	pc	1	10,000.00	10,000.00
	▣ Floor standing				
	▣ Hot and cold function				
	▣ plastic body, high efficiency compressor				
	▣ thermally protected				
	Rebidding (from GOODS-21-55)				
18	Ceiling fan	pc	2	2,500.00	5,000.00
	Orbit type				
	metal blade 16"				
	three speed controller				
19	Industrial Exhaust Fan	unit	8	5,000.00	40,000.00
	Product Specification				
	16 inches wall hanging exhaust fan with shutter blades				
	145 watts				
	High Quality Motor				
	Low Wattage Consumption				
	2880m ³ / hour air delivery				
	Unit Dimension : 48 x 27 x 48 cm (L x W x H)				
20	Industrial fan	pc	1	3,500.00	3,500.00
	ground type				
	at least 18 inches metal blade				
	three speed rotary switch controller				
	tilting head adjustment with oscillation				
21	Industrial Wall Fan	unit	5	8,000.00	40,000.00
	Product Specification:				
	26 Inches Industrial wall mounted fan				
	4-bladed fan with volume control for wide range of fan speed				
	with oscillation				
	235 watts power				
	With Timer Function of 1HR, 2HR, 4HR & 8HR				
	with built-in thermal fuse				
	with wall-mount bracket				
	Color: Gray				



22	Air Conditioner, 1.5HP, Split Type, Wall Mounted, Deluxe Inverter	unit	1	35,000.00	35,000.00
	☐ 1.5 HP				
	☐ Split Type Air Conditioner				
	☐ Wall Mounted, Deluxe Inverter				
	☐ Intelligent Inverter Technology				
	☐ Honeycomb Intake Grille				
	☐ Nanoe-G, Auto Comfort				
	☐ Quiet Mode, Mild Dry Cooling				
	☐ Soft Dry Operation Mode				
	☐ Odour-Removing Function				
	☐ Blue Fin Condenser				
	☐ R410A Refrigerant				
	☐ Installation Included				
	Rebidding (from GOODS-22-05)				
23	Ceiling Fan	pc	1	2,500.00	2,500.00
	Orbit type				
	metal blade 16"				
	three speed controller				
24	Heavy Duty Combo Binding Machine	unit	1	14,500.00	14,500.00
	☐ Maximum Punching Sheets: 25				
	☐ Max Size: LS, F4, A4, Extra Long				
	☐ Selectable Punching Pins: 24 slots				
	☐ Net Weight: 12.5kgs				
25	Microwave Oven, Digital, Non-Inverter, 13 Power Levels	pc	2	14,000.00	28,000.00
	☐ 30 Liters capacity				
	☐ Grill and convection				
	☐ electronic control				
	☐ dual wave system				
	☐ 13 power levels				
	☐ 900W				
	☐ Non-Inverter				
26	Paper shredder machine, heavy duty	pieces	3	6,000.00	18,000.00
	☐ Shred Type: Cross Cut				
	☐ Maximum Sheet capacity(70gsm) : 10 Sheets				
	☐ Waste Container capacity: 21 Liters				
	☐ Power Source: 220 - 240 VAC				
27	Stand Fan, banana type 18" banana blade	unit	4	1,500.00	6,000.00
28	Vacuum Cleaner	unit	2	12,500.00	25,000.00
	Operation: Cordless operation/usage				
	Function: Suction + Sweep				
	Maximum suction power: at least 150AW				
	Storage: at least 600ml Dust Bin				
	Battery: at least 3000mAh				
	Power Requirement: 220-240V				
	HEPA Filter - PM 0.3 dust and mite removal (washable)				
	Inclusion: multi-function compatible brush head				
				TOTAL:	1,224,000.00

Sgd.
DILBERTO O. FERRAREN
BAC Chairman