



BID BULLETIN 01

Date: 28 June 2022

Project Title: *Supply and Delivery of Hardware and Construction Supplies (GOODS-22-33)*

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

(1st Envelope) TECHNICAL COMPONENT ENVELOPE	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
	or
	a. Registration Certificate (SEC, DTI or CDA)
	b. Mayor's/Business Permit
	c. Tax Clearance
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 25% of the ABC or Php 493,558.75 .)
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 493,558.75 and the largest of which should be at least PhP 246,779.38
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 1,974,235.00)
	Or
	Committed Line of Credit (at least Php 197,423.50)
(2nd Envelope) FINANCIAL COMPONENT ENVELOPE	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

1. In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

2. Bidders are advised to use the latest GPPB forms for the following documents:

- a) Omnibus Sworn Statement
- b) Performance Securing Declaration (if applicable)
- c) Price Schedule for Goods Offered
- d) Bid Form
- e) Bid Securing Declaration

These forms can be accessed from the GPPB website: <https://www.gppb.gov.ph/downloadables.php>. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

- 1. **Scan per document** into Portable Document Format (PDF) and should be printable.
- 2. Properly label all scanned documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Registration Certificate (SEC/DTI)	Registration Certificate
3. Mayor’s/Business Permit	Mayor’s-Business Permit
4. Tax Clearance	Tax Clearance
5. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
6. Statement of Bidder's Single Largest Completed Contract	SLCC
7. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
8. Bid Security	Bid Security
9. Technical Specifications	Technical Specifications
10. SCHEDULE of Requirements/Production and delivery schedule	Schedule of Requirements
11. Manpower Requirements	Manpower Requirements
12. After Sales service/parts	After Sales



13. Omnibus Sworn Statement	Omnibus Sworn Statement
14. Audited Financial Statements	Audited Financial Statements
15. Net Financial Contracting Capacity	NFCC
16. Committed Line of Credit	CLC
17. Bid Form	Bid Form
18. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

Original	
<p>Section I. Invitation to Bid</p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>15 June – 07 July 2022 until 1:30 PM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p>	<p><i>(Amendment)</i></p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>15 June – 07 July 2022 until 1:30 PM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means:</p> <p>The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p> <p>The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details:</p> <p>Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u></p> <p>Then send the deposit slip to jessamine.ecleo@vsu.edu.ph</p>



Section II. Instructions to Bidders

15. Sealing and Marking of Bids

(Additional Instructions)

Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.

For filing purposes, the bidders are urged to use **Light Blue** envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.

IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

Item No.	Description	Unit	Qty	ABC/Unit (Pesos)	Total ABC (Pesos)
1	0.60m x 0.60m Floor Tiles - glazed , white	pcs	875	210.00	183,750.00
	■Floor Tiles, at least 10mm thickness, Material: Ceramic				
2	1.20 m x 6 m Interlink 2" hole	rolls	25	1,600.00	40,000.00
3	Abrasive Paper, Sand Paper Grit #120, 9" x 11"	sheet	30	20.00	600.00
	■Fine Sanding, Waterproof, Good Quality				
4	Abrasive Paper, Sandpaper, #80	sheet	10	40.00	400.00
	Medium Coarse, Premium Grade, Waterproof				
5	Acrytex Cast	gal	2	550.00	1,100.00
6	Cable Tie, 4" x 250mm, 100pcs/pack	pack	50	150.00	7,500.00
	■Nylon, 4x250mm				
7	Cement, Portland	bag	2,272	300.00	681,600.00
	■Type 1P, Premium Quality				
	■ASTM C150				
8	Electric Water Pump with Pressure Tank and Extra Storage Tank	sets	1	50,625.00	50,625.00
	Sets of Electric Water Pump with Pressure Tank and Extra Storage Tank				
	Includes the following:				
	A. One (1) set of Water Pump with Pressure Tank				
	Voltage: 220-240V~60Hz Input power: 750W(1HP)				
	Max.head: 45M Max.flow: 60L/min				
	Max.suction: 9M diameter: 1"x1"				
	Copper wire motor Brass impeller				
	Copper impeller 0.3m length cable				
	1pc 60L cylindrical tank				
	1pc pressure switch				
	1pc stainless steel hose				
	1pc pressure guage				
	1pc brass 3-way				
	B. One (1) set of Water Storage Tank - 1000 liter capacity				
	Horizontay type with complete accessories				
	1000 liter capacity				



	(1) Nylon Coupling 3/4" INLET				
	(1) S/S Coupling 3/4" OUTLET				
	(1) S/S Coupling 3/4" DRAIN				
	(1) Nylon Coupling 3/4" AIRVENT				
9	Fluorescent Tube, T5 28Watts	tube	20	120.00	2,400.00
	☐T5, 28 watts				
10	G.I. Tie Wire #14	kl	30	140.00	4,200.00
	☐Good Quality				
11	Good lumber, 4" x 4" x 8'	length	5	1,280.00	6,400.00
12	Grass/Brush cutter (Four Stroke Engine)	unit	1	25,000.00	25,000.00
	☐Engine: 4 stroke engine				
	☐Handle type: both hands				
	☐Power transmission method: automatic centrifugal clutch, spiral gear				
	☐Displacement Volume (cc): 41.5				
	☐Carburetor: Float, piston valve				
	☐Starting Method: Recoil starter				
	☐Stopping Method: Sparking Circuit Primary Short				
	☐Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)				
	☐Lubricating Oil Used: 2-cycle engine oil				
	☐Fuel Tank Capacity (L): 1				
13	Metal Cut Off Saw	unit	1	25,000.00	25,000.00
	Heavy duty and durable				
	Rated input power: 2,000 W				
	Cutting capacity at rectangle 0°: 158 x 80 mm				
	Cutting capacity at square 0°: 100 x 100 mm				
	Cutting capacity at L-profile 0°: 110 x 110 mm				
	Cutting capacity at rectangle 45° mitre: 85 x 85 mm				
	Cutting capacity at square 45° mitre: 85 x 85 mm				
	Cutting capacity at L-profile 45° mitre: 85 x 85 mm				
	Tool dimensions (width x length x height): 327 x 517 x 38 mm				
	Weight approx: 20 kg				
	Vibration emission value ah: 3.5 m/s ²				
	Available replacement part				
14	Nails, Common Wire, 1-1/2"	kl	50	80.00	4,000.00
15	Nails, Common Wire, 2-1/2"	kilos	100	80.00	8,000.00
16	Nails, Finishing 1-1/2"	kilos	1	90.00	90.00
17	Paint Brush, 2"	pcs	2	80.00	160.00
	☐Durable bristles				
	☐Heavy duty metal ferrules				
18	Paint, Acrylic Reducer /Thinner	gal	1	800.00	800.00
19	Paint, Acrytex Reducer	gal	2	600.00	1,200.00
20	Paint, Acrytex Primer, White	gallon	2	950.00	1,900.00
21	Paint, Latex, Chocolate Brown	gallon	1	820.00	820.00
	Premium Quality Paint				
22	Paint, Latex, Glossy White	gallon	1	795.00	795.00
	Premium Quality Paint				
23	Paint, Roller Cotton, 4"	pcs	2	80.00	160.00
	For repair of ceiling				
24	Paint, Roof, Baguio Green	gallon	300	800.00	240,000.00
	Premium Quality Paint				



25	Paint, TTC, Black	liter	1	600.00	600.00
26	Paint, TTC, Brown	liter	1	600.00	600.00
27	Plywood, Marine, 1"(thickness) x 4' x 8' Standard, Good Quality	piece	10	1,900.00	19,000.00
28	Roof Sealant, All-Purpose, 1L/can Premium Quality	cans	1	540.00	540.00
29	Steel Bar, Deformed(Corrugated),10mm x 6m 0.616 kg/M PNS 230 ASTM / Grade 33 Structural	length	517	250.00	129,250.00
30	Tile Adhesive, 25kg/bag	bags	75	350.00	26,250.00
31	Tile Grout 2kls/bag, White	bags	25	80.00	2,000.00
32	Bulb, LED, 7W	pcs	35	120.00	4,200.00
33	LED Tube T8, 18 watts	pcs	5	180.00	900.00
34	Blowmol Blade Specifications: 1/8 x 2" x 24"	pcs	2	3,000.00	6,000.00
35	Guide Bar Chainsaw 38" Good Quality	pcs	2	14,000.00	28,000.00
36	Round File, 3/16" x 7-7/8" for Chainsaw	pcs	33	300.00	9,900.00
37	Table Planer Blade 3/16" x 1-1/4" x 12"	pcs	8	2,800.00	22,400.00
38	Planer Blade, 1/8" (thickness) 1-1/2" x 12" Durable, Premium Quality	pcs	6	500.00	3,000.00
39	Planer Blade, 1/8" (thickness) 1-1/2" x 18" Durable, Premium Quality	pcs	8	1,000.00	8,000.00
40	Saw, Circular Blade, 7-1/4" x 60TPI, Heavy Duty Durable, Good Quality	pcs	10	500.00	5,000.00
41	Cement Waterproofing Compound, 1kg/pack Good Quality	pack	50	100.00	5,000.00
42	Chainsaw chain, #27, 36 inches	pcs	2	1,300.00	2,600.00
43	G.I. Tie Wire #16 Good Quality	kgs	77	90.00	6,930.00
44	Nails, Common Wire, 2" Smooth Shank	kgs	8	90.00	720.00
45	Nails, Common Wire, 3" Smooth Shank	kgs	8	85.00	680.00
46	Nails, Common Wire, 4" Smooth Shank	kgs	13	85.00	1,105.00
47	Nails, Concrete, 4" Fluted Shank	kgs	8	100.00	800.00
48	Nails, Finishing 2" Smooth Shank	kgs	4	80.00	320.00
49	Pipe Fittings, (G.I.) Elbow, 90 deg x 1"Ø Schedule 40, Good Quality	pcs	10	80.00	800.00
50	Pipe Fittings, (G.I.) Reducer Bushing, 1"Ø x 1/2"Ø Schedule 40, Good Quality	pcs	2	75.00	150.00
51	Pipe Fittings, (G.I.) Union, 1"Ø Schedule 40, Good Quality	pcs	4	175.00	700.00
52	Teflon Tape, 1/2"Ø x 10m Good for sealing on pipe thread	rolls	90	50.00	4,500.00
53	Wood Glue Premium Quality	gallon	1	1,000.00	1,000.00
54	Chain, for Chainsaw 36"	pcs	10	1,300.00	13,000.00



	☐(oregon) replacement parts				
55	Shovel, Tempered steel round pointed end	pcs	20	370.00	7,400.00
	☐Heavy duty wooden handle				
	☐Good Quality				
56	Gravel, 3/4" size	cu.m.	20	1,500.00	30,000.00
57	Sand, Coarsed,-delete Washed	cu.m.	50	1,700.00	85,000.00
58	Steel Bar, Deformed(Corrugated),12mm x 6m	length	450	330.00	148,500.00
	☐ASTM/ Grade 33 structural				
59	Steel Bar, Deformed(Corrugated),16mm x 6m	length	30	550.00	16,500.00
	☐ASTM/ Grade 33 structural				
60	Electrical Wire, AWG 14, Flat cord, (stranded),	m	15	66.00	990.00
	☐Good Quality				
	☐Heavy Duty				
61	Multi-Purpose Ladder	pc	1	8,000.00	8,000.00
	☐Load Capacity: 225 lbs Capable of 4 Positions A-Frame				
	☐Stairway Ladder				
	☐Scaffold and Straight Extension Reaches from 4 ft to 8 ft to an extendable length of 16 ft				
	☐Aluminum Alloy Steps Main Material Aluminum Dimension: 125 x 40 x 26, cm Weight: 15 kg Model • R1R14204				
62	Shovel, Tempered steel round pointed end	pcs	2	300.00	600.00
	☐Heavy duty wooden handle				
	☐Good Quality				
63	Shovel, Tempered Steel Spade	pcs	2	300	600.00
	☐Heavy duty wooden handle				
	☐Good Quality				
64	Sand, Coarsed-delete, Washed	cu.m.	30	1,700.00	51,000.00
	Rebidding (from GOODS-22-21)				
65	Electrical Panel Board Single Phase, (Bolt on type)	sets	1	12,000.00	12,000.00
	Metal enclosed Single Phase Panel Board				
	Copper Busbar				
	Consist of the following with grounding terminal				
	1 pc-70AT 10Kaic 240 volts, Center Main, Breaker, (Molded Case)				
	2 pcs- 30 amp 2 poles, 240 Volts, Branch, (Molded Case)				
	4 pcs- 20 amp 2 poles, 240 volts, Bolt on type, Breaker , (Molded Case)				
66	Electrical, Pipe, (PVC) Orange, 1"(32mm) x 3m	length	6	200.00	1,200.00
	Sched 40, Durable, Good Quality				
67	Electrical, PVC Pipe (Orange), 1/2" x 10'	length	80	120.00	7,600.00
68	Mini claw hammer	pc	1	400.00	400.00
	handle: 12 cm				
	Head/claw: 8 oz				
	Material: Stainless head/claw, handle with rubber				
69	Mirror, 1/8 , 120 cm dia. x 80cm. with J-clip	pcs	4	1,800.00	7,200.00



70	Foot Bolt 4"	pcs	8	600.00	4,800.00
	Deadlocking latch bolt				
	Simple installation and operation				
	Suitable for garage, barn doors, warehouse, or double doors				
	Additional security for wooden doors				
	Step on release lever to retract bolt				
	Color: Antique Brass or Gold				
	Extra security to resist forced entry from intruders				
				TOTAL:	1,974,235.00

DILBERTO O. FERRAREN
BAC Chairman