

BID BULLETIN 01

Date: 08 August 2022

Project Title: Supply and Delivery of Construction and Electrical Supplies (GOODS-22-41)

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

| Legal Documents | |
|-----------------------------------|--|
| 1 | PhilGEPS Certificate of Registration (Platinum) |
| | or |
| | a. Registration Certificate (SEC, DTI or CDA) |
| | b. Mayor's/Business Permit |
| | c. Tax Clearance |
| Technical Documents | |
| 2 | Statement of All On-Going Government & Private Contracts |
| 3 | Statement of Bidder's Single Largest Completed Contract (at least 25% of the ABC or Php 722,277.50 . |
| | Or |
| | Statement of at least two (2) similar completed contracts w/ total amount of at least Php 722,277.50 and the largest of which should be at least PhP 361,138.75 |
| 4 | Bid Security |
| 5 | Technical Specifications |
| 6 | SCHEDULE of Requirements/Production and delivery schedule |
| 7 | Manpower Requirements |
| 8 | After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies) |
| 9 | Original Duly Signed Omnibus Sworn Statement |
| Financial Documents | |
| 10 | The Supplier's Audited Financial Statements |
| 11 | Net Financial Contracting Capacity (at least Php 2,889,110.00) |
| | Or |
| | Committed Line of Credit (at least Php 288,911.00) |
| (2 nd Envelope) FINANC | IAL COMPONENT ENVELOPE |
| 12 | Original of duly signed and accomplished Financial Bid Form |
| 13 | Original of duly signed and accomplished Price Schedule(s) |



Please take note:

- 1. In the Technical Specifications, bidders must state either "Comply" or "Not Comply" against each of the individual parameters of the specifications per item stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in the Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1 (a)(ii).
- 2. Bidders are advised to use the latest GPPB forms for the following documents:
 - a) Omnibus Sworn Statement
 - b) Performance Securing Declaration (if applicable)
 - c) Price Schedule for Goods Offered
 - d) Bid Form
 - e) Bid Securing Declaration

These forms can be accessed from the GPPB website: <u>https://www.gppb.gov.ph/downloadables.php</u>. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

- 1. Scan <u>per document</u> into Portable Document Format (PDF) and should be printable.
- 2. Properly label all scanned documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

| | D | |
|---------|---------------------------------------|--------------------------|
| | Document | Filename (in PDF form) |
| 1. | PhilGEPS Certificate of Registration | PhilGEPS |
| | (Platinum) | |
| 2. | Registration Certificate (SEC/DTI) | Registration Certificate |
| 3. | Mayor's/Business Permit | Mayor's-Business Permit |
| 4. | Tax Clearance | Tax Clearance |
| 5. | Statement of On-Going Government | Statement of On-Going |
| | & Private Contracts | Contracts |
| 6. | Statement of Bidder's Single Largest | SLCC |
| | Completed Contract | |
| 7. | Statement of at least two (2) similar | Statement of Completed |
| | completed contracts | Contracts |
| 8. | Bid Security | Bid Security |
| 9. | Technical Specifications | Technical Specifications |
| 10. | SCHEDULE of | Schedule of Requirements |
| | Requirements/Production and | |
| | delivery schedule | |
| 11. | Manpower Requirements | Manpower Requirements |
| 12. | After Sales service/parts | After Sales |



| 13. Omnibus Sworn Statement | Omnibus Sworn Statement |
|--|------------------------------|
| 14. Audited Financial Statements | Audited Financial Statements |
| 15. Net Financial Contracting Capacity | NFCC |
| 16. Committed Line of Credit | CLC |
| 17. Bid Form | Bid Form |
| 18. Price Schedule | Price Schedule |

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at **jessamine.ecleo@vsu.edu.ph** before the deadline.

III. Changes in the Bidding Documents



| Section II. Instructions to Bidders | (Additional Instructions) Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2. For filing purposes, the bidders are urged to use Light Blue envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope. |
|-------------------------------------|--|
|-------------------------------------|--|

IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

| ltem No. | Description | Unit | QTY | ABC/Unit (Pesos) | Total ABC (Pesos) |
|-------------|---|------|-----|---------------------|----------------------|
| 1 | 10 Watts LED Single-Surface mounted Downlights | set | 12 | 1,200.00 | 14,400.00 |
| | LED Single-Surface Mounted downlights Square Head spotlights Ceiling | | | | |
| 2 | 15 Amperes, Type K Fuselinks (10 pcs/box) | box | 2 | 6,553.00 | 13,106.00 |
| | 23" length, removable head, stainless steel strain wire and a silver copper fuse wire fuse element (ANSI, IEEE, NEMA certified) | | | | |
| 3 | 15 Watts LED Double-Surface Mounted Downlights | set | 25 | 2,500.00 | 62,500.00 |
| | LED Double-Surface Mounted Downlights Square Head Spotlight Ceiling | | | | |
| 4 | 25 Amperes, Type K Fuselinks (10 pcs/box) | box | 2 | 6,553.00 | 13,106.00 |
| | 23" length, removable head, stainless steel strain wire and a silver copper fuse wire fuse element (ANSI, IEEE, NEMA certified) | | | | |
| 5 | 50 watts LED spotlight RGB flood light multicolor | set | 30 | 2,000.00 | 60,000.00 |
| | LED spotlight RGB flood light Multicolor with changing color dimming lights outdoor | | | | |
| | Round type | | | | |
| | 230V AC supply | | | | |
| 6 | Bulb Socket, Rubberized | рс | 30 | 50.00 | 1,500.00 |
| | Hanging type | | | | |
| | ISO Certified, Good quality | | | | |





| 7 | Cross Arm, steel, 8 feet (standard) | pieces | 1 | 1,500.00 | 1,500.00 |
|----|--|--------|------|-----------|------------|
| 8 | Cut-Out Set, Porcelain, 15 KV outdoor type with mounting bracket, with fuse holder, 15 K lighting arrest | sets | 1 | 8,000.00 | 8,000.00 |
| 9 | Electrical (PVC) Clip, 1/2" | pcs | 930 | 5.00 | 4,650.00 |
| 10 | Electrical (PVC) Long Sweep Elbow, 1" x 90deg | pcs | 105 | 120.00 | 12,600.00 |
| | PVC Pipe Long Elbow, 1 1/4 (32 mm)Diameter Electrical | | | | |
| 11 | Electrical (PVC) Long Sweep Elbow, 3/4" x 90deg | pcs | 100 | 75.00 | 7,500.00 |
| 12 | Electrical (PVC), Long Sweep Elbow, 1/2" x 90deg | pcs | 320 | 50.00 | 16,000.00 |
| 13 | Electrical Aircon Outlet, 1 gang (flush type) | set | 7 | 250.00 | 1,750.00 |
| 14 | Electrical Safety Circuit Breaker, 20A, 2-Pole(Box Type) | sets | 2 | 650.00 | 1,300.00 |
| | Box type Circuit Breaker 2 pole 20 amperes | | | | |
| 15 | Electrical Safety Circuit Breaker, 30A, (Box type) | рс | 4 | 650.00 | 2,600.00 |
| | Heavy Duty and Good qualityDurable220-240V | | | | |
| 16 | Electrical Conduit, (PVC) Orange, 1/2" x 3m | length | 1268 | 100.00 | 126,800.00 |
| 17 | Electrical Conduit, (PVC) Orange, 3/4"x 3m | length | 220 | 150.00 | 33,000.00 |
| 18 | Electrical Entrance Cap, 1" diameter Electrical Outlet, 3 gang universal outlet with | pcs | 3 | 150.00 | 450.00 |
| 19 | ground, (surface type) | pcs | 20 | 150.00 | 3,000.00 |
| | 250V | | | | |
| | Heavy Duty | | | | |
| | Durable | | | | |
| 20 | Electrical Outlet, Convenience 2 gang with ground, (Flush type) | set | 15 | 350.00 | 5,250.00 |
| 21 | Electrical Outlet, Convenience 3 gang with ground, (Flush type) | set | 13 | 350.00 | 4,550.00 |
| 22 | Electrical Outlet, Convenience 3 Gang, Flush type | set | 35 | 190.00 | 6,650.00 |
| 23 | Electrical Panel Board Dead Front (3 phase) | set | 1 | 50,000.00 | 50,000.00 |
| | Panel Board Dead Front 3 phase, Copper Busbar, Bolt on Type Metal Enclosed with Grounding terminal | | | | |
| | Consist of the following : | | | | |
| | a. 1pc. 125AT 10KAIC 3 poles 600 volts, Center Main, Molded | | | | |
| | <i>b.</i> 6 pcs. 70 AT 10 KAIC 2 poles 240 volts, Bolt on type, molded Branch | | | | |
| | Electrical Panel Board, Dead Front (Single | | | | |
| 24 | Phase) Panel Board Dead Front Single Phase, Copper | set | 1 | 15,000.00 | 15,000.00 |
| | Busbar, Bolt on Type Metal Enclosed with grounding terminal | | | | |
| | Consist of the following: | | | | |
| | a. 1 pc. 70AT 10KAiC 240 volts, Center Main, molded | | | | |
| | b. 2 pcs. 30 amperes 2 poles 240 volts, bolt on type, molded | | | | |
| | c. 3 pcs 20 amperes 2 poles, 240 volts, bolt on type, molded | | | | |
| | d. 2 pcs 15 amperes 2 poles, 240 volts, bolt on type, molded | | | | |
| | | | | | |





| 25 | Electrical Panel Board, Single Phase | unit | 1 | 10,000.00 | 10,000.00 |
|----|---|--------|------------|-----------|------------|
| | Main: 40 AT/AF, 10KAIC, 240 Volts MCCB | | | | |
| | Branches: 2 pcs. 20 AT/AF, 6 KAIC 240 Volt | | | | |
| | МССВ | | | | |
| | 1 pc. 30 AT/AF, 6 KAIC 240 Volts MCCB | | | | |
| 26 | Electrical Panel Board, Single Phase | unit | 1 | 40,000.00 | 40,000.00 |
| | Metal Enclosed Single Phase Panel Board | | | | |
| | Cooper Busbar | | | | |
| | Consist of the following with grounding terminal: | | | | |
| | Center Main : 1 pc. 100 AT/AF 240 Volts | | | | |
| | Branches: 8 pcs. 40 AT/AF 240 Volts Bolt on type | | | | |
| | 2 pcs. 30 AT/AF 240 Volt bolt on type | | | | |
| 27 | Electrical Square Box (PVC), 6" x 6" | pcs | 58 | 160.00 | 9,280.00 |
| 28 | Electrical Square Box (PVC), 4" x 4" | pcs | 10 | 110.00 | 1,100.00 |
| 29 | Electrical Switch Box | set | 90 | 35.00 | 3,150.00 |
| 30 | Electrical Switch, 2-gang, Flush type | pcs | 52 | 200.00 | 10,400.00 |
| 31 | Electrical Switch, 3 Gang (Flush type) | sets | 60 | 250.00 | 15,000.00 |
| 32 | Electrical Switch, Single (Flush type) | set | 49 | 150.00 | 7,350.00 |
| 33 | Electrical Switch,1 Gang, Surface Type | pcs | 20 | 115.00 | 2,300.00 |
| 34 | Electrical Tape (Rubber) | pcs | 10 | 180.00 | 1,800.00 |
| | ■rubber, 0.8 x 19mm x 8m any color | | - 10 | | |
| 35 | Electrical Tape, Vinyl | rolls | 240 | 70.00 | 16,800.00 |
| | Flame retardant and compatible with plastic cable | | | | |
| | and wire harness insulations | | | | |
| | Flexible PVC with aggressive rubber adhesive | | | | |
| | Primary electrical insulation for all wire and cable | | | | |
| | splices rated up to 600 volts. | | | | |
| | ■19mm x 16m x 0.155mm | | | | |
| | Eleavy Duty ASTM approved | | | | |
| | ■ASTM approved Electrical Wire, AWG 4 (22 mm) , Service Drop | | | | |
| 36 | (2C twisted) | meters | 173 | 150.00 | 25,950.00 |
| | Electrical Wire, AWG 6 (14 mm) , Service Drop | | | | |
| 37 | (2C twisted) | meters | 276 | 65.00 | 17,940.00 |
| 38 | Electrical Wire, PDX Gauge 10, 75 meters/roll | roll | 7 | 6500.00 | 45,500.00 |
| | ■Thermoplastic Wire rated at 60°C, 600V | | | | , |
| | Pure Copper | | | | |
| 39 | Electrical Wire, PDX Gauge 12, 75 meters/roll | roll | 4 | 5,000.00 | 20,000.00 |
| | ■Thermoplastic Wire rated at 60°C, 600V | | | | , |
| | Pure Copper | | | | |
| 40 | Electrical Wire, THHN / THWN, AWG 10 | | 40 | 7 000 00 | |
| 40 | (5.5mm2), Stranded, 150 meters/box | boxes | 40 | 7,000.00 | 280,000.00 |
| | Building Wire | | | | |
| | Stranded with Nylon Insulation | | | | |
| | ■Gauge 10 | | | | |
| | ■UL listed | | | | |
| 44 | Electrical Wire, THHN / THWN, AWG 12 | haves | F 4 | 0,000,00 | 224 000 00 |
| 41 | (3.5mm2), Stranded, 150 meters/box | boxes | 54 | 6,000.00 | 324,000.00 |
| | Building Wire | | | | |
| | Stranded with Nylon Insulation | | | | |
| | ■Gauge 12 | | | | |
| | ■UL listed | | | | |
| 40 | Electrical Wire, THHN / THWN, AWG 14 | boyce | 42 | 3 600 00 | 151 200 00 |
| 42 | (2.0mm2), Stranded, 150 meters/box | boxes | 42 | 3,600.00 | 151,200.00 |
| | Building Wire (Green Color) | | | | |
| | Stranded with Nylon Insulation | | | | |
| | Gauge 14 | | | | |
| | UL listed | | | | |





| | | - | | | |
|----------|--|--------|----------|-----------|------------|
| 43 | Electrical Wire, THHN/THW AWG 1(38 mm²), Stranded wire | meters | 130 | 460.00 | 59,800.00 |
| 44 | Electrical Wire, THHN/THW AWG 14 (2.0 mm2), Stranded Wire | meters | 6 | 40.00 | 240.00 |
| 45 | Electrical Wire, THHN/THWN, AWG 2 (30 mm2), Stranded | meters | 400 | 290.00 | 116,000.00 |
| | Building Wire | | | | |
| | Stranded with Nylon Insulation | | | | |
| | Gauge 2 | | | | |
| | UL listed | | | | |
| 46 | Electrical Wire, THHN/THWN, AWG 4(22mm2), Stranded | meters | 130 | 230.00 | 30,000.00 |
| 47 | Electrical Wire, THHN/THWN, AWG 6 (14 mm2), Stranded | meters | 590 | 145.00 | 85,550.00 |
| | Building Wire | | | | |
| | Stranded with Nylon Insulation | | | | |
| | Gauge 6 | | | | |
| | UL listed | | | | |
| | | | | | |
| 48 | Electrical Wire, THHN/THWN, AWG 6(14 mm2), Stranded Wire 600 volts, 150 meters per roll | rolls | 3 | 22,500.00 | 67,500.00 |
| 49 | Electrical Wire, THHN/THWN, AWG 8 (8mm2), Stranded, 150 meters/box | boxes | 8 | 9,750.00 | 78,000.00 |
| | Building Wire | | | | |
| | Stranded with Nylon Insulation | | | | |
| | ■Gauge 8 | | | | |
| | ■UL listed | | | | |
| 50 | Electrical, (PVC) Clip 1" | pcs | 25 | 10.00 | 250.00 |
| 51 | Electrical, (PVC) Clip, 3/4" | pcs | 650 | 15.00 | 9,750.00 |
| | High quality PVC | | | | |
| 52 | Electrical, (PVC) Locknut & Bushing 25mm dia. | pcs | 10 | 25.00 | 250.00 |
| 53 | Electrical, (PVC) locknut and bushings, 20mm dia. | pcs | 20 | 15.00 | 300.00 |
| 54 | Electrical, (PVC) Male Adaptor, 1" diameter | pcs | 3 | 80.00 | 240.00 |
| | Electrical, 2 gang convenience outlet with | | 10 | | |
| 55 | ground (flush type) Electrical, ACCU Outlet, Three prongs (Flush | set | 12 | 300.00 | 3,600.00 |
| 56 | type) | set | 20 | 300.00 | 6,000.00 |
| 57 | Electrical, Conduit clamp, (Stainless), 1 1/2" | pcs | 10 | 50.00 | 500.00 |
| 58 | Electrical, Junction Box (Octagonal) with cover, PVC | pcs | 450 | 50.00 | 22,500.00 |
| 59 | Electrical, Junction box with cover, 4" x 4" | pcs | 40 | 50.00 | 2,000.00 |
| | Material: Electrical PVC Orange Color | | | | |
| | Heat resistant | | | | |
| | Waterproof | | | | |
| | ■UL certified | | | | |
| 60 | Electrical, Pipe, (PVC) Orange, 1"(32mm) x 3m | length | 70 | 220.00 | 15,400.00 |
| | Sched 40, Durable, Good Quality | | | | |
| 61 | Electrical, Pipe, (PVC) Orange, 1-1/2"(50mm) x 3m | length | 10 | 300.00 | 3,000.00 |
| | Sched 40, Durable, Good Quality | | | | |
| 62 | Electrical, Pipe, (PVC) Orange, 3/4"(25mm) x 3m | length | 268 | 160.00 | 42,880.00 |
| | Sched 40, Durable, Good Quality | | | | |
| 63 | Electrical, PVC long sweep elbow, 3/4" x 90deg | pcs | 60 | 30.00 | 1,800.00 |
| | Electrical, PVC long sweep elbow, 1 1/2" x | 1 | | | · · · |
| 64 65 | 90deg Electrical, PVC long sweep elbow, 1/2" x 90deg | pcs | 10 75 | 120.00 | 1,200.00 |
| 65 | | pcs | | 15.00 | 1,125.00 |
| 66 | Electrical, Utility Box, 2" x 4"(Surface Type) | pcs | 50 | 50.00 | 2,500.00 |
| 67 | Electrical, Utility Box, 2" x 4", Orange | piece | 450 | 35.00 | 15,750.00 |
| | PVC | | | | |





| 68 | Insulated Staple wire #1, 100pcs/box | box | 20 | 70.00 | 1,400.00 |
|----|--|-------|-----|-----------|------------|
| 69 | LED Bulb, 15 watts, daylight | pcs | 10 | 300.00 | 3,000.00 |
| 70 | LED Bulb, 9 watts, daylight | pcs | 10 | 150.00 | 1,500.00 |
| | LED Tube with housing (T8), 18 watts, 4ft | | | | , |
| 71 | (Daylight) | set | 122 | 500.00 | 61,000.00 |
| 72 | Louver housing (Surface mount) 12"x 48" with | sets | 90 | 1,400.00 | 126,000.00 |
| | T8 tube lights (2 x 40) | 0010 | | ., | 120,000.00 |
| | T8 Tube Lights, 2x40 louver housing, Surface type | | | | |
| 73 | mount 12"x 48" Panel Board Dead Front (Single phase) | cot | 6 | 15,000.00 | 90,000.00 |
| 13 | Panel Board Dead Front, Copper busbar, Bolt on | set | 0 | 15,000.00 | 90,000.00 |
| | type | | | | |
| | Metal Enclosed with Grounding terminal | | | | |
| | Consist of the following: | | | | |
| | a. 1 pc. 70 AT 10 KAIC 240 volts, Center Main, | | | | |
| | Molded | | | | |
| | b. 2 pcs. 30 Amperes 2 poles 240 volts, bolt on | | | | |
| | type, molded | | | | |
| | c. 4 pcs. 20 Amperes 2 poles 240 volts, bolt on | | | | |
| | type, molded | | | | |
| 74 | Panel Board Dead Front 3 phase, (12-branch) | set | 1 | 35,000.00 | 35,000.00 |
| | Panel Board Dead Front 3 phase, copper busbar, | | | | |
| | Bolt on type metal enclosed | | | | |
| | consist of the following terminal | | | | |
| | a. 1 pc. 125AT/100AF, 3P, 18 KAIC 600 Volts, | | | | |
| | center main, molded b. 9 pcs. 30A, 2 poles 240 volts, bolt on type, | | | | |
| | molded | | | | |
| | c. 1 pc. 20A , 2 poles 240 volts, bolt on type, | | | | |
| | molded | | | | |
| | d. 2 pcs 70A, 2 poles 240 volts, bolt on type, | | | | |
| | molded | | | | |
| 75 | Panel Board dead front, 2 poles, copper bush bar | set | 1 | 40,000.00 | 40,000.00 |
| | Panel Board 12 holes + 1 center main, | | | | |
| | Metal enclosed to consist of the following: | | | | |
| | 100 AT/100AF, 2 poles, 240 volts, center main, | | | | |
| | molded | | | | |
| | 3 pcs. 15 amperes, 2 poles, 240 volts, branch, | | | | |
| | molded | | | | |
| | 3 pcs. 20 amperes, 2 poles, 240 volts, branch, molded | | | | |
| | 4 pcs. 30 amperes, 2 poles, 240 volts, branch, | | | | |
| | molded | | | | |
| - | 2 pcs. 40 amperes, 2 poles, 240 volts, branch, | | | | |
| | molded | | | | |
| 70 | Panel Board dead front, Single phase, copper | a a t | 4 | 12 000 00 | 12 000 00 |
| 76 | bush bar, bolt on type | set | 1 | 12,000.00 | 12,000.00 |
| | Panel Board bolt on type with center main and 6 | | | | |
| | branches single phase | | | | |
| | Consist of the following: | | | | |
| | 60 amperes molded case for center main single | | | | |
| L | phase | | | | |
| | 2 pcs. 15 amperes, molded case circuit breaker | | | | |
| | bolt on type | | | <u> </u> | |
| | 3 pcs. 20 amperes, molded case circuit breaker bolt on type | | | | |
| | 1 pcs. 30 amperes molded case circuit breaker bolt | | | | |
| | on type | | | | |
| L | | l | l | i l | |





| | | , | | 1 | 1 |
|----|--|--------|----------|------------|------------|
| 77 | Panel Board Dead Front, Single Phase, Copper | unit | 1 | 12,000.00 | 12,000.00 |
| | Busbar with Metal Enclosure | | | , | , |
| | Panel Board Dead Front, Single Phase | | | ├ | |
| | Consist of the following with grounding terminal 1 pc. Molded Circuit Breaker, Center main 70 | | | ╂─────┤ | |
| | • | | | | |
| | amps. 2 poles, 240 volts, bolt on type 1 pc. Molded circuit breaker, Branch 15 amps 2 | | | + | |
| | poles, bolt on | | | | |
| | 4 pcs. Molded circuit breaker, Branch 20 amps, 2 | | | <u> </u> | |
| | poles, bolt on | | | | |
| | 1 pc. Molded circuit breaker, Branch 30 amps, 2 | | | | |
| | poles, bolt on | | | | |
| 78 | Panel Board Rail Type (Single phase) | set | 1 | 8,000.00 | 8,000.00 |
| | Panel Board Rail Type Single phase with grounding | | | | |
| | terminal 6 Holes | | | | |
| | a. 1 pc 70 amperes main MCB single | | | | |
| | b. 5 pcs. 30 amperes RCBO branch single phase | | | | |
| 70 | Panel Board, Dead Front, 2 poles, Copper Bush | | <u>^</u> | 50.000.00 | 400.000.00 |
| 79 | Bar, Bolt On type | sets | 2 | 50,000.00 | 100,000.00 |
| | Panel Board, Dead Front, 14 Holes+1 Center | | | | |
| | Main, | | | | |
| | Metal enclosed to consist of the following: | | | | |
| | ■125 AT/125AF, 2 poles, 240 volts, center main. | | | | |
| | Molded | | | | |
| | ■3 pcs. 15 Amperes, 2 poles, 240 volts, Branch, | | | | |
| | molded | | | | |
| | ■3 pcs. 20 Amperes, 2 poles, 240 volts, branch, | | | | |
| | molded | | | | |
| | ■6 pcs. 30 Amperes, 2 poles, 240 volts, Branch, | | | | |
| | molded ©2 pcs. 40 amperes, 2 poles, 240 volts, Branch, | | | | |
| | molded | | | | |
| | Panel Board, Dead Front, Single Phase, Copper | | | | |
| 80 | Bush Bar | set | 1 | 10,000.00 | 10,000.00 |
| | Panel Board, metal enclosed to consist of the | | | | |
| | following with grounding terminal: | | | | |
| | 1 pc. molded Circuit Breaker, Center Main 70 | | | | |
| | amps, 2 poles, 240 volts, Bolt on | | | | |
| | 1 pcs Molded Circuit Breaker, Branch, 15 amps, 2 | | | | |
| | poles, Bolt on | | | | |
| | 4 pcs. Molded Circuit Breaker, Branch 20 amps, 2 | | | | |
| | poles, Bolt On | | | ├ | |
| | 1 pc. Molded Circuit Breaker, Branch 30 amps, 2 pole, Bolt on | | | | |
| 81 | Pole, Bolt on Pole, Galvanized Steel (Hexagonal), 40' | length | 1 | 30,000.00 | 30,000.00 |
| 82 | Receptacle Socket, 3" X 3", plastic | pcs | 10 | 40.00 | 400.00 |
| 83 | Receptacle Socket, 4" x 4", plastic | pcs | 10 | 50.00 | 500.00 |
| 84 | Safety Breaker, 40AT/AF, 3P, 10 KAIC | pcs | 5 | 1,650.00 | 8,250.00 |
| 85 | Secondary Rack, (Single spool) | pcs | 3 | 200.00 | 600.00 |
| 86 | Solderless Connector 1/0 AWG Split Type | sets | 12 | 900.00 | 10,800.00 |
| 87 | Solderless Connector, (Split type), 30mm | rolls | 12 | 500.00 | 6,000.00 |
| 88 | Tapping Screw Black 1" | pcs | 450 | 1.00 | 450.00 |
| 89 | Transformer, Distribution, 100 KVA | unit | 1 | 230,000.00 | 230,000.00 |
| | 100 KVA; OISC; | | | | |
| | Copper to copper both primary and secondary | | | | |
| | windings; | | | | |
| | 8 KV with changer, 2-2 1/2% above rated primary | | | | |
| | voltage and 2-2 1/2% below rated primary voltage | | | | |
| | double bushing; | | | | |



| | Secondary voltage 120/240 volts with changer tap | | | | |
|----|--|-------|-----|----------|--------------|
| | Pad/pole mounted | | | | |
| | Amorphous Metal Core | | | | |
| 90 | Weather proof/liquid tight, 2 gang Universal Convenience outlet, with ground (flush type) | set | 6 | 300.00 | 1,800.00 |
| 91 | Wire, Duplex #14, PDX | meter | 264 | 60.00 | 15,840.00 |
| 92 | Harrow Disc Blade | pcs | 9 | 5,000.00 | 45,000.00 |
| | Disc Diameter (0.54m-0.58m) | | | | |
| | Disc Thickness (0.01m) | | | | |
| 93 | Nails, Finishing, 1" | kgs | 4 | 80.00 | 320.00 |
| | Smooth Shank | | | | |
| 94 | Nails, Finishing, 2" | kgs | 3 | 80.00 | 240.00 |
| 95 | Plywood Marine, 1/4" (thickness) x 4' x 8' | pcs | 19 | 547.00 | 10,393.00 |
| | Standard, Good Quality | | | | |
| 96 | Plywood Marine, 3/4" (thickness) x 4' x 8' | pcs | 10 | 1,550.00 | 15,500.00 |
| | Standard, Good Quality | | | | |
| | | | | TOTAL: | 2,889,110.00 |

J Jemars

DILBERTO O. FERRAREN BAC Chairman