

BID BULLETIN 01

Date: 22 August 2022

Project Title: Supply and Delivery of I.T. Equipment and Supplies and Office

Equipment (GOODS-22-44)

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

Legal Documents	
1	PhilGEPS Certificate of Registration (Platinum)
	or
	a. Registration Certificate (SEC, DTI or CDA)
	b. Mayor's/Business Permit
	c. Tax Clearance
Technical Documents	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php 931,120.00 .
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 931,120.00 and the largest of which should be at least PhP 490,537,50
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
Financial Documents	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 1,862,240.00)
	Or
	Committed Line of Credit (at least Php 186,224.00)
(2 nd Envelope) FINANCI	AL COMPONENT ENVELOPE
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

- 1. In the **Technical Specifications**, bidders must state either "Comply" or "Not Comply" <u>against each of the individual parameters of the specifications</u> per item stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1 (a)(ii).
- 2. Bidders are advised to use the latest GPPB forms for the following documents:
 - a) Omnibus Sworn Statement
 - b) Performance Securing Declaration (if applicable)
 - c) Price Schedule for Goods Offered
 - d) Bid Form
 - e) Bid Securing Declaration

These forms can be accessed from the GPPB website: https://www.gppb.gov.ph/downloadables.php. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

- II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)
 - 1. Scan per document into Portable Document Format (PDF) and should be printable.
 - 2. Properly label all scanned documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration	PhilGEPS
	(Platinum)	
2.	Registration Certificate (SEC/DTI)	Registration Certificate
3.	Mayor's/Business Permit	Mayor's-Business Permit
4.	Tax Clearance	Tax Clearance
5.	Statement of On-Going Government	Statement of On-Going
	& Private Contracts	Contracts
6.	Statement of Bidder's Single Largest	SLCC
	Completed Contract	
7.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
8.	Bid Security	Bid Security
9.	Technical Specifications	Technical Specifications
10.	SCHEDULE of	Schedule of Requirements
	Requirements/Production and	
	delivery schedule	
11.	Manpower Requirements	Manpower Requirements
12.	After Sales service/parts	After Sales

Bidding Title: Supply and Delivery of I.T. Equipment and Supplies and Office Equipment

Location of the Project: VSU Main, Visca, Baybay City Leyte

13. Omnibus Sworn Statement	Omnibus Sworn Statement
14. Audited Financial Statements	Audited Financial Statements
15. Net Financial Contracting Capacity	NFCC
16. Committed Line of Credit	CLC
17. Bid Form	Bid Form
18. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

Original

Section I. Invitation to Bid (Amendment)

complete Bidding set of Documents may be acquired by interested Bidders on 02 August -02 September 2022 until 1:30 PM the given address website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

A complete set of Bidding Documents may be acquired by interested Bidders on 02 August – 02 September 2022 until 1:30 PM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means:

The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details:

Account Name: Visayas State University Fund

164

Account Number: <u>3572-1000-13</u>

Then send the deposit slip to <u>jessamine.ecleo@vsu.edu.ph</u>



Section II. Instructions to Bidders

15. Sealing and Marking of Bids

(Additional Instructions)


Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.

For filing purposes, the bidders are urged to use **Orange** envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.

IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed


Item No.	Description	Unit	Qty	ABC/Unit (Pesos)	Total ABC (Pesos)
1	1/4" Male Phone Str Mono Plug	pcs	20	400.00	8,000.00
	■Male 1/4" Phone Str Mono Nickel				
	■Number of positions (w/o PE): 2				
	■Rated current (40 °C) (A): 75				
	■Rated voltage (V): 25				
2	2 BURNER GAS STOVE	рс	4	1,800.00	7,200.00
	■Heavy duty gas stove				
	■High quality fuel-efficient burner				
	■Durable metal gas ignition controls				
	■Stainless metal gasket and body				
	■Auto-ignition burner				
	© # of burners: 2				
	■Dimensions: (W x L X D) 71 x 35.5 x 8.5cm 28 x 14 x 3.3 inches				
	■Burner diameter: 9cm 3.5 inches Outer ring				
	diameter: 22.5cm 8.9 inches				
	■Space in between outer rings: 20cm 7.9 inches				
	© Color: silver				
	■Warranty: 1 year				
3	3.5 mm 2-Pole Mono Phone Plug Connector	pcs	20	200.00	4,000.00
	■Diecast Shell				
	■For Cables 2.5 to 5mm Diameter				
	■Precision-Machined Contacts				
	■Quick Assembly 3 Piece Design				
4	3HP Wall Mounted Split Type Inverter Aircon	unit	1	80,000.00	80,000.00
	■Cooling Capacity: at least 28,000 kJ/h				
	■Power Consumption: 2,000 Watts				
	■EER: 14				
	■Air Conditioner Features:				
	■ Air Direction Control, Fast Cooling, Silent Mode				
	■Room Size:				
	■ at least36sqm				
	Air Conditioner Rated Capacity (BTUs):			1	
	◀at least 28,000			1	
	Type Air Conditioner:			1	
	✓Single Split System			1	
	with free installation				
	Warranty: at least 1 year				






Location of the Project: VSU Main, Visca, Baybay City Leyte

5	Adjustable Professional Tripod Lighting Stand	unit	4	7,000.00	28,000.00
	Adjustable Professional Tripod Stand (black)	unit		7,000.00	20,000.00
	Deleavy Duty, Stable and sturdy				
	Duty, Stable and starty Light can stand can easily assembled				
	■Can attach up to 4 lighting fixtures				
	■Tripod legs can be adjusted				
	■ Tripod light stand height: approx. 122 cm with 2 more				
	poles to extend height of the light stand				
	■Light stand height can be extended to up approx. 210				
	cm				
	■For lighting setups for any events				
6	All-In-One (AIO) Desktop Computer, Core i5 11th	nc	1	70,000.00	70,000.00
	Gen, 8GB RAM, 1TB SSD	рс	ı	70,000.00	70,000.00
	■Intel® Core™ i5-11500T (1.5 GHz base frequency, up				
	to 3.9 GHz Max Turbo Frequency, 12 MB L3 cache, 6				
	cores)				
	■Intel® H470 Chipset				
	■8 GB DDR4-2933 SDRAM (1 x 8 GB)				
	■1 TB PCIe® NVMe™ M.2 SSD				
	■Expansion Slot: 2 x M.2 Expansion Slots Socket 1				
	2230 type for WLAN Socket 3 Key M type 2280 for SSD				
	(PCIe x4)				
	■23.8" LED FHD BV TOUCH				
	■Graphics: NVIDIA® GeForce® MX350 (4 GB GDDR5				
	dedicated)				
	■Power Supply: 150 W Smart AC power adapter				
	■Keyboard: USB white wireless keyboard and mouse				
	combo				
	■LAN: Integrated 10/100/1000 GbE LAN				
	■WLAN: Realtek RTL8822CE 802.11a/b/g/n/ac (2x2)				
	Wi-Fi® and Bluetooth® 5 combo MU-MIMO supported				
	Bluetooth: YES				
	■Ports: "Side: 1 SuperSpeed USB Type-A 5Gbps				
	signaling rate (Battery Charging 1.2) Rear: 3				
	SuperSpeed USB Type-A 5Gbps signaling rate 1				
	SuperSpeed USB Type-C® 5 bps signaling rate"				
	■Card Reader: 3-in-1 memory card reader				
	■Audio: Audio by B&O				
	■Genuine Windows 11				
	Special Features: EPEAT® Bronze registered;				
	ENERGY STAR® certified;				
	Microsoft Office Home & Student 2019 Preinstalled or Light or				
	higher	!4		04 000 00	40,000,00
7	All-in-One Ink Tank Printer Wi-Fi Duplex with ADF	unit	2	21,000.00	42,000.00
	©Compact integrated tank design				
	■Print speeds up to 15ipm for black and 8.0ipm for				
<u> </u>	colour			 	
	Auto-duplex printing Fax and ADF capability / Ethernet				
<u> </u>	&				
<u> </u>	Borderless Printing up to A4 size			+	
	Spill-free ink refilling			+	
<u> </u>	■Spiii-iree irik reilliirig ■Control Panel: 2.4 " Colour LCD Touch Panel			+	
8	AVR and UPS for Rootcrop Genomics	lot	1	168,000.00	168,000.00
-	Automatic Voltage Regulator 6000VA or higher (4	IUL	ı	100,000.00	100,000.00
1	- BULLINGUE, YUNGUE NEGUNGIUN DUUUYA UN INGIIEN 14	1			
	,			1	
	units)				
	,				





	Over-voltage protection value: Phase voltage 257 ± 4 V				
	Under-voltage protection value: Phase voltage 195 ± 4 V				
	Frequency: 50/60 Hz				
	Waveform distortion: No additional waveform distortion				
	Efficiency: ≥ 90%				
	Adjustable time: < 1.5s (when input voltage has a change of 10%)				
	Delay time: long time delay is 5 ± 2 min; short time delay is 5 ± 2				
	seconds	1			
	Uninterruptible power supply 3000VA (4 units)				
	Capacity at least 3000VA/2700W (at least 3KVA/2700W				
	Input: 200 – 240 V, 50/60 HZ, 16.0 A maximum				
	Output frequency: 57-63 Hz for 60 Hz				
	UPS Battery Backup, 1500VA (4 units)				
	Capacity: at least 1500VA/900w				
	Output voltage: 220				
	Output frequency: 57-63 Hz for 60 Hz (or 50/60 Hz ± 3 Hz Sync				
	to mains)				
	Input: 200 – 240 V, 50/60 HZ, 16.0 A maximum				
	Input frequency: 50/60 Hz +/- 3 Hz Auto-sensing				
	6 battery backup sockets				
	USB, coax, phone/network, and serial ports				
	with Automatic Voltage Regulation (AVR)				
	LCD screen				
	at most 4 hours charging time				
	Battery Charger for AA and AAA with 4 AA NiMH				
9	rechargeable batteries included	unit	2	2,500.00	5,000.00
	■Overcharge Protection: Limits damage to batteries				
	from overcharge				
	■Safety Shut Off: Safety timer ensures charger is not				
	active for extended periods of time				
	■Bad Battery Detection: LED light will flash red when				
	bad battery or non-rechargeable battery place in the				
	charger.				
	■Easy-to-read LED displays charging status				
	■Red = Charging, Green = Good to Go!				
	■"Bad battery" indicator light				
	■Recharges 2 or 4 AA or AAA NiMH rechargeable				
	batteries in 5 hours				
	■With 4 AA NiMH Batteries included				
10	Canon cartridge 318 Black	pc	3	6,000.00	18,000.00
11	Computer HD Webcam	pieces	1	4,000.00	4,000.00
	■1080P Full HD Webcam				
	■Lens: HD lens				
	■Sensor Type: CMOS				
	■ Video Format: AVI				
	■Frame Rate: at least 30FPS				
	■Drive Type: free drive. Plug and play				
	■Photo Format: BMP JPG				
	■Resolution: 1920 * 1080 P				
	■Output Format: M-JPEG				
	■Interface Type: USB2.0				
	■Microphone: Built-in microphone				
	■Focusing Range: 20mm				
12	Computer Keyboard USB	pcs	1	400.00	400.00
	■Standard Keyboard with 104 Keys				
	■ USB Connection				
	■Low Profile Key Caps				
	■Minimum Key Noise				






	■Laser Printing for Key Layout				
	■Spill Resistant Design				
13	Computer Monitor 24", IPS	set	1	10,000.00	10,000.00
	■Panel Size: Wide Screen 23.8"(60.5cm) 16:9				
	■Color Saturation: 72%(NTSC)				
	■Panel Type : In-Plane Switching				
	■True Resolution : 1920x1080				
	■Brightness(Max) : 250 cd/m				
	■Contrast Ratio (Max) : 1000:1				
	■Response Time : 5ms (Gray to Gray)				
	■Display Colors : 16.7M				
	■Flicker free				
14	Computer Printer, All-in-One/Multifunction Colored-Ink Tank	unit	2	14,000.00	28,000.00
	■Ultra-low-cost printing: Print up to 4,500 pages in black and 7,500 in colour				
	■Next generation ink filling system: Enjoy hassle and mess-free refills with the enhanced ink bottles				
	■Wi-Fi, Wi-Fi Direct & apps: Print from mobile devices				
	■3-in-1: Print, copy & scan and borderless photo printing			†	
	■Nozzle Configuration: 180 Nozzles Black, 59 Nozzles			†	
	per Color				
	■Minimum Droplet Size: 3 pl, With Variable-Sized				
	Droplet Technology				
	■Ink Technology: Dye Ink				
	■Printing Resolution: 5,760 x 1,440 DPI				
15	CPU (Central Processing Unit)	рс	2	15,000.00	30,000.00
	■AMD A10-8770 Processor			1,111111	,
	■Motherboard compatible with the processor				
	■Kingston 4GB DDR4-2666 Memory				
	■CPU Casing w/ PSU				
	■256GB SSD				
16	Crank Up Lighting stand	unit	2	13,000.00	26,000.00
	■Crank Up Lighting Stand			10,000.00	
	■Features the Quick-N-Easy Gear Up for fast and easy				
	adjustment.				
	■All aluminum tubes and steel T-bar with clip for easy				
	mounting construction reinforces and strengthens				
	without excess weight.				
	■Quick-N-Easy Gear Up for fast and simple adjustment				
	square steel T-bar tubing for strength.				
	■Length: 164-350cm(64.6-137.8")				
	■Base diameter: 72.4"				
	■Load capacity: 45 kg folded size				
	Desktop Computer System Unit only (i7 10th Gen,	.,		440.000.00	440.000.00
17	with RTX 3060 Video Card) assembled	unit	1	110,000.00	110,000.00
	■Intel® Core™ i7-10700 Processor, 16M Cache, up to				
	4.80 GHz, 8 Cores and 16 Threads or higher				
	■mATX motherboard with Intel z490 Chipset, ultra				
	durable components or higher				
	■16GB Kit (2 x 8GB) DDR4-3200 Desktop Gaming				
	Memory				
	■1TB 2.5-inch Solid State Drive				
	■GeForce RTX™ 3060 graphics cards 6GB GDDR6				
	■Blazing Fast Intel® 2.5GbE LAN with cFosSpeed				
	■Built in Intel® WiFi 6 802.11ax + BT 5 Module			1	
	Relevant chassis with 3 extra fan and acrylic side			1	
	panel				
	■650W PSU 80 PLUS GOLD				
	1 = = = = = = = = = = = = = = = = = = =	1		I.	




				T	
	■Genuine Windows 10 OS				
	■Genuine Microsoft office 2019 or higher with perpetual				
	license				
18	Desktop Computer, Assembled, 12th Gen Core i5	unit	1	50,000.00	50,000.00
	■Processor: Intel Core i5 12500 with Intel® UHD				·
	Graphics 770 processor graphics or higher				
	■Motherboard: Intel® H610 Motherboard with 6+1+1				
	Hybrid Phases Digital VRM Design, PCle 4.0* Design,				
	Gen3 x4 M.2, mATX form factor , Anti-Sulfur Resistor or				
	higher				
	■Memory: 16GB (2x8) 3200MHz DDR4 or higher				
	■SSD: 500GB 3D NAND SSD PCIe Gen3x4 or higher				
	Casing: MATX casing with acrylic side panels				
	■ Power Supply: 450Watts 80+ Bronze Certified with				
	120mm thermally controlled low-noise cooling fan				
	■Monitor: 23" IPS FHD, 72% NSTC color gamut with				
	75Hz refresh rate				
	■Operating System: Genuine Windows 11 Pro				
	■Keyboard and Mouse Combo: Spill-resistant design				
	with up to Up to 5 million keystrokes (excludes number				
	lock key) keyboard and full-sized ambidextrous optical				
	mouse				
	■500W IC controlled AVR				
19	Desktop PC (Core i7 Branded, 10th Generation)	set	2	85,000.00	170,000.00
	■CPU: Intel Core i7 10th Generation or higher			,	•
	■Storage: 256GB M.2 2280 PCI-E Solid State drive				
	(SSD) + 1 TB 7200 rpm 3.5" SATA Hard Drive or higher				
	■RAM: 8GB (8GBx1) DDR4 or higher				
	■Graphics: NVIDIA GeForce GTX 1650 4GB GDDR5 or				
	higher				
	■Monitor: at least 24" IPS Monitor FULL HD Monitor				
	(1920x1080)				
	■Response Time: at least 6ms GTG,				
	◆Color Gamut: at least 72% NTSC				
	■Connectivity: 1 x HDMI 1.4, 1 x VGA				
	■Wireless: Intel® Wi-Fi 6 2x2 (Gig+) and Bluetooth 5.1				
	■Casing and PSU: Casing with at least 80+ Bronze				
	Power supply				
	■Input: Wired Keyboard and Optical Mouse				
	■Speakers: 2.1 Multi-media Speakers				
	▼Total watts (RMS): at least 7 W (Subwoofer: 4 W,		1		
	Satellites: 2 x 1.5 W),(THD=10%)				
	■ 3.5 mm input: 1				
	◆Phone jack: 1			+	
	◆ Controls: Power and volume controls on wired control	1	1		
	pod A Poss control on book of subwester	-			
	■Bass control on back of subwoofer		1	+	
	■OS: Licensed Windows 10 Home Single Language				
	(64bit) English or Higher	1			
	■Uninterruptible Power Supply (UPS): at least 600VA, at				
	most 4 hours charging time				
	■Warranty: 3 Years warranty onsite visit				
20	DMX 512 Intelligent Lighting Controller	unit	1	9,000.00	9,000.00
	© Control up to 192 DMX Channels				
	■30 banks, each composed of 8 Programmable scenes.				
	■8 adjustable potentiometer to adjust the output size.				
	■Built-in MIC head, and voice features.				






and Office Equipment Location of the Project: VSU Main, Visca, Baybay City Leyte

■Automatically trigger state, the TAP SYNC button or				
the SPEED potentiometer to determine automatically				
trigger time.				
■MIDI interface, may at any time using the MIDI signal				
control.				
■4 LED digital display.				
, , ,				
	unit	1	40,000,00	40,000.00
	unit	<u>'</u>	40,000.00	40,000.00
■Shredder Type: Cross-Cut				
■Security grade: s4				
■Volume: 30L				
■Power: 400w				
External Hard Disk Drive (Portable, 1TB), USB 3.1	unit	2	3,000.00	6,000.00
■Shock-absorbing				
■Interface: USB 3.1 (Max.5Gb/s)				
1 /				
■Texture: Plastic/Rubber				
■Operating Voltage: DC 5V. 900mA				
1 0 0				
7 TO, Mad COX TOLO OF later, Emax Former 2.0 of later				
Flash Drive, at least 32GB USB 3.0	piece	2	800.00	1,600.00
Flight Case LED Par 8s	unit	3	11,300.00	34,000.00
				-
, , ,				
Atleast 20"x18"x41" dimension				
	the SPEED potentiometer to determine automatically trigger time. MIDI interface, may at any time using the MIDI signal control. LED digital display. The first LED digitshows CHASES, the second digit led shows SCENES The third and fourth led digit shows BANKS. The second, third, fourth led digit show steps 0-255 or TIME. BLACK OUT function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. Output delay function, the FADE TIME potentiometer to adjust the delay time. DMX output polarity selection. Electric Paper Shredder Shredding Capacity: <10 Sheets/Shred Shredding Medium: Photo Shredding Medium: CD Shredding Medium: CD Shredding Medium: Paper Capacity: <50L Power: Electricity Shredder Type: Cross-Cut Security grade: s4 Volume: 30L Power: 400w External Hard Disk Drive (Portable, 1TB), USB 3.1 Shock-absorbing Interface: USB 3.1 (Max.5Gb/s) Capacity: 1TB Texture: Plastic/Rubber Operating Voltage: DC 5V, 900mA System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later	the SPEED potentiometer to determine automatically trigger time. MIDI interface, may at any time using the MIDI signal control. 1 LED digital display. 1 The first LED digitshows CHASES, the second digit led shows SCENES 1 The third and fourth led digit shows BANKS. 1 The second, third, fourth led digit show steps 0-255 or TIME. 1 LED digital display. 2 The second, third, fourth led digit show steps 0-255 or TIME. 2 LEACK OUT function can be used manually or MIDI remote control. 2 CHASES programming and CHASES run function can be used manually or MIDI remote control. 3 CHASES programming and CHASES run function can be used manually or MIDI remote control. 4 CHASES programming and CHASES run function can be used manually or MIDI remote control. 5 CHASES programming and CHASES run function can be used manually or MIDI remote control. 5 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and CHASES run function can be used manually or MIDI remote control. 6 CHASES programming and chast program function that programming and chast programming and chast programming and chast program	the SPEED potentiometer to determine automatically trigger time. MMIDI interface, may at any time using the MIDI signal control. ### LED digital display. ### The first LED digitshows CHASES, the second digit led shows SCENES ### The third and fourth led digit shows BANKS. ### The second, third, fourth led digit show steps 0-255 or TIME. ### BILACK OUT function can be used manually or MIDI remote control. ### CHASES programming and CHASES run function can be used manually or MIDI remote control. ### Output delay function, the FADE TIME potentiometer to adjust the delay time. ### DMX output polarity selection. ### Electric Paper Shredder ### 16 sheets shredder Infrared automatic paper feeding ### Shredding Medium: Card ### Shredding Medium: Card ### Shredding Medium: Card ### Shredding Medium: Card ### Shredding Medium: Paper ### Capacity: <50L ### Power: Electricity ### Shredder Type: Cross-Cut ### Security grade: s4 ### Volume: 30L ### Power: 400w ### External Hard Disk Drive (Portable, 1TB), USB 3.1 ### Wolume: Output polarity in the structure of the polarity: 1TB ### Exture: Plastic/Rubber ### Operating Voltage: DC 5V, 900mA ### System Requirements: Windows XP / Vista / 7 / 8 / 8.1 ### Journal of the provided of	the SPEED potentiometer to determine automatically trigger time. MIDI interface, may at any time using the MIDI signal control. 24 LED digital display. The first LED digitshows CHASES, the second digit led shows SCENES The second, third, fourth led digit show steps 0-255 or TIME. BLACK OUT function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and CHASES run function can be used manually or MIDI remote control. CHASES programming and cHASES run function can be used manually or MIDI remote control. CHASES programming and cHASES run function can be used manually or MIDI remote control. CHASES programming and chases programming





EKS					
25	Headset (Wired), Generic Over the Ear with mic	pcs	2	500.00	1,000.00
	■Line is equipped with a rotary volume controller, one				
	key Mic mute,				
	■Frequency Range:20-20K(Hz)				
	■Sensitivity:-52(dB)				
	■Impedance:32(Ohm)				
	■Speaker Diameter:40(mm)				
	■Distortion Rate:0.8%				
	■Plug Diameter:3.5mm				
26	Ink Cartridge, HP680, black	pcs	2	465.00	930.00
27	Ink, Epson 003,Genuine Black 65mL	btl	37	350.00	12,950.00
28	Ink, EPSON 003,Genuine Cyan 65mL	btl	14	350.00	4,900.00
29	Ink, EPSON 003,Genuine Magenta 65mL	btl	14	350.00	4,900.00
30	Ink, EPSON 003,Genuine Yellow 65mL	btl	14	350.00	4,900.00
31	Ink, Epson, genuine (C) T664, 70 ml	pieces	2	350.00	700.00
32	Ink, Epson, genuine (M) T664, 70 ml	pieces	2	350.00	700.00
33	Ink, Epson, genuine (M) 1664, 70 ml	pieces	2	350.00	700.00
34	Ink, Epson, genuine, (Y) T664, 70 ml	pieces	2	350.00	700.00
34	Jack Connector 6.35 mm Cable Mount Stereo Plug,	pieces		330.00	700.00
35	3Pole 10A	pcs	20	400.00	8,000.00
	Male, 6.35 mm Cable Mount				
	■Type: Stereo				
	Body Orientation: Straight Towning tion Matter to Soldier				
	■Termination Method: Solder				
	©Contact Plating: Nickel				
	©Current Rating: 10A				
	Material: Zinc Alloy				
	©Contact Material: Brass				
	■No of Poles/ Way: 3		_		
36	Laptop 14", Core i5 11th Gen, 8GB RAM, 512GB SSD	рс	2	53,000.00	106,000.00
	■Processor: Intel® Core™ i5-11th Gen (up to 4.4 GHz)				
	with Intel® Turbo Boost Technology(2g), 8 MB L3 cache,				
	4 cores, 8 threads) or higher				
	■8 GB DDR4-3200 MHz RAM (2 x 4 GB)/(1x8GB) or				
	higher				
	■512 GB PCIe® NVMe™ M.2 SSD or higher				
	■14" FHD (1920 x 1080), multitouch-enabled, IPS,				
	edge-to-edge glass, micro-edge, 250 nits, 45% NTSC				
	■ Graphics: Intel® Iris® Xe Graphics				
	■Batt: 3-cell, 43 Wh Li-ion polymer				
	■WLAN: Realtek Wi-Fi CERTIFIED 6™ (1x2) and				
	Bluetooth® 5.2 combo (Supporting Gigabit data rate)				
	MU-MIMO supported "				
	Bluetooth: YES				
	■Ports: 1 SuperSpeed USB Type-C® 10Gbps signaling				
	rate,2 SuperSpeed USB Type-A 5Gbps signaling rate; 1				
	headphone/microphone combo; 1 AC smart pin; 1 HDMI				
	2.0				
	■Audio: Dual speakers; Audio by B&O	1			
	■ENERGY STAR® certified; EPEAT® Silver registered;				
	■Genuine Windows 10 Home				
	■Microsoft Office Home & Student Preinstalled				
37	Laptop 14", i5 11th Gen, 8GB RAM	рс	1	48,000.00	48,000.00
	■Intel Core i5-1135G7 or higher				
	■8 GB LPDDR4 SDRAM or higher				
·	■14" IPS TFT FHD 1920 x 1080				
	■Intel® Iris® X Graphics				
	■512 GB NVMe SSD				





	■Lithium Ion (Li-Ion) 42WHrs				
	■WLAN: Intel Wireless Wi-Fi 6 AX201				
	■Bluetooth Standard: 5.1				
	■Genuine Windows 10 Operating System				
38	Laptop, 14" (i7)	unit	6	60,000.00	360,000.00
	■Processor: Intel Core i7 10th generation or higher	Will.		00,000.00	000,000.00
	■ Graphics: NVIDIA GeForce MX250 at least 2GB				
	GDDR5				
	■Memory: at least 8GB DDR4-2666				
	■Storage: at least 256GB SSD M.2 + 1TB HDD				
	Display: 14" FHD (1920x1080) IPS 250nits Anti-glare				
	■Touchscreen: None				
	■Optical: None				
	Media Reader: 4-in-1 Card Reader				
	■Ethernet: None				
	■WLAN + Bluetooth				
	© Camera: at least 720p				
	■Microphone: at least 2x, Array				
	■Operating System: licensed Windows 10 Home or Pro				
	■Bundled Software: Microsoft Office Perpetual License				
	■Repair and replacement should be at most 3 month				
	from returning the unit				
	■at least 3 years Warranty				
	■FREE: Backpack				
39	Mouse, Wired, Optical, USB	pieces	1	210.00	210.00
	■USB Port Connectivity				
	Sensor: Optical				
	©DPI: 1600				
	■Work method: Wired				
	Buttons: Left button, middle button, right button				
	Scroll wheel direction: Two way				
	Design highlights: Easy installation. 1600 DPI high-				
	definition tracking engine. Anti-slip scroll wheel. Full-				
	size, ambidextrous design				
40	Paper shredder machine, heavy duty	pieces	1	12,000.00	12,000.00
40	■Shred Type: Cross Cut	pieces	<u>'</u>	12,000.00	12,000.00
	■Sified Type: Cross Cut ■Maximum Sheet capacity(70gsm) : 10 Sheets				
	■Waste Container capacity: 21 Liters				
44	■Power Source: 220 - 240 VAC	٠,		0.000.00	0.000.00
41	Power Controller 10 Channel Audio	unit	1	3,000.00	3,000.00
	■Power Controller 10 Channel Titanium audio				
	■10 lighted switches on front panel				
	■15 amps. resettable circuit breaker on front panel				
	■8 grounded AC sockets on rear of the unit				
	■Maximum load: 15 amps 0r 1800 watts				
	400 mark and a Charles of Park Call of AVOW market at 150 and				
42	100w waterproof Par light 54X2W warm white cold	set	8	7,000.00	56,000.00
	white 2 in 1 stage light With DMX Cable			,	,
	Light Source:4*50W 200W RGB 2 in 1				
	Rated Power:200W			+	
	Trated Fower.20011				
	Life Span:50,000 hours				
	Mode:Auto/Sound/Jump/DMX/Master-Slave	+ -		+	
				+	
	Color:warm white +cold white				
	Beam Angle:43°				
	Color temperature:Warm White: 3200K; Cold White: 6500K				
	input Voltage(V): 110-240v			i l	



	Lamp Luminous Flux(lm): 65000				
	Working Temperature(°C): -20 - 60				
	Working reinperature(C): -20 - 00				
	Stage Lights Bar, Yeesite 72W 24LEDs RGB Wash				
43	Lights DMX Control LED	set	8	5,500.00	44,000.00
	■Stage Lights Bar, 72W 24LEDs RGB Wash Lights				
	DMX LED Wall Washer Light Uplight				
	■40 inch Long Professional grade indoor linear bar				
	powered 24x3-Watt LEDs				
	■Light Source: 24 TRI LEDs(RGB)				
	■Power Draw: 72 watts				
	■40- degree beam angle provides vibrant and broad				
	light beam to wash stage, wall and dance floor				
	Power Linking: Max 10 units at 120 Volts or 27 units at				
	230Volts				
44	Transmitter Receiver Kit portable for DMX (2 pcs	set	2	6,500.00	13,000.00
	(male and female) per set)		_	3,333.33	. 0,000.00
	■Transmitter Receiver Kit Portable 2.4G ISM Wireless				
	Stage Light lighting fixtures				
	■High effective GFSK module, communication design;				
	126 channels jumping frequency automatically, high				
	■anti-jamming ability, to ensure that works reliability				
	Universal HDMI to VGA Adapter Cable, at least 1.8				
45	meters	unit	4	300.00	1,200.00
10	© Universal HDMI to VGA Adapter Cable	.,	4	5 000 00	5 000 00
46	UPS 800W (for Computer)	unit	1	5,000.00	5,000.00
	■Charging time: At most 4 hours				
47	Video Camera	unit	1	13,000.00	13,000.00
	■TYPE: Handheld and lightweight				
	■SENSOR TYPE: 1/5.8 type (3.1 mm) (0.12 in) back-				
	illuminated Sensor				
	illuminated Sensor				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9)				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9)				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick				
	 ■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card 				
	 ■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) 				
	 ■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone 				
	 ■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch 				
	■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-				
	 ■EFFECTIVE PIXELS (VIDEO): approx. 2.29 Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc. 				
	Megapixels (16:9) Megapixels (
	Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc. ■RECORDING FORMAT (VIDEO): AVCHD format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4				
	Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc. ■RECORDING FORMAT (VIDEO): AVCHD format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H264				
	Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc. ■RECORDING FORMAT (VIDEO): AVCHD format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4				
	Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc. ■RECORDING FORMAT (VIDEO): AVCHD format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H264				
48	Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc. ■RECORDING FORMAT (VIDEO): AVCHD format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H264 ■INCLUSIONS: Storage media card, battery, connection chords	pc	2	10.000.00	20,000.00
48	Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc. ■RECORDING FORMAT (VIDEO): AVCHD format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H264 ■INCLUSIONS: Storage media card, battery, connection chords Water Dispenser, Cabinet type	pc	2	10,000.00	20,000.00
48	Megapixels (16:9) ■LENS TYPE: ZEISS ■OPTICAL ZOOM: at least 30x ■CLEAR IMAGE ZOOM: at least 60x ■SCREEN TYPE: at least 6.7 cm (2.7 type) Clear Photo LCD display (230 400 dots) Wide (16:9) ■STORAGE MEDIA: XAVC S HD: Micro SDXC Memory Card (Class 10 or Higher), AVCHD, Still: Memory Stick Micro™ (Mark 2), Micro SD/SDHC/SDXC Memory Card (Class 4 or Higher) ■AUDIO: Built-in microphone ■AUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc. ■RECORDING FORMAT (VIDEO): AVCHD format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H264 ■INCLUSIONS: Storage media card, battery, connection chords	pc	2	10,000.00	20,000.00



VISAYAS STATE UNIVERSITY

and Office Equipment Location of the Project: VSU Main, Visca, Baybay City Leyte

	■plastic body,high efficiency compressor				
	■thermally protected				
40	Waterproof LED Parabolic Aluminized Reflector	oot	20	2 000 00	60,000.00
49	(PAR) Lights for Stage Events	set	20	3,000.00	60,000.00
	■Light Source:18X18w RGBWA				
	■Beam Angle: 25 Degree				
	■Waterproof: IP65				
	■Housing: Aluminum				
	■Style :DMX Stage Light				
	■Power:300W				
	■Color: 6000k(daylight)				
50	Web Camera for Laptop and Desktop	pcs	1	720.00	720.00
- 00	■About 360 degrees, rotate up and down 45 degrees,	poo	•	720.00	720.00
	you can adjust the angle.				
	■With clips for laptops and desktops.				
	Sensor pixels: 2 million				
	■ Interface: USB 2.0				
	■ Frame rate: 30 FPS				
	Image sensor: CMOS				
	Brightness/color: automatically adjusts				
	Additional features: built-in microphone				
51	Web Camera for PC	unit	3	2,500.00	7,500.00
	■Image sensor: 1 / 2.9				
	■Lens: 3.6mm/75.7 °				
	© Effective pixel: 1932 (H) * 1088 (V)				
	■Horizontal resolution: 2MP				
	© SNR: > 50dB				
	■ Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 *				
	360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360				
	■Video Frame rate: 25FPS / 30FPS				
	■Electronic shutter: Auto				
	■Protocol: UVC / UVA				
	■Video output: USB video stream				
	■Working voltage: DC5V / 160mA ± 6mA				
	■Working environment: -20 °C to 60 °C				
		licens			
52	Windows 10 Operating System	es	2	10,000.00	20,000.00
	■Genuine Windows 10 Volume License				
53	Wireless Microphone Mic System, 2.4G, 6 channels	unit	2	15,000.00	30,000.00
- 00	■2.4G wireless Microphone Mic System 6 channels XLR	dille		10,000.00	00,000.00
	Connection Built-in Rechargeable Lithium Battery				
	■Compact size 2.4G wireless microphone system, XLR				
	connection, easy to use				
	■less than 4ms ultra-low latency, clear and stable signal				
	transmission				
	■32bit/48Khz high resolution audio quality				
<i>- - - - - - - - - -</i>	Built -in rechargeable lithium battery			000.00	000.00
54	Wireless N Router (300Mbps) with 4-LAN Port	рс	1	900.00	900.00
	■300Mbps wireless transmission rate ideal for both				
	bandwidth sensitive tasks and basic work				
	■Easy wireless security encryption at a push of WPS				
	button				
	■IP based bandwidth control allows administrators to				
	determine how much bandwidth is allotted to each PC				
		ĺ			
	■WDS wireless bridge provides seamless bridging to				
	expand your wireless network				
	expand your wireless network Interface: 4 10/100Mbps LAN PORTS				
	expand your wireless network				



	■External Power Supply: 9VDC / 0.6A				
	■Wireless Standards: IEEE 802.11n, IEEE 802.11g,				
	IEEE 802.11b				
55	XLR 3 Pole Female, Stamped Contacts, Nickel Finish	pcs	60	300.00	18,000.00
50	■XLR 3 pole female, stamped contacts, nickel finish.	700		333.33	.0,000.00
	■ Ergonomic stylish sleeve design for improved grip.				
	Oversized latch lever preserves your thumb. Leading				
	first mate last break pin 1 on socket connectors.				
	©Chuck style cable clamp to suit 3mm - 8mm (0.118" -				
	0.314") cable.				
	■Overmolded cable support boot				
	■ Precision machined pin contacts				
	©Compact 2.5mm (14AWG) solder buckets				
	■Compact 2.5mm (14AVVG) solder buckets ■Zinc diecast shell housing with Satin nickel finish.				
F.C.	, and the second	200	60	500.00	20,000,00
56	XLR male connector	pcs	60	500.00	30,000.00
	Standard XLR Male 3pin				
	Nickel Contact Plating				
	■Mating Cycles: 1000 Cycle				
	Rebidding (from GOODS-22-37)		_		
57	Canon PIXMA, 830 (Black Ink)	рс	5	900.00	4,500.00
58	Cover for CPU (Mini Tower) (package)	set	3	60.00	180.00
59	Cover for keyboard	рс	3	50.00	150.00
60	Ink Cartridge Canon G2010	pcs	4	1,000.00	4,000.00
61	Megaphone	unit	1	3,000.00	3,000.00
	Bullhorn				
	1000 yard range				
	For indoor and outdoor use				
	Built-in siren				
	40 W amplifier				
	Built-in mic				
	10 seconds recording function				
	Portable Trolley 15" Speaker with wireless			40.000.00	40.000.00
62	microphone	unit	1	10,000.00	10,000.00
	■15" 2 Way 480 Watts Powered Portable Sound System				
	■Plastic Cabinet				
	■AC220V or DC12V (With built-in Rechargeable				
	Batteries)				
	With 2 Wireless Microphone				
—	■With 2 Mic Input (1 XLR, 1 PL55)				
	■With FM Radio, Bluetooth, Guitar Input (Shared with				
	Mic 2 input), USB & SD Port				
	■With 5 Band Equalizer and LCD Display				
	■With Aux / Line In and Line Out				
	With Remote Control, Handle and Wheel				
	Bluetooth Wireless Speakers, 20W RMS, IPX7				
63	waterproof	рс	1	1,500.00	1,500.00
	Bluetooth version: 5.0				
	Supported formats: mp3,ape,FLAC,wav				
	Output Power: 20W RMS				
	Frequency response: 80hz-18kHZ				
	Signal-to-noise ratio: 80±2db				
 	Battery type: 3.7V/5200mAh				
	Battery charge time: ≤3 hours				
	Power supply: Type-c 5V/1A				
	Music playing time: up to 8 hours(varies by volume level				
	and audio content)				
	Waterproof: IPX7				
	Support Voice Assistant				
	1 11	1	1		



	Support 3 music mode				
	Support TWS function (connect 2 speakers)				
	3 Playing Mode: Bluetooth/TF card/AUX in				
64	Lapel Voice Amplifier	unit	1	800.00	800.00
	© Compact, portable and lightweight				
	■Lithium-ion power body-pack amplifier				
	■Power Output: 30W				
	■Mode: USB/MP3/FM				
	© Charger Voltage: 10V 450mA				
	■Frequency response: 100Hz-10KHz±3dB				
	■Set of: 1 Voice Amplifier, 1 Power Adaptor, 1 Headset Microphone, 1 Body-pack case, 1 Belt Strap, 1 User Manual				
				TOTAL:	1,862,240.00

DILBERTO O. FERRAREN

BAC Chairman