

# BID BULLETIN 01

**Date:** 31 August 2022

**Project Title:** Supply and Delivery of Laboratory Equipment and Supplies (GOODS-22-45)

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

## I. LIST OF REQUIREMENTS

Legal Documents	
1	PhilGEPS Certificate of Registration (Platinum)
	or
	a. Registration Certificate (SEC, DTI or CDA)
	b. Mayor's/Business Permit
	c. Tax Clearance
Technical Documents	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php <b>971,419.50</b> )
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 971,419.50 and the largest of which should be at least PhP <b>485,709.75</b> .
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
Financial Documents	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 1,942,839.00)
	Or
	Committed Line of Credit (at least Php 194,283.90)
(2 <sup>nd</sup> Envelope) FINANC	IAL COMPONENT ENVELOPE
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



### Please take note:

- 1. In the Technical Specifications, bidders must state either "Comply" or "Not Comply" <u>against</u> <u>each of the individual parameters of the specifications</u> per item stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in the Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1 (a)(ii).
- 2. Bidders are advised to use the latest GPPB forms for the following documents:
  - a) Omnibus Sworn Statement
  - b) Performance Securing Declaration (if applicable)
  - c) Price Schedule for Goods Offered
  - d) Bid Form
  - e) Bid Securing Declaration

These forms can be accessed from the GPPB website: https://www.gppb.gov.ph/downloadables.php. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

#### II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

- 1. Convert all documents into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration	PhilGEPS
	(Platinum)	
2.	Registration Certificate (SEC/DTI)	Registration Certificate
3.	Mayor's/Business Permit	Mayor's-Business Permit
4.	Tax Clearance	Tax Clearance
5.	Statement of On-Going Government	Statement of On-Going
	& Private Contracts	Contracts
6.	Statement of Bidder's Single Largest	SLCC
	Completed Contract	
7.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
8.	Bid Security	Bid Security
9.	Technical Specifications	Technical Specifications
10.	SCHEDULE of	Schedule of Requirements
	Requirements/Production and	
	delivery schedule	
11.	Manpower Requirements	Manpower Requirements





12. After Sales service/parts	After Sales
13. Omnibus Sworn Statement	Omnibus Sworn Statement
14. Audited Financial Statements	Audited Financial Statements
15. Net Financial Contracting Capacity	NFCC
16. Committed Line of Credit	CLC
17. Bid Form	Bid Form
18. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

## III. Changes in the Bidding Documents

Original	
Section I. Invitation to Bid	(Amendment)
5. A complete set of Bidding Documents may be acquired by interested Bidders on 17 August – 07 September 2022 until 8:30 AM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.	A complete set of Bidding Documents may be acquired by interested Bidders on <i>17 August – 07</i> <i>September 2022 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means: The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means. The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details: Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u> Then send the deposit slip to <u>jessamine.ecleo@vsu.edu.ph</u>
Section II. Instructions to Bidders	(Additional Instructions)



15. Sealing and Marking of Bids	Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.
	For filing purposes, the bidders are urged to use <u>Red</u> envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.

# IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

ltem No.	Description	Unit	Qty	ABC/Unit	Total ABC
1	20.6 cu.ft. Heavy Duty Side by Side Inverter Refrigerator	unit	1	52,000.00	52,000.00
	■20 cu.ft. HD Inverter Side by Side				
	Refrigerator				
	No-frost Refrigerator				
	Energy efficient inverter compressor				
	Quick freeze and quick chill mode				
	Weight 90 kg - delete				
	Dimensions 76 × 90 × 170 cm - delete				
	Digital Temperature Control with LED Display				
	Independent Temperature Control				
	■Child Lock				
	Vacation Mode				
	■Eco-LED Lights				
	Spill – Proof Tempered Glass Shelves				
	Image:				
	Textured Body (Rust and Stain Resistant)				
	■3 Twist Ice Cube Trays and Ice Cube Container				
	Adjustable Leveling Feet				
	Input Power: 170W				
2	250 mm glass stirring rod	pcs	5	125.00	625.00
3	Acetone	gal	5	1,600.00	8,000.00
	Acetone, Technical Grade				
	∎1gal				
5	aluminum foil tape	pcs	2	250.00	500.00
	size - (48mm x 9.1m)				
6	Aluminum Soil Moisture Can	pcs	50	60.00	3,000.00
	Dimension: 40-50 mm diameter, 30-40 mm height				



	Material: Aluminum				
7	Ammonium Acetate, AR, 500g	pack	3	1,800.00	5,400.00
8	Ammonium Chloride, Analytical Grade, 500g/btl	btl	1	1,000.00	1,000.00
_	■AR grade, 500g per bottle				
9	Antibiotic Discs	tubes	35	400.00	14,000.00
	Used for sensitivity testing of antibiotic residue				
	7 tubes per antibiotic group (50 discs/tube)				
	1. 7 tubes- Beta-lactams (Penicillin and Cephalosporins) - Penicillin G, Amoxicillin				
	2. 7 tubes- Sulfonamides - Sulfadiazine, Sulfanilamide and Sulfamidine, Trimethoprim-sulfamethoxazole				
	3. 7 tubes- Tetracyclines - oxytetracycline, tetracycline and doxycycline				
	4. 7 7 tubes- Quinolones - ciprofloxacin, enrofloxacin				
	5. 7 tubes- Macrolides - erythromycin, azithromycin, tilimicosin, tylosin				
10	Antibiotic Residue in Meat Test Kit- Set	set	1	437,000.00	437,000.00
	Antibiotic Residue in Meat Test Kit- Set				
	This antibiotic residue test kit (Explorer 2.0) is based on the growth inhibition of Geobacillus stearothermophilus bacterium. In a specific culture medium and under suitable conditions, the spores of this bacterium germinate and multiply, acidifying the medium, causing a color change in the culture medium from blue to yellow. If the food sample contains an antimicrobial concentration higher than the test detection limit, the bacterial growth is inhibited and therefore the color change of the medium will not occur. TECHNICAL DATA:				
	Scope: detection of more than 50				
	antibiotics from 8 groups Automatic assay: tube format with eReader				
	Manual assay: one-step assay of about 3h at 65 °C after extraction				
	Reading: visual or photometric (plate format)				
	Format: tube and plate				
	Includes the following: Explorer 2.0 test kits (50 single test tubes)				
	C/N ZE/EXT50- 14 kits Positive Control - 5 vials of Penicillin-G C/N ZE/PG5 - 1kit				
	Negative Control - 5 vials of meat juice -				



	C/N ZE/CN5 - 3 Kits				
11	Beaker, Glass, 1000mL	рс	5	1,000.00	5,000.00
	■1000mL capacity, borosilicate glass	P .	0	1,000.00	0,000.00
12	Beaker, Glass, 150 mL	рс	5	380.00	1,900.00
	■Low Form Beaker	P .	0	000.00	1,000.00
	Borosilicate Glass				
	■Transparent Beaker				
	■Thickened With Spout				
13	Beaker, Glass, 250mL	рс	5	400.00	2,000.00
	■Low Form Beaker	1 -			,
	Borosilicate Glass				
	■Transparent Beaker				
	Thickened With Spout				
15	Boric acid, AR	btl	1	2,000.00	2,000.00
	Certified molecular biology grade				,
	Suitable for electrophoresis, ≥99.5%				
	Size: 500g per bottle				
16	Buffer Solution pH 10, 500 mL	btl	1	2,500.00	2,500.00
17	Buffer Solution pH 4, 500 mL	btl	1	2,500.00	2,500.00
18	Buffer solution, pH 7, 1000 ml.	btl	1	1,000.00	1,000.00
19	Buffer solution, pH 7, 1000 ml.	btl	1	1,000.00	1,000.00
20	Calcium carbonate, AR 500g/btl	btl	1	1,500.00	1,500.00
21	Calcium Chloride Dihydrate	btl	1	2,000.00	2,000.00
	Branding the chemical to be purchase is following the protocol set for the project's protocol and standards				
	Chemical must be plant tissue culture tested for at least 20 years				
	ISO complaint				
	ACS REAG				
	©PH EUR				
	Immeets USP Standards				
	Bioreagent suitable for cell culture				
	©500g				
22	Canada Balsam, for microscopy, 100ml	btl	1	1,800.00	1,800.00
23	Colchicine suitable for plant cell and tissue culture (1g)	btl	1	15,000.00	15,000.00
24					
25	COPPER (II) NITRATE AR, 500g/btl	btl	1	1,500.00	1,500.00
26	Copper Chloride, Analytical Grade, 500g/btl	btl	1	1,500.00	1,500.00
~=	■Analytical grade, 500g per bottle				
27	CTAB	btl	1	3,000.00	3,000.00
00	©500g, AR	<u> </u>			
28	Delicate task wipers	boxes	1	1,000.00	1,000.00



	280sheets/box				
	4.4 x 8.4" Kimwipes 1-Ply				
	for wiping surfaces, parts, instruments, and lenses				
29	Dial Oven-Safe Thermometer (Bimetal)	unit	2	2,500.00	5,000.00
	Reads in 1-2 minutes				
	Place 2 - 2 1/2 deep in thickest part of food				
	Can be used in roasts, casseroles, and soups				
	Not appropriate for thin foods				
	Can remain in food while it's cooking				
	Heat conduction of metal stem can cause false high reading				
	Can be calibrated				
30	Digital Calibration Laboratory Weights Kit Set	sets	1	16,000.00	16,000.00
	1mg-1kg Weights Kit Set				
	Version: 1mg-1kg (25 pcs) 1 set (M1 /F1 /F2 grade)				
	Total number of 1 set: 25 pcs				
	M1 grade material: 2Cr13 stainless steel				
	F1/F2 grade material: 304 stainless steel				
31	Distilled Water, 6 liters	btl	5	150.00	750.00
32	Drager Aspirator Bulb	pieces	2	200.00	400.00
52		picces	2	200.00	+00.00
33	Dryer Oven/Sterilizer with UV Lamp	unit	1	50,000.00	
		•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of various	•			
	Dryer Oven/Sterilizer with UV Lamp Dryer Oven/Sterilizer with UV Lamp Made for the sterilization of various laboratory apparatus	•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the drying	•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipment	•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipmentComes with a UV lamp inside the unit foreffective sterilization	•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipmentComes with a UV lamp inside the unit foreffective sterilizationSpecifications:	•			
	Dryer Oven/Sterilizer with UV Lamp Dryer Oven/Sterilizer with UV Lamp Made for the sterilization of various laboratory apparatus Constantly heats the inside for the drying of equipment Comes with a UV lamp inside the unit for effective sterilization Specifications: Temperature: 60°C	•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipmentComes with a UV lamp inside the unit foreffective sterilizationSpecifications:Temperature: 60°CElectrical: 220v 0.8KW/4A	•			
	Dryer Oven/Sterilizer with UV Lamp Dryer Oven/Sterilizer with UV Lamp Made for the sterilization of various laboratory apparatus Constantly heats the inside for the drying of equipment Comes with a UV lamp inside the unit for effective sterilization Specifications: Temperature: 60°C Electrical: 220v 0.8KW/4A Capacity: 72L	•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipmentComes with a UV lamp inside the unit foreffective sterilizationSpecifications:Temperature: 60°CElectrical: 220v 0.8KW/4ACapacity: 72LDimensions (W x D x H): 59 in x 56 in x 70 in	•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipmentComes with a UV lamp inside the unit foreffective sterilizationSpecifications:Temperature: 60°CElectrical: 220v 0.8KW/4ACapacity: 72LDimensions (W x D x H): 59 in x 56 in x 70 inPre-installed UV Light	•			
33	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of various laboratory apparatusConstantly heats the inside for the drying of equipmentComes with a UV lamp inside the unit for effective sterilizationSpecifications:Temperature: $60^{\circ}$ CElectrical: 220v 0.8KW/4ACapacity: 72LDimensions (W x D x H): 59 in x 56 in x 70 inPre-installed UV LightComes with (5) extra UV germicidal lamps	•			
	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipmentComes with a UV lamp inside the unit foreffective sterilizationSpecifications:Temperature: 60°CElectrical: 220v 0.8KW/4ACapacity: 72LDimensions (W x D x H): 59 in x 56 in x 70 inPre-installed UV LightComes with (5) extra UV germicidallampsEMS Ethyl Methanesulfonate(C3H8O3S) (25grams/btl)	•			50,000.00
33	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipmentComes with a UV lamp inside the unit foreffective sterilizationSpecifications:Temperature: 60°CElectrical: 220v 0.8KW/4ACapacity: 72LDimensions (W x D x H): 59 in x 56 in x 70 inPre-installed UV LightComes with (5) extra UV germicidallampsEMS Ethyl Methanesulfonate(C3H8O3S) (25grams/btl)Molecular weight - 124.2		1	50,000.00	50,000.00
33	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the drying of equipmentComes with a UV lamp inside the unit for effective sterilizationSpecifications:Temperature: 60°CElectrical: 220v 0.8KW/4ACapacity: 72LDimensions (W x D x H): 59 in x 56 in x 70 inPre-installed UV LightComes with (5) extra UV germicidal lampsEMS Ethyl Methanesulfonate (C3H8O3S) (25grams/btl)Molarity - 9.7 (neat liquid)		1	50,000.00	50,000.00
33	Dryer Oven/Sterilizer with UV LampDryer Oven/Sterilizer with UV LampMade for the sterilization of variouslaboratory apparatusConstantly heats the inside for the dryingof equipmentComes with a UV lamp inside the unit foreffective sterilizationSpecifications:Temperature: 60°CElectrical: 220v 0.8KW/4ACapacity: 72LDimensions (W x D x H): 59 in x 56 in x 70 inPre-installed UV LightComes with (5) extra UV germicidallampsEMS Ethyl Methanesulfonate(C3H8O3S) (25grams/btl)Molecular weight - 124.2		1	50,000.00	12,000.00



35	Fall cone Penetrometer Apparatus	unit	1	20,000.00	20,000.00
	80g weight of test cone (30 degrees apex angle) Aluminum base with dial guage				
36	Filter Paper Ordinary	pack	1	5,000.00	5,000.00
	ordinary, 30 x 40 in., 100 sheets/pack			_,	
37	Filter Paper, 12.5 cm. Ashless #42 or equivalent	boxes	20	2,000.00	40,000.00
	Pore size:2.5um				
	at least 100 pcs. per box				
38	Glacial Acetic Acid	btl	1	3,500.00	3,500.00
	■Analytical Reagent grade 2.5L per bottle				
39	Graduated Cylinder, Glass, 1000mL	рс	5	1,500.00	7,500.00
	Material: Borosilicate Glass				
	■Good Quality				
40	Graduated Cylinder, Glass, 100mL	pcs	10	400.00	4,000.00
	100mL capacity	•			
	Type 1, Class A Borosilicate Glass				
41	High Vacuum Pump Deluxe Experiment Kit	рс	1	80,000.00	80,000.00
	<ul> <li>High Vacuum Pump Deluxe Experiment Kit This kit includes everything you need to immediately begin teaching high vacuum physics right out of the box. The kit comes with our LAV-3/G high vacuum pump with a mounted 30" Hg gauge. The pump is a direct drive, two stage rotary van high vacuum pump which can achieve 20 microns in laboratory conditions.</li> <li>The kit includes the following:</li> <li>LAV-3/G High Vacuum Pump with 0-30" Hg gauge</li> </ul>				
	6"x 11" Glass Bell Jar				
	Acrylic High Vacuum Pump Plate with shut-off valve				



	5' High Vacuum tubing				
	1 Quart of replacement high vacuum pump oil				
	Ballons and a petri dish to show the balloon expanding at high vacuum and boil water at room temperature under high				
	vacuum Two hose clamps				
42	Horizontal Benchtop Autoclave Steam				
42	Sterilizer	unit	1	80,000.00	80,000.00
	Horizontal Benchtop Autoclave Steam Sterilizer, 24 L				
	Specifications:				
	■Chamber Capacity: 26x46cm				
	■Inside Capacity: 24.41L				
	Sterilize Temperature: 126 deg. celsius (highest)				
	Sterilize Pressure: 1.5kg/cm3 (highest)				
	Sterilize Time: 35 minutes				
	■Heater: 1500W				
	Material Quality: Stainless Steel SUS No. 304, Boiler chamber surface with burnish				
	■Electric Current: 220V 7A9A				
	Safety Equipment: Double pressure adjustment, adjust the inner pressure, if over standard value automatic vent				
43	Hydrochloric Acid	btl	3	1,000.00	3,000.00
	■AR grade				
	■2.5 liter/btl.				
	■36.5-38%				
	■impurities <1ppm free chlorine				
44	Iron Chloride, Analytical Grade, 500g/btl	btl	1	1,500.00	1,500.00
	■AR grade, 500 g per bottle				
45	IRON NITRATE NONAHYDRATE, AR, 500g/btl	btl	1	1,500.00	1,500.00
46	Lab Gown Long Sleeves L	pcs	1	500.00	500.00
	• Lab Coat High-quality White				
	■Size-Large; long sleeves				
47	Lab Gown Long Sleeves M	pcs	1	500.00	500.00
	■Long Sleeves				
	■Medium size				
48	Laboratory Hot Plate Magnetic Stirrer, 0-1600 RPM, 5000 mL maximum stirring capacity	unit	2	15,000.00	30,000.00
	Material of plate ceramic coating				
	Speed(RPM) : 0-1600RPM				



	Heating Power : 600W				
	Plate Size : 19 * 19 cm				
	Heating Temperature : 350°C				
49	LEAD (II) NITRATE AR 500g/btl	btl	1	1,500.00	1,500.00
50	Magnesium chloride, MgCl2	btl	1	3,000.00	3,000.00
	■1kg per bottle				
	■colourless crystalline solid				
	Properties:				
	◄Quality Level: 300				
	Impurities: ≤0.5% Insolubles				
	◄bp: 1412 °C/1 atm (lit.)				
	◄mp: 714 °C (lit.)				
	▲Density: 2.32 g/mL at 25 °C (lit.)				
51	Magnesium Nitrate	btl	1	1,947.00	1,947.00
	■Anhydrous				
	Lab grade/ Analytical reagent grade				
	Expiration date(3 years from the delivery date)				
	Packed in Teflon bottles				
52	MANGANESE (II) NITRATE HEXAHYDRATE AR 500g/btl	btl	1	1,500.00	1,500.00
53	Manganese Chloride, Analytical Grade, 500g/btl	btl	1	1,500.00	1,500.00
	■AR grade, 500g per bottle				
54	Micropipette Tip, 10 uL	pack	1	600.00	600.00
	■10 uL-capacity				
	Standard tip, graduated				
	■Autoclavable				
	■Pack of 1000 tips				
55	Micropipette Tip, 1000 uL	pack	1	750.00	750.00
	■capacity, 1000 uL				
	Standard tip, graduated				
	■Autoclavable				
	■Pack of 1000 tips				
56	Micropipette Tip, 200 uL	pack	1	550.00	550.00
	■capacity, 200 uL				
	■Short tip, graduated,				
	■Autoclavable				
	■Pack of 1000 tips				
57	Monel Shrinkage Dish	рс	5	1,300.00	6,500.00
	Dimension: 15ml, 1.57x47 in (40x12mm) Dia.xH				



	Materials:Made of Monel Metal				
58	Multi-Functional LCD Digital Multimeter Auto Range DMM with Temperature Detector DC AC Voltage	unit	2	2,000.00	4,000.00
	Large LCD display of 41mm character height				
	Measure DC/AC voltage/current, diode, resistance, capacitance, temperature and continuity test.				
	Max. display value: 6000.				
	■Can test the temperature with unit of <i>°</i> C/ °F.				
	Includes relative value testing, duty cycle test, data hold, MAX/MIN value hold and auto power off function.				
	With overload protection on all ranges.				
	Low battery indication and warning alarm function.				
	Equipped with a back bracket for supporting multimeter, and also can collect test probe.				
	Protected by rubber for drop protection.				
	Great for troubleshooting automotive and household electrical problems.				
59	Munsell Soil Color Book	рс	2	12,500.00	25,000.00
	Color chips are mounted on neutral gray, 7.25x4.25in (184x108mm) water resistant pages in an 8x16in (203x152mm) loose- leaf binder				
60	NE-300 Just Infusion™ Syringe Pump	рс	1	14,999.00	14,999.00
	1. Holds 1 Syringe from micro-liter sizes up to 60 mL. (140 mL partially filled)				
	2. Infusion rates from 0.73 µL/hr (1 mL syringe) to 1500 mL/hr (60 mL syringe)				
	3. Operates from included 12VDC power supply				
61	Nitric acid, HNO3	btls	6	3,600.00	21,600.00
	Concentrated, Analytical reagent grade, 2.5L/bottle				
62	Oven, Gravity Convection, 1.27 cu. Ft., 800 W, 230 V	рс	1	60,000.00	60,000.00



Kgpack       Kgpack         Tissue Embedding Wax, Medium       Pure Paraffin wax with Added Polymer for precise embedding and sectioning       7         64       Parafilm M PM-996 - delete All Purpose Laboratory Film Parafilm sealing film 4 x 125ft       roll       3       2,500.00       7,500.0         65       Pillow block bearing P204 model-delete (1/2" inside diameter)       unit       4       300.00       1,200.0         66       Pipette Tips, 0.5 uL - 10 uL (Clear)       pack       1       550.00       550.0         64       Laboratory grade              Clear                Clear						
Pure Paraffin wax with Added Polymer for precise embedding and sectioning	63	-	pack	1	900.00	900.00
precise embedding and sectioning       interpret in the image of the		Tissue Embedding Wax, Medium				
Laboratory Film Parafilm sealing film 4 x 125ft         roll         3         2,500.00         7,500.0           65         Pillow block bearing P204 model-delete (1/2" inside diameter)         unit         4         300.00         1,200.0           66         Pipette Tips, 0.5 uL - 10 uL (Clear)         pack         1         550.00         550.0           64         Pipette Tips, 0.5 uL - 10 uL (Clear)         pack         1         550.00         550.0           65         Clear              550.00         550.0           66         Pipette Tips, 0.5 uL - 10 uL (Clear)         pack         1         550.00         550.0           67         Pipette Tips, 20 - 200 uL (Clear)         pack         1         600.00         600.0           67         Pipette Tips, 20 - 200 uL (Clear)         pack         1         600.00         600.0           68         Clear             2           68         Pipettor Set - Volumetric Pipette Controller and Miropipette Pipettors Complete         set         1         85,000.0         85,000.0           68         Pipettor, 2.4V; pipetting speed; 50ml in less than 10 seconds; for glass and plastic pippettes 10-50mL capacity         pipettes 1<		,				
(1/2" inside diameter)       Unit       4       300.00       1,200.0         66       Pipette Tips, 0.5 uL - 10 uL (Clear)       pack       1       550.00       550.0         Autoclavable            550.00       550.0         Clear                 Laboratory grade	64	Laboratory Film Parafilm sealing film 4 x 125ft	roll	3	2,500.00	7,500.00
Autoclavable       1 <t< td=""><td>65</td><td>(1/2" inside diameter)</td><td>unit</td><td>4</td><td>300.00</td><td>1,200.00</td></t<>	65	(1/2" inside diameter)	unit	4	300.00	1,200.00
Clear	66	Pipette Tips, 0.5 uL - 10 uL (Clear)	pack	1	550.00	550.00
Laboratory grade		Autoclavable				
Size: Pack of 1000 tips		Clear				
Capacity: 5 - 10uL       pack       1       600.00         67       Pipette Tips, 20 - 200 uL (Clear)       pack       1       600.00         Autoclavable       1       600.00       600.0         Clear       1       600.00       600.0         Laboratory grade       1       600.00       600.0         Size: Pack of 1000 tips       1       1       600.00         Capacity: 20 - 200uL       1       1       68         Pipettor Set - Volumetric Pipette       1       85,000.00       85,000.00         68       Pipettor Set - Volumetric Pipette       1       85,000.00       85,000.00         68       Pipettor Set - Volumetric Pipette       set       1       85,000.00       85,000.00         68       Pipettor Set - Volumetric Pipette controller - 0.1-       200mL range; battery pack: Lithium       set       1       85,000.00         9       1 - Electronic pipette controller - 0.1-       200mL range; battery pack: Lithium       start y 2.4V; pipetting speed: 50ml in less       stan 10 seconds; for glass and plastic       pippettes from 0.1-200ml; includes         assorted reusable/autoclavable glass       pipettes 10-50mL capacity       4-       4-       4-       4-         Wincopipette set - fully autoclavable;       v		Laboratory grade				
67       Pipette Tips, 20 - 200 uL (Clear)       pack       1       600.00       600.0         Autoclavable         600.00       600.00         Clear          600.00       600.00         Laboratory grade           600.00       600.00         Size: Pack of 1000 tips <td></td> <td>Size: Pack of 1000 tips</td> <td></td> <td></td> <td></td> <td></td>		Size: Pack of 1000 tips				
Autoclavable       Image: Autoclavable         Clear       Image: Autoclavable         Laboratory grade       Image: Autoclavable         Size: Pack of 1000 tips       Image: Autoclavable         Capacity: 20 - 200uL       Image: Autoclavable         68       Pipettor Set - Volumetric Pipette Controller and Miropipette Pipettors       set       1         68       Pipettor Set - Volumetric Pipette Controller and Miropipette Pipettors       set       1         68       Pipettor Set - Volumetric Pipette Controller and Miropipette Controller - 0.1- 200mL range; battery pack: Lithium battery 2.4V; pipetting speed: 50ml in less than 10 seconds; for glass and plastic pippettes from 0.1-200ml; includes assorted reusable/autoclavable glass pipettes 10-50mL capacity       assorted reusable/autoclavable glass pipettes 10-50mL capacity         Image: Pipette Set - fully autoclavable; volumes: 2uL-20UL, 10uL-100uL, 100uL-       Image: Pipettes Image: Pipette Set - fully autoclavable;		Capacity: 5 - 10uL				
Clear	67	Pipette Tips, 20 - 200 uL (Clear)	pack	1	600.00	600.00
Laboratory grade		Autoclavable				
Size: Pack of 1000 tips         Capacity: 20 - 200uL         68       Pipettor Set - Volumetric Pipette Controller and Miropipette Pipettors         Set       1         85,000.00         Complete         Image:         Description:         Set         Set         Pipettor Set - Volumetric Pipette         Controller and Miropipette Pipettors         Set         Pipettes from 0.1-200ml; includes         assorted reusable/autoclavable glass         pipettes from 0.1-200ml; includes         assorted reusable/autoclavable glass         pipettes 10-50mL capacity         Set		Clear				
Capacity: 20 - 200uL       Capacity: 20 - 200uL         68       Pipettor Set - Volumetric Pipette Controller and Miropipette Pipettors Complete       set       1       85,000.00         ©1 - Electronic pipette controller - 0.1- 200mL range; battery pack: Lithium battery 2.4V; pipetting speed: 50ml in less than 10 seconds; for glass and plastic pippettes from 0.1-200ml; includes assorted reusable/autoclavable glass pipettes 10-50mL capacity       assorted reusable/autoclavable glass volumes: 2uL-20UL, 10uL-100uL, 100uL-		Laboratory grade				
68       Pipettor Set - Volumetric Pipette Controller and Miropipette Pipettors Complete       set       1       85,000.00         Image: 0.1- Electronic pipette controller - 0.1- 200mL range; battery pack: Lithium battery 2.4V; pipetting speed: 50ml in less than 10 seconds; for glass and plastic pippettes from 0.1-200ml; includes assorted reusable/autoclavable glass pipettes 10-50mL capacity       Image: 0.1- 0.1-200L, 100L-1000L, 1000L-		Size: Pack of 1000 tips				
Controller and Miropipette Pipettors Completeset185,000.00Image: 1 - Electronic pipette controller - 0.1- 200mL range; battery pack: Lithium battery 2.4V; pipetting speed: 50ml in less than 10 seconds; for glass and plastic pippettes from 0.1-200ml; includes assorted reusable/autoclavable glass pipettes 10-50mL capacityImage: battery pack: Lithium battery 2.4V; pipetting speed: 50ml in less than 10 seconds; for glass and plastic pippettes from 0.1-200ml; includes assorted reusable/autoclavable glass pipettes 10-50mL capacityImage: battery pack: Lithium battery 2.4V; pipetting speed: 50ml in less than 10 seconds; for glass and plastic pippettes from 0.1-200ml; includes assorted reusable/autoclavable glass pipettes 10-50mL capacitySetImage: battery pack total autoclavable; volumes: 2uL-20UL, 10uL-100uL, 100uL-		Capacity: 20 - 200uL				
200mL range; battery pack: Lithium battery 2.4V; pipetting speed: 50ml in less than 10 seconds; for glass and plastic pippettes from 0.1-200ml; includes assorted reusable/autoclavable glass pipettes 10-50mL capacity Image: 4- Micropipette set - fully autoclavable; volumes: 2uL-20UL, 10uL-100uL, 100uL-	68	Controller and Miropipette Pipettors Complete	set	1	85,000.00	85,000.00
		200mL range; battery pack: Lithium battery 2.4V; pipetting speed: 50ml in less than 10 seconds; for glass and plastic pippettes from 0.1-200ml; includes assorted reusable/autoclavable glass pipettes 10-50mL capacity <b>Q</b> 4- Micropipette set - fully autoclavable; volumes: 2uL-20UL, 10uL-100uL, 100uL- 1000uL, 500uL-5000uL; color-coded push				
buttons for each volume; includes carousel stand						
	69		btl	1	1,500,00	1,500.00



	Chemical must be plant tissue culture				
	tested for at least 20 years				
	■ISO complaint				
	ACS REAG				
	■PH EUR				
	meets USP Standards				
	Bioreagent suitable for cell culture				
70	Potassium Chloride, AR, 1000g/btl	btl	1	2,500.00	2,500.00
71	Shrinkage Limit Glass Plate	рс	4	340.00	1,360.00
	Dimension: 3.25x3.25x0.25 in (83x83x6mm)				
72	Sodium Hexametaphosphate, 500g/btl	btl	1	800.00	800.00
73	Soil Dispersion Mixer	unit	1	28,000.00	28,000.00
	Meets standards: AASHTO and ASTM				
	Motor: 1/3 hp				
	RPM: 1300x0, 16,000, and 18000rpm speeds				
	Electrical: 115V/60Hz, 7.5Amps or 230V/50-60Hz, 1.3 Amps				
	With Accessories: Replacement blade and				
	Dispersion cup				
74	Soil Sample Rings (Core Sampler)	рс	35	140.00	4,900.00
	Dimension: 50-60mm diameter, 50-60 mm height, outer diameter apprx. 53mm with cover or plastic end cups				
	Material: Aluminum				
75	Strontium Chloride	btl	2	479.00	958.00
	■Anhydrous				
	Lab grade/ Analytical reagent grade				
	<pre> ■Expiration date(3 years from the delivery date) </pre>				
	Packed in Teflon bottles				
76	Sulfur Powder, Analytical Grade, 500g/btl	btl	1	1,000.00	1,000.00
	■AR grade, 500g per bottle				
77	Taq Universal SYBR Green Supermix	kit	1	19,500.00	19,500.00
	Certified molecular biology grade				
	For gPCR/rtPCR analysis				
	Ready to use reaction mix				
	The mixture includes an enzyme, dNTPs, MgCl2, SYBR Green I dye, enhancer, stabilizer				
70	Size: 2 x 1mL (200 x 20uL rxn)				
78	Test Organisms for Sensitivity Testing	tubes	4	650.00	2,600.00
	pure culture of Bacillus subtilis, Bacillus cereus and Escherichia coli with identified strain/serotype				
	for use as test organisms for sensitivity testing of antibiotic residue in meats				



	Qty: 1 tube per test organism				
	*to be purchased from the UP Los Banos.				
79	Toluene	btl	1	7,300.00	7,300.00
	■(CAS 108-88-3)				
	■2.5 liters,				
	■Analytical Grade				
	◙99.5%,				
80	Triethanolamine, AR	liters	3	3,000.00	9,000.00
82	Vernier Caliper	рс	2	3,600.00	7,200.00
	Measurement Range:0-200mm				
	Material:Stainless Steel				
	■Accuracy:0.01mm				
	Caliper Type:Digital Calipers				
83	Vortex Mixer	рс	1	12,000.00	12,000.00
	S-0200- VX-200 Vortex Mixer				
84	Wash Bottle, 250mL cap.	рс	5	200.00	1,000.00
	Material: Plastic (good quality)				
85	Watch Glass	pack	1	1,500.00	1,500.00
	Material: Glass/Borosilicate Glass				
	■Autoclavable: Yes				
	■Outer diameter: 75 mm (7.5cm),				
	■fits 250 mL beakers,				
	■12pcs/pack,				
	■good quality				
86	Wire Saw for Soil	рс	2	1,500.00	3,000.00
	Standard:ASTM				
87	Zahn Cup-Type Viscometer Catalog No. 15-348-50B	рс	1	14,000.00	14,000.00
	1. Capacity = 1.5 oz. (44mL)				
	2. Length =13.75 in. (35cm)				
	3. Diameter = 0.108 in.				



	4. Material = Corrosion Resistant				
	Stainless Steel 5. Catalog No. = 15-348-50B				
88	Zahn Cup-Type Viscometer Catalog No.				
88	15-348-50D	рс	1	14,000.00	14,000.00
	1 Conscient 15 oz (11ml.)				
	1. Capacity = $1.5 \text{ oz. } (44mL)$				
	2. Length =13.75 in. (35cm) 3. Diameter = 0.108 in.				
	<i>4. Material = Corrosion Resistant</i>				
	Stainless Steel				
	5. Catalog No. = 15-348-50B				
89	Zinc Chloride, Analytical Grade, 500g/btl	btl	1	1,500.00	1,500.00
	■AR grade, 500 g per bottle				
90	ZINC NITRATE, HEXAHYDRATE AR, 500g/btl	btl	1	1,500.00	1,500.00
91	Clevenger Apparatus 1000ml Capacity	sets	5	30,000.00	150,000.00
	Specifications:				
	Essential oil determination for oil lighter than water				
	Heat resistant low expansion 3.3				
	borosilicate glass transparent Round bottom flask 1000 mL, 24/29				
	Liebig condenser 300 mm, 24/29				
	10  ml extractor with  0 - 10  ml graduation				
	and 0, 1 ml subdivisions (24/29)				
	Maximum temp. capacity 400°C				
	Parts:				
	Condenser				
	Clevenger extractor				
	Round bottom flask				



Erlenmever flask, Glass, 500ml	ncs	30	1 000 00	30,000.00
	- p03	00	1,000.00	00,000.00
Laboratory Iron Stand Support Flask	sets	5	7,000.00	35,000.00
Laboratory Stand height 60 cm				
Iron ring diameter (55 mm, 80 mm & 85 mm)				
Swivel clamp 2 prong 50 mm				
Swivel clamp 3 prong 50 mm				
Natural Red Rubber Tubing	meters	10	700.00	7,000.00
Size				
Inner diameter (6mm)				
Outside diameter (10mm)				
1.5 mm thick wall				
6.5 mm bore				
Specification				
Application: Laboratory environments, Gas/Water taps, Condenser columns, Bunsen burners, Transferring gases, liquids and diluted acids				
Hardness (Shore A): 45°				
Material: Natural Rubber				
Colour: Red				
Multi-Function high-speed grinding Machine	pcs	2	10,000.00	20,000.00
Justification				
Large quantity of pulverized sample is required for the extraction of essential oils to				
facilitate sufficient quantity of essential oil needed for physico-chemical and antimicrobial				
analysis.				
Specification				
1kg - 1500 kg capacity				
220 watts voltage				
28000 rpm rotation speed				
pulverizer and swing type				
accessories to include: blade, carbon brush, mesh and manual				
Rebidding (GOODS-22-26)				
	kilos	1	2,800.00	2,800.00
	pack	1	8,000.00	8,000.00
$S_{i=0}$ , 10" × 10"				
Size: 12" x 12" 100 pcs/pack				
	Condenser Clamp Clip SetLaboratory Stand height 60 cmIron ring diameter (55 mm, 80 mm & 85 mm)Swivel clamp 2 prong 50 mmSwivel clamp 3 prong 50 mmNatural Red Rubber TubingSizeInner diameter (6mm)Outside diameter (10mm)1.5 mm thick wall6.5 mm boreSpecificationApplication: Laboratory environments, Gas/Water taps, Condenser columns, Bunsen burners, Transferring gases, liquids and diluted acids.Product: Natural Rubber TubingHardness (Shore A): 45°Material: Natural RubberColour: RedMulti-Function high-speed grinding MachineJustificationLarge quantity of pulverized sample is required for the extraction of essential oils needed for physico-chemical and antimicrobialanalysis.Specification1kg - 1500 kg capacity220 watts voltage28000 rpm rotation speed pulverizer and swing type accessories to include: blade, carbon brush, mesh and manual	■500ml capacity, borosilicate glassILaboratory Iron Stand Support Flask Condenser Clamp Clip SetsetsLaboratory Stand height 60 cmIron ring diameter (55 mm, 80 mm & 85 mm)setsSwivel clamp 2 prong 50 mmSwivel clamp 3 prong 50 mmmetersSizeInner diameter (6mm)Outside diameter (10mm)10.tside diameter (10mm)1.5 mm thick wall6.5 mm boreSpecificationSpecificationMatural Red Rubber TubingmetersApplication: Laboratory environments, Gas/Water taps, Condenser columns, Bunsen burners, Transferring gases, liquids and diluted acids.Product: Natural Rubber TubingHardness (Shore A): 45°Material: Natural RubberpcsMulti-Function high-speed grinding MachinepcsJustificationLarge quantity of pulverized sample is required for the extraction of essential oils needed for physico-chemical and antimicrobialpcsSpecificationIkg - 1500 kg capacity220 watts voltage28000 rpm rotation speed pulverizer and swing typeaccessories to include: blade, carbon brush, mesh and manualRebidding (GOODS-22-26)Agar Agar kilos	■500ml capacity, borosilicate glassImage: constraint of the sector of the s	#500ml capacity, borosilicate glass       1       1         Laboratory Iron Stand Support Flask Condenser Clamp Clip Set       sets       5       7,000.00         Laboratory Stand height 60 cm       1       1       1         Iron ring diameter (55 mm, 80 mm & 85 mm)       1       1       1         Swivel clamp 2 prong 50 mm       1       700.00       1         Natural Red Rubber Tubing       meters       10       700.00         Size       1       1       1       1         Inner diameter (6mm)       1       1       1       1         Outside diameter (10mm)       1       1       1       1       1         1.5 mm thick wall       1



	Material: Ceramic				
	Color: White				
	Shape: Round				
	Size: 1" x 7-1/4, 11 wells,				
99	Dissolve oxygen electrode	unit	1	20,000.00	20,000.00
	DO electrode compatible with DO700	•••••	· · · · · ·		_0,000.00
	dissolved oxygen meter				
	Temperature and salinity sensor with				
	automatic temperature and salinity				
	compensation				
	Manual barometric pressure				
	compensation.				
	Dissolved Oxygen Concentration: 0 to 40.00mg/L				
	Dissolved Oxygen Saturation: 0 to 200.0%				
	The pen-style electrode is easy to dip into				
	a sample in a lab or in the field, making				
	the DO700 an extremely versatile meter.				
	Measuring Range: (0 to 40.00) mg/L				
	(ppm) (0 to 200.0) %				
	Resolution: 0.1/0.01 mg/L (ppm) 1/0.1 %				
	Accuracy: Meter: ±0.10 mg/L; with				
	electrode: ±0.40 mg/L				
	Response Time: ≤30 s (25 C, 90%				
	response)				
	Residual current: ≤0.1 mg/L				
	Temp. Compensation range: 0 to 45 C; Automatic				
	Salinity Compensation range: 0 to 45 ppt; Automatic				
	Barometric Pressure: 66 to 200 Kpa				
	Electrode type: Polarogram type				
100	Electronic Gel Rocker	рс	1	25,000.00	25,000.00
	PRODUCT SPECIFICATION				
	Maximum: 60 RPM				
	Motor: DC Motor				
	Speed Controller: Analogue				
	Platform Size: 25 X 25 cms				
	Weight: 4kgs				
	Movement: See-Saw				
	Timer: 0- 60 min (Digital)				
	Dimension: 25 x 25 x 17.5 cms				
	Operating Voltage: 230V, 50 Hz, A.C				
	Supply				
101	Body: MS With Powder Coated Body				
101	Elisa Immuno Explorer Refill Kit	sets	3	5,800.00	17,400.00
102	Filter Paper, 12.5 cm. Ashless #42 or equivalent	boxes	3	2,000.00	6,000.00
	Pore size:2.5um				
	at least 100 pcs. per box				



103	Filter Paper, 12.5 cm. Ashless #42 or equivalent	boxes	17	2,000.00	34,000.00
	Pore size:2.5um				
	at least 100 pcs. per box				
104	Glass Vials 2ml	set	1	800.00	800.00
	I00Pcs/Set 2ml Graduated Clear Sample Vials Autosampler Vials Bottles Threaded Vial w/ Write-on Spot Screw Caps Septa				
105	Global Positioning System (GPS)	unit	1	25,000.00	25,000.00
	Specifications: 4-inch dual-orientation, glov- friendly touchscreen display; 8 megapixel autofocus camera; automatically geotags photos; tracks both GPS and GLONASS satellites; 1-year birdsEye Satellite Imagery subscription; 3- axis compass with barometric altimeter				
106	Grade 1 Qualitative Filter Paper, Diameter: 12.5cm, Pore Size: 11µm, at least 100 pcs./pack	packs	1	700.00	700.00
	■Grade 1 Qualitative Filter Paper, Diameter: 12.5cm, Pore Size: 11µm				
107	Hydrochloric acid, HCI	btls	3	1,000.00	3,000.00
	Analytical reagent grade, concentrated, 2.5L/bottle				
108	IDEA Kit-Inquiry Dye Electrophoresis Activity	sets	3	4,500.00	13,500.00
109	nylon weighted rope & calibrated line, 20m/roll	roll	2	5,000.00	10,000.00
110	nylon weighted rope & calibrated line, 20m/roll	roll	2	5,000.00	10,000.00
	>Heavy Nylon line calibrated from 0 to 20 meter in 1 meter increments.				
	>Lower end of line is fitted with brush hook for attachment to sampling devices, Secchi disk, etc.				
	>w/ removable 2-lb (0.91kg) lead weight				
	>Top end of line is attached to a foam plastic float which also serve as storage reel for line				
111	Paraffin, Tissue Embedding Medium, 1 Kg/pack Tissue Embedding Wax, Medium	pack	1	900.00	900.00
	Pure Paraffin wax with Added Polymer for precise embedding and sectioning				
112	Para-phenylendiamine, 500 gms	bot	1	5,400.00	5,400.00
	*used for dyeing specimen (lichens)				
113	pGLO Bacterial Transformation Reagent Refill Kit	sets	3	4,800.00	14,400.00
114	Plastic cellophane 5"x8"	pack	3	200.00	600.00
	Color: transparent				



	Size: 5"x8"				
	thickness: 03				
	100 pcs/pack				
115	Potassium iodide, KI	htl	1	2 000 00	2 000 00
115	Analytical reagent grade, powder,	btl	I	2,000.00	2,000.00
	500g/bottle				
116	Replacement Membrane Caps for Dissolve Oxygen Meter	set	1	7,000.00	7,000.00
	Replacement or spare Membrane Caps is a set which is for use with Extech Model DO700 Portable Dissolved Oxygen Meter. Comes in a set of three caps.				
117	Resealable Plastic Bag, Large	pack	1	500.00	500.00
	■resealable pastic bag, zip lock, 340 mm x 450 mm (13" x 18"), 100 pcs per pack				
118	Resealable Plastic Bag, Small	pack	5	100.00	500.00
	resealable plastic bag, zip lock, 120 mm x 170 mm (4 1/2" x 7"), 100 pcs per pack				
119	Restriction Digestion and Analysis of Lambda DNA Kit	sets	3	7,200.00	21,600.00
120	Rubber Tubing Latex	roll	2	4,000.00	8,000.00
	rubber tubing latex 10mm outside diameter, PK-50F, 100feet/roll				
121	Silica gel, self indicating, blue, 500g/btl	btl	1	3,000.00	3,000.00
	color: blue				
	particle size (beads): 2-5mm				
	used as desiccant agent (drying agent)				
122	Sodium Hexametaphosphate, 500g/btl	btl	4	1,000.00	4,000.00
123	Sodium Hydroxide, AR 500G/btl	btls	2	1,200.00	2,400.00
	■500 g/bottle, AR, Pellets				
124	Sodium Thiosulfate, Na2S2O3	btl	1	2,000.00	2,000.00
	Analytical grade, 100g/bottle				
125	Sulfuric Acid	btl	3	1,750.00	5,250.00
	■Analytical Grade (98%)				
	■2.5 Liters				
	■specific gravity 1.84				
126	Tertiary Butyl Alcohol (TBA), Technical, 1L/btl	btl	2	700.00	1,400.00
	tert-Butanol, synthesis grade			ļ	
	(СНЗ)ЗСОН				
127	Tetra Vertical Electrophoresis Cell, 4- gel	set	1	75,000.00	75,000.00
	Tetra 4-gel Vertical Electrophoresis System including:				
	Tank, lid with power cables, electrode assembly				
	Mini cell buffer dam				
	Tetra Companion Running Module				
	2 casting stands with 4 casting frames				



	5 short plates and 5 spacer plates with		[		
	integrated 1.0 mm spacers				
	Five 10-well combs				
	Five gel releasers				
	TGX Stain-Free FastCast Acrylamide Starter Kit, 10%				
	PowerPac Universal Power Supply				
	SPECIFICATION				
	Number of gels: 1–4				
	Cell (tank and lid with power cables): 1				
	Companion module (to run up to 4 gels): 1				
	10-well combs: 5				
	1.0 mm spacer plates (5 plates per box): 1 box				
	Short plates (5 plates per box): 1 box				
	Casting stands: 2				
	Casting frames: 4				
	Total buffer volume for 2 gels, ml: 800				
	Total buffer volume for 4 gels, ml: 1000				
	Typical run time for SDS-PAGE\: 35–45 min (at 200 V constant)				
	Power supply: PowerPac™ Universal				
	Gel format: Mini				
128	Transparent plastic jar with lid, 120ml	box	2	300.00	600.00
	material: plastic				
	Color: transparent				
	capacity: 120ml				
	10 pcs/box				
129	Transparent plastic jar with lid, 150ml	box	2	400.00	800.00
	material: plastic				
	Color: transparent				
	capacity: 150ml				
	10 pcs/box				
130	Transparent plastic jar with lid, 200ml	box	2	600.00	1,200.00
	material: plastic				
	Color: transparent				
	capacity: 200ml				
	10 pcs/box				
131	Transparent ziplock bags (20 x 30cm)	pack	2	200.00	400.00
	100 pcs/pack				
132	Tri-power Stereo Microscope	unit	1	25,000.00	25,000.00
	• 45° advance viewing head which can rotate 360°				
	locked on 15x wide-field eye piece with				
	diopter adjustment on one ocular tube				
	Imagnification of paired objectives: 30x parfocal, 45x parcentered, and 60x achromatic				



	eled lighting				
	<pre> erack and pinion focusing with slip clutch </pre>				
	and tension adjustment				
	adjustable pole mounted cycle				
	■includes a 95mm black and white				
	reversible stage plate				
	Interpretension Interpretension Interpretension				
	©corded				
	■power source: 220-240 V 50/60Hz				
	∎with warranty				
133	Blood Agar Base	btl	1	5,800.00	5,800.00
	Enrichment medium and used for the hemolysis test.				
	supplied in 500g/bottle				
134	Buffered Peptone Water	btl	1	2,450.00	2,450.00
	Pre-enrichment broth				
	used for isolation and culturing of bacteria.				
	supplied in 500g/bottle				
135	MacConkey Agar	btl	2	3,750.00	7,500.00
	selective medium				
	aids in identifying non-lactose fermenters (transparent or cream colonies) and lactose fermenter (red to pinkish colonies)				
	supplied in 500g/bottle				
136	Mueller Hinton Agar	btl	2	5,850.00	11,700.00
	Medium used for conducting the antibiotic sensitivity test.				
	supplied in 500g/bottle				
137	Sodium Tellurite at least 10 grams per bottle	btl	1	11,550.00	11,550.00
	Component of the Baird Parker Agar used in identifying Staph. aureus				
				TOTAL:	1,942,839.00

finals

DILBERTO O. FERRAREN BAC Chairman