



## **BID BULLETIN 01**

**Date:** 29 November 2022

**Project Title:** *Supply and Delivery of I.T and Office Equipment and Supplies (VSU-GOODS-23-08)*

**Location:** VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

### **I. LIST OF REQUIREMENTS**

<b>(1st Envelope) TECHNICAL COMPONENT ENVELOPE</b>	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php <b>777,850.00</b> )
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 777,850.00 and the largest of which should be at least PhP <b>388,925.00</b> .
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 1,555,700.00)
	Or
	Committed Line of Credit (at least Php 155,570.00)
<b>(2<sup>nd</sup> Envelope) FINANCIAL COMPONENT ENVELOPE</b>	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



**Please take note:**

1. In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

2. Bidders are advised to use the latest GPPB forms for the following documents:

- a) Omnibus Sworn Statement
- b) Performance Securing Declaration (if applicable)
- c) Price Schedule for Goods Offered
- d) Bid Form
- e) Bid Securing Declaration

These forms can be accessed from the GPPB website: <https://www.gppb.gov.ph/downloadables.php>. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

**II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)**

- 1. **Scan per document** into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
3. Statement of Bidder's Single Largest Completed Contract	SLCC
4. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
5. Bid Security	Bid Security
6. Technical Specifications	Technical Specifications
7. SCHEDULE of Requirements/ 8. Production and delivery schedule	Schedule of Requirements
9. Manpower Requirements	Manpower Requirements
10. After Sales service/parts	After Sales
11. Omnibus Sworn Statement	Omnibus Sworn Statement
12. Audited Financial Statements	Audited Financial Statements
13. Net Financial Contracting Capacity	NFCC
14. Committed Line of Credit	CLC
15. Bid Form	Bid Form
16. Price Schedule	Price Schedule



3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at [jessamine.ecleo@vsu.edu.ph](mailto:jessamine.ecleo@vsu.edu.ph) before the deadline.

### III. Changes in the Bidding Documents

Original	
<p><b>Section I. Invitation to Bid</b></p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on 17 November – 07 December 2022 until 10:00 AM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p>	<p><i>(Amendment)</i></p> <p>A complete set of Bidding Documents may be acquired by interested Bidders on 17 November – 07 December 2022 until 10:00 AM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means:</p> <p>The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p> <p>The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details:</p> <p>Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u></p> <p>Then send the deposit slip to <a href="mailto:jessamine.ecleo@vsu.edu.ph">jessamine.ecleo@vsu.edu.ph</a></p>
<p>7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before 07 December 2022 until 10:00 AM. Late bids shall not be accepted</p>	<p>7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before <b>09 December 2022 until 1:30 PM</b>. Late bids shall not be accepted</p>



<p>10. Bid opening shall be on <i>07 December 2022 until 10:30 AM</i> at the <i>PPO Conference Room, Lower Campus, Visca, Baybay City, Leyte</i> and through video conferencing via <i>Zoom</i>. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.</p>	<p>10. Bid opening shall be on <b>09 December 2022 until 2:00 PM.</b> at the <i>PPO Conference Room, Lower Campus, Visca, Baybay City, Leyte</i> and through video conferencing via <i>Zoom</i>. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.</p>
<p><b>Section II. Instructions to Bidders</b></p> <p>15. Sealing and Marking of Bids</p>	<p><i>(Additional Instructions)</i></p> <p>Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.</p> <p>For filing purposes, the bidders are urged to use <b>Orange</b> envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>

**IV. Revised List of Goods and Technical Specifications**

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

Item No.	Description	Unit	Qty	ABC/Unit (Pesos)	Total ABC (Pesos)
1	<b>Air Condition Non-Inverter Window type 0.5HP, Standard size</b>	unit	1	14,500.00	14,500.00
	at most 600 Watts				
	cooling capacity: at least 5000 Kilo joules per hour				
	at least EER 10.0				
2	<b>Air Conditioner, 1.5HP, Split Type, Wall Mounted, Deluxe Inverter</b>	unit	1	40,000.00	40,000.00
	1.5 HP				
	Split Type Air Conditioner				
	Wall Mounted, Deluxe Inverter				
	Intelligent Inverter Technology				
	Honeycomb Intake Grille				
	Nanoe-G, Auto Comfort				
	Quiet Mode, Mild Dry Cooling				
	Soft Dry Operation Mode				
	Odour-Removing Function				
	Blue Fin Condenser				
	R410A Refrigerant				
	Installation Included				
3	<b>Aircon, Split type</b>	lot	1	805,000.00	805,000.00
	<b>6 units of 2 horsepower</b>				
	<b>2.0 HP S-Inverter</b>				
	<b>Split type</b>				
	<b>Fast Cooling</b>				



	Triple Protector Plus				
	Cooling capacity: at least 5369 kj/hr				
	wall mounted				
	with Quiet Mode				
	with Antibacterial air filter				
	with Micro Dust Filter				
	EER rating above 10				
	with remote control				
	with one year warranty on parts and services				
	with at least 10 years compressor warranty				
	with free installation				
	<b>11 units of 1 horsepower</b>				
	1.0 HP S-Inverter				
	Split type				
	Fast Cooling				
	Triple Protector Plus				
	Cooling capacity: at least 2684 kj/hr				
	wall mounted				
	with Quiet Mode				
	with Antibacterial air filter				
	with Micro Dust Filter				
	EER rating above 10				
	with remote control				
	with one year warranty on parts and services				
	with at least 10 years compressor warranty				
	with free installation				
4	<b>Aircon, Window Type, 2HP, Non-inverter</b>	unit	1	40,000.00	40,000.00
	Cooling Capacity: 2.0 HP or 19,100 kJ/h				
	Power Input: W 1,680				
	EER: kJ/hW: 11.4				
	Noise Level Indoor (Low): dB A 48				
	Power Source V/Phase Hz 230 V, 1Ø Phase - 60 Hz				
	Refrigerant R32				
	Non-inverter, Two (2) Fan Speed				
	Automatic Condensate removal				
	4-way air deflection system				
	Slide out chassis				
	Removable, washable intake grille				
	Easy to clean air filter				
5	<b>Ceiling Fan</b>	pcs	28	2,500.00	70,000.00
	Orbit type				
	metal blade 16"				
	three speed controller				
6	<b>Wall Fan</b>	pcs	4	2,500.00	10,000.00
	Metal blade				
	16" metal blade				



	three speed controller				
7	<b>Labelling Printer</b>	unit	1	8,500.00	8,500.00
	Technology: Thermal Transfer				
	Tape Width Capacity: at least 6, 9, 12, 18, 24 mm				
	Tape is humidity resistant, scratch resistant, temperature resistant, and waterproof				
	Connectivity: USB, Bluetooth				
	QR Code Generator: Capable				
	Barcodes: 14 types (Code 128, Code 39, Data Matrix, EAN-128, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, MaxiCode, PDF417, QR Code, UPC-A, UPC-E)				
	Cutter: Automatic Full Cut Function				
	Power: AC or Battery				
	Compatibility: Windows Vista, 7, 8, 8.1, 10, Mac OSX 10.6 or later				
	Inclusions: 5 different sizes of compatible tapes				
8	<b>E-ink eBook Reader for MOBI &amp; AZW eBook Testing &amp; Production</b>	unit	1	15,000.00	15,000.00
	Display: 7", 300 ppi flush-front e-ink technology				
	Adjustable screen light from: white to amber				
	Waterproof (IPX8)				
	Thin and light ergonomic design with page turn buttons				
	Compatible with MOBI and AZW ebook formats				
	WiFi Connectivity				
	USB 2.0 charging port				
9	<b>Apple iPad 10.9 Wifi</b>	unit	1	49,900.00	49,900.00
	10.9-inch (diagonal) LED-backlit Multi-Touch display with IPS technology				
	2360-by-1640-pixel resolution at 264 pixels per inch (ppi)				
	8-core CPU; 8-core GPU Neural Engine				
	8GB RAM				
	256 GB storage				
	WiFi model				
	USB-C Charge Cable (1 meter)				
	20W USB-C Power Adapter				
	Compatible with existing Apple devices				
10	<b>Apple Magic Keyboard for iPad Pro 11-inch (4th generation) and iPad Air (5th generation)</b>	unit	1	21,000.00	21,000.00
	Comfortable backlit keys and a scissor mechanism with 1mm travel for quiet, responsive typing.				
	Designed for Multi-Touch gestures and the cursor in iPadOS.				
	Smooth angle adjustability delivers the perfect viewing angle.				
	USB-C port for charging iPad Pro and iPad Air, freeing up the port on the iPad for other accessories.				



	Folds into a case to provide front and back protection for travelling with iPad Pro and iPad Air.				
	Compatible with existing Apple Devices				
11	<b>Apple Pencil (2nd Generation) for iPad Pro and iPad Air</b>	pc	1	8,000.00	8,000.00
	Pixel-perfect precision and industry-leading low latency				
	Compatible with iPad Pro and iPad Air and attaches magnetically for automatic charging and pairing.				
	Connections: Bluetooth				
	Genuine Apple accessory				
12	<b>UPS Battery Backup, 1500VA</b>	unit	1	10,000.00	10,000.00
	■ Capacity: at least 1500VA/900w				
	Output voltage: 220				
	Output frequency: 57-63 Hz for 60 Hz (or 50/60 Hz ± 3 Hz Sync to mains)				
	Input: 200 – 240 V, 50/60 HZ, 16.0 A maximum				
	Input frequency: 50/60 Hz +/- 3 Hz Auto-sensing				
	■6 battery backup sockets				
	■USB, coax, phone/network, and serial ports				
	■ with Automatic Voltage Regulation (AVR)				
	■LCD screen				
	■at most 4 hours charging time				
13	<b>Comb Binding Ring Machine</b>	pc	1	22,000.00	22,000.00
	for long Bond paper				
	Punch Capacity: at least 15 sheets (80gsm)				
	Bind Capacity: at least 380 sheets (80gsms)				
	at least 24 holes				
	Adjustable margin guide				
	heavy duty,				
	good quality				
14	<b>Computer Keyboard USB</b>	pcs	5	400.00	2,000.00
	■Standard Keyboard with 104 Keys				
	■USB Connection				
	■Low Profile Key Caps				
	■Minimum Key Noise				
	■Laser Printing for Key Layout				
	■Spill Resistant Design				
15	<b>Desk Electric Fan</b>	pc	1	2,000.00	2,000.00
	16" metal blade				
	three speed controller				
16	<b>Dish Dryer and Sterilizer</b>	unit	1	11,500.00	11,500.00
	Dryer/Sterilizer				
	Kills 99% of bacteria				
	Upper cabinet: at least 65 degrees celsius heating temperature; suitable for plastic, wood, and glass materials				



	Lower cabinet: at least 125 degrees celsius heating temperature; suitable for porcelain, glass, and stainless steel materials				
	With ozone disinfection system				
	Stops growth of molds				
	2 level cabinet				
	Capacity: at least 3.1 cu.ft				
17	<b>Electric Fan</b>	pc	3	2,500.00	7,500.00
	■Stand fan 16" metal blade				
	■Adjustable height				
	■three speed controller				
18	<b>Electric Rice Cooker</b>	pc	1	2,500.00	2,500.00
	Rice Cooker, Stainless Steel, Heavy Duty, Non-Stick Coated Inner Pot, 8.0L capacity, 20 cups, 1300-4500W, 220V Input Voltage, with steamer				
19	<b>Epson 003 Ink Bottle for Epson L3150, Black</b>	btls	10	400.00	4,000.00
20	<b>Epson 003 Ink Bottle for Epson L3150, CYAN</b>	btls	10	400.00	4,000.00
21	<b>Epson 003 Ink Bottle for Epson L3150, MAGENTA</b>	btls	10	400.00	4,000.00
22	<b>Epson 003 Ink Bottle for Epson L3150, YELLOW</b>	btls	10	400.00	4,000.00
23	<b>External Hard Disk Drive (Portable, 2TB), USB 3.1</b>	unit	1	4,200.00	4,200.00
	■Shock-absorbing				
	■Interface: USB 3.1 (Max.5Gb/s)				
	■Capacity: 2TB				
	■Texture: Plastic/Rubber				
	■Operating Voltage: DC 5V, 900mA				
	■System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later				
24	<b>Heavy Duty Combo Binding Machine</b>	unit	4	18,000.00	72,000.00
	Specs:				
	■Maximum Punching Sheets: 25				
	■Max Size: LS, F4, A4, Extra Long				
	■Selectable Punching Pins: 24 slots				
	■Net Weight: 12.5kgs-delete				
25	<b>Hot &amp; Cold Water Dispenser</b>	unit	4	9,000.00	36,000.00
	Bottom load water dispenser				
	3 Faucets: Hot, Cold and Normal water function				
	3-Push Button dispensing control				
	Anti-scald safety lock switch				
	Child Lock Safety feature on Hot Water Faucet				
	Floater indicator to avoid water overflow				
	Capacity: Hot - 1.2 Liters, Cold - 3.5 liters,				





	Power Rating: Hot - 420 watts, Cold - 100 watts, R134a				
26	<b>Ink, Epson 003,Genuine Black 65mL</b>	btl	10	350.00	3,500.00
27	<b>Ink, EPSON 003,Genuine Cyan 65mL</b>	btl	5	350.00	1,750.00
28	<b>Ink, EPSON 003,Genuine Yellow 65mL</b>	btl	5	350.00	1,750.00
29	<b>Laminator Machine, A3</b>	unit	8	5,000.00	40,000.00
	■Heavy Duty, for A3 & A4 size, infrared heating system and adjustable temperature control with overheating protection				
30	<b>Laptop Battery</b>	piece	1	2,500.00	2,500.00
	■Acer Aspire Laptop Battery AL14A32				
31	<b>LCD Projector SVGA (800x600)</b>	unit	1	25,000.00	25,000.00
	■Projection System: 3LCD Technology, RGB liquid crystal shutter				
	■Resolution: SVGA (800x600), 4:3				
	■Light Output: 3,300 Lumen-2,050 Lumen (economy)				
	■Contrast Ratio: 15,000:1				
	■Lamp: 210 W				
	■Lamp Hours: 6,000-10,000				
32	<b>Megaphone</b>	unit	1	1,500.00	1,500.00
	Bullhorn				
	1000 yard range				
	For indoor and outdoor use				
	Built-in siren				
	40 W amplifier				
	Built-in mic				
	10 seconds recording function				
33	<b>Microwave Oven, 20L</b>	unit	1	5,000.00	5,000.00
	20-Liter				
	220V				
	Electronic Control				
	LCD Display				
	700w microwave power				
	6 autcook functions				
	Reheat and defrost capacity				
	Dimension: ( h:w:d ) 10.35 x 18 x 14 in- delete				
	Warranty: 6 months on parts				
34	<b>Mouse, Wired, Optical, USB</b>	pieces	10	210.00	2,100.00
	■USB Port Connectivity				
	■Sensor: Optical				
	■DPI: 1600				
	■Work method: Wired				
	■Buttons: Left button, middle button, right button				
	■Scroll wheel direction: Two way				
	■Design highlights: Easy installation. 1600 DPI high-definition tracking engine. Anti-slip scroll wheel. Full-size, ambidextrous design				
35	<b>Paper shredder machine, heavy duty</b>	pieces	3	12,000.00	36,000.00



	☑Shred Type: Cross Cut				
	☑Maximum Sheet capacity(70gsm) : 10 Sheets				
	☑Waste Container capacity: 21 Liters				
	☑Power Source: 220 - 240 VAC				
36	<b>Portable Trolley 15" Speaker with wireless microphone</b>	unit	1	10,000.00	10,000.00
	☑15" 2 Way 480 Watts Powered Portable Sound System				
	☑Plastic Cabinet				
	☑AC220V or DC12V (With built-in Rechargeable Batteries)				
	☑With 2 Wireless Microphone				
	☑With 2 Mic Input (1 XLR, 1 PL55)				
	☑With FM Radio, Bluetooth, Guitar Input (Shared with Mic 2 input), USB & SD Port				
	☑With 5 Band Equalizer and LCD Display				
	☑With Aux / Line In and Line Out				
	☑With Remote Control, Handle and Wheel				
37	<b>Portable Trolley Speaker</b>	pc	1	12,000.00	12,000.00
	—LED Lights				
	—2 Wireless				
	—Microphone				
	—Built-in-Battery				
	—USB				
	—Bluetooth / NFC				
	—FM				
	—Line-in Guitar				
	—Input / Mic				
	—Remote Control				
	—Rechargeable				
	—Battery				
	—Power: 500W				
38	<b>Printer, computer, continuous ink system, 4-in-1 (Print, Scan, Xerox copy, Fax with ADF)</b>	unit	1	22,000.00	22,000.00
	Print Method: On-demand ink jet (piezoelectric)				
	Minimum Ink Droplet Volume:3 pl				
	Print Direction: Bi-directional printing, Uni-directional printing				
	Nozzle Configuration: 180 nozzles Black, 59 nozzles per colour (Cyan, Magenta, Yellow)				
	Maximum Resolution: 5760 x 1440 dpi (with Variable-Sized Droplet Technology)				
	USB: USB 2.0				
	Network: Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct				
	Network Protocol: TCP/IPv4, TCP/IPv6				
39	<b>Refrigerator- at least 6.0 cu.ft. (Two-door) inverter</b>	pc	2	17,000.00	34,000.00
	☑Two-Door Direct Cool Refrigerator				



	Refrigerator- at least 6.0 cu.ft. (Two-door) inverter				
	☑Two-Door Direct Cool Refrigerator				
40	<b>Smart 32-inch TV</b>	piece	1	20,000.00	20,000.00
	☑Features				
	◀Android TV (with Google Assistant + Chromecast Built-in				
	◀Bezel Less Ultra Bright LED Display				
	◀Chroma Boost Picture Engine				
	◀24 watts Quad-Stereo Speakers				
	◀Powerful 64-Bit Quad-Core Processors				
	☑Product Highlights				
	◀Height: 43.2 cm-delete				
	◀Width: 73 cm-delete				
	◀Length: 8.8 cm-delete				
	◀Screen Size: 32-inch				
	◀TV Resolution: HD Ready				
	◀Connectivity: 2.4 GHz Wi-Fi				
	◀HDMI Ports: 3				
	◀USB Ports: 2				
	◀Voltage: 90V-240v 50hz				
	◀Wattage: 45 watts				
41	<b>Universal HDMI to VGA Adapter Cable, at least 1.8 meters</b>	unit	1	300.00	300.00
	Universal HDMI to VGA Adapter Cable				
42	<b>Vacuum Cleaner</b>	unit	1	12,500.00	12,500.00
	Operation: Cordless operation/usage				
	Function: Suction + Sweep				
	Maximum suction power: at least 150AW				
	Storage: at least 600ml Dust Bin				
	Battery: at least 3000mAh				
	Power Requirement: 220-240V				
	HEPA Filter - PM 0.3 dust and mite removal (washable)				
	Inclusion: multi-function compatible brush head				
43	<b>Water Dispenser, Cabinet type</b>	pc	2	10,000.00	20,000.00
	☑Floor standing				
	☑Hot and cold function				
	☑plastic body,high efficiency compressor				
	☑thermally protected				
44	<b>Wireless Dual Handheld Microphone</b>	set	1	20,000.00	20,000.00
	Receiver				
	Power Consumption: 12w (Max)				
	Receiver Sensitivity: -95dbm				
	Mixing Output Socket: ø6.3mm Socket				
	Balanced Output Socket: XLR Socket				
	Transmitter				
	Carrier Frequency: Depends on regional frequency band				



	Transmit Power: 10dBm (±2dBm)				
	Microphone Capsule: Dynamic				
	Polar Pattern: Super Cardioid				
	Impedance: 600				
	Frequency Response: 80~12000Hz				
	Current Consumption: 120mA				
	Battery: Size AA x 2pcs				
	Operation Range: 90 meters (in open area)				
	Battery Life: Approximately 12 hours (uses alkaline batteries)				
	Each microphone has 100 selectable channels and independent volume controls.				
	This UHF system features 6-axis gyroscope to automatically enter mute mode when idling for 5~10 seconds.				
45	<b>Wireless Microphone Mic System, 2.4G, 6 channels</b>	unit	1	15,000.00	15,000.00
	■2.4G wireless Microphone Mic System 6 channels XLR Connection Built-in Rechargeable Lithium Battery				
	■Compact size 2.4G wireless microphone system, XLR connection, easy to use				
	■less than 4ms ultra-low latency, clear and stable signal transmission				
	■32bit/48Khz high resolution audio quality				
	■Built -in rechargeable lithium battery				
46	<b>Bread Toaster, 4 slots</b>	unit	1	3,200.00	3,200.00
	4-slice Stainless Steel Toaster				
	Stainless Steel Body•Variable				
	Toast Control•Defrost & Reheat Functions				
	Slide-out Crumb Tray				
				<b>TOTAL:</b>	<b>1,555,700.00</b>

**DILBERTO O. FERRAREN**  
BAC Chairman