



BID BULLETIN 01

Date: 06 March 2023

Project Title: *Supply and Delivery of I.T. Equipment and Supplies and Office Equipment (VSU-GOODS-23-14)*

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

(1st Envelope) TECHNICAL COMPONENT ENVELOPE	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php 1,025,407.50)
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 1,025,407.50 and the largest of which should be at least PhP 512,703.75 .
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 2,050,815.00)
	Or
	Committed Line of Credit (at least Php 205,081.50)
(2nd Envelope) FINANCIAL COMPONENT ENVELOPE	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

1. In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

2. Bidders are advised to use the latest GPPB forms for the following documents:

- a) Omnibus Sworn Statement
- b) Performance Securing Declaration (if applicable)
- c) Price Schedule for Goods Offered
- d) Bid Form
- e) Bid Securing Declaration

These forms can be accessed from the GPPB website: <https://www.gppb.gov.ph/downloadables.php>. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

- 1. **Scan per document** into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
3. Statement of Bidder's Single Largest Completed Contract	SLCC
4. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
5. Bid Security	Bid Security
6. Technical Specifications	Technical Specifications
7. SCHEDULE of Requirements/ 8. Production and delivery schedule	Schedule of Requirements
9. Manpower Requirements	Manpower Requirements
10. After Sales service/parts	After Sales
11. Omnibus Sworn Statement	Omnibus Sworn Statement
12. Audited Financial Statements	Audited Financial Statements
13. Net Financial Contracting Capacity	NFCC
14. Committed Line of Credit	CLC
15. Bid Form	Bid Form
16. Price Schedule	Price Schedule



3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

Original	
<p>Section I. Invitation to Bid</p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>20 February – 15 March 2023 until 8:30 PM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p>	<p><i>(Amendment)</i></p> <p>A complete set of Bidding Documents may be acquired by interested Bidders on <i>20 February – 15 March 2023 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means:</p> <p>The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details:</p> <p>Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u></p> <p>Then send the deposit slip to jessamine.ecleo@vsu.edu.ph</p>
<p>Section II. Instructions to Bidders</p> <p>15. Sealing and Marking of Bids</p>	<p><i>(Additional Instructions)</i></p> <p>Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.</p> <p>For filing purposes, the bidders are urged to use Orange envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>



IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

Item No.	Description	Unit	Qty	ABC/Unit	Total ABC
1	3 Ton Floor -Mounted Split Type Inverter Aircon	unit	2	170,000.00	340,000.00
	☐Power Supply 1 PH / 230 V / 60 Hz; Nominal Capacity 4.0 hp /3 TR; Cooling Capacity 38,201 kJ/hW; Rated Current 14 A;				
	☐Rated Power 3,200 W; EER 11.9 kJ/hW ; Refrigerant (type/charge) R-410A / 2,500 g;				
	☐Indoor Unit: Airflow (Hi/Mi/Lo) 1850/1700/1550/1400 m³/h; Sound Level (Hi/Mi/Lo) 52 / 50 / 48 / 45 dB(A); Unit Dimension (WxDxH) 580 x 400 x 1870 mm; Packaging Dimension (WxDxH) 2080 x 735 x 530 mm; Unit Weight (Net/Gross) 58.0/84.0				
	☐Outdoor Unit: Unit Dimension (WxDxH) 1003 x 427 x 790 mm; Packaging Dimension (WxDxH) 1080 x 485 x 840 mm; Unit Weight (Net / Gross) 66.0 / 71.0 kg;				
	☐Copper Tube Size: Low Side Ø 3/4 "; High Side Ø 1/2 ";				
	☐Maximum Pipe Distance Between Indoor and Outdoor: Height 10 m ; Length 30 m; Circuit Breaker 40 A				
	☐Warranty: 1-year parts and service, 5 years on compressor.				
	with free installation and accessories				
2	Air condition, split type, Inverter, 1HP	set	2	40,000.00	80,000.00
	☐Cooling capacity: at least 9,400 kj/hr				
	☐wall mounted				
	with Quiet Mode				
	with Antibacterial air filter				
	with Micro Dust Filter				
	☐EER rating above 10				
	☐with remote control				
	☐with one year warranty on parts and services				
	☐with at least 10 years compressor warranty				
	☐with free installation				
3	Air Condition, Window type, Inverter, 1 HP, Standard size	pc	1	33,000.00	33,000.00
	GENERAL SPECS:				
	.Remote: Yes				
	.Timer: Yes				
	.Cooling Capacity: 9,500 kj/h				
	.Color: White				
	.Control Type: Remote				
	.Cooling Area (sq. meters): 13 – 16 m²				
	.Noise Level (Indoor) - High: 47				
	.Noise Level (Indoor) – Low: 42				
	.Speed Cooling: Yes				
	.Filter: Yes				
	.Airflow Direction Control (Up & Down): Yes, Manual				
	.Airflow Direction Control (Left & Right): Yes,				



	Automatic				
	·Temperature Control: With Remote				
	·Fan Speed: Yes				
	·Energy Efficiency Ratio (MIN ~ MAX): 12				
	Power Consumpton:				
	·Watts: 792				
	Power Requirements:				
	·Voltage: 230V, 60Hz, 4.2A				
	Weight				
	·Net weight: 28 kg				
	·Gross weight (packed): 31 kg				
	Dimensions				
	·Net Dimensions (W x H x D): 450 x 346 x 640 mm				
	·Gross Dimensions (W x H x D): 515 x 460 x 655mm				
	Other Features:				
	·Powerful Mode				
	·Timer (12-Hour On/Off)				
	·Fan Speed				
	·Auto / Cool / Dry Mode				
	·Sleep Mode				
	·Quiet Mode				
	·Blue Fin Condenser (anti-corrosion fin)				
	·Anti-bacterial Filter				
	·Wireless Remote Control				
	·Random Auto Restart				
4	Air condition, window type, Inverter, 2 HP (Manual), Standard size	pc	4	47,000.00	188,000.00
	■at least 12,000 kj/Hr				
	■EER: at least 10.5				
	• Fast Cooling				
	• Digital Inverter				
	• Anti-Bacterial Filter				
	• Auto Mode				
	• Dehumidifier				
	• Timer				
	• Sleep Mode				
	• Dirty Filter Alarm				
	• Soft Start Mode				
	• 5-Year Warranty Compressor				
5	Ceiling Fan	pc	36	2,500.00	90,000.00
	■Orbit type				
	■metal blade 16"				
	■three speed controller				
6	Comb Binding ring Machine,	pc	1	22,000.00	22,000.00
	■for long Bond paper				
	■Punch Capacity: at least 15 sheets (80gsm)				
	■Bind Capacity: at least 380 sheets (80gsm)				
	■at least 24 holes				
	■Adjustable margin guide				
	■heavy duty,				
	■good quality				
7	Flat Iron, 1200W	pcs	2	1,000.00	2,000.00
	■Fast heating (1200W 230V AC 60Hz)				
	■Variable temperature settings: nylon silk wool cotton linen				
	■Non-stick soleplate				
	■Heavy Duty				



8	Heavy Duty Combo Binding Machine	unit	2	18,000.00	36,000.00
	☐Maximum Punching Sheets: 25				
	☐Max Size: LS, F4, A4, Extra Long				
	☐Selectable Punching Pins: 24 slots				
	☐Net Weight: 12.5kgs				
9	Hot & Cold water dispenser	unit	2	14,250.00	28,500.00
	☐Bottom load water dispenser				
	☐3 Faucets: Hot, Cold and Normal water function				
	☐3-Push Button dispensing control				
	☐Anti-scald safety lock switch				
	☐Child Lock Safety feature on Hot Water Faucet				
	☐Floater indicator to avoid water overflow				
	☐Capacity: Hot - 1.2 Liters, Cold - 3.5 liters, Power Rating: Hot - 420 watts, Cold - 100 watts, R134a				
10	Industrial Fan	pc	1	3,500.00	3,500.00
	☐ground type				
	☐at least 18 inches metal blade				
	☐three speed rotary switch controller				
	☐tilting head adjustment with oscillation				
11	Megaphone	unit	6	3,500.00	21,000.00
	☐Bullhorn				
	☐1000 yard range				
	☐For indoor and outdoor use				
	☐Built-in siren				
	☐40 W amplifier				
	☐Built-in mic				
	☐10 seconds recording function				
12	Oven (Gas Oven / Porcelain Enameled Black Body)	pc	1	40,000.00	40,000.00
	☐Range 84cm FS8041 30BTR (800 Series / Gas Oven / Porcelain Enameled Black Body)				
	☐1 Turbo, 1 Large and 2 medium gas burners				
	☐1 (145mm) hotplate with pilot light indicator				
	☐Automatic piezo ignition top burners				
	☐Gas thermostat oven, manual ignition				
	☐Gas grill w/ rotisserie/ oven light				
	☐Stainless on top				
	☐Porcelain enamelled black body				
	☐Tempered glass top cover				
	☐Glass top cover / Double glass oven door				
	☐External Dimension, cm				
	☐88(H)x57(D)x84(W)				
	☐Oven Dimension, cm				
	☐33(H)x42(D)x39.5(W)				
	☐Oven Capacity-49.0 liters				
13	Portable Sound System	set	1	16,000.00	16,000.00
	☐2 Way 450W Powered Portable Sound System				
	☐AC220V or DC12V (With built-in Rechargeable Batteries)				
	☐at least with 2 Wireless Microphone With 2 Mic Input (1 XLR, 1 PL55)				
	☐With FM Radio, Bluetooth, Guitar Input (Shared with Mic 2 input), USB & SD Port				
	☐With 5 Band Equalizer and LCD Display				
	☐With Aux / Line In and Line Out With Remote Control				
14	Portable Trolley Speaker	pc	4	12,000.00	48,000.00
	—LED Lights				
	—2 Wireless				



	—Microphone				
	—Built-in-Battery				
	—USB				
	—Bluetooth / NFC				
	—FM				
	—Line-in Guitar				
	—Input / Mic				
	—Remote Control				
	—Rechargeable				
	—Battery				
	—Power: 500W				
15	Refrigerator - at least 3.5 cu. ft., Two-door Personal Refrigerator (Direct Cool), inverter	unit	2	10,000.00	20,000.00
16	Rice Cooker	pc	1	3,000.00	3,000.00
	☐2.8 Liter Capacity				
	☐With steamer				
	☐Honeycomb base for even cooking				
	☐Tempered glass lid				
	☐Pilot light indicator (COOK/WARM)				
	☐5 in 1 – steamer, warmer, rice cooker, shabu-shabu, congee				
	☐Rice cooker to congee switch				
	☐Thermal fuse protected				
	☐For office use if there are events				
17	Smart Television 75"	unit	2	111,000.00	222,000.00
	Specifications				
	Picture Engine: Crystal Processor 4K				
	Color: Dynamic Crystal Color				
	Contrast: Mega Contrast				
	Sound: Q-Symphony				
	Smart: Tap-View				
	Design: AirSlim				
	Specifications Detail				
	Product Type: LED				
	Series: 8				
	Display				
	Screen Size: 75"				
	Resolution: 3,840 x 2,160				
	Screen Curvature: N/A				
	Video				
	Picture Engine: Crystal Processor 4K				
	PQI (Picture Quality Index): 2200				
	HDR (High Dynamic Range): HDR				
	HDR 10+: Support				
	HLG (Hybrid Log Gamma): Yes				
	Contrast: Mega Contrast				
	Viewing Angle: N/A				
	Color: Dynamic Crystal Color				
	Micro Dimming: UHD Dimming				
	Auto Depth Enhancer: N/A				
	Contrast Enhancer: Yes				
	Auto Motion Plus: Yes				
	Film Mode: Yes				
	Natural Mode Support: Yes				
	Audio				
	Dolby Digital Plus: Yes				
	Dolby 5.1 Decoder: N/A				
	Object Tracking Sound: N/A				
	Q-Symphony: Q-Symphony				



Audio Pre-selection Descriptor: N/A				
Hole Array Speaker: N/A				
Sound Output (RMS): 20W				
Speaker Type: 2CH				
Woofer: N/A				
Multiroom Link: Yes				
Bluetooth Audio: Yes				
Smart Service				
SMART TV: Smart				
Operating System: Tizen™				
Bixby: US English, UK English, India English, Korean, French, German, Italian, Spanish, Portuguese (features vary by language)				
Voice Interaction: N/A				
Far-Field Voice Interaction: N/A				
Alexa Built-in: N/A				
Google Assistant Built-in: N/A				
Works with Google Assistant: N/A				
Works With Alexa: N/A				
TV Plus: N/A				
Web Browser: Yes				
Gallery: Yes				
Convergence				
TV to Mobile – Mirroring: N/A				
Mobile to TV - Mirroring, DLNA: Yes				
NFC on TV: N/A				
Tap View: Yes				
Digital Butler: N/A				
Multi-View: N/A				
Sound Wall: Yes				
Remote Access: Basic				
360 Video Player: N/A				
360 Camera Support: N/A				
Bluetooth Low Energy: Yes				
WiFi Direct: Yes				
TV Sound to Mobile: Yes				
Sound Mirroring: Yes				
Differentiation				
Tune Station: N/A				
Auto Hotspot Connect: N/A				
S-Share: N/A				
Auto Data Backup: N/A				
Dongle Compatibility (3G / LTE / WiFi): N/A				
Analog Clean View: N/A				
Triple Protection: N/A				
Tuner/Broadcasting				
Digital Broadcasting: ISDB-T				
Analog Tuner: Yes				
2 Tuner: N/A				
CI (Common Interface): N/A				
Data Broadcasting: N/A				
TV Key Support: Yes				
Connectivity				
HDMI: 3				
USB: 2				
Component In (Y/Pb/Pr): N/A				
Composite In (AV): 1				
Ethernet (LAN): Yes				
Audio Out (Mini Jack): N/A				



Digital Audio Out (Optical): 1				
RF In (Terrestrial / Cable input): 1/1(Common Use for Terrestrial)/0				
Ex-Link (RS-232C): N/A				
CI Slot: N/A				
HDMI A / Return Ch. Support: Yes				
eARC: Yes				
HDMI Quick Switch: Yes				
Wireless LAN Built-in: Yes (WiFi5)				
Bluetooth: Yes (BT5.2)				
Anynet+ (HDMI-CEC): Yes				
Design				
Design: AirSlim				
Bezel Type: 3 Bezel-less				
Slim Type: Slim look				
Front Color: TITAN GRAY				
Speaker Jersey Color: N/A				
Light Effect (Deco): N/A				
Stand Type: FLOAT LIFT				
Stand Color: TITAN GRAY				
Additional Feature				
Adaptive Picture: N/A				
Active Voice Amplifier: N/A				
Adaptive Sound: Adaptive Sound				
AI Streaming: N/A				
AI Upscale: N/A				
Auto Rotation: N/A				
Décor Mode: N/A				
Motion Detection (Frame): N/A				
Ambience: Ambient Mode				
Brightness/Color Detection: Brightness Detection				
Portrait Mode: N/A				
Accessibility - Voice Guide: UK English, Korean, Mandarin Chinese				
Accessibility - Learn TV Remote / Learn Menu Screen: UK English				
Accessibility – Others: Enlgarge / High Contrast / Multi-output Audio / Color Inversion / Grayscale / Sign Language Zoom / Slow Button Repeat				
Digital Clean View: Yes				
Auto Channel Search: Yes				
Auto Power Off: Yes				
Caption (Subtitle): Yes				
Connect Share™ (HDD): Yes				
ConnectShare™ (USB 2.0): Yes				
EPG: Yes				
Extended PVR: N/A				
Freesync: N/A				
G-SYNC: N/A				
Filmmaker Mode (FMM): Yes				
OSD Language: Local Languages				
Picture-In-Picture: N/A				
BT HID Built-in: Yes				
USB HID Support: Yes				
Teletext (TTX): N/A				
Time Shift: N/A				
V-Chip: N/A				
IPv6 Support: Yes				
MBR Support: Yes				



	Eco Feature				
	Eco Sensor: Yes				
	Energy Efficiency Class: N/A				
	Power				
	Power Supply: AC100-240V 50/60Hz				
	Power Consumption (Max): 260 W				
	Power Consumption (Stand-by): N/A				
	Power Consumption (Energy Saving Mode): N/A				
	Power Consumption (Typical): N/A				
	Dimension				
	Package Size (WxHxD): 1834 x 1110 x 190 mm				
	Set Size with Stand (WxHxD): 1676.7 x 1005.5 x 340.4 mm				
	Set Size without Stand (WxHxD): 1676.7 x 960.3 x 26.6 mm				
	Stand (Basic) (WxD): 1269.6 x 340.4 mm				
	Stand (Minimum) (WxD): 1049.8 x 340.4 mm				
	Weight				
	Package Weight: 43.6 kg				
	Set Weight with Stand: 33.3 kg				
	Set Weight without Stand: 32.1 kg				
	Accessory				
	Remote Controller Model: TM2180A				
	Batteries (for Remote Control): Yes				
	Smart Control (Included): Yes				
	Optional Stand Support (Y20 Studio): N/A				
	15m/10m One Invisible Connection Support: N/A				
	Mini Wall Mount Support: N/A				
	Vesa Wall Mount Support: Yes				
	User Manual: Yes				
	E-Manual: Yes				
	ANT-Cable: N/A				
	Power Cable: Yes				
	HDMI Cable: N/A				
	Slim Gender Cable: N/A				
18	Smart TV, 70" with Android 10 OS	unit	1	50,000.00	50,000.00
	▣4K Ultra HD				
	▣Borderless Design				
	▣Chameleon Extreme				
	▣Picture Engine				
	▣Dolby Digital Plus with 12x12w				
	▣Android 10.0 Q				
	▣Bluetooth 5.0				
	▣Audio: Dolby Digital Plus				
	▣DTS TruSurround				
	▣Equalizer				
	▣Quad-Core				
	▣Internal Memory: 8GB				
	▣RAM: 2GB				
	▣With Voice Search				
	▣Google Assistant				
	▣Chromecast Built-in or Wireless Display				
	▣Wi-Fi Connectivity 2.4G				
	▣2T2R				
	▣Android 10.0				
	▣Bluetooth 5.1				
	▣Display Panel: LED				
19	Stand Fan, banana type 18" banana blade	unit	6	2,500.00	15,000.00
20	Wall fan	pc	7	2,500.00	17,500.00



	☐Metal blade				
	☐16" metal blade				
	☐three speed controller				
21	Water Dispenser, Cabinet type	pc	1	10,000.00	10,000.00
	☐Floor standing				
	☐Hot and cold function				
	☐plastic body,high efficiency compressor				
	☐thermally protected				
22	Refrigerator (32.9 cu.ft., Inverter Linear Compressor, Dual Door-in-Door	unit	1	90,000.00	90,000.00
	☐Ref.32.9 cu.ft.				
	☐Inverter Linear Compressor				
	☐Dual Door-in-Door™				
	☐Smart Diagnosis, Hygiene Fresh+™,				
	☐10 Year Compressor Warranty				
	☐2 Year Parts and Service Warranty				
	☐Folding Shelf				
	☐Tilting Veggie Basket				
	☐Sliding Drawer Type				
23	Aircon, 2.5 HP Wall Mounted Split Type Standard Inverter	set	1	58,000.00	58,000.00
	☐2.5 HP, Wall mounted, standard inverter				
	☐Capacity (Cooling, kJ/h) at least 22,200kJ/hW				
	☐Energy Efficiency EER (Cooling, kJ/hW) 9.25kJ/hW				
	☐Power Source(/V/Hz) 1 / 230V / 60Hz				
	☐Power Consumption (Cooling, W) 2400 W				
	☐Operating Current(Cooling, A) 10.5 A				
	☐when turned off, automatically runs a fan to remove dust and moisture in the heat exchanger				
	☐automatically selects the operating mode (cooling or heating)				
	☐with free installation				
24	Paper shredder machine, heavy duty	pcs	1	12,000.00	12,000.00
	☐Shred Type: Cross Cut				
	☐Maximum Sheet capacity(70gsm) : 10 Sheets				
	☐Waste Container capacity: 21 Liters				
	☐Power Source: 220 - 240 VAC				
25	Electrical Stove	unit	1	6,500.00	6,500.00
	☐Portable Electric Stove				
	☐1800W Infrared Double Burner Heat-up In Seconds,				
	☐7 Inch Ceramic Glass Double Hot Plate Cooktop for Dorm Office Home Camp,				
	☐Compatible w/All Cookware - Upgraded Version,Product Dimensions 20.8 x 3 x 8.9 inches (52.8 x 7.6 x 22.6 cm)				
	☐Item Weight 7.13 pounds (3.21 kg),				
	☐ASIN B07HFC741Q,				
	☐Material Infrared Double Burner				
	☐Color Double burner				
	☐Item Dimensions LxWxH 20.8 x 3 x 8.9 inches (52.8 x 7.6 x 22.6 cm)				
	☐Heating Elements 2				
	☐Controls Type Knob				
26	Air Conditioner, 1.5HP, Split Type, Wall Mounted, Deluxe Inverter	unit	1	40,000.00	40,000.00
	☐1.5 HP				
	☐Split Type Air Conditioner				



	<ul style="list-style-type: none"> ☐Wall Mounted, Deluxe Inverter ☐Intelligent Inverter Technology ☐Honeycomb Intake Grille ☐Nanoe-G, Auto Comfort ☐Quite Mode, Mild Dry Cooling ☐Soft Dry Operation Mode ☐Odour-Removing Function ☐Blue Fin Condenser ☐R410A Refrigerant ☐Installation Included 				
27	Air Condition, Split type, Inverter, 2.0 HP	set	1	55,000.00	55,000.00
	<ul style="list-style-type: none"> ☐Cooling capacity: at least 18,500 kj/h ☐wall mounted ☐EER rating above 10 ☐with Quiet Mode ☐with remote control ☐with Anti-bacterial air filter ☐with Micro Dust Filter ☐with at least 10 years compressor warranty ☐offer must be in the market for at least 10 years ☐with at least 10-Year Warranty on Compressor ☐with one year warranty on parts and services ☐with free installation 				
28	Floor Standing Type Inverter Aircon, 4HP	unit	1	135,000.00	135,000.00
	<ul style="list-style-type: none"> 4HP Gree Floor Standing Type Inverter Aircon Cooling Capacity: 4HP EER: 11.98 (kJ/h)W Power Supply: 220 Volts, 1Ph, 60 Hz Cooling Power Input: 3600W Air Flow Volume (H/M/L): 1800 m2/h Indoor Dimension: (WxDxH): 580x396x1870mm Outdoor Unit Dimension (WxDxH): 1107x440x1100mm Net weight/Gross Weight: 92/100kg with free installation 				
29	Refrigerator - at least 6.0 cu ft. (Two-door) Inverter	unit	1	17,000.00	17,000.00
	Rebidding (from VSU-GOODS-23-03)				
30	Anti-virus Software, at least 3 users	pc	1	5,000.00	5,000.00
	<ul style="list-style-type: none"> anti-malware anti-ransomware anti-hacking perpetual license 				
31	Apple Pencil (2nd Generation) for iPad Pro and iPad Air	pc	1	10,000.00	10,000.00
	<ul style="list-style-type: none"> Pixel-perfect precision and industry-leading low latency Compatible with iPad Pro and iPad Air and attaches magnetically for automatic charging and pairing. Connections: Bluetooth Genuine Apple accessory 				
32	Canon PIXMA, 830 (Black Ink)	pc	4	900.00	3,600.00
33	Computer ribbon, EPSON	pieces	5	765.00	3,825.00
	SO15531/15086, Genuine				
34	Cover for CPU (Mini Tower) (package)	set	4	60.00	240.00
35	Cover for keyboard	pieces	9	50.00	450.00



36	Desktop Computer, with Monitor	sets	1	35,000.00	35,000.00
	Core i5 12th Gen, 8GB RAM				
	Processor: 12th Generation Intel® Core™ i5-12400 Processor(2.50 GHz up tp 4.40 GHz) or higher				
	Motherboard: Intel® H610 Express Chipset Micro ATX Motherboard, with 6+1+1 Hybrid Digital VRM, High quality capacitors and Anti-sulfur resistors or higher				
	Operating System: Genuine Windows 11 Home 64 with Certificate of authenticity clarify with TWG COA or from Microsoft				
	Memory: 8 GB DDR4-3200MHz (UDIMM) or higher				
	Graphics: Integrated Graphics				
	SSD: 256 GB SSD M.2 2280 PCIe or higher				
	Casing: mATX casing				
	Power supply: at least 450W, True Rated 80+ Bronze				
	Monitor: 24" FHD (1920 x 1080) IPS				
	Monitor, NTSC 72%, 5ms response time, 60Hz				
37	Flatbed Scanner	unit	1	5,000.00	5,000.00
	▣Scanner Type:				
	◀Flatbed colour image scanner				
	▣Scanning Method:				
	◀Fixed document and moving carriage				
	▣Optical Resolution: ◀4,800 dpi x 4,800 dpi *1				
	▣Output Resolution:				
	◀50 dpi to 4800 dpi, 7200 dpi, 9600 dpi (50 dpi to 4800 dpi in 1 dpi increments) *2				
	▣Scanner Bit Depth (Colour):				
	◀48-bit input, 24-bit output				
	▣Scanner Bit Depth (Grayscale):				
	◀16-bit input, 8-bit output				
	▣Scanner Bit Depth (Black & White):				
	◀16-bit input, 1-bit output				
	▣Max Document Size: Up to 216 x 297mm				
38	HP Laserjet 44a, Toner cartridge	pcs	12	3,000.00	36,000.00
39	Ink, MP100Le (for digital copier)	piece	1	2,900.00	2,900.00
40	Non-contact water level sensor	pcs	6	600.00	3,600.00
	Interface:Gravity Digital				
	Operating Voltage (InVCC) : DC 5 ~ 24 v				
	Current consumption: 5 mA				
	Output current: 1 ~ 50 mA				
	Response time: 500 ms				
	Operating Temperature : 0 ~ 105 °C				
	Range for thickness of induction (sensitivity): 0 ~ 13 mm				
	Humidity: 5% ~ 100%				
	Material: ABS.				
	Waterproof performance: IP67				
41	RJ45 RJ11 LAN cable tester	unit	3	400.00	1,200.00
	▣Professional RJ45 RJ11 LAN Cable				
	Network Cable Detector Tool Kit				
42	VOIP Phone	unit	1	6,000.00	6,000.00
	▣1-Line PoE+ SIP VOIP Phone SPA MAC address (IEEE 802.3) with lifetime warranty				
	▣IPv4 (RFC 791)Integrated web server provides				



	web-based administration and configuration				
	☐Telephone keypad configuration via display menu/navigation				
	☐Automated provisioning and upgrade via HTTPS, HTTP, TFTP				
	☐Asynchronous notification of upgrade availability via NOTIFY				
	☐Nonintrusive in-service upgrades				
	☐Report generation and event logging				
	☐Statistics transmitted in BYE message				
	☐Syslog and debug server records: configurable per line				
	☐Address Resolution Protocol (ARP)				
	☐DNS: A record (RFC 1706), SRV record (RFC 2782)				
	☐Dynamic Host Configuration Protocol (DHCP) client (RFC 2131)				
	☐Internet Control Message Protocol (ICMP) (RFC 792)				
	☐TCP (RFC 793)				
	☐User Datagram Protocol (UDP) (RFC 768)				
	☐Real-Time Transport Protocol (RTP) (RFC 1889, 1890)				
	☐Real-Time Control Protocol (RTCP) (RFC 1889)				
	☐Differentiated Services (DiffServ) (RFC 2475)				
	☐Type of service (ToS) (RFC 791, 1349)				
	☐VLAN tagging 802.1p/Q: Layer 2 quality of service (QoS)				
	☐Simple Network Time Protocol (SNTP) (RFC 2030)SIP version 2 (RFC 3261, 3262, 3263, 3264)				
	☐SPCP with the Cisco Unified Communications 500 Series				
	☐SIP proxy redundancy: dynamic via DNS SRV, A records				
	☐Reregistration with primary SIP proxy server				
	☐SIP support in NAT networks (including STUN)				
	☐SIPFrag (RFC 3420)				
	☐Secure (encrypted) calling via SRTP				
	☐Codec name assignment				
	☐Voice algorithms:				
	☐G.711 (A-law and μ -law)				
	☐G.726 (16/24/32/40 kbps)				
	☐G.729 A				
	☐G.722				
	☐Dynamic payload support				
	☐Adjustable audio frames per packet				
	☐Dual-tone multifrequency (DTMF), in- band and out-of-band (RFC 2833) (SIP INFO)				
	☐Flexible dial plan support with interdigit timers				
	☐IP address/URI dialing support				
	☐Call progress tone generation				
	☐Jitter buffer: adaptive				
	☐Frame loss concealment				
	☐Comfort Noise Generation (CNG)				
	☐Voice activity detection (VAD) with silence suppression				
	☐Attenuation/gain adjustments				
	☐VMWI - Voicemail Waiting Indicator, via NOTIFY, SUBSCRIBE				



	☐ Caller ID support (name and number)				
	☐ Third-party call control (RFC 3725)				
	☐ Should be compatible with existing fleet of VSU IP Phones (CISCO)				
43	Epson L6290 001 Ecotank Ink Black	btls	4	500.00	2,000.00
44	Ink, EPSON T9481 XL for WF-C878R Printer, Black	tubes	4	3,500.00	14,000.00
45	Ink, EPSON T9481 XL for WF-C878R Printer, Cyan	tubes	2	3,500.00	7,000.00
46	Ink, EPSON T9481 XL for WF-C878R Printer, Magenta	tubes	4	3,500.00	14,000.00
47	Ink. EPSON T9481 XL for WF-C878R Printer, Yellow	tubes	2	3,500.00	7,000.00
	EPSON label tape cartridge compatible for Epson Label Works				
48	Global Positioning System (GPS)	unit	1	25,000.00	25,000.00
	4-inch dual-orientation, glove friendly touchscreen display; 8 megapixel autofocus camera; automatically geotags photos; tracks both GPS and GLONASS satellites; 1-year birds Eye Satellite Imagery subscription; 3-axis compass with barometric altimeter				
49	Copy, Fax with WiFi Connectivity and Duplex Printing	unit	1	60,000.00	60,000.00
	Technology: Colour Laser Engine speed: Up to 21 pages A4 per minute in colour and b/w Resolution: 1,200 x 1,200 dpi print at reduced speed, multibit technology for print quality up to 9,600 x 600 dpi (print), 600 x 600 dpi, 256 greyscales per colour (scan/copy) Warm-up time: Approx. 32 seconds or less Time to first print: Approx. 11/12.5 seconds or less in b/w / colour Time to first copy: Approx. 10/12 seconds or less in b/w / colour General memory: Standard 512 MB, Max. 1,536 MB Input capacity: 50-sheet multi-purpose tray, 60-220 g/m ² , A4, A5, A6, B5, Letter, Legal, Folio, Envelopes, Custom (70 x 148 to 216 x 356 mm), 250-sheet universal paper cassette, 60-163 g/m ² , A4, A5, A6, B5, Letter, Legal, Folio, Custom (105 x 148 to 216 x 356 mm) Max. input capacity with options: 550 sheets Duplex unit: Duplex as standard supports 60-120 g/m ² Max. output capacity: 150 sheets face- down Document processor: 50-sheet, Simplex scan 50-160 g/m ² , Duplex scan 50-110 g/m ² , A4, A5, A6, B5, Letter, Legal, Custom (105 x 148 mm to 216 x 356 mm) Processor: Cortex A9, 800MHz Controller language: PRESCRIBE IIc Emulations				



	PCL 6 (5c/XL), KPD L 3 (PostScript 3 compatible), PDF Direct				
	Print, XPS Direct Print Fonts				
	Applicable OS: All current Windows operating systems, MAC OS X Version				
	10.8 or higher, Unix, Linux				
	Max. original size: A4/Legal				
	Digital copy features: Auto Colour Mode, Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy,				
	priority print, program, auto duplex				
	copy, continuous scan, auto cassette change, copy density control				
	Zoom range: 25 - 400 % in 1% steps				
	Continuous copy: 1 - 999 (When optional memory is installed)				
	Compression format: MMR/JPEG				
	File type: TIFF, PDF, PDF/A, JPG, XPS				
	Scan resolution: 600, 400, 300, 200 dpi (256 grey scales per colour)				
	Scan speed: 30 ipm (300 dpi, A4, b/w),				
	23 ipm (300 dpi, A4, colour)				
	FAX Compatibility: ITU-T Super G3				
	Modem speed: Max. 33.6 kbps				
	Scanning speed: 2 seconds or less				
	Transmission speed: 3 seconds or less				
	Standard interface: USB 2.0 (Hi- Speed), USB Host Inter-face, Gigabit Ethernet 10BaseT/100BaseTX/1000BaseT),				
	Wireless LAN, Slot for optional SD/SDHC-Card				
50	Ubiquiti Unifi 8 Port PoE+150W SFP Switch	pcs	2	12,000.00	24,000.00
	<i>Rebidding (from VSU-GOODS-23-08)</i>				
51	E-ink eBook Reader for MOBI & AZW eBook Testing & Production	unit	1	15,000.00	15,000.00
	Display: 7", 300 ppi flush-front e-ink technology				
	Adjustable screen light from: white to amber				
	Waterproof (IPX8)				
	Thin and light ergonomic design with page turn buttons				
	Compatible with MOBI and AZW ebook formats				
	WiFi Connectivity				
	USB 2.0 charging port				
52	Apple Pencil (2nd Generation) for iPad Pro and iPad Air	pc	1	10,000.00	10,000.00
	Pixel-perfect precision and industry-leading low latency				
	Compatible with iPad Pro and iPad Air and attaches magnetically for automatic charging and pairing.				
	Connections: Bluetooth				
	Genuine Apple accessory				
53	Electric Rice Cooker	pc	1	2,500.00	2,500.00
	Rice Cooker, Stainless Steel, Heavy Duty, Non-Stick Coated Inner Pot, 8.0L capacity, 20 cups, 1300-4500W, 220V Input Voltage, with steamer				
54	Hot & Cold Water Dispenser	unit	2	14,250.00	28,500.00
	Bottom load water dispenser				
	3 Faucets: Hot, Cold and Normal water function				
	3-Push Button dispensing control				



	Anti-scald safety lock switch				
	Child Lock Safety feature on Hot Water Faucet				
	Floater indicator to avoid water overflow				
	Capacity: Hot - 1.2 Liters, Cold - 3.5 liters, Power Rating: Hot - 420 watts, Cold - 100 watts, R134a				
55	Portable Trolley 15" Speaker with wireless microphone	unit	1	10,000.00	10,000.00
	☐15" 2 Way 480 Watts Powered Portable Sound System				
	☐Plastic Cabinet				
	☐AC220V or DC12V (With built-in Rechargeable Batteries)				
	☐With 2 Wireless Microphone				
	☐With 2 Mic Input (1 XLR, 1 PL55)				
	☐With FM Radio, Bluetooth, Guitar Input (Shared with Mic 2 input), USB & SD Port				
	☐With 5 Band Equalizer and LCD Display				
	☐With Aux / Line In and Line Out				
	☐With Remote Control, Handle and Wheel				
56	Wireless Dual Handheld Microphone	set	1	20,000.00	20,000.00
	Receiver				
	Power Consumption: 12w (Max)				
	Receiver Sensitivity: -95dbm				
	Mixing Output Socket: ø6.3mm Socket				
	Balanced Output Socket: XLR Socket				
	Transmitter				
	Carrier Frequency: Depends on regional frequency band				
	Transmit Power: 10dBm (±2dBm)				
	Microphone Capsule: Dynamic				
	Polar Pattern: Super Cardioid				
	Impedance: 600				
	Frequency Response: 80~12000Hz				
	Current Consumption: 120mA				
	Battery: Size AA x 2pcs				
	Operation Range: 90 meters (in open area)				
	Battery Life: Approximately 12 hours (uses alkaline batteries)				
	Each microphone has 100 selectable channels and independent volume controls.				
	This UHF system features 6-axis gyroscope to automatically enter mute mode when idling for 5~10 seconds.				
				TOTAL:	2,050,815.00

DILBERTO O. FERRAREN
BAC Chairman