

BID BULLETIN 01

Date: 31 May 2023

Project Title: Supply and Delivery of Office Equipment and I.T. Supplies and (VSU-

GOODS-23-26)

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

(15t Elivelope) TECHNI	CAL COMPONENT ENVELOPE				
Legal Documents					
1	PhilGEPS Certificate of Registration (Platinum)				
Technical Documents					
2	Statement of All On-Going Government & Private Contracts				
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php 800,968.00)				
	Or				
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 800,968.00 and the largest of which should be at least PhP 400,484.00 .				
4	Bid Security				
5	Technical Specifications				
6	SCHEDULE of Requirements/Production and delivery schedule				
7	Manpower Requirements				
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)				
9	Original Duly Signed Omnibus Sworn Statement				
Financial Documents					
10	The Supplier's Audited Financial Statements				
11	Net Financial Contracting Capacity (at least Php 1,601,936.00)				
	Or				
	Committed Line of Credit (at least Php 160,193.60)				
(2 nd Envelope) FINANCIAL COMPONENT ENVELOPE					
12	Original of duly signed and accomplished Financial Bid Form				
13	Original of duly signed and accomplished Price Schedule(s)				



Please take note:

- 1. In the **Technical Specifications**, bidders must state either "Comply" or "Not Comply" **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer's un-amended sales literature (Data Sheets)**, **unconditional statements of specification and compliance issued by the manufacturer**, **samples**, **independent test data**, **and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).
- 2. Bidders are advised to use the latest GPPB forms for the following documents:
 - a) Omnibus Sworn Statement
 - b) Performance Securing Declaration (if applicable)
 - c) Price Schedule for Goods Offered
 - d) Bid Form
 - e) Bid Securing Declaration

These forms can be accessed from the GPPB website: https://www.gppb.gov.ph/downloadables.php. Documents that are not in its updated/latest format shall be a ground for disgualification of the bidder.

- II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)
 - 1. Scan per document into Portable Document Format (PDF) and should be printable.
 - 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2.	Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
3.	Statement of Bidder's Single Largest Completed Contract	SLCC
4.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
5.	Bid Security	Bid Security
6.	Technical Specifications	Technical Specifications
7.	SCHEDULE of Requirements/	Schedule of Requirements
8.	Production and delivery schedule	Schedule of Requirements
9.	Manpower Requirements	Manpower Requirements
10.	After Sales service/parts	After Sales
11.	Omnibus Sworn Statement	Omnibus Sworn Statement
12.	Audited Financial Statements	Audited Financial Statements
13.	Net Financial Contracting Capacity	NFCC
14.	Committed Line of Credit	CLC
15.	Bid Form	Bid Form
16.	Price Schedule	Price Schedule

Bidders are requested to submit three (3) copies of its bid

For filing purposes, the bidders are urged to use **Orange** envelopes for its Technical and Financial Component envelopes, including the Mother (outer)

- 1 Original, Copy 1, and Copy 2.



3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

15. Sealing and Marking of Bids

Original Section I. Invitation to Bid (Amendment) A complete set of Bidding Documents may be acquired 5. A complete set of Bidding Documents by interested Bidders on 09 May - 08 June 2023 until be acquired by interested **1:30 PM** from the given address and website(s) below Bidders on *09 May - 30 May 2023* until 1:30 PM from the given address and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by and website(s) below and upon the GPPB, in the amount of Five Thousand Pesos (PhP payment of the applicable fee for the 5,000.00). The Procuring Entity shall allow the bidder to Bidding Documents, pursuant to the present its proof of payment for the fees in person, by latest Guidelines issued by the GPPB, facsimile, or through electronic means: in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring The Bidders may deposit the payment for the Entity shall allow the bidder to present bidding documents to the Visayas State University its proof of payment for the fees in Landbank Account with the following details: person, by facsimile, or through electronic means. Account Name: Visayas State University Fund 164 Account Number: 3572-1000-13 Then send the deposit slip to jessamine.ecleo@vsu.edu.ph Section II. Instructions to Bidders (Additional Instructions)

Envelope.



IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

Item No.	Description	Unit	Qty	ABC/Unit (Pesos)	Total ABC (Pesos)
1	Air Conditioner, 1.5HP, Split Type, Wall Mounted, Deluxe Inverter	unit	2	40,000.00	80,000.00
	■1.5 HP				
	■Split Type Air Conditioner				
	■Wall Mounted, Deluxe Inverter				
	■Intelligent Inverter Technology				
	■Honeycomb Intake Grille				
	■Nanoe-G, Auto Comfort				
	■Quite Mode, Mild Dry Cooling				
	■Soft Dry Operation Mode				
	■Odour-Removing Function				
	■Blue Fin Condenser				
	■R410A Refrigerant				
	■Installation Included				
2	Electric hot air convection oven, 3 layers, approx. 28 liters, stainless steel chamber	unit	1	24,000.00	24,000.00
	High-speed fan and peripheral round heating tube to ensure uniform temperature				
	Stainless steel wind deflector can ensure more uniform temperature between each layer				
	Timing, heating indicator				
	The inner chamber light ensures that the entire cooking process is visible				
	Nickel-plated compartment bracket				
	Standard configuration with 3 shelves, size 325x265mm, GN1/2 size				
	Five-sided insulation layer prevents heat loss				
	The inner chamber is a stretched arc- shaped design, which is convenient for cleaning				
	The opening angle of the door hinge is 90 degrees, which is convenient for the bakeware to take				
	Upper and lower layer height 75mm				
	Double-layer perspective tempered glass				



3	Laminator Machine, A3	unit	2	5,000.00	10,000.00
	■Heavy Duty, for A3 & A4 size, infrared heating system and adjustable temperature control with overheating protection				
4	Lapel Voice Amplifier	unit	3	800.00	2,400.00
	© Compact, portable and lightweight				
	■Lithium-ion power body-pack amplifier				
	■Power Output: 30W				
	■Mode: USB/MP3/FM				
	© Charger Voltage: 10V 450mA				
	■Frequency response: 100Hz-10KHz±3dB				
	■Set of: 1 Voice Amplifier, 1 Power Adaptor, 1 Headset Microphone, 1 Body- pack case, 1 Belt Strap, 1 User Manual				
5	Portable Sound System	set	1	16,000.00	16,000.00
	■2 Way 450W Powered Portable Sound System				
	■AC220V or DC12V (With built-in Rechargeable Batteries)				
	■at least with 2 Wireless Microphone With 2 Mic Input (1 XLR, 1 PL55)				
	■With FM Radio, Bluetooth, Guitar Input (Shared with Mic 2 input), USB & SD Port				
	■With 5 Band Equalizer and LCD Display				
	■With Aux / Line In and Line Out With Remote Control				
6	Refrigerator - at least 3.5 cu. ft., Two- door Personal Refrigerator (Direct Cool), inverter	unit	3	10,000.00	30,000.00
7	Soft Panel LED lights	set	6	16,000.00	96,000.00
	Color Temperature: 3300-5600K, ±300K				
	On-Board and DMX Control				
	Dimming: 0-100%				
	Maximum Power: 70W				
	Built-In Color Filter Slot				
	Yoke with Tightening Knob				
	Four Reflective Barndoors				
	Built-In 13-16.8V DC Power Supply				
	Accepts 14.8V BP-L V-Mount Batteries				
	Inclusions:				
	1x LED Video Light				
	1x Yoke				
	1x Diffusion Filter				
	4x Reflective Barndoors				
	1x AC Adapter 1x Power Cord				

8	Studio Fresnel lights	set	4	20,000.00	80,000.00
	Photometrics: 5600K: 5666.9 fc / 61,000 Lux at 3.28' / 1 m				
	Color Temperature: 5600K ± 200K				
	Cooling System: Fan				
	Dimming: Yes, 0 to 100% (Continuous)				
	Display: LED				
	Power Input Connector: 4-Pin XLR				
	Reflector Mount: Bowens S-Type				
	Yoke Mount: TVMP/ Hex Bolt				
	Fixture Mount: 5/8" Receiver				
	Yoke Material: Metal				
	Yoke Type: Yoke/Bracket				
	Remote Control Type: Bluetooth, Proprietary Wireless				
	Wireless Channels / Groups: 16 / 6				
	AC Input Power: 110 to 240 VAC, 50 / 60 Hz				
	DC Input Power: 16.8 VDC				
	Power Source: AC Adapter, External Battery				
	Max Power Consumption: 150 W				
	Power Supply Power Connector: IEC Input / 4-Pin XLR Output				
9	Rice Cooker	unit	1	3,000.00	3,000.00
	■2.8 Liter Capacity				
	⊚ With steamer				
	■Honeycomb base for even cooking				
	■Tempered glass lid				
	■Pilot light indicator (COOK/WARM)				
	■5 in 1 – steamer, warmer, rice cooker,				
	shabu-shabu, congee				
	■Rice cooker to congee switch				
	■Thermal fuse protected ■For office use if there are events				
	25CM Brand New Luxury Digital				
10	Depository Cash Fireproof Safe Box/Vault Box	unit	2	10,000.00	20,000.00
	25CM Brand New Luxury Digital Depository Cash Fireproof Safe Box Jewelry Home Hotel Lock Keypad Safety Security Box Safe Electronic Digital Safety Vault SE				
	■All steel thickened door				
	■Solid bold lock bolt				
	■Password open				
	■Responsive				
	■Accurate recognition				



External Dimension:350*350*250mm ■Internal Dimension:340*240*200mm Easy install: The wall safe box has predrilled holes for wall or floor mounting. Includes mounting bolts, and four AA batteries to control the battery operated digital panel. Protect your valuables: The key safe lock box is perfect for protecting guns, jewelry, etc. Great for home, office, hotels, or business use. Double Safety: The safe box is opened by a 3-8 digital secret pin code and emergency override keys, you can set up 3-8 password, and in case of low battery, you can use the keys to open it Anti-Pry: Constructed of thick solid steel heavy-duty chrome steel dual pin bolt throw system (not just latch) 45 CM Digital Depository Fireproof Safe 11 **Box Jewelry Home Hotel Lock Keypad** 1 14,000.00 14,000.00 unit **Black Digital Safety Security** 45 CM Digital Depository Fireproof Safe Box Jewelry Home Hotel Lock Keypad Black Digital Safety Security Box 2022 Brand New Safe Electronic Digital Safety Vault ■All steel thickened door ■Solid bold lock bolt ■Password open Responsive Accurate recognition ■External Dimension:450*380*320mm (45CM), ■Internal Dimension:430*370*250mm External Dimension:400*360*320mm(40CM) **Internal size: 390*350*240mm ■**lock pin 28 mm ofull solid lock pin ■weight: 16kg + kg ■capacity: 38L+2L ■Dual alarm system ■alloy steel e-password key



Product size classification: 45cm Outer box size: 520x450x390mm Dimensions: 450*380*320mm Internal size: 430*370*250mm Product size classification: 40cm Outer box size: 470x430x390mm Dimensions: 400*360*320mm Internal size: 390*350*240mm Box material: Low-carbon high-density alloy steel Regular color: Black, Gold Box weight: 16kg/18kg Security Type: Electronic Safe, Thickened Door Panel, Solid Bold Oval Lock Bolt Alarm type: Severe vibration, Password and Key error Opening method: Digital Password Opening method: Password + Key Bundled accessories: Key, Battery, Manual, Expansion screw Applicable scenarios: Home, Office, Hotel Catering Whether there is fire prevention: Yes Is there an manual: yes 12 Paper shredder machine, heavy duty unit 1 13,500.00 13,500.00 Shred Type: Cross Cut ■Maximum Sheet capacity(70gsm): 10 Sheets ■Waste Container capacity: 21 Liters Power Source: 220 - 240 VAC 13 Mini Ref 1 10,000.00 10,000.00 unit **DESIGN** Type Mini Dimensions (W x H x D) 52 x 44 x 47cm or higher Doors 1 Colour Silver CAPACITY Gross Capacity 50.9l Net Capacity 50.9I **TECHNICAL DETAILS** Power Consumption 61w **Energy Efficiency 3Star FEATURES** Inverter No Tempered Glass Tray No Fast Freeze No Water Dispenser No Ice Maker No Low Voltage Yes Door Alarm No Anti Bacteria Yes Neo Frost No Temperature Adjustable Yes



	Vegetable Drawer No				
	Zero Degree Zone No				
	Egg Tray No				
	Door Shelves No				
	LED Lighting No				
	Vacation Mode No				
	Automatic Defrost No				
14	Money Detector Wireless-Auto Sensor	рс	1	2,500.00	2,500.00
	This product is a wide voltage, can support 100-230V voltage useHigh-tech UV display hidden UV symbol, applicable to currencies, checks, passports, credit cards and so onAmbient temperature: 0-				
	45°CAmbient humidity: ≤85%Power supply				
	voltage: AC100-240V 50/60HzEnergy				
	consumption: ≤6WWeight: 0.45gSize:				
	200*105*105mm				
	Withpowerful UV LED light				
	·IdentifyUV security features in banknotes				
	·Automaticon/off sensor tosave energy				
	Optional rechargeable batteryinside to portability				
	·Verifies banknotes, cheques,passports, credit cards, etc.				
15	Air Condition, Split Type, Inverter, 2.0	set	1	55,000.00	55,000.00
	■Cooling capacity: at least 18,500 kj/h				
	■wall mounted				
	■EER rating above 10				
	■with Quiet Mode				
	■with remote control				
	■with Anti bacterial air filter				
	■with Micro Dust Filter				
	■with at least 10 years compressor				
	warranty				
	■offer must be in the market for at least 10 years				
	■with at least 10-Year Warranty on Compressor				
	with one year warranty on parts and				
	services				
4.0	with free installation	14	1	0.500.00	0.500.00
16	Stand Fan, 405 mm diameter, 220 volts	unit	1	2,500.00	2,500.00
	■Durable High-performance motor				
	■3-speed push button switch				
	Thermal fuse protection				
	■ Oscillation				
1	■With height adjustment		1		

17	Smart TV, 75"	set	1	111,000.00	111,000.00
	Picture Engine: Crystal Processor 4K				
	Color: Dynamic Crystal Color				
	Contrast: Mega Contrast				
	Sound: Q-Symphony				
	Smart: Tap-View				
	Design: AirSlim				
	Specifications Detail				
	Product Type: LED				
	Series: 8				
	Display				
	Screen Size: 75"				
	Resolution: 3,840 x 2,160				
	Screen Curvature: N/A				
	Video				
	Picture Engine: Crystal Processor 4K				
	PQI (Picture Quality Index): 2200				
	HDR (High Dynamic Range): HDR				
	HDR 10+: Support				
	HLG (Hybrid Log Gamma): Yes				
	Contrast: Mega Contrast				
	Viewing Angle: N/A				
	Color: Dynamic Crystal Color				
	Micro Dimming: UHD Dimming				
	Auto Depth Enhancer: N/A				
	Contrast Enhancer: Yes				
	Auto Motion Plus: Yes				
	Film Mode: Yes				
	Natural Mode Support: Yes				
	Audio				
	Dolby Digital Plus: Yes				
	Dolby 5.1 Decoder: N/A				
	Object Tracking Sound: N/A				
	Q-Symphony: Q-Symphony				
	Audio Pre-selection Descriptor: N/A				
	Hole Array Speaker: N/A				
	Sound Output (RMS): 20W				
	Speaker Type: 2CH				
	Woofer: N/A				
	Multiroom LinkYes				
	Blutooth Audio: Yes				
	Smart Service				
	SMART TV: Smart				
	Operating System: Tizen™				



Bixby: US English, UK English, India English, Korean, French, German, Italian, Spanish, Portuguese (features vary by language) Voice Interaction: N/A Far-Field Voice Interaction: N/A Alexa Built-in: N/A Google Assistant Built-in: N/A Works with Google Assistant: N/A Works With Alexa: N/A TV Plus: N/A Web Browser: Yes Gallery: Yes Convergence TV to Mobile - Mirroring: N/A Mobile to TV - Mirroring, DLNA: Yes NFC on TV: N/A Tap View: Yes Digital Butler: N/A Multi-View: N/A Sound Wall: Yes Remote Access: Basic 360 Video Player: N/A 360 Camera Support: N/A Bluetooth Low Energy: Yes WiFi Direct: Yes TV Sound to Mobile: Yes Sound Mirroring: Yes Differentiation Tune Station: N/A Auto Hotspot Connect: N/A S-Share: N/A Auto Data Backup: N/A Dongle Compatibility (3G / LTE / WiFi): N/A Analog Clean View: N/A Triple Protection: N/A Tuner/Broadcasting Digital Broadcasting: ISDB-T Analog Tuner: Yes 2 Tuner: N/A CI (Common Interface): N/A Data Broadcasting: N/A TV Key Support: Yes Connectivity HDMI: 3



			 		
	USB: 2				
	Component In (Y/Pb/Pr): N/A				
	Composite In (AV): 1				
	Ethernet (LAN): Yes				
	Audio Out (Mini Jack): N/A				
	Digital Audio Out (Optical): 1				
	RF In (Terrestrial / Cable input):				
	1/1(Common Use for Terrestrial)/0				
	Ex-Link (RS-232C): N/A				
	CI Slot: N/A				
	HDMI A / Return Ch. Support: Yes				
	eARC: Yes				
	HDMI Quick Switch: Yes				
	Wireless LAN Built-in: Yes (WiFi5)				
	Bluetooth: Yes (BT5.2)				
	Anynet+ (HDMI-CEC): Yes				
18	Smart TVs, 50"	sets	4	25,000.00	100,000.00
	Display Size: 50"		 	-,	,
	Ports Input: OTHERS, HDMI, USB,				
	Component in (Y/PB/Pr), RF in				
	(Terrestrial/Cable Input), Digital Audio Out				
	(Optical), Audio Out (Mini Jack), Ethernet				
	(LAN), Composite in (AV) TV Features: Netflix, HDR, Cinema 3D				
	, Wireless Connectivity, Web Browser,				
	Mobile Screen Mirroring, Youtube, DTS				
	Audio, Bluetooth Connectivity				
	TV Resolution: 4K UHD				
	Smart TV OS: Android OS				
19	Orbit Fan, 405 mm diameter, 220 volts	units	20	2,500.00	50,000.00
	Durable High performance motor				
	4-speed remote switch				
	With thermal fuse protection				
20	Air Conditon, Split type, Inverter, 1.5 HP	set	1	45,000.00	45,000.00
	Cooling capacity: at least 12,500 kj/hr			·	·
	wall mounted				
	EER rating above 10				
	with remote control				
	with one year warranty on parts and				
	services				
	with free installation				
21	Hot & Cold water dispenser	unit	1	14,500.00	14,500.00
	■Bottom load water dispenser				
	■3 Faucets: Hot, Cold and Normal water				
	function				
	■3-Push Button dispensing control				
	■Anti-scald safety lock switch				
	■Child Lock Safety feature on Hot Water				



	Faucet				
	■Floater indicator to avoid water overflow				
	■Capacity: Hot - 1.2 Liters, Cold - 3.5 liters, Power Rating: Hot - 420 watts, Cold - 100 watts, R134a				
22	Mobile LED lights kit	set	1	40,000.00	40,000.00
	Two 660 RGB LED Video Light Panels; Aluminum (Housing)				
	Color Temperature from 3200 to 5600K				
	Color Mode RGB				
	Color Accuracy Standard CRI 97				
	Two Diffusers, Two 6.5' Light Stands				
	Two Power Adapters 12 to 15 VDC, 50 W				
	Two light stands 6.5' (H); 5/8" Receiver (Via Yoke Mount)				
	Battery port for Sony L-Series / NP-F				
	Kit Carrying Cases				
	Smartphone Control				
23	Professional Boom microphone kit	set	1	44,000.00	44,000.00
	Moisture-Resistant Shotgun Microphone				
	Phantom Powered 48V				
	Capsule: Condenser				
	Diaphragm: 0.5" / 12.70 mm				
	Polar Pattern: Supercardioid				
	Frequency Range: 40 Hz to 20 kHz				
	Color: Black				
	Mounting: Mic Clip/Stand Adapter (with Included Hardware)				
	Mounting Thread Size: 5/8"-27 Female (3/8"-16 Female with Included Adapter)				
	Included Case: Pouch, Transport Tube				
	With Compatible Boom Pole				
	Three Sections Smoothly Extend to 6.3'				
	Precision Balanced and Lightweight				
	Anodized Aluminum Construction				
	Intuitive Lock and Release System				
	Ergonomic Grip Handle				
24	Tripod	units	4	10,000.00	40,000.00
	5.5 lb Capacity Flat Base Tripod Head				
	Aluminum 4-Section Tripod Legs				
	Fully Convertible to a Monopod				
	21.3 to 65" Height Range				
	Independent Pan and Tilt Locks				
	Rubber and Spiked Feet				
	Left/Right Pan Bar Rosette Mounts				
	Carry Case Included				
	Maximum Working Height: 65" / 165.1 cm				



25	Television, Smart	unit	1	18,000.00	18,000.00
	32 inch television, smart				<u> </u>
	Resolution: 1,366 x 768				
	HDMI Ports: 2				
	USB Ports: 1				
	Power Supply: AC100-240V 50/60Hz				
	Set Size with Stand (WxHxD): 732.9 x				
	462.8 x 163.7 mm				
	Set Size without Stand (WxHxD): 732.9 x				
	440.3 x 78.5 mm				
	Set Weight with Stand: 4.3±0.3 kg				
200	Set Weight without Stand: 4.2±0.3 kg		1	10,000,00	10,000,00
26	Water Dispenser, Cabinet type	unit	1	10,000.00	10,000.00
	■ Floor standing				
	Hot and cold function				
	■plastic body,high efficiency compressor				
	athermally protected				
27	All-in-One-Printer	рс	1	11,000.00	11,000.00
	Ink tank 3 in 1 Printer Continuous Ink with Scanner and Xerox				
	Ultra-low-cost printing: Save up to 90% on				
	the cost of ink				
	Next generation ink filling system: Enjoy				
	hassle and mess-free refills with enhanced				
	ink bottles				
	Reliable results: Micro Piezo technology, Epson genuine ink, warranty				
	3-in-1:Print, copy & scan and borderless 10x15cm photo printing				
	Print Resolution: 5760 x 1440 DPI				
	Print Speed: 10 pages/min Monochrome, 5				
	pages/min Colour				
	5760 x 1400 DPI				
	Compatible: Mac OS 10.10.x, Mac OS				
	10.7.x, Mac OS 10.8.x, Mac OS 10.9.x,				
	Mac OS X 10.6.8 or later, Windows				
	10,Windows 7,Windows 7x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1,				
	Windows 8.1 x64 Edition, Windows Vista,				
	Windows Vista x64, Windows XP,				
	Windows XP x64, XP Professional x64				
	External Hard Disk Drive (Portable,				
28	2TB), USB 3.1	unit	1	4,200.00	4,200.00
	■Shock-absorbing				
	■Interface: USB 3.1 (Max.5Gb/s)				
	■Capacity: 2TB				
	■Texture: Plastic/Rubber				
	■Operating Voltage: DC 5V, 900mA				

	■System Requirements: Windows XP /				
	Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or				
	later, Linux Kernel 2.6 or later				
29	Headset, Over Ear, wired	sets	1	750.00	750.00
	■Wearing Type: Over-ear				
	■Microphone: Yes				
	■Volume Control: Yes				
	■One Key Mute Button: Yes				
	■Microphone: Omnidirectional				
	© Plug Type: 3.5mm				
	■Speaker Diameter: 50mm				
	■Receive Sensitivity: 101dB				
	■lmpedance: 32Ω				
	■Frequency Response: 20-20kHz				
30	CANCELLED				
31	UPS, 1000 VA	unit	1	3,000.00	3,000.00
	■1000VA/600W capacity			·	·
	■Frequency Range: 60 Hz				
	■Freq. Range (Batt. Mode): 60 Hz ± 1 Hz				
	■Transfer Time: Typical 4-8 ms				
	■Waveform (Batt. Mode): Simulated Sine				
	Wave				
	■Back-up Runtime: 10-15 mins				
	■Voltage: 220 VAC				
	■Voltage Range: 162-270 VAC ■ Voltage Range: 162-270 VAC				
32	CANCELLED				
33	Computer Monitor 24", IPS, Bezel-less Full HD Monitor	set	1	10,000.00	10,000.00
	■Panel Type: IPS				
	■Brightness(Typical): 250cd/m²				
	■Brightness(Min): 200cd/m²				
	■Contrast Ratio Static: 1000:1(typical)				
	■Dynamic Contrast Ratio: MegaFlat				
	■Resolution: 1920x1080				
	■Response Time: 5ms(GTG)				
	■Max Color Support: Max 16.7M				
	■Max Refresh Rate: Max 75Hz				
	■Interface: D-sub(x1), HDMI(x1)				
34	Desktop System Unit Only (Pentium Gold G5400), Assembled	unit	1	15,000.00	15,000.00
	Intel Pentium Gold G5400 or higher				
	Intel H310 Chipset Ultra durable Motherboard				
	8 GB DDR4 Memory or higher				
	240 GB SSD				
	Casing with 500W PSU or higher				



	500W IC controlled AVR				
	Keyboard and mouse combo				
35	Digital Voice Recorder	unit	1	5,000.00	5,000.00
	Built-in USB Black			· · · · · · · · · · · · · · · · · · ·	<u> </u>
	Micro card slot				
	Stereo mic-in jack				
	Stereo earphone jack				
36	Electric fan	рс	2	2,500.00	5,000.00
	■Stand fan 16" metal blade				
	■Adjustable height				
	■three speed controller				
37	EPSON L220 Ink Cartridge Cyan	btls	2	350.00	700.00
38	EPSON L220 Ink Cartridge Magenta	btls	2	350.00	700.00
39	EPSON L220 Ink Cartridge Yellow	btls	2	350.00	700.00
40	Ink, Epson 003,Genuine Black 65mL	btl	15	350.00	5,250.00
41	Ink, EPSON 003,Genuine Cyan 65mL	btl	8	350.00	2,800.00
42	Ink, EPSON 003,Genuine Magenta 65mL	btl	8	350.00	2,800.00
43	Ink, EPSON 003,Genuine Yellow 65mL	btl	8	350.00	2,800.00
44	Keyboard And Mouse Combo Bundle, USB powered	set	1	600.00	600.00
	■Keyboard				
	◀Keycaps: A-Shape, Round Edge				
	◆Hotkeys: No				
	■Adjustable Keyboard Legs: Yes				
	■Rating: 5 V / 30 mA				
	■Mouse				
	■Report Rate: 125 Hz				
	■Sensor: Optical				
	■Resolution: 1000 DPI				
	■Rating: 5 V / 100 mA				
	■ Buttons No.: 3				
	■Ergonomic Design: Symmetric				
	⋖ Size: Middle / Big Hands				
45	Lavalier Microphone	рс	1	2,500.00	2,500.00
	High quality stereo sound with omnidirectional pick-up				
46	Smart TVs, 50"	sets	1	25,000.00	25,000.00
	Display Size: 50"				
	Ports Input: OTHERS, HDMI, USB, Component in (Y/PB/Pr), RF in (Terrestrial/Cable Input), Digital Audio Out (Optical), Audio Out (Mini Jack), Ethernet (LAN), Composite in (AV)				
	TV Features: Netflix, HDR, Cinema 3D, Wireless Connectivity, Web Browser,				



	Mobile Screen Mirroring, Youtube, DTS				
	Audio, Bluetooth Connectivity				
	TV Resolution: 4K UHD				
	Smart TV OS: Android OS				
47	UPS, at least 500 w	piece	2	2,550.00	5,100.00
	Recharging Time: at most 4 Hours				
48	VoIP, Telephone	unit	2	15,000.00	30,000.00
	Features				
	Display: White backlit, greyscale, 3.5-inch (396x162 pixels) display				
	Call Appearance:16 voice lines				
	Fixed Feature Buttons: Messaging, Service, Directory, Hold/Resume, Transfer, Conference, Volume Control, Speakerphone, Headset, and Mute				
	Navigation Keys: Two-way navigation and select keys				
	Programmable Line/Feature Keys: 16 programmable keys that support either lines (such as directory numbers), or call				
	features (such as speed dialing).				
	Programmable Softkeys: 4 buttons				
	Button Module Expansion: No				
	Speakerphone: Includes high-quality, 2-				
	way speakerphone Audio: Wideband audio enhances clarity with the handset, speaker, or headset				
	Codecs: G.711 (A-law and m-law), G.722.2, G.722, G.729ab, ILBC, iSAC, OPUS, Narrowband Opus DTMF: In-band, out-of-band (RFC 2833), and SIP INFO Early Media and Preconditions MOS Score Reporting (Telchemy)				
	Wall-Mountable: Yes, requires optional Cisco 7800 Series Wall Mount Kit				
	Ethernet Connectivity: Dual Ethernet (10/100) line interface (PC Pass Through & Network Connection)				
	Headset Port: Includes RJ9 headset port with EHS support				
	Message Waiting Indicator: Yes				
	Adjustable Tilt Display: No				
	Network Security: Certificates, Image authentication, Device authentication, File authentication, Signaling authentication, Media encryption using Secure Real-Time Transfer Protocol (SRTP) using AES-128,				
	Signaling encryption using Transport Layer Security (TLS) Protocol using AES-128 or AES-256, Encrypted configuration files, 802.1X authentication, Cryptography				

■ Floor standing ■ Hot and cold function ■ plastic body, high efficiency compressor ■ thermally protected 50 Windows 10 Operating System ■ Genuine Windows 10 Volume License	
(PoE) Can also be powered via optional power adapter if PoE is not available on your network (power supply sold separately – see accessories above) System Compatibility MUST have with Multiplatform Phone Firmware Compatible with existing VSU fleet 49 Water Dispenser, Cabinet type pc 1 10,000.00 10,00 mellor standing mellor standing mellor standing mellor standing protected 50 Windows 10 Operating System Licenses 3 10,000.00 30,00 mellor with one year warranty on parts and services with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
adapter if PoE is not available on your network (power supply sold separately – see accessories above) System Compatibility MUST have with Multiplatform Phone Firmware Compatible with existing VSU fleet 49 Water Dispenser, Cabinet type pc 1 10,000.00 10,00 me Floor standing Most and cold function Most and cold	
network (power supply sold separately – see accessories above) System Compatibility MUST have with Multiplatform Phone Firmware Compatible with existing VSU fleet 49 Water Dispenser, Cabinet type pc 1 10,000.00 10,00 Befloor standing Behot and cold function Beplastic body, high efficiency compressor Bethermally protected 50 Windows 10 Operating System Licenses 3 10,000.00 30,00 Begenuine Windows 10 Volume License Trust Fund Air Condition, Split type, Inverter, 2.5 HP Cooling capacity: at least 20,000 ki/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
see accessories above) System Compatibility MUST have with Multiplatform Phone Firmware Compatible with existing VSU fleet 49 Water Dispenser, Cabinet type pc 1 10,000.00 10,00 Befloor standing Behot and cold function Beplastic body, high efficiency compressor Bethermally protected 50 Windows 10 Operating System Edenuine Windows 10 Volume License Trust Fund Air Condition, Split type, Inverter, 2.5 unit 2 65,000.00 130,00 Cooling capacity: at least 20,000 kj/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
System Compatibility MUST have with Multiplatform Phone Firmware Compatible with existing VSU fleet 49 Water Dispenser, Cabinet type Befloor standing Behat and cold function Beplastic body, high efficiency compressor Bethermally protected 50 Windows 10 Operating System Begenuine Windows 10 Volume License Trust Fund 51 Air Condition, Split type, Inverter, 2.5 HP Cooling capacity: at least 20,000 kj/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
MUST have with Multiplatform Phone Firmware Compatible with existing VSU fleet 49 Water Dispenser, Cabinet type Befloor standing Beflo	
Firmware Compatible with existing VSU fleet 49 Water Dispenser, Cabinet type pc 1 10,000.00 10,00	
Compatible with existing VSU fleet 49 Water Dispenser, Cabinet type BFloor standing BHot and cold function Bplastic body,high efficiency compressor Bthermally protected 50 Windows 10 Operating System EGenuine Windows 10 Volume License Trust Fund 51 Air Condition, Split type, Inverter, 2.5 HP Cooling capacity: at least 20,000 ki/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
49 Water Dispenser, Cabinet type pc 1 10,000.00 10,00 BFloor standing	
■ Hot and cold function ■ plastic body, high efficiency compressor ■ thermally protected 50 Windows 10 Operating System ■ Genuine Windows 10 Volume License Trust Fund 51 Air Condition, Split type, Inverter, 2.5 HP unit 2 65,000.00 130,00 Cooling capacity: at least 20,000 kj/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	00.00
■ plastic body,high efficiency compressor ■ thermally protected 50 Windows 10 Operating System	
### Standard Size ### Size ### Standard Size ### Size	
### Standard Size ### Size ### Standard Size ### Size	
Trust Fund 51 Air Condition, Split type, Inverter, 2.5 HP unit 2 65,000.00 130,00 Cooling capacity: at least 20,000 kj/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
Trust Fund Air Condition, Split type, Inverter, 2.5 HP Cooling capacity: at least 20,000 kj/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	00.00
Air Condition, Split type, Inverter, 2.5 HP Cooling capacity: at least 20,000 kj/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
HP Cooling capacity: at least 20,000 kj/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with available service center in Region 8 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
Cooling capacity: at least 20,000 kj/hr wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	00.00
wall mounted EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
EER rating above 10 with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
with remote control with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
with one year warranty on parts and services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
services with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
with free installation with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
with available service center in Region 8 52 Air Conditioner, Window Type, 2.5 HP, Standard Size Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
52 Air Conditioner, Window Type, 2.5 HP, Standard Size unit 1 45,000.00 45,000.00 Cooling Capacity: 2.5 hp; 25,500 kJ/h Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A Noise Level Indoor (Low): 52 dB A	
Standard Size	
Power Input: 2,660 W EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	JU.00
EER: 9.6 kJ/hW Noise Level Indoor (Low): 52 dB A	
Noise Level Indoor (Low): 52 dB A	
D 0 0001/ /G 51 001/	
Power Source: 230 V, 1Ø Phase - 60 Hz	
Refrigerant: R32	
Unit Dimension (WxH xD): 660 x 428 x 800 mm	
Warranty: Labor & Parts - 1 Year;	
Compressor - 5 Years	
	00.00
Split Type, Air-conditioning Unit with 2.5 HP	
Remote control with 24 hours	
programmable timer ON/OFF	
Cooling Capacity (min-max): 6.10 (1.12- 7.18) kW, 21,960 (4,030-25,850) kJ/h	
EER (min-max): 14.17 (16.12-12.61)	



	kJ/hW,				
	Voltage: 230 V				
	Current: 6.9 A				
	with free installation				
54	Hard Drive (2 TB)	pcs	1	4,500.00	4,500.00
55	Ice crusher	unit	1	2,000.00	2,000.00
55	Powerful 300w motor and stainless steel blades	G		2,000.00	2,000.00
	Comes with stainless steel bowl Great for crushing big ice				
	Non-rust, safe, and environment-friendly				
56	Upright Chiller	unit	1	40,000.00	40,000.00
	10 cu. ft. Chiller				
	Super Quick Chill Cooling System (Chills 3x faster than normal chiller)				
	Digital Temperature Control with LCD Display				
	Temperature Range: +2 to +6 Celsius				
	Turbo Fan				
	Fan on Glass Door to prevent moisture				
	Heavy Duty Design / Commercial Quality				
	Drain Pan with Automatic Evaporation Design				
	Galvanized Inner Lining				
	4 Adjustable Heavy Duty Wires Shelves				
	LED Lights				
	Recessed Handle				
	Provision for Padlock				
	Clean Back				
	Adjustable Leveling Feet				
	240W Input Power				
	Rebidding (from VSU-GOODS-23-13)				
57	B207MP3 Active 150 Watt 6.5" PA/Monitor Speaker System with MP3 Player	unit	1	26,000.00	26,000.00
	Multi-purpose, 150-Watt, active speaker for vocal and keyboard monitoring, multi- media, press conferences and home recording studio, etc.				
	■High-performance MP3 player included to play audio files via USB stick				
	■Revolutionary Class-D amplifier technology: enormous power, incredible sonic performance and super-lightweight				
	■6.5? premium-quality, full-range driver for excellent sound performance				
	■ Ultra-low noise 4-channel mixer with 3-band EQ				



■3 "Invisible" Mic Preamps with phantom power for condenser microphones and 1 instrument-ready input (no DI required) Dedicated stereo input for keyboards, MP3, CD, etc. ■XLR "through" connector with mic/line switch for linking more B207MP3s Mic stand integration system for use with stand and boom ■Integrated limiter for ultimate system control and speaker protection ■Internal switch-mode power supply for noise-free audio, superior transient response and very low power consumption ■Super-tough, impact-resistant enclosure with integrated top carry handle ■Designed and engineered in Germany 58 **Exhaust Fan** 2 2,000.00 4,000.00 рс ■Exhaust Fan 12 inch power input: 50w ■12 inch plastic blade ■wall-mounted preversible motor for desired air flow (Exhaust/Blower) with pull cord switch • detachable plastic panel & front grill metal shutters **a**Air volume: 28.47/19.10 CMM **■**Unit dimension: 39cm x 17cmx39cm ■Mounting Dimension: 35cm x 35cm 59 71.00 **Heavy Duty Microphone Wire** meters 16 1,136.00 **■**stereo 3 wires ©coated silver wires **■**low noise reduction Rebidding (from VSU-GOODS-23-14) Refrigerator (32.9 cu.ft., Inverter Linear 60 unit 1 90,000.00 90,000.00 Compressor, Dual Door-in-Door ■Ref.32.9 cu.ft. **■**Inverter Linear Compressor **©**Dual Door-in-Door™ **©**Smart Diagnosis, Hygiene Fresh+™, ■10 Year Compressor Warranty **©**2 Year Parts and Service Warranty **■**Folding Shelf ■Tilting Veggie Basket **■**Sliding Drawer Type



61	Electrical Stove	unit	1	6,500.00	6,500.00
01	■Portable Electric Stove	- driit	1 '	0,000.00	0,000.00
	■ 1800W Infrared Double Burner Heat-up In Seconds,				
	■7 Inch Ceramic Glass Double Hot Plate Cooktop for Dorm Office Home Camp,				
	■Compatible w/All Cookware - Upgraded Version,Product Dimensions 20.8 x 3 x 8.9 inches (52.8 x 7.6 x 22.6 cm)				
	■Item Weight 7.13 pounds (3.21 kg),				
	■ASIN B07HFC741Q,				
	■Material Infrared Double Burner				
	■Color Double burner				
	■Item Dimensions LxWxH 20.8 x 3 x 8.9 inches (52.8 x 7.6 x 22.6 cm)				
	■Heating Elements 2				
	■Controls Type Knob				
62	Hot & Cold water dispenser	unit	2	14,500.00	29,000.00
	■Bottom load water dispenser				
	■3 Faucets: Hot, Cold and Normal water function				
	■3-Push Button dispensing control				
	■Anti-scald safety lock switch				
	■Child Lock Safety feature on Hot Water Faucet				
	■Floater indicator to avoid water overflow				
	■Capacity: Hot - 1.2 Liters, Cold - 3.5 liters, Power Rating: Hot - 420 watts, Cold - 100 watts, R134a				
				TOTAL:	1,601,936.00

DILBERTO O. FERRAREN

BAC Chairman