



BID BULLETIN 01

Date: 14 August 2023

Project Title: *Supply and Delivery of Hardware and Construction Supplies (GOODS-23-33)*

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

(1st Envelope) TECHNICAL COMPONENT ENVELOPE	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 25% of the ABC or Php 1,736,028.98 .)
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 1,736,028.98 and the largest of which should be at least PhP 868,014.49
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 6,944,115.90)
	Or
	Committed Line of Credit (at least Php 694,411.59)
(2nd Envelope) FINANCIAL COMPONENT ENVELOPE	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

1. In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

2. Bidders are advised to use the latest GPPB forms for the following documents:

- a) Omnibus Sworn Statement
- b) Performance Securing Declaration (if applicable)
- c) Price Schedule for Goods Offered
- d) Bid Form
- e) Bid Securing Declaration

These forms can be accessed from the GPPB website: <https://www.gppb.gov.ph/downloadables.php>. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

- 1. **Scan per document** into Portable Document Format (PDF) and should be printable.
- 2. Properly label all scanned documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
3. Statement of Bidder's Single Largest Completed Contract	SLCC
4. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
5. Bid Security	Bid Security
6. Technical Specifications	Technical Specifications
7. SCHEDULE of Requirements/ 8. Production and delivery schedule	Schedule of Requirements
9. Manpower Requirements	Manpower Requirements
10. After Sales service/parts	After Sales
11. Omnibus Sworn Statement	Omnibus Sworn Statement
12. Audited Financial Statements	Audited Financial Statements
13. Net Financial Contracting Capacity	NFCC
14. Committed Line of Credit	CLC
15. Bid Form	Bid Form
16. Price Schedule	Price Schedule



- 3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

Original	
<p>Section I. Invitation to Bid</p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>26 July – 22 August 2023 until 9:00 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p>	<p><i>(Amendment)</i></p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>26 July – 22 August 2023 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means:</p> <p>The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p> <p>The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details:</p> <p>Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u></p> <p>Then send the deposit slip to leopoldo.escala@vsu.edu.ph</p>



<p>12. For further information, please refer to:</p> <p>Ms. Jessamine C. Ecleo(BAC Secretariat) Office of the Head for Procurement, VSU-Main, Visca, Baybay City, Leyte Mobile: 053 565 0600 local 1093 or 0998 555 0106 Email: jessamine.ecleo@vsu.edu.ph</p>	<p>For further information, please refer to:</p> <p>Mr. Leopoldo S. Escala Jr. (BAC Secretariat) Office of the Head for Procurement, VSU-Main, Visca, Baybay City, Leyte Mobile: 053 565 0600 local 1093 or 09639629709 Email: leopoldo.escala@vsu.edu.ph</p>
<p>Section II. Instructions to Bidders</p> <p>15. Sealing and Marking of Bids</p>	<p>(Additional Instructions)</p> <p>Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.</p> <p>For filing purposes, the bidders are urged to use Light Blue envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>
<p>Section V. Special Conditions of Contract</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is:</p> <p>Mr. Jeric Lumanta or Mr. John Adaza III Bodega-Incharge, Supply and Property Office VSU-Main, Visca, Baybay City, Leyte Contact #: 053 565 0600 local 1082 Email: sppmo@vsu.edu.ph</p>	<p>(Additional Instructions)</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is:</p> <p>Ms. VIVIAN V. BALBARINO Head, Supply and Property Management Office VSU-Main, Visca, Baybay City, Leyte Contact #: 053 565 0600 local 1082/ 09175518871 Email: sppmo@vsu.edu.ph</p>

IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

Item No.	Description	Unit	Qty	ABC/Unit	Total ABC
1	1 Unit 25KVA Diesel Genset with Manual Transfer Switch, 150 amp	unit	1	450,000.00	450,000.00
	1 Unit 25KVA Diesel GenSet with Manual Transfer Switch, 150 amp				
	Standby Rating: 25KVA/25Kw				
	Voltage Output: 220Vac				
	Ampere Rating (Full Load): 113.0 amp				
	Phase/Frequency/Speed: Single Phase/60 Hz/1800 rpm				



	<i>DIESEL ENGINE, In-line, 4 stroke cycle, electronic actuated governor, water radiator cooling system, electric starting. Close coupled to a 240V brushless Alternator, self-exciting, self-regulating, insulation class H, single bearing and with built in automatic Voltage Regulator.</i>				
	<i>DIGITAL CONTROL PANEL with display of all parameters; Equipped with Automatic Shut-Off sensors for engine low-oil pressure, high coolant temperature, over-crank, over/under speed and over/under frequency. Also equipped with EMERGENCY Push Button Shut-Off Switch.</i>				
	<i>SOUND PROOF WEATHER PROTECTIVE CANOPY- mounted on a heavy-duty steel frame with vibration isolators, base fitted fuel tank with capacity capable for eight (8) hours continuous operations at full load.</i>				
2	3 Way Sink Faucet with Telephone Shower and rain shower head, Stainless, Good quality, Complete set	sets	14	7,000.00	98,000.00
3	Aluminum Angle Bar, 1/2" x 1/2" x 20'	pcs	60	200.00	12,000.00
4	Angle Bar, 1 1/2 x 1 1/2 x 3/16	pcs	8	700.00	5,600.00
5	Bidet spray toilet bidet rinse set, Heavy Duty, stainless	piece	75	2,000.00	150,000.00
6	Bulb Socket, PVC	pc	50	50.00	2,500.00
	☐Standard size,				
	☐round,				
	☐ISO Certified and Good Quality				
7	Bulb, LED, 9W	piece	48	150.00	7,200.00
8	Cast Iron Stove Heavy Duty Stove, 3 Way Burner, with Hose and Regulator	set	1	5,000.00	5,000.00
	<i>Manual Heavy Duty Cast Iron Gas Stove (3-Way) is a low/high-pressure gas stove for outdoor and commercial usage.</i>				
	<i>Material use is steel chrome-plated or coated for durability. I</i>				
	<i>t knob controls is convenient to operate for easy to adjustment of flames for your desired cooking method.</i>				
	<i>It also comes with plates for safety and proper placement.</i>				
	<i>Approx. 34cm Diameter Burner - Manual Ignition - Independent Flow</i>				



	Control (3-way)				
	Heavy Duty Commercial Use - Cast Iron Build - Product				
	Dimension 55 x 34 x 11 cm (LxWxH)				
9	Cement, (PVC) Solvent, 400cc/can	cans	20	315.00	6,300.00
	Premium Quality				
10	Cement, Portland	bag	150	330.00	49,500.00
	Type 1P, Premium Quality, ASTM C150				
11	Cement, Portland	bag	15	330.00	4,950.00
	☐Type 1P, Premium Quality				
	☐ASTM C150				
12	Circular Saw Blade, 30T for Wood	pcs	21	2,500.00	52,500.00
	☐Heavy Duty and Durable Carbide Steel				
	☐10" Diameter				
	☐1" Arbor Hole				
13	Clean out, (PVC), 3", S-1000	pcs	35	65.00	2,275.00
14	Clear Glass, 0.45m x (7/32" thickness) x 1.20m	pcs	173	850.00	147,050.00
15	Coco Lumber, 2" x 6" x 12'	pcs	72	480.00	34,560.00
16	CONCRETE DEMOLITION HAMMER	unit	1	135,000.00	135,000.00
	Specification				
	Professional Heavy Duty Breaker-Demolition Hammer (2,000W)				
	High impact performance due to 62 joules of impact energy and 1000 blows per minute				
	Low vibration (only 8.5 m/s ²)				
	high-quality components made of aluminum and steel				
	Rated input power - 2,000 W				
	Impact energy - 62 J				
	Impact rate at rated speed - 1000 (BPM)				
	Weight - 29.5 kg				
	Tool holder - 28 mm internal hexagon				
	Vibration emission value ah - 8.5 m/s ²				
	Uncertainty K - 1.5 m/s ²				
	1 BAGGER MIXER WITHOUT ENGINE				
	Specification				
	· A-Type frame				
	· Heavy Duty Pressed bowl				
17	Cut off Blade, 14" x 1/8" x 1", good quality	piece	9	360.00	3,240.00
18	Door Knob	piece	20	1,000.00	20,000.00
	☐Interior Type Cylindrical Door Knob Lockset				
	☐Good Quality				



19	Double Burner Gas Stove, with tank (loaded)	pc	3	6,000.00	18,000.00
	☐ For gas stove burner				
	◀ * Slim type LPG stove				
	◀ * Automatic ignition				
	◀ * Removable trivet with a drip pan				
	◀ * Stainless top and front				
	◀ * Double detachable top burner				
20	Electric Water Pump with Pressure Tank and Extra Storage Tank	sets	1	50,625.00	50,625.00
	Sets of Electric Water Pump with Pressure Tank and Extra Storage Tank				
	Includes the following:				
	A. One (1) set of Water Pump with Pressure Tank				
	Voltage: 220-240V~60Hz Input power: 750W(1HP)				
	Max.head: 45M Max.flow: 60L/min				
	Max.suction: 9M diameter: 1"x1"				
	Copper wire motor Brass impeller				
	Copper impeller 0.3m length cable				
	1pc 60L cylindrical tank				
	1pc pressure switch				
	1pc stainless steel hose				
	1pc pressure guage				
	1pc brass 3-way				
	B. One (1) set of Water Storage Tank - 1000 liter capacity				
	Horizontay type with complete accessories				
	1000 liter capacity				
	(1) Nylon Coupling 3/4" INLET				
	(1) S/S Coupling 3/4" OUTLET				
	(1) S/S Coupling 3/4" DRAIN				
	(1) Nylon Coupling 3/4" AIRVENT				
21	Electric water pump without pressure and storage tanks	unit	1	6,000.00	6,000.00
	Water pump, 1.3 HP				
22	Electrical, 2 gang convenience outlet, (surface type) universal	pcs	5	70.00	350.00
	☐ 2 Gang Convenience outlet surface type universal				
23	Epoxy, A & B (Liter/set)	set	42	750.00	31,500.00
	☐ All Purpose Structural Adhesive				
	☐ Premium Grade				
24	Faucet, Brass Plated	piece	13	300.00	3,900.00
	☐ Sturdy and Durable				
	☐ Heavy Duty Hose bib: 1/2" Hose end: 3/4"				



25	Fiber Reinforced Cement Board, Lightweight, 4' x 8'	sheet	250	600.00	150,000.00
	<i>Premium Quality</i>				
26	Fiber Reinforced Cement Board, Lightweight, 4' x 8'	sheet	150	600.00	90,000.00
	<i>Premium Quality</i>				
27	Fish Net	rolls	1	3,500.00	3,500.00
	<i>Fish Net, (1.5 in by 1.5 in hole, 4 m height by 100 m long per roll)</i>				
28	Float Valve for Water Tank Cistern	piece	1	150.00	150.00
	<i>Good Quality</i>				
29	Fluorescent Starter	piece	70	20.00	1,400.00
	<i>40 watts</i>				
30	FM12S KWH electric Meter 200A, 3 phase, 3 wire	unit	20	17,000.00	340,000.00
	<i>120V-480VAC with meter base NEMA 3R Enclosure</i>				
31	FM5S KWH Electric Meter, CT rated, 3 phase, 3 wire	unit	20	28,000.00	560,000.00
	<i>FM5S KWH electrical Meter, CT rated, 3 phase, 3 wire, 120V-480VAC with meter base NEMA 3R enclosure</i>				
32	G.I Pipe #4 S40	pcs	7	6,000.00	42,000.00
33	G.I. Tie Wire #16	kl	454	90.00	40,860.00
	<i>Good Quality</i>				
34	garden bolo/ guna	pcs	30	50.00	1,500.00
	<i>weeding knife with a very short and wide dull blade with a perpendicular blunt end. It is an agricultural tool used mainly for digging roots and weeding gardens, approximating the functions of a garden hoe. It is the smallest type of bolo.</i>				
35	Garden Hose, 1/2"Ø, at least 50 meters per roll	roll	1	2,050.00	2,050.00
36	GE I-210 KWH Meter Digital Single Phase 2W FM1S, KWH Meter, Sub Meter	pc	1	5,000.00	5,000.00
	<i>Electricmeter / Submeter :CL200 240V 2W :Quality standard :ERC certified :200Ampere Class 200 240V Single phase :FM1S : 4 jaws An electricity meter, electric meter, electrical meter, or energy meter is a device that measures the amount of electric energy consumed by a residence, a business, or an electrically powered device. Electric utilities use electric meters installed at customers' premises for billing and monitoring purposes. They are typically calibrated in billing units, the most common one being the kilowatt</i>				



	<i>hour (kWh). They are usually read once each billing period.</i>				
37	GI Pipe 1/2x6m sch 60	length	2	750.00	1,500.00
38	GI Pipe 3/4 x 6 m. sch 40	length	15	750.00	11,250.00
39	GI Pipe 3/4x6m sch 60	length	5	850.00	4,250.00
40	Good Lumber Wood 2x2x12 (s4s)	pcs	8	500.00	4,000.00
41	Good lumber, 2" x 3" x 10'	length	10	600.00	6,000.00
42	Good Lumber, 2" x 6" x 12'	pcs	115	1,500.00	172,500.00
43	Granite Slab (Black Galaxy)	pcs	5	15,000.00	75,000.00
44	GRASS CUTTER, 4 stroke	unit	4	25,000.00	100,000.00
45	Grass/Brush cutter (Four Stroke Engine)	unit	1	25,000.00	25,000.00
	☐Engine: 4 stroke engine				
	☐Handle type: both hands				
	☐Power transmission method: automatic centrifugal clutch, spiral gear				
	☐Displacement Volume (cc): 41.5				
	☐Carburetor: Float, piston valve				
	☐Starting Method: Recoil starter				
	☐Stopping Method: Sparking Circuit Primary Short				
	☐Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)				
	☐Lubricating Oil Used: 2-cycle engine oil				
	☐Fuel Tank Capacity (L): 1				
46	Gravel, 3/4" size	cu.m.	22	1,500.00	33,000.00
47	Grinding Stone 4"	pc	100	300.00	30,000.00
48	Hard Hat, White	pcs	14	500.00	7,000.00
	☐CE approved				
	☐ISO approved				
	☐PP Plastic Body				
	☐Buckle adjustment				
	☐Chin Strap included				
49	Headlight, Helmet-type	pc	10	550.00	5,500.00
	☐LED (light-emitting diode) bulb.				
	☐Rechargeable battery				
	☐Water resistant				
	☐With lighting modes				
	☐hands free, helmet type				
	☐can rotate 90 degrees				
50	Hinges, Loose Pin, 4"x4"	piece	26	250.00	6,500.00
	<i>Heavy Duty, Good Quality</i>				
51	Lacquer Thinner, Good Quality	gallons	10	1,000.00	10,000.00
52	Ladder, 2x7 steps, twin steps, heavy duty, aluminum	unit	1	3,500.00	3,500.00
	☐Heavy Duty				
	☐Aluminum				



	☑High Quality				
	☑Max Load Capacity: 200 kg				
	☑Height: 152 cm				
	☑When ladder is opened up: 47 x 98 x 152, cm				
	☑Unit Weight: 4 - 5 kg				
	☑Unit Dimensions: 47 x 19 x 152, cm				
53	Laser Distance Detector	unit	2	5,000.00	10,000.00
	<i>Laser Distance Detector - Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm, <1mW, Class 2 Operating temp:-10°C ~ +50°C Function:Distance,area,volume,height With power off function With 1pcs canvas bag Packed by color box</i>				
54	LED Bulb, 15 watts	pcs	50	300.00	15,000.00
55	LED Bulb, 9 watts	pcs	10	150.00	1,500.00
56	LED Tube (T8) with louver reflector (Double), 18 watts x 4ft, (Recessed type)	set	60	1,614.00	96,840.00
57	LED Headlamp Rechargeable Head Lamp Zoom Waterproof Headlight Flashlight USB Charging	unit	30	300.00	9,000.00
	<i>About LED Headlamp</i>				
	<i>Origin :</i>				
	<i>CN(Origin)</i>				
	<i>Certification : CCC</i>				
	<i>Certification : ROHS</i>				
	<i>Certification : ce</i>				
	<i>Light Source : LED</i>				
	<i>Switch Mode : Zoom In</i>				
	<i>Model Number : LED Headlight</i>				
	<i>Headlamp Model of LED Beads : Q5</i>				
	<i>Item Type :</i>				
	<i>Headlamps Wattage : =30w</i>				
	<i>Halogen lamps Beam Angle : 180°</i>				
	<i>Waterproof : Yes</i>				
	<i>Battery Type : LITHIUM ION</i>				
	<i>1. Lamp beads: T6 lamp beads, the maximum brightness 6000 lumens, life 100,000 hours;</i>				
	<i>2. Hawkeye lens: Hawkeye lens sheet, so that the light is more focused long-range attack aluminum head protection from wear lenses;</i>				
	<i>3.DC charging hole: the head charging hole, connect the power supply can only fast charging, longer</i>				



	battery life;				
	4. Quality headlights belt: Elastic lights with design, size adjustment appropriate size according to their head;				
	5. Telescopic Focus: telescopic focusing head design, free adjustment astigmatism - condensing conversion, easy to deal with a variety of environments;				
	6. Angle adjustment: head according to their own needs and adjust the angle up and down, simple, easy to use, easy to work lighting;				
	7. Waterproof switch: rubber non-slip waterproof switch, the material soft, comfortable feel, touch transform third gear: Strong - Weak - Strobe.				
	About 18650 Battery -2PCS BRC 18650 3.7V 5000mAh Rechargeable protected Li-ion Battery - Over temperature and over current protection - Short-circuit protection & Environment friendly				
58	LPG Tank, Approx. Weight 11kg, refill	tank	2	1,100.00	2,200.00
	PETRON GASUL				
59	Metering Current Transformer(ratio: 300/5A, rating 2)	unit	40	12,000.00	480,000.00
	Metering Current Transformer (ratio: 300/5A, rating: 2)				
	Split core doughnut type with enclosure				
60	Metal Screw, Furring (size 1") at least 1000 pcs. per box	boxes	60	800.00	48,000.00
61	Nails, Common Wire, 1"	kl	26	90.00	2,340.00
	Smooth Shank				
62	Nails, Common Wire, 2"	kl	7	90.00	630.00
	Smooth Shank				
63	Nails, Common Wire, 2-1/2"	kilos	20	90.00	1,800.00
64	Nails, Common Wire, 3"	kl	385	90.00	34,650.00
	Smooth Shank				
65	Nails, Common Wire, 4"	kl	205	90.00	18,450.00
	Smooth Shank				
66	Nails, Roofing (Umbrella), 2 1/2"	kl	12	130.00	1,560.00
	Twist Shank				
67	Nipple G.I. 1/2" x 1" dia.	pcs	30	100.00	3,000.00
68	Paint Brush, 2"	pcs	6	80.00	480.00
	■Durable bristles				
	■Heavy duty metal ferrules				
69	Paint Brush, 4"	pcs	12	100.00	1,200.00



70	Paint Brush, Roller with handle, 7" <i>Durable, Good Quality</i>	piece	3	200.00	600.00
71	Paint Flat Latex, Good Quality	gal	13	750.00	9,750.00
72	Paint Lacquer Type, Lacquer Flo	gallon	2	900.00	1,800.00
73	Paint Thinner <i>Premium Quality</i>	gallon	14	590.00	8,260.00
74	Paint Thinner <i>Premium Quality</i>	gallon	1	590.00	590.00
75	Paint Thinner, at least 35cc per bottle <i>Premium Quality</i>	btl	2	65.00	130.00
76	Paint, Acrylic Base Latex, White, flat <i>Premium Quality Paint</i>	gallon	4	800.00	3,200.00
77	Paint, Flat Wall Enamel, White <i>Premium Quality Paint</i>	gallon	18	820.00	14,760.00
78	Paint, Flat wall Enamel, White, at least 4 gallons per pail <i>Premium Quality Paint</i>	pail	13	3,500.00	45,500.00
79	Paint, Lacquer Sanding Sealer <i>Premium Quality</i>	gallon	5	890.00	4,450.00
80	Paint, Latex, Chocolate Brown <i>Premium Quality Paint</i>	gallon	4	950.00	3,800.00
81	Paint, Latex, Glossy White <i>Premium Quality Paint</i>	gallon	15	800.00	12,000.00
82	Paint, Latex, Semi-Gloss, White <i>Premium Quality Paint</i>	gallon	21	950.00	19,950.00
83	Paint, Quick Dry Enamel, White	gal	15	890.00	13,350.00
84	Paint, Red Oxide Primer	gallons	14	520.00	7,280.00
85	Paint, Roller Cotton, 4" <i>For repair of ceiling;</i>	pcs	5	80.00	400.00
86	Paint, Roof, Baguio Green <i>Premium Quality Paint</i>	gallon	15	800.00	12,000.00
87	Paint, Roof, White (Iaguna) <i>Premium Quality Paint</i>	gallon	2	800.00	1,600.00
88	Paint, Semi Gloss Latex, Good Quality	gal	10	800.00	8,000.00
89	Paint, Semi Gloss Latex, Good Quality	gal	130	800.00	104,000.00
90	Paint, TTC, Burnt Sienna, Latex <i>Premium Quality</i>	L	2	500.00	1,000.00
91	Paint, TTC, Hansha Yellow, Latex <i>Premium Quality</i>	L	2	500.00	1,000.00
92	Paint, TTC, Lamp Black, Latex <i>Premium Quality, 0.25L per can;</i>	can	5	120.00	600.00
93	Paint, TTC, Lamp Black, Oil-Based <i>Premium Quality</i>	L	2	500.00	1,000.00
94	Paint, TTC, Raw Sienna, Latex	cans	17	90.00	1,530.00
95	Paint, TTC, Raw Sienna, Latex	L	12	500.00	6,000.00



	<i>Premium Quality</i>				
96	Paint, TTC, Red Toloudine, Latex	L	2	500.00	1,000.00
	<i>Premium Quality</i>				
97	Paint, TTC, Thalo Blue, Latex	liter	5	500.00	2,500.00
	<i>Premium Quality</i>				
98	Paint, TTC, Thalo Green, Latex	L	2	500.00	1,000.00
	<i>Premium Quality</i>				
99	Paint, TTC, Toluidine Red, Latex, 1/4L	cans	10	90.00	900.00
100	Pipe Fittings (Brass) Ball valve, 3/4"Ø	pcs	2	450.00	900.00
101	Pipe Fittings (G.I.) Nipple, 3/4"Ø x 2", Sched 80	length	8	50.00	400.00
102	Pipe Fittings, (Brass) Ball valve, 1"	pc	2	800.00	1,600.00
103	Pipe Fittings, (G.I.) Coupling, 1/2"Ø	piece	30	40.00	1,200.00
	<i>Schedule 40, Good Quality</i>				
104	Pipe Fittings, (G.I.) Coupling, 3/4"Ø	piece	20	50.00	1,000.00
	<i>Schedule 40, Good Quality</i>				
105	Pipe Fittings, (G.I.) Elbow, 90 deg x 1/2"Ø	piece	210	40.00	8,400.00
	<i>Schedule 40, Good Quality</i>				
106	Pipe Fittings, (G.I.) Elbow, Straight, 90 deg x 1/2"Ø	piece	15	40.00	600.00
	<i>Schedule 40, Good Quality</i>				
107	Pipe Fittings, (G.I.) Nipple, 1"Ø x 2", Sched 80	pc	10	70.00	700.00
108	Pipe Fittings, (G.I.) Nipple, 1/2"Ø x 2" Length	pcs	30	40.00	1,200.00
	<i>Schedule 60, Good quality;</i>				
109	Pipe Fittings, (G.I.) Reducer Bushing 3/4"Ø x 1/2"Ø	pcs	20	70.00	1,400.00
	<i>Schedule 60, Good quality;</i>				
110	Pipe Fittings, (G.I.) Tee, 1/2"Ø x 1/2"Ø, Sched 80	pc	80	75.00	6,000.00
111	Pipe Fittings, (G.I.), Nipple, 3/4"Ø x 2" Length	pcs	15	50.00	750.00
	<i>Schedule 60, Good Quality;</i>				
112	Pipe Fittings, (G.I.), Elbow 90° x 3/4"Ø	pcs	15	60.00	900.00
	<i>Schedule 60, Good Quality;</i>				
113	Pipe Fittings, (G.I.), Tee, 3/4"Ø	piece	20	75.00	1,500.00
	<i>Schedule 40, Good Quality</i>				
114	Pipe Fittings, (G.I.), Union, 1"Ø	piece	7	175.00	1,225.00
	<i>Schedule 40, Good Quality</i>				
115	Pipe Fittings, (G.I.), Union, 1/2"Ø	piece	5	80.00	400.00
	<i>Schedule 40, Good Quality</i>				
116	Pipe Fittings, (G.I.), Union, 3/4"Ø	piece	5	100.00	500.00
	<i>Schedule 40, Good Quality</i>				
117	Pipe Fittings, (P.E.) Tee, 1"Ø x 1"Ø	pcs	4	280.00	1,120.00
118	Pipe Fittings, (PE) coupling 1" (black)	pc	5	150.00	750.00



	<i>HEAVY DUTY;</i>				
119	Pipe Fittings, (PVC) Elbow, 45 deg x 2"Ø	piece	100	70.00	7,000.00
	<i>Heavy Duty, Good Quality</i>				
120	Pipe Fittings, (PVC) Elbow, 90 deg x 2"Ø	piece	100	80.00	8,000.00
	<i>Heavy Duty, Good Quality</i>				
121	Pipe Fittings, (PVC), Elbow, 90 deg x 4"Ø	piece	40	150.00	6,000.00
	<i>Schedule 40, Good Quality</i>				
122	Pipe Fittings, Gate Valve(Great Volume), 3/4"Ø	piece	4	650.00	2,600.00
	<i>Gradual On/Off Valve with Brass Body and Gate, Wheel Handle and Nonrising Stem, Class 125, 3/4" NPT Female, Heavy Duty</i>				
123	Pipe, (G.I.), 1/2"Ø x 20'	length	25	600.00	15,000.00
	<i>Schedule 40Wall Thickness: 2.77mm</i>				
124	Pipe, (G.I.), 2"Ø x 20'	length	4	2,700.00	10,800.00
	■Schedule 40				
	■Wall thickness: 3.91mm;				
125	Pipe, (G.I.), 2-1/2"Ø x 20'	length	1	3,700.00	3,700.00
	<i>Schedule 40Wall Thickness: 5.16mm</i>				
126	Pipe, (G.I.), 3/4"Ø x 20'	length	20	1,000.00	20,000.00
	<i>Schedule 40, Good Quality</i>				
127	Piping Fittings, Angle Valve,1/2" x 1/2"	pc	24	400.00	9,600.00
	<i>1 pc Angle Valve 1/2x1/2 Shark;</i>				
128	Plywood, Marine, 1/2"(thickness) x 4' x 8'	piece	27	900.00	24,300.00
	<i>Standard, Good Quality</i>				
129	Plywood, Marine, 1/4"(thickness) x 4' x 8'	piece	80	580.00	46,400.00
	<i>Standard, Good Quality</i>				
130	Plywood, Marine, 1/4"(thickness) x 4' x 8'	piece	20	550.00	11,000.00
	<i>Standard, Good Quality</i>				
131	Plywood, Marine, 3/4"(thickness) x 4' x 8'	piece	40	1,550.00	62,000.00
	<i>Standard, Good Quality</i>				
132	Plywood, Marine, 3/4"(thickness) x 4' x 8'	piece	85	1,650.00	140,250.00
	<i>Standard, Good Quality</i>				
133	Portable Pressure Washer Power Sprayer	unit	5	7,000.00	35,000.00
	<i>Voltage: 220-240 V</i>				
	<i>Frequency: 50/60 Hz</i>				
	<i>Rated Power: 1,200 W</i>				
	<i>Rated Pressure: 70 bar</i>				
	<i>Maximum Pressure: 100 bar</i>				
	<i>Rated Flow: 5.5 L/min</i>				



	Maximum Pressure Water Supply: 1.2 MPa				
	Maximum Water Temperature: 50 C				
	Sound Pressure Level: 81 dB				
	Sound Power Level: 92 dB				
134	PVC Solvent, 400 cc	pcs	20	250.00	6,000.00
135	Rebar Scanner (Wall/Floor Scanner)	unit	2	40,000.00	80,000.00
	Radar Technology: yes				
	Detectable objects: magnetic metals (e.g. iron), non-magnetic metals (e.g. copper), live cables, non-live cables, Empty plastic pipes, water-filled plastic pipes, wooden substructures				
	Max. detection depth: 200 mm				
	Detection depth, dry concrete, max.: 200 mm				
	Detection depth, early age concrete, max.: 60 mm				
	Detection depth, other wall types, max.: 80 mm				
	Detection depth, wooden substructures, max.: 38 mm				
	Accuracy: ± 5 mm* (*plus use-dependent deviation)				
	Views: Object view, Spot view, Signal View 2D, Signal View				
	Wall types: Brick/Universal, Concrete, Drywall, Panel Heating, Early age concrete, Horizontal coring brick, Vertical coring brick				
	Dust and splash protection: IP 5X				
	Documentation via: USB-C, SD-Card				
	Updatable: yes				
	Material identification: Live cable, Magnetic metal, Non-magnetic metal, Non-metal material				
	Power supply: 12 V Li-Ion battery, 4 x 1.5 V LR6 (AA), 4 x 1.2 V HR06 (AA)				
	Additional function: Leakage detection, distance measurement				
136	Rubber Socket	pcs	15	45.00	675.00
137	Safety Shoes, (US Size: 10.5)	pair	2	3,000.00	6,000.00
	Low Cut Heavy Duty Safety Shoes Anti-Slipping Sole, Anti-Perforation Steel Oil Resistant Breathable Upper Leathers, Water Resistant Uppers Anti-Static Shoe				
138	Safety Shoes, (US Size: 7)	pair	4	3,000.00	12,000.00
	Low Cut Heavy Duty Safety Shoes Anti-Slipping Sole, Anti-Perforation Steel Oil				



	<i>ResistantBreathable Upper Leathers, Water Resistant UppersAnti-Static Shoe</i>				
139	Safety Shoes, (US Size: 8)	pair	2	3,000.00	6,000.00
	<i>Low Cut Heavy Duty Safety ShoesAnti-Slipping Sole, Anti-Perforation SteelOil ResistantBreathable Upper Leathers, Water Resistant UppersAnti-Static Shoe</i>				
140	Safety Shoes, (US Size: 8.5)	pair	2	3,000.00	6,000.00
	<i>Low Cut Heavy Duty Safety ShoesAnti-Slipping Sole, Anti-Perforation SteelOil ResistantBreathable Upper Leathers, Water Resistant UppersAnti-Static Shoe</i>				
141	Safety Shoes, (US Size: 9)	pair	4	3,000.00	12,000.00
	<i>Low Cut Heavy Duty Safety ShoesAnti-Slipping Sole, Anti-Perforation SteelOil ResistantBreathable Upper Leathers, Water Resistant UppersAnti-Static Shoe</i>				
142	Sand, Fine	cu.m.	10	1,600.00	16,000.00
143	Sand, Washed	cu.m.	50	1,500.00	75,000.00
144	Sanitary Fittings, (PVC) Clean Out, 4" x 45deg, S1000	pcs	8	120.00	960.00
145	Sanitary Fittings, (PVC) Elbow, 4" x 45 deg, S-1000	pcs	40	160.00	6,400.00
146	Sanitary Fittings, (PVC) P-Trap, 2"Ø x 2"Ø, S-1000	piece	65	150.00	9,750.00
147	Sanitary Fittings, (PVC) Tee Reducer, 4" x 2", S-1000	pc	85	160.00	13,600.00
148	Sanitary Fittings, (PVC) Tee, 2" x 2", S-1000	pc	20	85.00	1,700.00
149	Sanitary Fittings, (PVC) Wye, 2" x 2", S-1000	pcs	30	85.00	2,550.00
150	Sanitary Fittings, (PVC) Wye, 4"Ø x 4"Ø, S-1000	pcs	50	180.00	9,000.00
151	Sanitary Pipe, (PVC) 4" Ø x 10', S-1000	pcs	85	900.00	76,500.00
152	Sanitary Pipe, (PVC), 2"Ø x 10', S-1000	length	35	400.00	14,000.00
153	Sanitary Pipe, (PVC), 4" x 10', S-1000	pcs	50	900.00	45,000.00
154	Screened Sand	cu.m.	11	1,500.00	16,500.00
155	SDR 11, Black HDPE Pipe 25.4mm (1" Ø) x 100 meters	rolls	2	6,500.00	13,000.00
156	Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm), 8'	piece	50	550.00	27,500.00
	<i>Standard width;</i>				
157	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'	sheet	340	990.00	336,600.00



	<i>Standard width, Good Quality;</i>				
158	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 8'	sheet	30	800.00	24,000.00
	<i>Standard good quality;</i>				
159	Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 10'	pc	20	700.00	14,000.00
160	Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 12'	sheets	60	750.00	45,000.00
161	Shovel, Square Point	pc	10	1,000.00	10,000.00
	<i>27" SQUARE POINT SHOVEL</i>				
	<i>Blade: Black steel.</i>				
	<i>9-1/2" W x 11-1/2" L. #2 square point hollow back with a rolled step.</i>				
	<i>Heat-treated and tempered to resist wear and breakage.</i>				
	<i>Handle: Heavy-duty fiberglass for safety and durability. Bright yellow.</i>				
	<i>Plastic "D" grip handle for comfort.</i>				
162	Shovel, Tempered steel spade	piece	10	400.00	4,000.00
	<i>Heavy duty wooden handle, Good quality</i>				
163	Silicon Sealant	tubes	100	200.00	20,000.00
164	Single Groove Pulley, 2"	unit	5	1,000.00	5,000.00
	■ <i>Durable stainless steel</i>				
	■ <i>Single swivel pulley</i>				
	■ <i>Wheel Diameter: 50mm</i>				
	■ <i>Wheel width: 13.5mm</i>				
	■ <i>Total Height: 127mm</i>				
	■ <i>Eye Diameter: 20mm</i>				
165	SS Floor Drain Strainer, 6" x 6"	pcs	60	450.00	27,000.00
166	Stair nosing (Brass), 1 1/2" x 20'(6m)	pcs	15	4,000.00	60,000.00
	<i>Good quality Copper Alloy Materials</i>				
	<i>Anti-Slip</i>				
	<i>Hard Wearing</i>				
	<i>Extruding Stair Edge Protection</i>				
167	Steel Bar, Deformed(Corrugated),12mm x 6m	length	10	330.00	3,300.00
	<i>ASTM / Grade 33 Structural;</i>				
168	Steel Bar, Round (plain), 10mm x 6m	length	20	295.00	5,900.00
	<i>Standard Grade</i>				
169	Steel Bar, Square, 12mm x 6m	length	300	350.00	105,000.00
	<i>Standard Grade</i>				
170	Steel Casement Hinges, Good Quality	pcs	600	70.00	42,000.00
	■ <i>Left - 300pcs</i>				
	■ <i>Right - 300pcs</i>				
171	Steel Casement Window Handles	pcs	230	40.00	9,200.00
172	Long Sweep elbow G.I. 3/4"	pc	10	90.00	900.00



173	Teflon Tape, 1/2"Ø x 10m <i>Good for sealing on pipe thread</i>	roll	113	50.00	5,650.00
174	Tex Screw, Metal, 2"	pcs	2500	5.00	12,500.00
175	Tile Adhesive, 25kg/bag	bags	110	400.00	44,000.00
176	Tile Grout, White, 2kls/bag <i>Premium Quality</i>	bag	25	150.00	3,750.00
177	UV plastic, (Greenhouse anti UV treated polyethylene) <i>Thickness: 150 microns - 6 mil; Size: 4m x 12m;</i>	roll	6	4,500.00	27,000.00
178	Water closet and lavatory sets, (hang type) with complete accessories	sets	14	10,000.00	140,000.00
179	Water hose/pipe, at least 25 meters per roll <i>8mm diameter; white/transparent;</i>	rolls	3	600.00	1,800.00
180	Welding Rod, E-6010, 1/8" <i>Premium Quality</i>	kl	10	200.00	2,000.00
181	Welding Rod, E-6013, 1/8" <i>Premium Quality</i>	kl	25	150.00	3,750.00
182	Acrytex Cast	gal	9	750.00	6,750.00
183	Cabinet Hinges, 1" x 2"	pairs	40	100.00	4,000.00
184	Nails, Finishing 1-1/2"	kilos	5	90.00	450.00
185	Nails, Finishing 2-1/2"	kilos	5	100.00	500.00
186	Abrasive Paper, Sand Paper Grit #120, 9" x 11" <i>Fine Sanding, Waterproof, Good Quality</i>	sheets	70	30.00	2,100.00
187	Cabinet Handle, 3" (Plastic) <i>Pull in type, good quality</i>	pcs	52	30.00	1,560.00
188	Nails, Finishing, 2" Smooth Shank	kgs	15	80.00	1,200.00
189	Paint, Latex, Burnt Umber, TTC 1/4 liter per can	cans	4	80.00	320.00
190	Paint, Toluidine Red, TTC, Latex	liter	1	260.00	260.00
191	Polyurethane Top Coat	gallons	3	1,900.00	5,700.00
192	Wood Glue	L	19	307.89	5,850.00
193	Chain, for Chainsaw 36" <i>Chain, (oregon) replacement</i>	pcs	8	1,625.00	13,000.00
194	Gravel G-2 at least 3 cu.m per truck load	cu.m.	3	1,500.00	4,500.00
195	Sheets, (GI), Longspan Roofing x 10m, Gauge 26(0.40mm), Prepainted	sheets	6	4,000.00	24,000.00
196	Welding Rod, E-6012, 3/32" <i>Premium Quality</i>	kl	1	200.00	200.00
197	Welding Rod, E-6012, 1/8" <i>Premium Quality</i>	kl	61	200.00	12,200.00
198	Wire, Alum screen (30m/roll x 4'W)	rolls	3	960.00	2,880.00
199	Wire, Nylon screen, .5cm, 3ft.	rolls	2	120.00	240.00



	(17m/roll)				
200	1 Set Cistern Fittings Water Tank Fittings for Toilet Flush Repair Kit Flush Set For Toilet	sets	10	250.00	2,500.00
201	Digital Clamp meter with test probe and carrying case	pc	1	12,000.00	12,000.00
	☐Measuring Capacitance Range: At least 60mF				
	☐Dimensions: Approx. (220mm x 75mm x 40mm)				
	☐Measuring Voltage Range: At most 750V				
	☐Operating Temperature: 0-40°C				
	☐Measuring Resistance Range: 60MΩ				
	☐Measuring Inductance Range:10Hz~1MHz				
	☐Measuring Current Range: at most 600A				
	☐Digital Display				
	☐Jaw opening: At least 30mm				
	☐Temperature:-40°C~1000°C				
202	Pliers, 8", Long nose	pc	7	300.00	2,100.00
	Heavy Duty, Durable, Good Quality				
203	Screwdriver, Flat Head (Slotted), 8"	pc	1	200.00	200.00
	Heavy Duty, Cushion Grip, Durable, Good Quality				
204	Screwdriver, Philips(Cross Head), 6" Magnetic	pc	2	200.00	400.00
	Heavy Duty, Cushion Grip, Durable, Good Quality				
205	Adjustable Wrench 12"	pc	1	4,600.00	4,600.00
	Specification:				
	Wide- capacity jaw (12")				
	Quality- Chrome Vanadium steel,				
	Dependable-Fully supported anti-slip jaw for greater wear resistance and safety for end-users				
	Universal-Laser etched jaw scale in SAE and metric scales				
206	Cordless Hammer Drill Kit 18V	set	1	14,000.00	14,000.00
	Compact and lightweight design				
	All metal gear construction				
	Capacity: Steel: at least 13 mm (1/2") /Wood: at least 36 mm (1-7/16") /Masonry: at least 13 mm (1/2")				
	Impacts per minute (IPM):High: 0-19,500 / Low: 0-6,000				
	No Load Speed (RPM):High: 0-1,300 / Low: 0-400				
	Max Fastening Torque:Hard / Soft:				



	42 / 27 N·m				
	Max lock torque:38 N·m (340 in.lbs.)				
	Net weight:1.7-2.0kg				
	complete with necessary accessories				
207	Electrical Outlet, Convenience 3 Gang, Flush type	set	10	190.00	1,900.00
208	Extension wire with 4 gang Universal Convenience Outlet, at least 20 meters long	pcs	1	750.00	750.00
209	Pressure Washer Set, Heavy Duty (Belt Driven)	unit	1	15,000.00	15,000.00
	80 Bars = 1200 psi				
	Contents:				
	Electronic Motor 1.5 Hp				
	Piston Pump				
	50m discharge hose				
	2m suction hose				
	2 m return hose				
	Sprayer Straight				
	Base				
	Power cord and plug included				
210	Pliers, 6", Long nose	pc	1	270.80	270.80
	Heavy Duty, Durable, Good Quality				
211	Screwdriver, Philips(Cross Head), 4" Magnetic	pc	1	200.00	200.00
	Heavy Duty, Durable, Good Quality				
212	LED bulb ,11 watts, At least 1050 Lumens, Warm white	pcs	15	350.00	5,250.00
213	LED Bulb, 11 watts (Daylight)	pcs	15	300.00	4,500.00
214	Mini claw hammer	pc	11	400.00	4,400.00
	handle: 12 cm				
	Head/claw: 8 oz				
	Material: Stainless head/claw, handle with rubber				
215	C-Purlins, (2.0 mm thickness) x 2" x 4" x 20'	length	50	1,400.00	70,000.00
216	Fiber Cement (FiCem), Screw, #7(3.5mm) x 1"	pcs	10000	1.00	10,000.00
217	Nails, Common Wire, 6"	kgs	40	85.00	3,400.00
218	Paint, Flat Latex, Chocolate Brown	gallons	20	750.00	15,000.00
219	Paint, QDE, Maple	gals	50	950.00	47,500.00
220	Cabinet Door Catches	pcs	100	50.00	5,000.00
	Magnetic push to open catches, Good quality				
221	Hacksaw Blade, 24 TPI x 12"	pcs	254	65.00	16,510.00
	Bi-metal, High-Speed, Durable, Premium Quality				
222	Nails, Common Wire, 5"	kl	40	90.00	3,600.00
	Smooth Shank				
223	Paint, Latex Flat, White	gallons	50	800.00	40,000.00



	Premium Quality Paint				
224	Paint, QDE, Chocolate Brown	gallons	10	780.00	7,800.00
	Premium Quality Paint				
225	Shovel, Tempered steel round pointed end	pcs	21	370.00	7,770.00
226	High Density Polystyrene Board (Styrofoam) - 1/2" x 2' x 4' sheet	sheets	20	60.00	1,200.00
227	#14 AWG THHN Conductor	rolls	1	3,500.00	3,500.00
228	12" Steel Ruler	pcs	10	120.00	1,200.00
229	24" Steel Ruler	pcs	2	300.00	600.00
230	3" Wood Screw - 100 pcs/bag	bags	5	180.00	900.00
231	30 degree Cutter blade (9 mm) (NT Cutter or equivalent) (5 pcs/pack)	packs	10	120.00	1,200.00
232	5 mm Thick Glass - 4' x 8', 5mm Thick Glass, 4' x 1' - 2 items -5mm Thick Glass 8' x 1' - 2 items	lot	1	10,000.00	10,000.00
233	A4 Size PVC Transparent Book Cover	reams	1	350.00	350.00
234	Air Brush (for Artist) with compressor	lot	1	7,500.00	7,500.00
235	Artist's Brush Set	sets	4	600.00	2,400.00
236	Bristol Board/Fold Coat (6 Ply)	sheets	50	55.00	2,750.00
237	Dried Moss	bags	50	120.00	6,000.00
238	Enamel Paint (Black)	cans	5	700.00	3,500.00
239	Good lumber, 2" x 4" x 8'	length	10	640.00	6,400.00
240	Latex Paint (Black), 1 liter can	cans	4	450.00	1,800.00
241	Latex Paint (White) - 1 liter can	cans	10	450.00	4,500.00
242	Latex Primer (White) - 1 liter can	cans	3	450.00	1,350.00
243	Nails, Common Wire, 1-1/2"	kgs	1	90.00	90.00
244	Styrofoam Cutter (Hot Blade) - 4" and 6" blade/rod	lot	1	5,000.00	5,000.00
245	Styrofoam Cutter (Hot wire assembly) - 6 inch max thickness cut	lot	1	7,500.00	7,500.00
246	Cement, Rubber, Contact adhesive	btls	10	95.00	950.00
	Premium Quality, at least 300ml per bottle				-
247	Plyboard 3/4 x 4 x 8	pcs	3	1,000.00	3,000.00
248	Plywood, Marine, 1/2"(thickness) x 4' x 8'	pcs	13	1,100.00	14,300.00
	Standard, Good Quality				
249	Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard	length	5	1,000.00	5,000.00
	Premium Grade				
250	Angle Bar, 1/4"(thickness) x 1" x 1" x 20', standard	pcs	10	700.00	7,000.00
	Premium Grade				
251	Flow Acrylic (Canvass Painting)	btls	3	25.00	75.00
	Good Quality				
252	Hacksaw Blade, 18 TPI x 12"	pcs	10	100.00	1,000.00
	Bi-metal, High-Speed, Durable,				



	Premium Quality				
253	Hacksaw Holder	pcs	5	475.00	2,375.00
	Adjusting Screw, Wing nut adjuster and stud, Premium Quality				
254	Nails, Finishing, 1"	kgs	10	80.00	800.00
	Smooth Shank				
255	Nails, Finishing, 3"	kgs	10	80.00	800.00
	Smooth Shank				
256	Paint, Metal Primer, Red Oxide	gallons	5	900.00	4,500.00
	Premium, Quality Paint				
257	Pliers, 7", Cutter	pcs	5	835.00	4,175.00
	Heavy Duty, Durable, Good Quality				
258	Retractable Steel Tape, 10m	pcs	5	450.00	2,250.00
	Good Quality, Rugged Rubber	pcs	5	450.00	2,250.00
259	Safety Gloves, Cotton knitted with Latex Orange Coated Palm	pairs	20	40.00	800.00
	☐Five fingers freedom, can satisfy various movements and comfortable and flexible.				
	☐Anti-skid				
	☐Wear-resistant				
	☐Oil resistant				
	☐Corrosion resistant				
260	Screwdriver, Philips(Cross Head), 8"	pcs	5	200.00	1,000.00
261	Sheet, Acrylic, 1/8"(thickness) x 4' x 8', Clear	sheet	1	2,000.00	2,000.00
	Good Quality				
262	Steel Bar, Square, 10mm x 6m	length	10	450.00	4,500.00
	Standard Grade				
263	Welding Rod, E-308-16 (Stainless Steel), 3/32", 5kg/box	box	2	4,500.00	9,000.00
264	Welding Rod, E-6013, 3/32"	kgs	20	240.00	4,800.00
265	29 pieces High Speed Steel Titanium drill sets	sets	1	2,000.00	2,000.00
	Material: Steel				
	Finish Type: Titanium				
	Shank Type: Straight				
	Cutting Angle String: 118 degrees				
	Titanium Nitride drill bits run cooler, drill smoother and last longer than standard bits				
	High speed steel - 118 deg. point				
	29 Piece Set - Size range: 1/16 in. to 1/2 in. by 64ths				
	Titanium Nitride Coated (TiN or TiNi)				
	Sizes: 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 11/64 in., 3/16 in., 13/64 in., 7/32 in., 15/64 in., 1/4 in., 17/64 in., 9/32 in., 19/64 in., 5/16 in., 21/64 in., 11/32 in.,				



	23/64 in., 3/8 in., 25/64 in., 13/32 in., 27/64 in., 7/16 in., 29/64 in., 15/32 in., 31/64 in., 1/2 in.				
266	Auto Darkening welding helmet	pcs	2	4,000.00	8,000.00
	Viewing Field 92 x 41 mm ① Shade Control Light States: DIN 4 Dark States: DIN 9-13 Outside Adjustment ① Switching Time Light-Dark: 0.3 ms ① Delay Time Dark-Light: 0.1-0.8 sec ① Sensitivity & Delay Time Internal Adjustment ① UV/IR Protection Up to Shade DIN16 ① Operating Temperature -5°C to +55°C ① Power Supply Solar Cells Assist, Inside Lithium Batteries ① Lens Control Auto-On, Auto-Off 15 Minutes (When Not on Welding) ① Helmet Material PP ① Total Weight 435g				
267	Blade, Circular saw	pcs	1	3,000.00	3,000.00
	12" x 300mm holes x 36T				
268	Cutting Disc, 4" (Super Thin)	pcs	25	70.00	1,750.00
269	Flap Disc for Angle Grinder, 4"	pcs	20	85.00	1,700.00
270	Good Lumber, 2"x 6" x 12'	length	5	1,400.00	7,000.00
271	Grinding Disc, 4"	pcs	20	80.00	1,600.00
272	Heavy Duty Electric Hand Drill	pc	1	2,500.00	2,500.00
	Rated power input 320 W				
	No-load speed 0 - 4 / 200 rpm				
	Weight without cable 1 kg				
	Chuck capacity 6,5 mm				
	Length 204 mm				
	Width 58 mm				
	Height 174 mm				
273	Lacquer Thinner, 4L	gallons	4	630.00	2,520.00
274	Magnetic Contactor 3-Phase 40A (100 amp)	pcs	1	2,500.00	2,500.00
275	Round file, 3/16" x 7-7/8" for Chainsaw	pcs	3	300.00	900.00
276	Safety Goggles Eye Protection	pcs	5	260.00	1,300.00
	Comfort Features: Adjustable Temples, Brow and nose bridge, Integrated sideshields, Polycarbonate lens				
	Eyewear Range: Economy				
	Frame Material: Plastic				
	Frame Style/Type: Frameless				
	Lens Coating: Anti-Fog				
	Lens Color: Clear				
	Product Series: Plus				
	Product Type: Safety Glasses				
277	Solar charge controller 100amps	unit	1	1,500.00	1,500.00



	☑Solar charge controller				
	☑Charge current: 100amps				
	☑Battery voltage: 12v/24v auto adapt				
278	Solar Power Inverter, 12v to 220v (5kw)	unit	1	2,500.00	2,500.00
	Input voltage : 12v/24v				
	Peak power : 5000watts				
	Output Voltage: 110v/220v				
279	Steel Brush	pcs	10	70.00	700.00
280	Welding Apron with Sleeves & Bib, (Leather)	sets	5	1,000.00	5,000.00
	☑Heavy Duty and Good quality leather				
	☑Flame/Heat/Abrasion Resistant Welding Protection				
281	Welding Gloves	pairs	5	500.00	2,500.00
	☑ISO and CE certified				
	☑EN12477 Type-A protection for welding and thermal jobs				
	☑Suitable for stick and MIG welding, as well as torch cutting and grinding				
	☑Premium split cowhide leather and welted seams				
	☑Cotton lining provides thermal insulation				
	☑Long cuff extends protection over the forearm.				
282	Welding Rod, E-308-16 (Stainless Steel), 1/16", 1kg	kgs	5	600.00	3,000.00
	Size: 1.6mm or 1/16"				
	Quantity: 1 kilo				
	Electrode Length: 275mm				
	Current Amperes: Flat: 20 to 50. Vertical & Overhead: 15 to 45				
	AWS Specification: AWS A5.4 E308-16. Other Specification: DIN ETI 19926				
	For shield metal arc welding of all types of stainless steel applications.				
	NSS-308 is a lime-titania type electrode that shows 18% Cr - 8% Ni austenitic weld metal, virtually free from spatter				
	Superb usability and corrosion resistant				
	Excellent slag detachability				
	Widely used for various chemical and food processing industry and buildings in austenitic stainless steel job				
	Peeling-off of the slag is very good				
	Ideal for welding of 18/8 grade of				



	stainless steels including 301, 302, 303, 304, 304L, 304LN (nitrogen bearing), and titanium stabilized 321. Also used for chemical and food processing industries, such as breweries, pharmaceutical equipment, and nuclear engineering				
	Manufactured in the Philippines				
283	Acrylic Paint, White	gallons	2		3,400.00
284	Bench Grinder, 5"Ø	units	2	3,000.00	6,000.00
	Heavy Duty				
	Durable				
	Rated Power: at least 180 Watts or 1/4Hp				
	Speed: at least 2950 rpm				
	Frequency: 60hz				
	Rated Voltage: 220v				
	Grinder Wheel Dimension: at least 125mm x 16mm x 12.7mm				
	5" Inches				
	Rebidding (from VSU-GOODS-23-25)				
285	Chain for chainsaw Stihl MS 170	piece	10	350.00	3,500.00
	(Replacement Parts)				
	Material: Metal				
	Color: Silver				
	Length: 12inch				
	Type: 3/8 "LP				
	Driver Link :44				
	Part Number :3610 003 0044				
286	Heat Detector Alarm System	unit	30	2,150.00	64,500.00
	Two wires conventional 24V DC				
	Operating Voltage: 9V to 35V DC				
	Alarm Current: 40 -50mA				
	Alarm Indication: Red LED ON				
	Temperature Range: -10C to +50C				
	Standby Current: 50uA				
	Humidity range: <95% Relative Humidity				
	Detecting Range: 50 sq. m @ 6-12 m installation height				
	Standard/Certification: EN54-5, UL521, GB4716-2005				
	Dimension: 100mm diameter x 46mm height				
287	LED Ceiling lights rectangular atmosphere chandelier 3 colors	set	10	900.00	9,000.00
288	LED Flood Light Bulb	piece	2	3,700.00	7,400.00
	LED Flood Light Bulb, (250 Watts, Waterproof Outdoor Street Light)				



289	Machine Bolt, 5/8" x 15", (Galvanized) full thread with locknut & washer	pieces	20	400.00	8,000.00
290	Machine Bolt 1/2 x 10" with Locknut & washer	set	50	210.00	10,500.00
291	Machine Bolt 5/8 x 12" with Lock nut & washer	set	50	260.00	13,000.00
292	Panel Board Dead Front Single phase Copper Busbar 60 Amperes	unit	1	25,000.00	25,000.00
293	Pin Light, 9 watts round type day light with housing	set	40	600.00	24,000.00
294	Solar Panel Mono 120 Watt 12 Volt Pv Solar Module Solar Cell Panel	pc	1	4,400.00	4,400.00
	☐Maximum Power/Pmax(W) : 120				
	☐Maximum Power Tolerance : ±3%				
	☐Open-Circuit Voltage/Voc(V) : 22.32				
	☐Short-Circuit Current/Lsc(A) : 7.13				
	☐Max Power Voltage/Vmp(V) : 18 Max				
	☐Power Current/Lmp(A) : 6.67				
	☐Power Specifications at				
	STC : 1000W/m ² , AM1.5, CELL 25°C				
	☐Weight(kg) : 7.6				
	Dimension(mm) : 1126*666*35				
	☐Max system Voltage(V) : 600				
	☐Max Over Current Protecting Rating(A) : 15 Cell Technology : MONO-si Module				
	Application Class : A				
295	Spool Insulator secondary Clevis with insulator for steel pole	pcs	40	250.00	10,000.00
296	Steel Brace (Flat), 28" span with locknut & washer	pieces	20	2,000.00	40,000.00
297	Stihl chain saw round file 7/32 for .404 chain (replacement part)	piece	20	390.00	7,800.00
	Authentic Stihl Chain Saw Round File				
	Size in mm: 200 x 5.5mm				
	Size in inches: 7/32"				
	Chain Pitch: Used for 0.404" chains				
	Keeps chains sharp for fast cutting with minimum effort				
	Lasts longer and removes debris faster than				
	some other files on the market				
	Specially designed tools to keep saw chains in				
	exceptional condition				
298	Swimming Pool Cleaning Equipment, Full set	unit	1	15,000.00	15,000.00
	Type: Cyclone type				
	Filtration: Dust bag Filter				



	Accessories: Vacuum Cleaner, Triangle Vacuum Head, 10" steel wire wall brush				
299	2 in 1 Car Wash Machine Multi Coin Slot	set	8	7,000.00	56,000.00
	2 in 1 Car Wash Machine Multi Coin Slot Metal Dual, 5 Digit Timer & Coin Box with Special Key (P5.00, P10.00, P20.00) Old & new Coin				
	Adjustable Timer				
300	Magnetic Contactor Single Phase 30 amperes 220 volts	sets	8	4,500.00	36,000.00
	with thermal overload relay				
301	Metal Halide light 1000 watts	units	10	8,000.00	80,000.00
302	Ratchet Cable Cutter for 300 mm Wire	unit	1	28,500.00	28,500.00
	Ratchet cable cutter for 300mm Wire				
	Pump action, heavy duty cable cutter with a				
	powerful double pawl ratchet jaw closure				
	Relatively small physical size allows for easy				
	access & handling compared with longer lever types with a similar cutting capacity				
	Polyethylene handle grips				
	Not suitable for steel wire armour cable				
303	NEMA, Customized surface-mounted panel, metal enclosure, GI Sheet # 16, powder coated	unit	1	30,000.00	30,000.00
304	Flow Acrylic (Canvass Painting)	btls	10	25.00	250.00
	good quality				
305	Acrylic Paint Brushes Set with Flat and Round Painted Tips Nylon Hair 10pcs or 12 pcs per set	set	1	300.00	300.00
	10 pcs or 12 pcs per set with flat and round nylon hair				
306	Tiles (For Newsroom)	pcs	50	200.00	10,000.00
	60cm x 60cm ceramic tiles				
	Andorra Grey				
	Glossy				
307	Sanitary Fittings, (PVC) P-Trap, 1"Ø x 1"Ø, S1000	piece	5	25.00	125.00
				TOTAL:	6,944,115.90

DILBERTO O. FERRAREN
BAC Chairman