



**BID BULLETIN 01**

**Date:** 4 September 2023  
**Project Title:** Supply and Delivery of Office Equipment (VSU-GOODS-23-35)  
**Location:** VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

**I. LIST OF REQUIREMENTS**

<b>(1st Envelope) TECHNICAL COMPONENT ENVELOPE</b>	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php <b>1,607,222.00</b> )
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 1,607,222.00 and the largest of which should be at least PhP <b>803,611.00</b> .
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php <b>3,214,444.00</b> )
	Or
	Committed Line of Credit (at least Php <b>321,444.40</b> )
<b>(2<sup>nd</sup> Envelope) FINANCIAL COMPONENT ENVELOPE</b>	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



**Please take note:**

1. In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

2. Bidders are advised to use the latest GPPB forms for the following documents:

- a) Omnibus Sworn Statement
- b) Performance Securing Declaration (if applicable)
- c) Price Schedule for Goods Offered
- d) Bid Form
- e) Bid Securing Declaration

These forms can be accessed from the GPPB website: <https://www.gppb.gov.ph/downloadables.php>. Documents that are not in its updated/latest format shall be a ground for disqualification of the bidder.

**II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)**

- 1. **Scan per document** into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
3. Statement of Bidder's Single Largest Completed Contract	SLCC
4. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
5. Bid Security	Bid Security
6. Technical Specifications	Technical Specifications
7. SCHEDULE of Requirements/ 8. Production and delivery schedule	Schedule of Requirements
9. Manpower Requirements	Manpower Requirements
10. After Sales service/parts	After Sales
11. Omnibus Sworn Statement	Omnibus Sworn Statement
12. Audited Financial Statements	Audited Financial Statements
13. Net Financial Contracting Capacity	NFCC
14. Committed Line of Credit	CLC
15. Bid Form	Bid Form
16. Price Schedule	Price Schedule



3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.

The second folder should contain all requirements under Financial Component checklist.

4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to **Mr. Leopoldo S. Escala Jr** at [leopoldo.escala@vsu.edu.ph](mailto:leopoldo.escala@vsu.edu.ph) on or before the deadline.

### III. Changes in the Bidding Documents

Original	
<p><b>Section I. Invitation to Bid</b></p> <p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>19 August – 11 September 2023 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p>	<p><i>(Amendment)</i></p> <p>A complete set of Bidding Documents may be acquired by interested Bidders on <i>19 August – 11 September 2023 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means:</p> <p>The Bidders may deposit the payment for the bidding documents to the Visayas State University Landbank Account with the following details:</p> <p>Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u></p> <p>Then send the deposit slip to <a href="mailto:leopoldo.escala@vsu.edu.ph">leopoldo.escala@vsu.edu.ph</a></p>
<p><b>Section II. Instructions to Bidders</b></p> <p>15. Sealing and Marking of Bids</p>	<p><i>(Additional Instructions)</i></p> <p>Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.</p> <p>For filing purposes, the bidders are urged to use <b>Orange</b> envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>
<p><b>Guidelines on the Preparation of Electronic Bid (e-Bid)</b></p> <p>5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at <a href="mailto:jessamine.ecleo@vsu.edu.ph">jessamine.ecleo@vsu.edu.ph</a> on or before the deadline (July 25, 2023; <b>8:30 AM</b>).</p>	<p><i>(Amendment)</i></p> <p>5. Email the 2 compressed folders to <b>Mr. Leopoldo S. Escala Jr</b> at <a href="mailto:leopoldo.escala@vsu.edu.ph">leopoldo.escala@vsu.edu.ph</a> on or before the deadline (<b>September 11, 2023; 8:30 AM</b>).</p>



**IV. Revised List of Goods and Technical Specifications**

- Some Specifications were added (in red font) and/or deleted (in blue font)
- Some Quantities and Unit Prices (ABC) were changed

Item #	Description	Unit	Qty	Unit Price	Total Price
1	<b>20.6 cu.ft. Heavy Duty Side by Side Inverter Refrigerator</b>	unit	1	52,000.00	52,000.00
	☐20 cu.ft. HD Inverter Side by Side Refrigerator				
	☐No-frost Refrigerator				
	☐Energy efficient inverter compressor				
	☐Quick freeze and quick chill mode				
	☐Weight 90 kg				
	☐Dimensions 76 × 90 × 170 cm				
	☐Digital Temperature Control with LED Display				
	☐Independent Temperature Control				
	☐Child Lock				
	☐Vacation Mode				
	☐Eco-LED Lights				
	☐Spill – Proof Tempered Glass Shelves				
	☐Heavy Duty Handle				
	☐Textured Body (Rust and Stain Resistant)				
	☐3 Twist Ice Cube Trays and Ice Cube Container				
	☐Adjustable Leveling Feet				
	☐Input Power: 170W				
2	<b>Air Condition, Split type, Inverter, 1.5 HP</b>	set	4	45,000.00	180,000.00
	Wattage: 1250 Watts				
	EER Rating: 14.26				
	WindFree Technology				
	Digital Inverter Boost				
	Fast Cooling				
	Cooling capacity: at least 12,500 kj/hr				
	Easy Filter Plus				
	DuraFin				
	Triple Protector Plus				
	Quiet Mode				
	Single User Mode				
	R32 Refrigerant				
	12x Tapping Screw				



	4x Rubber Foot (Outdoor Package)				
	2x Remote Control Batteries				
	Mounting Bracket				
	wall mounted				
	EER rating above 10				
	with remote control				
	with one year warranty on parts and services				
	with free installation <b>with at least 10 feet copper tubing</b>				
3	<b>Air Condition, Window type, Inverter, 1 HP, Standard size</b>	unit	4	33,000.00	132,000.00
	Wattage: 905 (380 - 1,135) Watts				
	EER Rating: 4.05 CSPF				
	R410A Refrigerant				
	Energy Saving Plug Helps you Save Additional 40% on Energy				
	High Energy Efficiency at CSPF 4.05 = 5 Star Rating				
	Turbo Mode Activates Faster Cooling				
	Sleep Mode				
	Econo Feature				
	24-hour Timer				
	8-in-1 Air Filter Technology				
	Remote Controller With LCD				
	<b>with free installation-delete</b>				
	1 year warranty				
4	<b>Air Condition, Window type, Inverter, 1.5 HP, Standard size</b>	unit	4	42,000.00	168,000.00
	Anti-Covid 19 Technology				
	Proven effective in inhibiting Sars-Cov-2 that causes Covid-19				
	Based on Texcell Test Report				
	R32 Refrigerant				
	Air Swing Control				
	Right and Left Auto				
	Filter Clean Indicator				
	Up and Down Manual				
	All-DC Motor				
	Higher Energy Savings				
	High Energy Efficiency Ratio				
	More Energy Efficient				
	Two Independent DC Motors				
	Room Temperature Display and Setting				
	Wattage: 968 Watts				
	Remote Controller				



	with free installation-delete				
	with 1 year warranty				
5	<b>Aircon window type</b>	unit	1	50,000.00	50,000.00
	CAPACITY: 2HP				
	DIMENSIONS NET W X H X D (MM) INDOOR / OUTDOOR				
	660 x 428 x 771				
	MAIN TECHNOLOGY: Energy Saving Mode				
	ADDITIONAL BENEFIT: Gold Fin Condenser				
	Cooling Capacity 18500Kj/Hr				
	Running Current 7.9A				
	Power Supply (Φ,V,HZ) 1,230,60				
	Noise Level (Sound Pressure,1m) - Indoor,High 55 dB(A)±3				
	Features - Temperature Control Thermistor				
	Features - Steps, Fan/Cool 3/3				
	Features - Airflow Direction (up&down) Manual				
	Features - Panel Touch Type: Micom				
	Features - Timer 12hr,On/Off				
	Features - Energy Saver Yes				
	Power Input 1760W				
	EER 10.5KJ/h.W				
	Power Factor 96.9%				
	Noise Level (Sound Pressure,1m) - Outdoor,Max 60 dB(A)±3				
	Features - Air Deflection Control 4-WAY				
	Features - Airflow Direction (left&right) Auto				
	Features - Remocon Type Simple Remocon				
	Features - Auto Operation (Micom Control) Yes				
6	<b>Aircon, 2.5 HP Wall Mounted Split Type Standard Inverter</b>	set	2	58,000.00	116,000.00
	☑2.5 HP, Wall mounted, standard inverter				
	☑Capacity (Cooling, kJ/h) at least 22,200kJ/hW				
	☑Energy Efficiency EER (Cooling, kJ/hW) 9.25kJ/hW				
	☑Power Source( /V/Hz) 1 / 230V / 60Hz				
	☑Power Consumption (Cooling, W) 2400 W				
	☑Operating Current(Cooling, A) 10.5 A				
	☑when turned off, automatically runs a fan to remove dust and moisture in the heat exchanger				
	☑automatically selects the operating mode (cooling or heating)				
	☑with free installation with at least 10 feet copper tubing				
7	<b>Bottom Loading Water Dispenser</b>	unit	1	14,500.00	14,500.00
	Voltage/frequency: 220V~50Hz				



	Cooling Power: 75W				
	Heating Power Warm & Hot: Rated Power: 425W, Heating Power: 425W				
	Cold & Hot: Rated Power: 500W, Heating Power: 425W				
	Carton Size: 355x325x1040mm				
	Actual Product Size: 320x285x980mm				
	Hot Water Temperature: 85 - 95 Degree Celsius				
8	<b>Ceiling fan</b>	pc	1	2,500.00	2,500.00
	☑Orbit type				
	☑metal blade 16"				
	☑three speed controller				
9	<b>Coffee Maker Machine, Touch-Screen 10-cups Programmable with Glass Carafe, Stainless Steel</b>	pc	1	2,300.00	2,300.00
10	<b>Colored Digital Photocopier</b>	unit	1	150,000.00	150,000.00
	Full color digital copier with network printing, color scanning and network fax				
	Copy and print speed of 30 copies per minute, A4				
	7-inch color touch screen panel				
	CPU: dual core 1.2 GHz				
	Paper size from A6R to Legal Size				
	Standard memory capacity is 1GB, max 3GB Plus 128GB SSD option				
	Paper capacity of 250 sheets cassette and 100 sheets multipurpose tray				
	Built-in 75-sheets reversing document processor and stackless duplex unit				
	Compatible with windows, makintosh and linux				
	Scan to SMB/E-mail/FTP/USB host/Box, Network Twain scan and WSDScan				
	Low power consumption Copying: 512w or less, Sleep mode: 0.6W				
	Super G3Fax, Stand-alone network connection				
	Maintenance Kit of 200,000 copies				
	With lifetime service				
11	<b>Cordless Kettle</b>	unit	30	1,200.00	36,000.00
	Electric Glass Kettle, Cordless				
	HWK-118GI				
	Power: 230V - 60Hz, 2000W				
	Capacity: 1.8L				
	360 degree rotary base, easy to use with high borosilicate glass body,				
	Durable and stain resistant blue LED light indication when boiling Concealed stainless steel				
	heating element Automatic one button cover starter boiling dry protection Automatically				
	turns off when water boiled.				





12	<b>Floor Mounted Inverter Airconditioner, 3TR</b>	unit	2	136,000.00	272,000.00
	R410A Refrigerant				
	Sleep Mode				
	Self diagnosis				
	Auto-swing				
	Lock function				
	Technical Specifications				
	Cooling Capacity (Min-Max): 37,000 (9,970-37,300) Btu/h; 39,035 kJ/h				
	Power Supply: 230/60/1 V/Hz/Ph				
	Rated Power (Min-Max): 3,600 (850-4,350) W				
	Rated Current (Min-Max): 16.0 (3.61-19.1) A				
	EER: 10.3 Btu/hW; 10.8 kJ/hW				
	CSPF: 4.2				
	Refrigerant: R410A				
	Operation Temperature (Min-Max): 17-30°C				
	Airflow Volume (Hi/Med/Low): 1,850 CMH				
	Noise Level (Low): 52.0 dB(A)				
	with free installation <b>with at least 10 feet copper tubing</b>				
13	<b>Stencil Digital Duplicator Machine</b>	unit	1	100,000.00	100,000.00
	Print Speed: 60 - 90 Sheets Per Minute (2 Steps)				
	Resolution: 300 x 300 dpi				
	Printing Process: Fully Automatic One Drum Stencil System				
	Minimum Print Paper Size: 90 x 140 mm				
	Maximum Print Paper Size: 275 x 395 mm				
	Print Paper Weight: 35.0-127.9 g/m <sup>2</sup>				
	Print Area: Maximum 250 x 355 mm				
	First Print Speed: Less Than 40 Seconds				
	Features:				
	Auto background correction, auto cycle, photo/letter mode, tint mode, SP mode (for technical service use only), combine two originals, spot colour printing with optional colour drum units.				
	Options				
	USB controller printer unit type VC-20				
	Interface board type 20				
	Colour drum type 20 (B4)				
	Cabinet				
	Consumables				
	Priport™ master type (100 masters per roll, B4)				
	Priport™ black ink type (500 ml)				
	Digital Duplicator colour ink type II (600 ml): red, blue,				





	yellow, green, purple,				
	navy, brown, maroon, orange, teal				
	CM ink (custom-made colours, 500 ml)				
	Specifications:				
	Image modes: Letter mode, Photo mode, Photo/Letter mode				
	Image position: Vertical: ± 10 mm , Horizontal: ± 10 mm				
	Reproduction ratios: Pre-set enlargement: 115, 122, Pre-set reduction: 71, 82, 87, 93%				
	Zoom: No				
	Colour printing: By replacing colour, drum				
	Paper feed/delivery table: 500 sheets (80 g/m <sup>2</sup> )				
	Power source: 220-240 V, 50 – 60 Hz				
	Power consumption				
	Maximum: Master making: less than				
	175 W				
	Printing: Less than 175 W (at 90 sheets per minute)				
	Standby: 35 W				
	Dimensions (W x D x H): 1,232 x 672 x 519 mm				
	Weight: 55kg				
14	<b>High Duty Blender</b>	unit	1	7,000.00	7,000.00
	-Power – 375-watt motor				
	– Speed – 10-speed push button				
	– Function – Controlled/pulse blending (buttons 1-3) or continuous blending (buttons 4-10)				
	– Durability – Exclusive All-Metal Drive™ system				
	– Blade – High performance ice-crushing stainless steel blade				
	– Capacity – 5-cup (1.25L) heat-resistant glass jar				
	– Warranty – 1 Year Household Warranty				
	– Dimensions – 26 x 18 x 32 cm				
15	<b>Hot &amp; Cold water dispenser</b>	unit	5	14,500.00	72,500.00
	☑Bottom load water dispenser				
	☑3 Faucets: Hot, Cold and Normal water function				
	☑3-Push Button dispensing control				
	☑Anti-scald safety lock switch				
	☑Child Lock Safety feature on Hot Water Faucet				
	☑Floater indicator to avoid water overflow				
	☑Capacity: Hot - 1.2 Liters, Cold - 3.5 liters, Power Rating: Hot - 420 watts, Cold - 100 watts, R134a				
16	<b>Metal Kitchen Trolley with Bottle/Glass Organizer</b>	unit	1	3,000.00	3,000.00
	Material: Powder Coated Metal				
	"U" shaped handle				



	4 rotatable 360° wheels, 2 are lockable				
	Metal frame				
	Additional Storage Space at the Bottom				
17	<b>Microwave Oven, 20L</b>	unit	4	5,000.00	20,000.00
	20-Liter				
	220V				
	Electronic Control				
	LCD Display				
	700w microwave power				
	6 autocook functions				
	Reheat and defrost capacity				
	Dimension: ( h:w:d ) 10.35 x 18 x 14 in				
	Warranty: One year on service, 2 years on parts				
18	<b>Paper shredder machine, heavy duty</b>	unit	1	12,000.00	12,000.00
	☑Shred Type: Cross Cut				
	☑Maximum Sheet capacity(70gsm) : 10 Sheets				
	☑Waste Container capacity: 21 Liters				
	☑Power Source: 220 - 240 VAC				
19	<b>Refrigerator</b>	unit	1	31,000.00	31,000.00
	Transparent door , Upright at least 10 to 12.4 Cubic Feet inverter				
	Transparent Anti Frost Double Layered Tempered Glass Door				
	Adjustable Shelves				
	Efficient Cooling				
	Interior Lights				
	Input 220/240V, 50/60 Hz with power cord & plug				
	Automatic voltage stabilizer with time delay restart				
20	<b>Refrigerator- at least 6.0 cu.ft. (Two-door) inverter</b>	unit	6	17,000.00	102,000.00
	☑Two-Door Direct Cool Refrigerator				
21	<b>Shower Heater with Inverter Booster Pump</b>	unit	15	15,000.00	225,000.00
	<b>Features</b>				
	Sleek and Stylish Casing				
	Energy Saving Inverter DC Pump 50%				
	Silent Below 35dB				
	Double Layer 2K Spray Paint Finish with 3 Colour Options				
	Stepless Electronic Power Control				
	Accessories				
	5 Spray Showerhead				
	Slim and Chromed Slider Bar				
	¼ Turn Valve for turn On/Off Shower				
	Durable, Safe and Hygienic Triple Reinforced Non-				



	Conductive Hose				
	Safety				
	Thermostat with Safety Cut-Out				
	Double Poles ELCB System with 10mA sensitivity				
	Splash Proof IP25 Casing				
	SVF Valve With Built-In Filter				
	INNOVATIVE FEATURES				
	Urban & Stylish Design				
	Adjust To The				
	Temperature You Desire				
	Stepless Electronic Power Control System				
	Desire Temperature				
	Booster Power Icon				
	Energy Saving & SilentPlus Technology				
	Quiet Operation (Below 35dB)				
	Inverter DC Pump Icon				
	Turbo Charge Your Shower with Energy Saving				
	Premium Colour Finish				
	Premium & Long Lasting Colour Finish				
	Double Layer 2K Spray Paint Finish				
	SAFETY FEATURES				
	High Protection Against Water Splash Water Splash Icon				
	High Protection Against				
	Water Splash				
	Comply with IEC 60529 (IP25) Standard				
	ELCB System Icon				
	The Safest Protection				
	Against Current Leakage				
	Double Poles ELCB   <10mA Standard				
22	<b>Smart TV, 75"</b>	set	3	111,000.00	333,000.00
	Picture Engine: Crystal Processor 4K				
	Color: Dynamic Crystal Color				
	Contrast: Mega Contrast				
	Sound: Q-Symphony				
	Smart: Tap-View				
	Design: AirSlim				
	Specifications Detail				
	Product Type: LED				
	Series: 8				
	Display				
	Screen Size: 75"				



Resolution: 3,840 x 2,160				
Screen Curvature: N/A				
Video				
Picture Engine: Crystal Processor 4K				
PQI (Picture Quality Index): 2200				
HDR (High Dynamic Range): HDR				
HDR 10+: Support				
HLG (Hybrid Log Gamma): Yes				
Contrast: Mega Contrast				
Viewing Angle: N/A				
Color: Dynamic Crystal Color				
Micro Dimming: UHD Dimming				
Auto Depth Enhancer: N/A				
Contrast Enhancer: Yes				
Auto Motion Plus: Yes				
Film Mode: Yes				
Natural Mode Support: Yes				
Audio				
Dolby Digital Plus: Yes				
Dolby 5.1 Decoder: N/A				
Object Tracking Sound: N/A				
Q-Symphony: Q-Symphony				
Audio Pre-selection Descriptor: N/A				
Hole Array Speaker: N/A				
Sound Output (RMS): 20W				
Speaker Type: 2CH				
Woofer: N/A				
Multiroom LinkYes				
Bluetooth Audio: Yes				
Smart Service				
SMART TV: Smart				
Operating System: Tizen™				
Bixby: US English, UK English, India English, Korean, French, German, Italian, Spanish, Portuguese (features vary by language)				
Voice Interaction: N/A				
Far-Field Voice Interaction: N/A				
Alexa Built-in: N/A				
Google Assistant Built-in: N/A				
Works with Google Assistant: N/A				
Works With Alexa: N/A				
TV Plus: N/A				



Web Browser: Yes				
Gallery: Yes				
Convergence				
TV to Mobile – Mirroring: N/A				
Mobile to TV - Mirroring, DLNA: Yes				
NFC on TV: N/A				
Tap View: Yes				
Digital Butler: N/A				
Multi-View: N/A				
Sound Wall: Yes				
Remote Access: Basic				
360 Video Player: N/A				
360 Camera Support: N/A				
Bluetooth Low Energy: Yes				
WiFi Direct: Yes				
TV Sound to Mobile: Yes				
Sound Mirroring: Yes				
Differentiation				
Tune Station: N/A				
Auto Hotspot Connect: N/A				
S-Share: N/A				
Auto Data Backup: N/A				
Dongle Compatibility (3G / LTE / WiFi): N/A				
Analog Clean View: N/A				
Triple Protection: N/A				
Tuner/Broadcasting				
Digital Broadcasting: ISDB-T				
Analog Tuner: Yes				
2 Tuner: N/A				
CI (Common Interface): N/A				
Data Broadcasting: N/A				
TV Key Support: Yes				
Connectivity				
HDMI: 3				
USB: 2				
Component In (Y/Pb/Pr): N/A				
Composite In (AV): 1				
Ethernet (LAN): Yes				
Audio Out (Mini Jack): N/A				
Digital Audio Out (Optical): 1				
RF In (Terrestrial / Cable input): 1/1(Common Use for Terrestrial)/0				



	Ex-Link ( RS-232C ): N/A				
	CI Slot: N/A				
	HDMI A / Return Ch. Support: Yes				
	eARC: Yes				
	HDMI Quick Switch: Yes				
	Wireless LAN Built-in: Yes (WiFi5)				
	Bluetooth: Yes (BT5.2)				
	Anynet+ (HDMI-CEC): Yes				
23	<b>Smart TV, UHD, 55"</b>	unit	1	50,000.00	50,000.00
	55" Crystal UHD TV				
	Real 4K Picture Quality				
	4K Upscaling				
	HDR (High Dynamic Range)				
	UHD Dimming				
	Mega Contrast				
	Adaptive Sound				
	20W Sound Output				
	Connectivity: Ethernet (LAN); HDMI; Wireless LAN Built-in				
	Power Supply: AC 100-240V 50/60Hz				
24	<b>Smart TV,4k HDR TV 50"</b>	unit	2	36,000.00	72,000.00
	TV Features:Voice Control,Netflix,HDR,Wireless Connectivity,Web Browser,Youtube,Mobile Screen Mirroring				
	Display Size (inches)50				
	TV Resolution:4K HDR				
	Ports Input: HDMI,USB				
	Plug Type:2 Pin				
	input_voltage:220V				
	Smart TV OS:android os				
	TV Technology:LED				
	Model: KD-50X75K				
	1 x TV, 1 x Remote Control				
25	<b>Stand Fan, banana type 18" banana blade</b>	unit	3	2,500.00	7,500.00
26	<b>Television, UHD, Smart TV</b>	unit	2	25,000.00	50,000.00
	Display Size: 50"				
	Ports Input: OTHERS, HDMI, USB, Component in (Y/PB/Pr), RF in (Terrestrial/Cable Input), Digital Audio Out (Optical), Audio Out (Mini Jack), Ethernet (LAN), Composite in (AV)				
	TV Features: Netflix, HDR, Cinema 3D ,Wireless Connectivity, Web Browser, Mobile Screen Mirroring, Youtube, DTS Audio, Bluetooth Connectivity				



	TV Resolution: 4K UHD				
	Smart TV OS: Android OS				
27	<b>Washing Machine Heavy Duty Dryer</b>	unit	2	60,000.00	120,000.00
	15 kg. IEC Rated Capacity U.S Heavy Duty Dryer				
	8 Dry Cycles				
	Timed Dry Cycle				
	Automatic Dry Cycle				
	Energy Efficient Cycle				
	Wrinkle Shield Cycle				
	Fluff Air Cycle				
	Temperature Function				
	Electronic Control Panel				
	Galvanized Heavy Duty Body				
	Color: White				
	Dimension (h:w:d) 110.2 : 73.6 : 70.5 cm				
28	<b>Washing Machine Heavy DutyWasher</b>	unit	2	60,000.00	120,000.00
	15 kg. IEC Rated Capacity U.S Heavy Duty Washer				
	11 Wash Cycles				
	Quick Wash Cycle				
	Whites Cycle				
	Delicate Cycle				
	6th Sense Technology				
	Dual Action Agitator				
	Fabcon Dispenser				
	Liquid Bleach Dispenser				
	Mechanical Control panel				
	Deep Water Wash System				
	Soil Level Selection				
	Wash Temperature Selection				
	Load Size Selection				
	Extra Rinse Selection				
	Galvanized Heavy Duty Body				
	White Porcelain Tub				
	Child Lid Lock				
	Color: White				
	Dimension (h:w:d) 109.22 : 69:85 : 68.58 cm				
29	<b>Air Condition, Window Type, Inverter 1.5 HP (Manual), Standard size</b>	unit	2	40,000.00	80,000.00
	Cooling capacity at least 12,000 kilo joules				
	EER at least 9.5				
	With three speed cooling control and timer				
30	<b>Aircon Split Type 2.5 HP Inverter , With Installation</b>	unit	2	58,000.00	116,000.00





	with at least 10 feet copper tubing				
	Capacity: 2.5HP				
	Power Supply: 220,230,60,1 V, Hz, Ph				
	Cooling Capacity: 24,000 Btu/h				
	Cooling Input: 2,000W				
	Cooling Current: 8.7A				
	EER: 12.7				
	<b>Indoor Unit</b>				
	Air Flow ( Hi/Mi/Lo): 1063x955x759 m3/h				
	Noise Level (Hi/Mi?Lo): 50/-/40 dB (A)				
	Unit Dimension ( W*D*H) : 1080x336x326mm (Indoor Unit)				
	Weight ( Net/Gross) 13.7/17.4 kg				
	<b>Outdoor Unit</b>				
	Refrigerant Type: R32/1120				
	Compressor Type: Rotary				
	Unit Dimension ( W*D*H) : 845x363x702mm ( outdoor unit)				
	Weight ( Net/Gross): 49.1/52.4kg				
	Application Area: 29-43sqm				
	One (1) year warranty on parts and service five (5) years on compressor provided that the unit is installed by accredited installation team				
31	<b>Air Conditioner, Window Type, 2.5 HP, Standard Size</b>	unit	1	45,000.00	45,000.00
	Cooling Capacity: 2.5 hp; 25,500 kJ/h				
	Power Input: 2,660 W				
	EER: 9.6 kJ/hW				
	Noise Level Indoor (Low): 52 dB A				
	Power Source: 230 V, 1Ø Phase - 60 Hz				
	Refrigerant: R32				
	Unit Dimension (WxH xD): 660 x 428 x 800 mm				
	Warranty: Labor & Parts - 1 Year; Compressor - 5 Years				
	<b>Rebidding (VSU-GOODS-23-31)</b>				
32	<b>Air Conditioner, 1.5HP, Split Type, Wall Mounted, Deluxe Inverter</b>	unit	2	40,000.00	80,000.00
	☑ 1.5 HP				-
	☑ Split Type Air Conditioner				-
	☑ Wall Mounted, Deluxe Inverter				-
	☑ Intelligent Inverter Technology				-
	☑ Honeycomb Intake Grille				-
	☑ Nanoe-G,-delete Auto Comfort				-
	☑ Quiet Mode, Mild Dry Cooling				-
	☑ Soft Dry Operation Mode				-



	☑Odour-Removing Function				-
	☑Blue Fin Condenser				-
	☑R410A Refrigerant				-
	☑Installation Included with at least 10 feet copper tubing				-
33	<b>Electric fan</b>	pc	2	2,500.00	5,000.00
	☑Stand fan 16" metal blade				-
	☑Adjustable height				-
34	<b>Hot and Cold Table Top Water Dispenser</b>	unit	1	3,500.00	3,500.00
	Table top water dispenser				-
	Hot and cold				-
	Electronic type cooling				-
35	<b>Laminator Machine, A3</b>	unit	1	5,000.00	5,000.00
	☑Heavy Duty, for A3 & A4 size, infrared heating system and adjustable temperature control with overheating protection				-
36	<b>Microphone stand</b>	set	1	1,656.00	1,656.00
	-Specifications:				-
	Heavy duty die-cast aluminum base				-
	Steel tube body				-
	Oversized height adjustment clutch				-
	Strong steel boom clutch				-
	Two cable clips				-
	2 Mic Holder				-
37	<b>Microwave Oven, 20L</b>	unit	1	5,000.00	5,000.00
	20-Liter				-
	220V				-
	Electronic Control				-
	LCD Display				-
	700w microwave power				-
	6 autocook functions				-
	Reheat and defrost capacity				-
	Dimension: approx. (h:w:d ) 10.35 x 18 x 14 in				-
	Warranty: One year on service, 2 years on parts				-
38	<b>Microwave Oven, 30L</b>	unit	1	12,000.00	12,000.00
	☑30 Liters Microwave Oven				-
	☑Quick Defrost				-
	☑Push Bottom + Knob + Digital				-
	☑Automatic Programmes				-
	☑5 Power Levels				-
	☑LED White Color				-
	☑Turntable Size: 315mm				-



	☑Voltage: 230V				-
	☑Frequency: 60Hz				-
	☑Microwave Power: 100W				-
39	<b>Microwave Oven, Digital, Non-Inverter, 13 Power Levels</b>	unit	2	14,000.00	28,000.00
	☑30 Liters capacity				-
	☑Grill and convection				-
	☑electronic control				-
	☑dual wave system				-
	☑13 power levels				-
	☑900W				-
	☑Non-Inverter				-
40	<b>Paper shredder machine, heavy duty</b>	unit	2	12,000.00	24,000.00
	☑Shred Type: Cross Cut				-
	☑Maximum Sheet capacity(70gsm) : 10 Sheets				-
	☑Waste Container capacity: 21 Liters				-
	☑Power Source: 220 - 240 VAC				-
41	<b>Portable Trolley 15" Speaker with wireless microphone</b>	unit	1	10,000.00	10,000.00
	☑15" 2 Way 480 Watts Powered Portable Sound System				-
	☑Plastic Cabinet				-
	☑AC220V or DC12V (With built-in Rechargeable Batteries)				-
	☑With 2 Wireless Microphone				-
	☑With 2 Mic Input (1 XLR, 1 PL55)				-
	☑With FM Radio, Bluetooth, Guitar Input (Shared with Mic 2 input), USB & SD Port				-
	☑With 5 Band Equalizer and LCD Display				-
	☑With Aux / Line In and Line Out				-
	☑With Remote Control, Handle and Wheel				-
42	<b>Refrigerator - at least 3.5 cu. ft., Two-door Personal Refrigerator (Direct Cool), inverter</b>	unit	1	10,000.00	10,000.00
43	<b>Refrigerator- at least 6.0 cu.ft. (Two-door) inverter</b>	unit	1	17,000.00	17,000.00
	☑Two-Door Direct Cool Refrigerator;				-
	☑plastic body,high efficiency compressor				-
	☑thermally protected				-
44	<b>Wet and Dry Vacuum Cleaner</b>	unit	1	10,000.00	10,000.00
	Super Suction Power				-
	Wet and Dry Vacuuming				-
	Blower Function				-
	Accessory Storage				-



	Energy Efficient				-
	<a href="#">SKU: 110361712_PH-7448394060-delete</a>				-
	Vacuum Cleaner Features: Bagged, Blower, Wheels				-
	<a href="#">Model: WD 3-delete</a>				-
	Warranty Type:Local Supplier Warranty				-
	Warranty Period:1 Year				-
	Actual suction power* (Air watts) 200				-
	Energy use (W) 1000				-
	Container capacity (l) 17				-
	Container material Stainless steel				-
	Power cable (m) 4				-
	Standard accessory ID (mm) 35				-
	Supply voltage (V/Hz) 220 - 240 / 50 - 60				-
	Weight without accessories (kg) 5,8				-
	Weight incl. packaging (kg) 8,2				-
	Dimensions (L x W x H) (mm) 388 x 340 x 525				-
	1xSuction hose, 2 m, 35 mm; 2x Suction tubes, 0.5 m, 35 mm; 1x Wet and dry floor nozzle, Clips; 1x Cartridge filter, Standard; 1x Crevice nozzle; 1x Paper filter bag				-
45	<b>Air Condition, Split type, Inverter, 1.5 HP</b>	set	1	45,000.00	45,000.00
	Cooling capacity: at least 12,500 kj/hr				-
	wall mounted				-
	EER rating above 10				-
	with remote control				-
	with one year warranty on parts and services				-
	with free installation <i>with at least 10 feet copper tubing</i>				-
46	<b>Ice Crusher</b>	unit	1	2,000.00	2,000.00
	Powerful 300w motor and stainless steel blades				-
	Comes with stainless steel bowl Great for crushing big ice				-
	Non-rust, safe, and environment-friendly				-
47	<b>1.0HP <del>Supreme HD-delete</del> Inverter SplitType AC</b>	unit	1	24,988.00	24,988.00
	Supreme HD Inverter - R32 Refrigerant				-
	Rated 5 star in CSPF energy label				-
	Equipped with 5 in 1 Filters				-
	Remote controlled				-
	Gold in condenser				-
	Environment friendly refrigerant				-
	Weight: 50kg				-



48	<b>Air Condition, Floor Mounted, Split type, Inverter, 4.0 HP</b>	set	1	120,000.00	120,000.00
	Cooling capacity: at least 35,000 BTU/hr				
	wall mounted				
	EER rating above 5				
	with remote control				
	with one year warranty on parts and services				
	with free installation <i>with at least 10 feet copper tubing</i>				
49	<b>Megaphone</b>	unit	10	3,000.00	30,000.00
	☐Bullhorn				
	☐1000 yard range				
	☐For indoor and outdoor use				
	☐Built-in siren				
	☐40 W amplifier				
	☐Built-in mic				
	☐10 seconds recording function				
50	<b>Aircon, Window Type, 2HP, Non-inverter</b>	unit	1	40,000.00	40,000.00
	☐Cooling Capacity: 2.0 HP or 19,100 kJ/h				
	☐Power Input: W 1,680				
	☐EER: kJ/hW: 11.4				
	☐Noise Level Indoor (Low): dB A 48				
	☐Power Source V/Phase Hz 230 V, 1Ø Phase - 60 Hz				
	☐Refrigerant R32				
	☐Non-inverter, Two (2) Fan Speed				
	☐Automatic Condensate removal				
	☐4-way air deflection system				
	☐Slide out chassis				
	☐Removable, washable intake grille				
	☐Easy to clean air filter				
					<b>3,214,444.00</b>

**DILBERTO O. FERRAREN**  
BAC Chairman