



BID BULLETIN 01

Date: 16 August 2021
Project Title: Supply and Delivery of UniFi Switch (GOODS-21-01-R)
Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

(1st Envelope) TECHNICAL COMPONENT ENVELOPE	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
	or
	a. Registration Certificate (SEC, DTI or CDA)
	b. Mayor's/Business Permit
	c. Tax Clearance
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php 1,750,000.00)
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 1,750,000.00 and the largest of which should be at least Php 875,000.00 .
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 3,500,000.00)
	Or
	Committed Line of Credit (at least Php 350,000.00)
(2nd Envelope) FINANCIAL COMPONENT ENVELOPE	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

1. Convert all documents into Portable Document Format (PDF) and should be printable.
2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Registration Certificate (SEC/DTI)	Registration Certificate
3. Mayor’s/Business Permit	Mayor’s-Business Permit
4. Tax Clearance	Tax Clearance
5. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
6. Statement of Bidder's Single Largest Completed Contract	SLCC
7. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
8. Bid Security	Bid Security
9. Technical Specifications	Technical Specifications
10. SCHEDULE of Requirements/Production and delivery schedule	Schedule of Requirements
11. Manpower Requirements	Manpower Requirements
12. After Sales service/parts	After Sales
13. Omnibus Sworn Statement	Omnibus Sworn Statement
14. Audited Financial Statements	Audited Financial Statements
15. Net Financial Contracting Capacity	NFCC
16. Committed Line of Credit	CLC
17. Bid Form	Bid Form
18. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.



The second folder should contain all requirements under Financial Component checklist.

4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

Original	Amendment
2. The <i>Visayas State University – Main Campus</i> now invites bids for the above Procurement Project. Delivery of the Goods is <i>within 60 calendar days from receipt of Notice to Proceed (NTP)</i> .	2. The <i>Visayas State University – Main Campus</i> now invites bids for the above Procurement Project. Delivery of the Goods is <i>within 90 calendar days from receipt of Notice to Proceed (NTP)</i> .
5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>04 August – 25 August 2021 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.	5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>04 August – 25 August 2021 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means. The Bidders may also deposit the applicable fee to Visayas State University Landbank Account: Account Name: Visayas State University Fund 164 Account Number: 3572-1000-13 And send the deposit slip to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph

Other Changes

Original	Amendment
Supply and Delivery of 100 units UniFi Switch	Supply and Delivery of UniFi Switch



IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (red) and/or deleted (blue)
- Some Quantities and Unit Prices (ABC) were changed

Item No.	DESCRIPTION	Unit	Qty	ABC (Pesos)	Total ABC
1	(100 units)-delete 96 units UniFi 24 Port PoE Pro Switch	lot	1	3,500,000.00	3,500,000.00
	50 units USW 24 PRO POE (400W)				
	<i>note: compatible with VSU existing Unifi controller</i>				
	Product Specifications				
	Weight with Rackmount brackets: 4.39 kg				
	Interfaces: (24) 10/100/1000 RJ45 Ports				
	Networking: (2) 1/10G SFP+ Ethernet Ports				
	Management: Ethernet In-Band				
	Power Method:				
	- Universal Input: 100-240VAC/50-60 Hz				
	- USP RPS DC Input: 52VDC, 7.69A; 11.5VDC, 2.61A				
	Power Supply: AC/DC, Internal, 450W				
	Supported Voltage Range: 100 to 240VAC				
	Max. Power Consumption (Excluding PoE Output): 50W				
	LEDs:				
	- System: Status				
	- RJ45 Data Ports: PoE; Speed/Link/Activity				
	- SFP Data Ports: Link/Activity				
	ESD/EMP Protection: Air: ± 16 kV, Contact: ± 12 kV				
	Shock and Vibration: ETSI300-019-1.4 Standard				
	Operating Temperature: -5 to 40° C (23 to 104° F)				
	Operating Humidity: 10 to 90% Noncondensing				
	Certifications: CE, FCC, IC				
	Sound level* (* Background noise level: 27.5 dBa)				
	25% PoE, 25° C: 0.9 dBr				
	50% PoE, 25° C: 7.3 dBr				
	100% PoE, 40° C: 18.8 dBr				
	PoE				
	PoE Interfaces:				
	- Ports 1-16: POE+ IEEE 802.3af/at, (pins 1,				



	2+; 3, 6-)				
	- Ports 17-24: 60W PoE++ IEEE 802.3bt, (Pair A 1, 2+; 3, 6-) (Pair B 4, 5+; 7, 8-)				
	Max. PoE Wattage per Port by PSE:				
	- 802.3at: 32W				
	- 802.3bt: 64W				
	Voltage Range 802.3af Mode: 44-57V				
	Voltage Range 802.3at Mode: 50-57V				
	46 units Switch 24 PoE (95W)				
	<i>note: compatible with VSU existing Unifi controller</i>				
	Dimensions 442.4 x 200 x 43.7 mm (17.42 x 7.87 x 1.72")				
	Weight With Brackets 3.00 kg (6.61 lb) 3.09 kg (6.81 lb)				
	Interfaces Networking Management (24) 10/100/1000 RJ45 Ports (2) 1G SFP Ethernet Ports				
	Ethernet In-Band				
	Total Non-Blocking Throughput 26 Gbps				
	Switching Capacity 52 Gbps				
	Forwarding Rate 38.69 Mpps				
	Power Method 100-240VAC, 50/60 Hz,				
	Universal Input Power Supply AC/DC, Internal, 120W				
	Voltage Range 100 to 240VAC Max Power Consumption (Excluding PoE Output)				
	TOTAL ABC:				3,500,000.00

DILBERTO O. FERRAREN
BAC Chairman