



BID BULLETIN 01

Date: 08 March 2021

Project Title: Supply and Delivery of I.T. Equipment and Supplies - Rebidding
(GOODS-21-07-R)

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

(1st Envelope) TECHNICAL COMPONENT ENVELOPE	
<i>Legal Documents</i>	
1	PhilGEPS Certificate of Registration (Platinum)
	or
	a. Registration Certificate (SEC, DTI or CDA)
	b. Mayor's/Business Permit
	c. Tax Clearance
<i>Technical Documents</i>	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 50% of the ABC or Php 1,338,030.00)
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 1,338,030.00 and the largest of which should be at least PhP 669,015.00.
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at least 1 year for equipment and 30 days for supplies)
9	Original Duly Signed Omnibus Sworn Statement
<i>Financial Documents</i>	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 2,676,060.00)
	Or
	Committed Line of Credit (at least Php 267,606.00)
(2nd Envelope) FINANCIAL COMPONENT ENVELOPE	
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

In the **Technical Specifications**, bidders must state either “Comply” or “Not Comply” **against each of the individual parameters of the specifications** per item stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of **manufacturer’s un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model** as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

1. Convert all documents into Portable Document Format (PDF) and should be printable.
2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Registration Certificate (SEC/DTI)	Registration Certificate
3. Mayor’s/Business Permit	Mayor’s-Business Permit
4. Tax Clearance	Tax Clearance
5. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
6. Statement of Bidder’s Single Largest Completed Contract	SLCC
7. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
8. Bid Security	Bid Security
9. Technical Specifications	Technical Specifications
10. SCHEDULE of Requirements/Production and delivery schedule	Schedule of Requirements
11. Manpower Requirements	Manpower Requirements
12. After Sales service/parts	After Sales
13. Omnibus Sworn Statement	Omnibus Sworn Statement
14. Audited Financial Statements	Audited Financial Statements
15. Net Financial Contracting Capacity	NFCC
16. Committed Line of Credit	CLC
17. Bid Form	Bid Form
18. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.



The second folder should contain all requirements under Financial Component checklist.

4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jecleo@vsu.edu.ph before the deadline.

III. Changes in the Bidding Documents

Original	Amendment
<p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>23 February – 15 March 2021 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p>	<p>5. A complete set of Bidding Documents may be acquired by interested Bidders on <i>23 February – 15 March 2021 until 8:30 AM</i> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.</p> <p>The Bidders may also deposit the applicable fee to Visayas State University Landbank Account:</p> <p>Account Name: Visayas State University Fund 164</p> <p>Account Number: 3572-1000-13</p> <p>And send the deposit slip to Ms. Jessamine C. Ecleo at jecleo@vsu.edu.ph</p>



IV. Revised List of Goods and Technical Specifications

- Some Specifications were added and/or deleted
- Some Quantities and Unit Prices (ABC) were changed

Item No.	Item Description and Specifications	Unit	Qty	ABC/unit	Total ABC/item
1	Computer Server	units	4	350,000.00	1,400,000.00
	Form Factor/Height 4U rackable tower				
	Number of Processors Up to 2 second-generation Intel® Xeon® Platinum processors, up to 125W				
	Memory at least 64GB DIMMs,				
	2666 and 2933MHz TruDDR4, ECC Buffered				
	Expansion Slots at least 6x PCIe 3.0 (with 2x processors)				
	Drive Bays 8x 2.5" (including 4 NVMe) bays Plus up to 2x 2.5" and 2x internal M.2 boot, at least 4 pcs 300GB SAS enterprise grade SSD				
	hardware RAID (at least 24x ports)				
	up to 16-port HBAs				
	Security and Reliability Features, lockable security bezel, Kensington lock slot, chassis intrusion switch, TPM 1.2/2.0, Predict Failure Analysis, hot-swap/redundant drives, redundant PSUs				
	Network Interface 2x 1GbE ports standard				
	Power (Energy Star 2.1 compliant) 1x 450W 80 PLUS Gold (fixed)				
	or 2x 550W/750W/1100W 80 PLUS Platinum (hot-swap/redundant N+1)				
	or 2x 750W 80 PLUS Titanium (hot-swap/redundant)				
	Systems Management Controller embedded management, Administrator centralized infrastructure delivery, Integrator plugins, Energy Manager centralized server power management				
	OSes Supported Microsoft Windows Server, SUSE, Red Hat, VMware vSphere				
	Limited Warranty 1-year and 3-year customer replaceable unit and onsite service,				
2	1 GBPS SFP Single mode Module	units	20	10,000.00	200,000.00
	1G SFP LC LX 10KM SMF XCVR, must be compatible with ARUBA and HPE Switches				
	Compatible with existing Switches of VSU				
3	EPSON L220 Ink Cartridge Black (T664)	btls	24	350.00	8,400.00
4	Headset, Over Ear, Wired	sets	2	750.00	1,500.00



	Wearing Type: Over-ear Microphone: Yes Volume Control: Yes One Key Mute Button: Yes Microphone:				
	Omnidirectional Plug Type: 3.5mm Speaker Diameter: 50mm Receive Sensitivity: 101dB Impedance: 32Ω Frequency Response: 20-20kHz,				
5	Ink, Epson 003, Genuine Black 65mL	btls	120	350.00	42,000.00
6	Thermal Scanner, Infrared, w/ Tripod	unit	1	6,000.00	6,000.00
	Non-Contact, Hands-free induction time is faster (500 ms) pass rate per minute is greatly improved (50 people / min)			tripod refer to end-user	
	High temperature measurement accuracy, accuracy tolerance: +/- 0.2 (34 ~ 45 degree C)				
	Can be connected to USB power source, power bank, built-in lithium battery				
	High-definition display with 5m viewing distance Intelligent infrared forehead thermometer, no need to hold,				
	can be hung / double-sided adhesive tape / bracket fixed Fast and Easy Functionality One Second Measurement Alarm When High Temperature with Stand and Free Battery,				
7	Battery for the UPS, Genuine APC Battery replacement for APC SMT3000I; 2 pcs. per set	set	1	30,000.00	30,000.00
8	Fiber Optic Patch Panels, LC	pcs	120	2,500.00	300,000.00
	Termination Area: Front Sliding Drawer Fiber Express ECX Patch Panel Housing 1U,				
	holds 2 ECX adapter frames or cassettes, FX Adapter Strip LC Duplex;				
9	Ink, Epson, Genuine, (BK) T664, 70 mL	pcs	335	350.00	117,250.00
10	Security Stick (USB), at least 32GB	pcs	94	3,223.40	303,000.00
	lock for data; encryption and password protection				
	locks down and reformats after 10 failed login attempts;				
	USB 3.0 interface				
11	HP Ink Cartridge 678 Black	pcs	2	590.00	1,180.00
12	Mouse, Wired, Optical	pcs	2	260.00	520.00
	PS/2, Ergonomic Design: Symmetric Sensor:				
	Optical Type: Wired (PS2) System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 102 buttons				
	+ scrolling wheel optical mouse Works on most surfaces Microsoft system compatible Resolution: 1000 DPI				
13	Printer, Ink Tank	unit	1	9,000.00	9,000.00
	Printing Technology:				
	On-demand inkjet (Piezoelectric); Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per colour (Cyan, Magenta, Yellow);				
	Print Direction: Bi-directional printing; Maximum Print Resolution: 5760 x 1440 dpi (with Variable-Sized Droplet Technology) 5760 x 1440 dpi (with Variable-Sized Droplet Technology)				



	Minimum Ink Droplet Size: 3 pl; Compact integrated tank design High yield ink bottles Spill-free, error-free refilling Borderless printing up to 4R				
14	Canon Pixma Ink Bottle, GI-790 (Black), Ink Refill	btls	50	580.00	29,000.00
15	Desktop Microphone	pcs	6	650.00	3,900.00
	Compatible with: Desktop/Notebook/PC, Windows 7-10 Pickup: 6mm Condenser MicMicrophone				
	Directivity: Omni directional Sensitivity: -58db±3db Signal-to-noise				
	Ratio: ≤50dB Cable Length: 2.5mType: 3.5mm Plug				
16	Speaker, for PC	pc	1	1,270.00	1,270.00
	2.1 (Speaker with Subwoofer), Power Output: rms 4.5w×2 sw: 12w				
	Signal to noise ratio: 80dba Frequency Response: 80hz~20khz (±6db) R/l: 300±50mv				
	sw: 100 ± 20mvAux/USB/SD card Bass driver :4- inch Treble driver :2 3/4 inch				
17	Ink cartr Canon PG-830 black, fine cartridge	pcs	6	1,200.00	7,200.00
18	Ink cartr Canon CL-831 color, fine cartridge	pcs	10	1,374.00	13,740.00
19	Flatbed Scanner	units	2	5,000.00	10,000.00
	Scanner Type: Flatbed colour image scanner; Scanning Method: Fixed document and moving carriage;				
	Optical Resolution: 4,800 dpi x 4,800 dpi *1; Output Resolution:50 dpi to 4800 dpi, 7200 dpi, 9600 dpi (50 dpi to 4800 dpi in 1 dpi increments) *2				
	Scanner Bit Depth (Colour): 48-bit input, 24-bit output; Scanner Bit Depth (Grayscale):16-bit input, 8-bit output; Scanner Bit Depth (Black & White): 16-bit input, 1-bit output; Max Document Size: Up to 216 x 297mm;				
20	Laptop Stand Lifting Riser Holder Aluminum Height/Angle,	pc	1	1,500.00	1,500.00
21	UPS, at least 800VA, at least 4 hours charging time	units	2	5,000.00	10,000.00
22	Battery for Acer TravelMate P246 series, Genuine Laptop	pcs	2	2,000.00	4,000.00
23	Wi-Fi PC-Connectable Label Printer	units	2	15,000.00	30,000.00
	Tape Width: 6, 9, 12, 18, 24, 36 mm Tape Type: LK Tape Cartridges Cutter Type: Automatic Full Cut, Half Cut, Corner Cut				
	Printing Technology: Thermal Transfer Printing Resolution: 360 dpi / 384 dot Printable Lines: PC / App Dependent Files (Built-in Memory):				
	PC / App Dependent Repeat Printing: Up to 99 (App) / 999 (PC) Print Margin: Minimum 1mm (PC/App Dependent) Lead Waste: 10mm Interface:				



	USB, Wi-Fi, LAN Operating System: iOS, Android (Mobile), Windows, Mac OS (PC) AC Adapter: Bundled				
24	Toner, NPG 67, Yellow for Canon C3320 Image Runner Advance (photocopier, printer/scanner) machine	pcs	4	17,000.00	68,000.00
25	HP Laserjet Ink Cartridge CC364A, LaserJet P4014 printer	pcs	1	9,000.00	9,000.00
26	Printer, Laser Jet	unit	1	7,500.00	7,500.00
	Function: Print Only				
	Print speed black (normal, A4): Up to 20 ppm Print speed:				
	Print speed up to 21 ppm (black) Print speed black (normal, letter): Up to 21 ppm				
	Print quality black (best): Up to 1,200 x 1,200 dpiConnectivity, standard: Hi-Speed USB 2.0 port, Wireless 802.11 b/g/n Compatible Operating Systems: Windows®: 7 (32/64 bit),				
27	AVR, 500W (IC Controlled)	units	3	500.00	1,500.00
	Power Output: 500 W; Power Factor Correction (PFC): Active PFC with Value of 0.98Fan Type: 1 x 120 mm Smart and Silent Fan Control 22 dBA, 3 sockets, 220 V				
	Safety Standards: FCC, CB, CCC, TUV, CE, C-tick, EMI, EMC, S-Intertek, CPT-AB15				
28	Fiber Optic Cable	lot	1	50,000.00	50,000.00
	1000m 1 Cores 3 Steel Wire outdoor G657 FTTH fiber optic Drop Wire Cable	Spool	8		
	Fiber Optic FTTH Tool Kit with Optical Power Meter Cable Cleaver Stripper	kit	2		
	Fiberhome SC connector Butterfly 1 Bundle 10 pcs FREE STRIPPER	unit	5		
	1 Pair HTB-GS-03 A&B Gigabit Fiber Optical Media Converter 1000Mbps Single Mode Single Fiber SC Port 20KM With Power Supply	unit	10		
	FTTH Tools S Type Fiberfixing Parts Clamp for Drop Cable	pcs	80		
29	HD Webcam, 4K	pc	1	5,200.00	5,200.00
30	Memory, DDR4 (16GB), 2x8GB 2400Mhz DDR4; Non-ECC CL15 DIMM; Desktop Memory RAM with heat spreaders	pc	1	4,200.00	4,200.00
31	Power Supply, 300 watts, ATX w/ Micro ATX casing	pc	1	1,200.00	1,200.00
		Total ABC (this project):			2,676,060.00

Sgnd
DILBERTO O. FERRAREN
BAC Chairman