

BID BULLETIN 01

Date: 27 August 2021

Project Title: Supply and Delivery of Construction and Electrical Supplies (GOODS-21-41)

Location: VSU Main, Visca, Baybay City, Leyte

Bidders are hereby informed/reminded of the following addendums/amendments/clarifications:

I. LIST OF REQUIREMENTS

Legal Documents	
1	PhilGEPS Certificate of Registration (Platinum)
	or
	a. Registration Certificate (SEC, DTI or CDA)
	b. Mayor's/Business Permit
	c. Tax Clearance
Technical Documents	
2	Statement of All On-Going Government & Private Contracts
3	Statement of Bidder's Single Largest Completed Contract (at least 25% of the ABC or Php 756,438.63
	Or
	Statement of at least two (2) similar completed contracts w/ total amount of at least Php 756,438.63 and the largest of which should be at least Php 378,219.31 .
4	Bid Security
5	Technical Specifications
6	SCHEDULE of Requirements/Production and delivery schedule
7	Manpower Requirements
8	After Sales service/parts from acceptance of delivered goods (at leas 1 year for equipment and 3 months for supplies)
9	Original Duly Signed Omnibus Sworn Statement
Financial Documents	
10	The Supplier's Audited Financial Statements
11	Net Financial Contracting Capacity (at least Php 3,025,754.50)
	Or
	Committed Line of Credit (at least Php 302,575.45)
(2 nd Envelope) FINANCI	AL COMPONENT ENVELOPE
12	Original of duly signed and accomplished Financial Bid Form
13	Original of duly signed and accomplished Price Schedule(s)



Please take note:

In the **Technical Specifications**, bidders must state either "Comply" or "Not Comply" <u>against</u> <u>each of the individual parameters of the specifications</u> per item stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in the **Bidders Bid** and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature (Data Sheets), unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, and Brand and Model as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, postqualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or **GCC** Clause 2.1 (a)(ii).

II. Preparation of Electronic Bid (for bidders who prefer electronic bid submission)

- 1. Convert all documents into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration	PhilGEPS
	(Platinum)	
2.	Registration Certificate (SEC/DTI)	Registration Certificate
3.	Mayor's/Business Permit	Mayor's-Business Permit
4.	Tax Clearance	Tax Clearance
5.	Statement of On-Going Government	Statement of On-Going
	& Private Contracts	Contracts
6.	Statement of Bidder's Single Largest	SLCC
	Completed Contract	
7.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
8.	Bid Security	Bid Security
9.	Technical Specifications	Technical Specifications
10.	SCHEDULE of	Schedule of Requirements
	Requirements/Production and	
	delivery schedule	
11.	Manpower Requirements	Manpower Requirements
12.	After Sales service/parts	After Sales
13.	Omnibus Sworn Statement	Omnibus Sworn Statement
14.	Audited Financial Statements	Audited Financial Statements
15.	Net Financial Contracting Capacity	NFCC
16.	Committed Line of Credit	CLC
17.	Bid Form	Bid Form
18.	Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII.



The second folder should contain all requirements under Financial Component checklist.

- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph_before the deadline.

III. Changes in the Bidding Documents

Original	Amendment
5. A complete set of Bidding Documents may be acquired by interested Bidders on 16 August – 06 September 2021 until 1:30 PM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.	 5. A complete set of Bidding Documents may be acquired by interested Bidders on 16 August – 06 September 2021 until 1:30 PM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means. The Bidders may also deposit the applicable fee to Visayas State University Landbank Account: Account Name: Visayas State University Fund 164 Account Number: <u>3572-1000-13</u> And send the deposit slip to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph



IV. Revised List of Goods and Technical Specifications

- Some Specifications were added (red) and/or deleted (blue)
- Some Quantities and Unit Prices (ABC) were changed

ltem No.	Description	Unit	Qty	ABC/Unit	Total ABC
1	0.60m x 0.60m Floor Tiles - White	pcs	500	210.00	105,000.00
	Floor Tiles, at least 10mm thickness, Material:				
	Ceramic				
2	Abrasive Paper, Sand Paper Grit #120, 9" x 11"	sheet	50	15.00	750.00
	Fine Sanding, Waterproof, Good Quality				
3	Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard	length	80	1,000.00	80,000.00
	■Premium Grade				
4	Angle Bar, 3/16"(thickness) x 1-1/2" x 1-1/2" x 20', standard	length	1	700.00	700.00
	Premium Grade				
5	Angle Grinder 4"Ø, Grinding Wheel	piece	20	100.00	2,000.00
	General Purpose Angle Grinder Wheel (Rough)				
	for Steel				
	Unthreaded Arbor Hole				
	■4" Diameter, 1/4" Thick				
	eHeavy Duty, Durable				
6	Angle Grinder, 4"Ø (100mm)	рс	4	4,500.00	18,000.00
	■Heavy Duty				
	■Durable				
	Power Rating: At least 840 Watts				
	No load speed: At least 11,000 rpm				
	■Wheel diameter: 4"(100mm)				
7	Blind Rivets, 1/8" x1/2", approximately 800	boxes	7	600.00	4,200.00
-	pcs. per box				
8	BOLT and NUt with Washer 1"	pcs	8	10.00	80.00
9	Bulb, Incandescent, 100 watts	pcs	8	200.00	1,600.00
	■Good Quality				
	Durable				10 500 00
10	Bulb, LED, 15W	pieces	55	300.00	16,500.00
	Wattage: 15 Watts				
	Lumens: 1521				
	Color Temp. : Daylight				
	Beam Angle: 200 degrees				
	Image: 170-240 V AC 50/60Hz Image: E27				
	ELife Hours: 15,000 hrs. Material: PC cover & Aluminum PCB				
11	Bulb, LED, 9W	piece	10	150.00	1 500 00
12	Bulb, Sockets	pieces	10	100.00	1,500.00
12	Buid, Sockets Belastic	PIECES	10	100.00	1,000.00
	<pre>@riasic</pre> @round, size 3" x 3",				
	White color.				
	For E27 bulbs.				
13	Camping Emergency Lamp	unit	2	800.00	1,600.00
13	Multifunctional emergency lighting	unit	~	000.00	1,000.00
	Portable power function and outdoor SOS				
	Distress warning				
	Lighting Power: At least 4W				
		1			



	■Luminous Flux: At least 440LM				
	Battery Capacity: At least 5200mAh				
4.4	Carrying Channel, 12mm x 38mm x 5 meters,	niacon	100	455.00	45 500 00
14	0.8mm (thickness)	pieces	100	155.00	15,500.00
15	Cement, Portland	bag	1130	235.00	265,550.00
	■Type 1P, Premium Quality				
	■ASTM C150				
16	Cement, Rubber, Contact adhesive	btl	16	80.00	1,280.00
	Premium Quality, at least 300ml per bottle				
17	Concrete Hollow Blocks (CHB), 4"	pieces	275	20.00	5,500.00
	3-Cell Concrete Hollow Block 4"				
	■At least 350psi				
18	Copper Tube ½" size	feet	20	80.00	1,600.00
	■1/2 size the unit is feet				
19	C-Purlins, (at least 1.9mm thickness) x 4" x 20'	pcs	90	1,344.44	121,000.00
20	Cut off Blade, 14" x 1/8" x 1", good quality	piece	111	360.00	39,960.00
21	Cut-off Machine, 14"Ø (355 mm)	рс	1	5,000.00	5,000.00
22	Diameter Tape	рс	1	5,000.00	5,000.00
	Forestry diameter tape				
23	Diamond Cutter Wheel	pcs	40	400.00	16,000.00
	■Diameter: 105mm				
	■Thickness: 1.2mm x				
	■Arbor Diameter: 20 mm,				
	■max speed 13640 rpm				
	Digital Clamp meter with test probe and			7 500 00	7 500 00
24	carrying case	piece	1	7,500.00	7,500.00
	Measuring Capacitance Range: At least 60mF				
	Dimensions: Approx. (220mm x 75mm x 40mm)				
	Measuring Voltage Range: At most 750V				
	■Operating Temperature: 0-40°C				
	Measuring Resistance Range: 60MΩ				
	Measuring Inductance Range:10Hz~1MHz				
	■Measuring Current Range: at most 600A				
	■Digital Display				
	Jaw opening: At least 30mm				
	■Temperature:-40°C~1000°C				
25	Door Knob	piece	10	1,000.00	10,000.00
	Interior Type Cylindrical Door Knob Lockset			,	- ,
	■Good Quality				
26	Double Burner Gas Stove, with tank (loaded)	рс	1	4,500.00	4,500.00
	■For gas stove burner		-	.,	.,
	✓* Slim type LPG stove	1			
	 Removable trivet with a drip pan 				
	 ✓ Reinevasie invertinity a dip pair ✓ * Stainless top and front 				
	 Bouble detachable top burner 				
	Double Furring, 19mm x 50mm x 5m, 0.40mm				
27	(thickness)	pieces	400	195.00	78,000.00
28	Drill Bit Set, (Wood), 1/4" x 1",	set	1	250.00	250.00
	■HSS 1/4" Hex Shank Brad Point				
	■Twist Drill Bits Set	1			
	© 5pcs: 4 - 10mm				
	Premium Quality				
	Heavy Duty, Durable				
29	Electrical Tape, Vinyl	rolls	2	70.00	140.00
25	Sector and the sector and compatible with plastic	1010	-	70.00	140.00
	cable and wire harness insulations				
		1			



	Primary electrical insulation for all wire and cable				
	splices rated up to 600 volts.				
	■ 19mm x 16m x 0.155mm				
-	ASTM approved				
20	ASTM approved Electrical Wire, Electrocod #16/2Core	motoro	20	25.74	1 000 00
30	Electrical Wire, Flat cord #16/2Core ©Wire Flat cord #16/2 Core	meters	28	35.71	1,000.00
31	Electrical Wire, THHN/THWN, AWG 8 (8mm2), Stranded, 150 meters/box	box	1	8,500.00	8,500.00
-	BBuilding Wire				
	Stranded with Nylon Insulation				
	■Gauge 8 ■UL listed				
32	Electrical, 80A 3phase 4pole MCCB breaker	unit	1	4 000 00	4 000 00
32	Electrical, 2 gang convenience outlet, (surface	unit	1	4,000.00	4,000.00
33	type) universal	pcs	13	70.00	910.00
	Sang Convenience outlet surface type				
	universal				
34	Electrical, Insulated Staple Wire, 1/2"	boxes	4	60.00	240.00
34	Electrical, male plug, 3 pin	pcs	9	65.00	585.00
- 55	Beetrical, male plug, 5 plu Beetrical, male plug, 5 plu Beetrical, male plug, 5 plu	- P03	5	00.00	000.00
	■Good Quality				
	Electrical, Plastic Molding, 1/2" diameter, 8' per				
36	length	length	10	60.00	600.00
	End Flashing, Spanish style, Pre Painted				
37	(Baguio Green), 0.40mm x 2.40m	pcs	20	500.00	10,000.00
38	Epoxy, A & B (Liter/set)	set	2	350.00	700.00
	■All Purpose Structural Adhesive				
	■ Premium Grade				
39	EXPANSION BOLT 1 1/2 inches	pcs	8	10.00	80.00
	Extension Cord Set with Individual Switch 5				
40	Gang, at least 1.80 meter wire	pcs	4	700.00	2,800.00
41	Extension Ladder, Fiber Glass, at least 21'	unit	1	8,500.00	8,500.00
42	Faucet, Brass Plated	piece	5	300.00	1,500.00
	Sturdy and Durable				
	Heavy Duty Hose bib: 1/2" Hose end: 3/4"				
43	Fiber Cement (FiCem), Screw, #7(3.5mm) x 1"	pcs	2000	1.00	2,000.00
44	Fiber Reinforced Cement Board, Fascia,	niana	32	435.00	12 020 00
44	0.30mm x 8' (2.40m)	piece	32	435.00	13,920.00
	Premium Quality				
45	Fiber Reinforced Cement Board, 1/2"	pcs	16	1,900.00	30,400.00
43	(thickness) x 4' x 8'	pcs	10	1,900.00	30,400.00
46	Fiber Reinforced Cement Board, 1/4"	sheets	17	482.35	8,200.00
40	(thickness) x 4' x 8'	5110013	.,	402.55	0,200.00
47	Fiber Reinforced Cement Board, Lightweight,	sheet	84	450.00	37,800.00
	3/16", 4' x 8'	011001	01	100.00	07,000.00
	Premium Quality				
48	Fire Extinguisher, Dry Chemical (ABC), 10lbs	unit	2	3,000.00	6,000.00
	ISO CertifiedDry Chemical recommended for all				
	classes of firesNon ToxicNon Conducting and Non				
	Corrosive Chemical				
40	fixed clear glass with aluminum frame (9mtrs x	0.54		45 000 00	45 000 00
49	1.9 mtrs with glass thickness of at least 1 3/4 x	set	1	45,000.00	45,000.00
	4) for laboratory, with installation				
50	Floor Tiles, 0.30m x 0.30m, Unskid, Orange	pcs	350	50.00	17,500.00
E4	Brown, Material: Ceramic	chaot	10		
51	Formica sheets, (White), 4' x 8'	sheet	12	950.00	11,400.00
50	Good Quality Eull Eaco Pospirator Spray Paint Mask with		2	2 000 00	4 000 00
52	Full Face Respirator Spray Paint Mask with	рс	2	2,000.00	4,000.00





	Cartridge				
	Silicone/Thermoplastic Elastomer				
	Application: Construction/Automotive spray paint				
	 application: construction/Automotive spray paint a 2 x Organic Vapor Cartridge 				
	a 2 x Particulate Cotton Filter				
53	G.I. Tie Wire #14	kl	2	80.00	160.00
33	Good Quality	N	2	00.00	100.00
54	G.I. Tie Wire #16	kl	100	00.00	10.090.00
54	Good Quality	NI	122	90.00	10,980.00
55	Garden Hose Nozzle Spray	piece	1	200.00	200.00
- 55	Beleavy Duty, Good Quality	piece		200.00	200.00
56	Garden Hose, 3/4"Ø	motor	30	60.00	1,800.00
50	Diameter 3/4"Material: PVC	meter	30	00.00	1,000.00
57	Garden Hose, 5/8"Ø	motor	30	50.00	1 500 00
57	Rubber Material, Premium Grade	meter	30	50.00	1,500.00
EO	· · · · · · · · · · · · · · · · · · ·	roll	2	2.050.00	4 400 00
58	Garden Hose, 1/2"Ø, at least 50 meters per roll		2	2,050.00	4,100.00
59	Garden Pruning Shear	piece	2	280.00	560.00
	Hardened Stainless Steel blade				
	Cover friction				
	Heavy Duty, Good Quality		0	450.00	4 000 00
60	Gloves, Utility, Medium	pair	8	150.00	1,200.00
04	Medium size, Excellent quality	1 4	45	400.00	7 000 00
61	Good lumber, 2" x 3" x 10'	length	15	480.00	7,200.00
62	Good lumber, 2" x 4" x 8'	length	10	483.00	4,830.00
63	Hacksaw Blade, 14 TPI x 12"	pcs	1	25.00	25.00
	Bi-metal, High-Speed, Durable, Premium Quality				
64	Hacksaw Blade, 24 TPI x 12"	piece	90	50.00	4,500.00
	Bi-metal, High-Speed, Durable, Premium Quality				
65	Headlight, Helmet-type	рс	8	550.00	4,400.00
	■LED (light-emitting diode) bulb.				
	Rechargeable battery				
	Water resistant				
	With lighting modes				
	Image: Second				
	■can rotate 90 degrees				
66	Heavy Duty Chain Block, 5 Tons	unit	1	15,000.00	15,000.00
	■Capacity: 5 tons				
	Standard lifting height: at least 3 meters				
	■Test load: at least 61.25KN				
	■Head room (minimum): at least 616 mm				
	■Chain pull to lift full load: at least 383N				
	Number of load chain fall lines: 2				
	Diameter of load chain:10mm				
67	Hinges, Loose Pin, 4"x4"	piece	15	250.00	3,750.00
	Heavy Duty, Good Quality				
68	Impact Hand Drill,	unit	1	4,500.00	4,500.00
	Rated Power: At least 710W				
	Capacity: Concrete: 16mm (5/8")				
	■Steel: 13mm (1/2")				
	■Wood: 30mm (1-3/16")				
	■17pc Combination Drill Sets,				
	Below Duty, Durable, Enclosure Case		l		
69	Insulation Hose %"	pieces	4	87.00	348.00
70	Insulation Hose, 1/4" dia x 10'	procee	8	750.00	6,000.00
71	Insulation Tape, PVC, White, for				
	airconditioning, 4"	roll	2	400.00	800.00
72	Laser Range Finder	set	1	5,000.00	5,000.00



Measuring Range: 5-600 meters Measurement Accuracy: ±Stm/Hour Unit of Measurement Accuracy: ±Stm/Hour Magnification: 6 Times Clex Pressure Spray Gun Kit unit 1 10,000.00 Mincludes: Magnification: 6 DPs Clex: max 600 ml Monit in compressor Cleptims: D S Cleptims: D S Minit in compressor Cleptims: D S D Minit in compressor Max Pressure: D S B Max Pressure: D S B				1	1		
Speed Range: 0 - 300km/hour Speed Range: 0 - 300km/hour Upto Measurement Accuracy: #Skm/Hour Image: Skm/Hour 73 LED Tube with housing (T8), 18 watts, 4ft set 12 500.00 6,000.00 74 Low Pressure Spray Gun Kit unit 1 10,000.00 10,000.00 74 Low Pressure spray gun Image: 1 Image: 1 10,000.00 10,000.00 74 Low-Pressure spray gun Image: 1		Measuring Range: 5-600 meters					
Speed Measurement Accuracy: ±5Km/Hour Unit of Measure: Code (YD), Meter (M) Image: Code (YD), Meter (M) 73 LED Tube with housing (T8), 18 watts, 4ft Daylight) set 12 500.00 6,000.00 73 LED Tube with housing (T8), 18 watts, 4ft Daylight) set 1 10,000.00 10,000.00 8 Includes: with housing (T8), 18 watts, 4ft Daylight) set 1 10,000.00 10,000.00 8 Includes: with housing (T8), 18 watts, 4ft Max with of fan-shaped: 150 mm 4 Cup; max 600 ml 4 Max with of fan-shaped: 150 mm 4 Ar hose 4 Upt-weight durable aluminum housing							
Unit of Measure: Code (YD), Meter (M) Field Of View. 7* Image: Code (YD), Meter (M) (Daylight) 73 LED Tube with housing (T8), 18 watts, 4ft (Daylight) set 12 500.00 6,000.00 74 Low Pressure Spray Gun Kit unit 1 10,000.00 10,000.00 74 Low Pressure Spray Gun Kit unit 1 10,000.00 10,000.00 74 Low Pressure Spray Gun Image: Code (YD), Meter							
Field Of View: 7* Magnification: 6 Times 73 LED Tube with housing (T8), 18 watts, 4ft (Daylight) set 12 500.00 6,000.00 74 Low Pressure Spray Gun Kit unit 1 10,000.00 10,000.00 8 Includes: 1 10,000.00 10,000.00 4 Low Pressure Spray Gun Kit 1 1 10,000.00 4 Low Pressure Spray Gun Kit 1 1 10,000.00 4 Low Pressure: So Ps 1 1 10,000.00 4 Low Pressure: So Ps 1 1 1 1 4 Nozzle: 1 jet nozzle and 1 log nozzle (1.3 mm) 1 1 1 1 4 Low max 600 ml 1							
Magnification: 6 Times Magnification: 6 Times 73 LED Tube with housing (T8), 18 watts, 4ft set 12 500.00 6,000.00 74 Low Pressure Spray Gun Kit unit 1 10,000.00 10,000.00 8 Low Pressure Spray Gun 1 10,000.00 10,000.00 4 Low Pressure Spray Gun 1 10,000.00 10,000.00 4 Low Pressure Spray Gun 1 10,000.00 10,000.00 4 Morking pressure: SD PS 1 10,000.00 10,000.00 4 Max width of fan-shaped: 150 mm 1							
73 LED Tube with housing (T8), 18 watts, 4ft (Daylight) set 12 500.00 6,000.00 74 Low Pressure Spray Gun Kit unit 1 10,000.00 10,000.00 wincludes: nuint 1 10,000.00 10,000.00 Implication Single Spray Gun Kit unit 1 10,000.00 Implication Single Spray Gun Kit unit 1 10,000.00 10,000.00 Implication Single Spray Gun Kit unit 1 10,000.00 10,000.00 Implication Single Spray Gun Kit unit 1 10,000.00 10,000.00 Implication Single Spray Gun Kit unit 1 10,000.00 10,000.00 Implication Single Spray Gun Kit Implication Implication Implication Implication Implication Implication Implication Implication Implication Implication Implication Implication Implication Implication Implication Implication Implication Implica		Field Of View: 7°					
To IDaylight) The set 12 300.00 6,000.00 74 Low Pressure Spray Gun Kit unit 1 10,000.00 10,000.00 Wincludes: unit 1 10,000.00 10,000.00 Working pressure: SD PS Unit 1 10,000.00 Minking pressure: SD PS Unit 1 10,000.00 Minking pressure: SD PS Unit 1 10,000.00 Max width of fan-shaped: 150 mm Image: State Sta		Magnification: 6 Times					
(Laylight) unit 1 10,000.00 Bincludes: 1 10,000.00 Cup: Pressure spray gun 1 10,000.00 Cup: max 600 ml 1 1 Cup: max 600 ml 1 1 Max width of fan-shaped: 150 mm 1 1 Air hose 1 1 1 Air hose 1 1 1 1 1 Air Pressure 0.07 HP(50-55 W) 1 0 0 1 1 1 1 <th1< td="" th<=""><td>70</td><td>LED Tube with housing (T8), 18 watts, 4ft</td><td>oot</td><td>10</td><td>F00.00</td><td>6 000 00</td></th1<>	70	LED Tube with housing (T8), 18 watts, 4ft	oot	10	F00.00	6 000 00	
Bincludes: Image: Spray gun 4 Low-Pressure: 50 Ps 1 Cup:: max 600 ml 1 Nozzle: 1 je nozzle and 1 fog nozzle (1.3 mm) 1 Max width of fan-shaped: 150 mm 1 4 Air hose 1 Length: min. 2.5 M 1 Binni air compressor 1 4 Light-weight durable aluminum housing 1 4 Low-noise 1 4 Power: 0.07 HP(50-55 W) 1 4 Air Supply: 68 L / min(50 Hz); 70 L / min(60 Hz) 1 4 Air Exhaust. 1/4" 1 4 Air Exhaust. 1/4" 1 MAX. Pressure: 3.5 Bar 1 4 Power: 0.07 HP(50-55 W) 1 4 Air Supply: 68 L / min(50 Hz); 70 L / min(60 Hz) 1 4 Air Exhaust. 1/4" 1 BAR 1 5 Deci: Cable 1 5 Lumber, Coco, 2" x 2" x 12" pcs 30 120.00 3,600.00 BAC-1=tilt=20A Three Phase 220V/40V. 60Hz 1 9 Power Altron ALCURRENT: 220V-13A/ 440V- 1 12A 5,000.00 5,000	13	(Daylight)	Set	12	500.00	6,000.00	
	74	Low Pressure Spray Gun Kit	unit	1	10,000.00	10,000.00	
• Working pressure: 50 Ps • Cup: max 600 ml • Max width of fan-shaped: 150 mm • Alir hose • Length: min. 2.5 M ■ Mini air compressor • Light-weight durable aluminum housing • Light-weight durable aluminum housing • Light-weight durable aluminum housing • Low-noise • Power: 0.07 HP(50-55 W) • Air Supply: 68 L / min(50 H2); 70 L / min(60 H2) • Speed: 1400 pm (50H2); 1700 rpm (60H2) • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Electric Cable • Tobuer, Coco, 2" x 2" x 12" • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Speed: 1400 pm (50H2); 1700 rpm (60H2) • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Orange Line (Non-rev		Includes:					
• Working pressure: 50 Ps • Cup: max 600 ml • Max width of fan-shaped: 150 mm • Alir hose • Length: min. 2.5 M ■ Mini air compressor • Light-weight durable aluminum housing • Light-weight durable aluminum housing • Light-weight durable aluminum housing • Low-noise • Power: 0.07 HP(50-55 W) • Air Supply: 68 L / min(50 H2); 70 L / min(60 H2) • Speed: 1400 pm (50H2); 1700 rpm (60H2) • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Electric Cable • Tobuer, Coco, 2" x 2" x 12" • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Speed: 1400 pm (50H2); 1700 rpm (60H2) • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Air Exhaust. 1/4" • Orange Line (Non-rev		▲Low-Pressure spray gun					
■ Cup: max 600 ml Image: max 600 ml ■ Mozzie: 1 jet nozzle and 1 fog nozzle (1.3 mm) Image: max 600 ml ■ Mini air compressor Image: max 600 ml ■ Light-weight durable aluminum housing Image: max 600 ml ■ Light-weight durable aluminum housing Image: max 600 ml ■ Light-weight durable aluminum housing Image: max 600 ml ■ Light-weight durable aluminum housing Image: max 600 ml ■ Low-noise Image: max 600 ml ■ Low-noise Image: max 600 ml ■ Air Supply: 68 L / min(50 Hz); 70 L / min(60 Hz) Image: max 600 ml ■ Air Exhaust: 1/4" Image: max 600 ml							
							
							
Air hose							
		· · · · · · · · · · · · · · · · · · ·					
Mini air compressor Image: Complexity of the							
<0il-less.							
4 Light-weight durable aluminum housing				ł	┠────────────────────────		
					<u> </u>		
■ Power: 0.07 HP(50-55 W) ■ ■ Max. Pressure: 3.5 Bar ■ ■ Power: 0.07 HP(50-55 W) ■ ■ Air Supply: 68 L / min(50 Hz); 70 L / min(60 Hz) ■ ■ Air Supply: 68 L / min(50 Hz); 1700 rpm (60Hz) ■ ■ Air Exhaust: 1/4" ■ ■ Air Exhaust: 1/4" ■ ■ Air Pressure Regulator ■ ■ Electric Cable ■ 75 Lumber, Coco, 2" x 2" x 12" pcs 3Phase piece 1 3Phase piece 1 0 appetic contactor with overload relay, 3Phase piece 1 0 appetic contactor with overload relay, 400 - 7.5HP (5.5KW) ■ 1 0 aMOTOR CAPACITY: 220V- 4.7HP (3.5KW) ■ 1 ■ AUXILIARY CONTACT: 1NO+1NC ■ 1 77 MCB Miniature Circuit Breaker, 20A piece 1 324.00 324.00 ■ 230/415 VAC ■ ■ 1 500.00 500.00 1 ■ AUXILIARY CONTACT: 1NO+1NC ■ ■ 1 500.00 500.00 1					<u> </u>		
					<u> </u>		
		· · · · · ·					
							
 Air Exhaust: 1/4" BAir Pressure Regulator Electric Cable 75 Lumber, Coco, 2" x 2" x 12" pcs 30 120.00 3,600.00 76 Magnetic contactor with overload relay, 3Phase piece 1 5,000.00 5,00.00 5,00.0							
BAir Pressure Regulator Image: Coco, 2" x 2" x 12" pcs 30 120.00 3,600.00 75 Lumber, Coco, 2" x 2" x 12" pcs 30 120.00 3,600.00 76 Magnetic contactor with overload relay, 3Phase piece 1 5,000.00 5,000.00 BAC-1=lth=20A Three Phase 220V/440V. 60Hz Orange Line (Non-reversing) 0 5,000.00 5,000.00 BMOTOR CAPACITY: 220V-4.7HP (3.5KW) 440V- 1 2 440V- 7.5HP (5.5KW) 0 0 324.00 BAUXILIARY CONTACT: 1NO+1NC 0 0 324.00 77 MCB Miniature Circuit Breaker, 20A piece 1 324.00 B2-Pole 0 0 0 0 B230/415 VAC 0 0 0 0 B230/415 VAC 0 0 0 0 BUIN RAIL Mounted Type 0 0 0 0 78 Metal Sheet Thickness Gauge piece 1 500.00 500.00 BMeasuring range: 24GA (.0239), 22GA (.0299), 20GA (.0359), 18GA (
Image: State of State State Image: State State State Image: State State State Image: State State State Image: State State Image: State State Image: State State Image: State State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State State Image: State <th image:="" stat<="" td=""><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
75 Lumber, Coco, 2" x 2" x 12" pcs 30 120.00 3,600.00 76 Magnetic contactor with overload relay, 3Phase piece 1 5,000.00 5,000.00 ©AC-1=Ith=20A Three Phase 220V/440V. 60Hz piece 1 5,000.00 5,000.00 ©AC-1=Ith=20A Three Phase 220V/440V. 60Hz Piece 1 5,000.00 5,000.00 ©AC-1=Ith=20A Three Phase 220V/440V. 60Hz Piece 1 5,000.00 5,000.00 ©AC-1=Ith=20A Three Phase 220V/440V. 60Hz Piece 1 5,000.00 5,000.00 @MOTOR CAPACITY: 220V- 4.7HP (3.5KW) Piece 1 5,000.00 5,000.00 @MOTOR CAPACITY: 220V- 4.7HP (3.5KW) Piece 1 324.00 324.00 @DVERATIONAL CURRENT: 220V-13A/ 440V- 12A Piece 1 324.00 324.00 @E2.0/415 VAC Piece 1 324.00 324.00 324.00 @E30/415 VAC @E30/415 VAC Piece 1 500.00 500.00 @Material: Good Quality and Stable wear resistant Stainless Steel @E40 Piece 1 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Magnetic contactor with overload relay, 3Phase piece 1 5,000.00 BAC-1=Ith=20A Three Phase 220V/440V. 60Hz Orange Line (Non-reversing) piece 1 5,000.00 BMOTOR CAPACITY: 220V- 4.7HP (3.5KW) 440V- 7 7 1 5,000.00 BOPERATIONAL CURRENT: 220V-13A/ 440V- 1 1 324.00 324.00 BAUXILIARY CONTACT: 1NO+1NC 1 324.00 324.00 324.00 BOPERATIONAL CURRENT: 220V-13A/ 440V- 1 324.00 324.00 BAUXILIARY CONTACT: 1NO+1NC 1 324.00 324.00 BOPERATIONAL CURRENT: 220V-13A/ 440V- 1 324.00 324.00 BAUXILIARY CONTACT: 1NO+1NC 1 324.00 324.00 BOIN RAIL ANOUNTED Type 1 500.00 500.00 BMaterial: Good Quality and Stable wear resistant Stainless Steel 1 500.00 500.00 BMeasuring range: 24GA (.0239), 22GA (.0299), 22GA (.0299), 20GA (.0359), 18GA (.0478), 16GA (.1545), 3/16" (.1875), 1/4" (.250), 5/16" (.3125), (.024"), (.030"), (.035") 1 5,500.00 5,500.00 BMeasuring range: 24GA (.0239), 22GA (.0239), 20GA (.0259), 20GA (.0359), 18GA (.0478)							
76 3Phase piece 1 5,000.00 5,000.00 BAC-1=Ith=20A Three Phase 220V/440V. 60Hz Orange Line (Non-reversing) 1 5,000.00 5,000.00 BMOTOR CAPACITY: 220V- 4.7HP (3.5KW) 440V- 7.5HP (5.5KW) 1 1 1 1 BMOTOR CAPACITY: 220V- 4.7HP (3.5KW) 440V- 7.5HP (5.5KW) 1 1 1 1 BOPERATIONAL CURRENT: 220V-13A/ 440V- 12A 1 1 1 1 1 BAUXILIARY CONTACT: 1NO+1NC 1 1 324.00 324.00 B2-Pole 1 324.00 324.00 B2-Pole 1 1 1 1 BDIN RAIL Mounted Type 1 1 1 1 BMatal Sheet Thickness Gauge piece 1 500.00 500.00 BMaterial: Good Quality and Stable wear resistant Stainless Steel 1 500.00 500.00 BMeasuring range: 24GA (.0239), 22GA (.0299), 20GA (.0359), 18GA (.0478), 16GA (.0598), 14GA (.0747), 1/8" (.0125), 10GA(.1345), 3/16" (.1875), 1/4" (.250), 5/16" (.3125), (.024"), (.030"), (.035") 1 5,500.00 BStandard Grade 1 5,500.0	75	Lumber, Coco, 2" x 2" x 12"	pcs	30	120.00	3,600.00	
SPhase Image Interview Image Interview Image Interview Image Interview @AC-1=Ith=20A Three Phase 220V/440V. 60Hz Orange Line (Non-reversing) Image Interview Image Interview Image Interview @MOTOR CAPACITY: 220V- 4.7HP (3.5KW) Image Interview Image Interview Image Interview #MOTOR CAPACITY: 220V- 4.7HP (3.5KW) Image Interview Image Interview Image Interview #AUXILIARY CONTACT: 1NO+1NC Image Interview Image Interview Image Interview #AUXILIARY CONTACT: 1NO+1NC Image Interview Image Interview Image Interview #AUXILIARY CONTACT: 1NO+1NC Image Interview Image Interview Image Interview #AUXILIARY CONTACT: 1NO+1NC Image Interview Image Interview Image Interview #AUXILIARY CONTACT: 1NO+1NC Image Interview Image Interview Image Interview #BOIN RAIL Mounted Type Image Interview Image Interview Image Interview Image Interview #Metal Sheet Thickness Gauge piece Image Interview Image Interview Image Interview #Metal Sheet Thickness Gauge piece Image Interview Im	76	Magnetic contactor with overload relay,	nioco	1	5 000 00	5 000 00	
Orange Line (Non-reversing) Image: Constraint of the system ■MOTOR CAPACITY: 220V- 4.7HP (3.5KW) Image: Constraint of the system 440V- 7.5HP (5.5KW) Image: Constraint of the system ■OPERATIONAL CURRENT: 220V-13A/ 440V- Image: Constraint of the system 12A Image: Constraint of the system ■AUXILIARY CONTACT: 1NO+1NC Image: Constraint of the system 77 MCB Miniature Circuit Breaker, 20A piece ■2-Pole Image: Constraint of the system Image: Constraint of the system ■230/415 VAC Image: Constraint of the system Image: Constraint of the system ■230/415 VAC Image: Constraint of the system Image: Constraint of the system ■230/415 VAC Image: Constraint of the system Image: Constraint of the system ■230/415 VAC Image: Constraint of the system Image: Constraint of the system ■230/415 VAC Image: Constraint of the system Image: Constraint of the system ■230/415 VAC Image: Constraint of the system Image: Constraint of the system ■230/415 VAC Image: Constraint of the system Image: Constraint of the system ■230/415 VAC Image: Constraint of the system	70		piece	1	3,000.00	3,000.00	
■MOTOR CAPACITY: 220V- 4.7HP (3.5KW)		■AC-1=Ith=20A Three Phase 220V/440V. 60Hz					
440V-7.5HP (5.5KW) Image: Constraint of the second sec							
BOPERATIONAL CURRENT: 220V-13A/ 440V- 12A Image: model of the sector of th							
12A Image: I		440V- 7.5HP (5.5KW)					
BAUXILIARY CONTACT: 1NO+1NC piece 1 324.00 77 MCB Miniature Circuit Breaker, 20A piece 1 324.00 324.00 B2-Pole Image: Solution of the system of th		■OPERATIONAL CURRENT: 220V-13A/ 440V-					
77 MCB Miniature Circuit Breaker, 20A piece 1 324.00 324.00 ш2-Pole ш50-60Hz ш230/415 VAC ш230/415 VAC ш230/415 VAC ш230/415 VAC 1 ш200 ш230/415 VAC ш230/415 VAC ш20		12A					
Image: Steel Image: Steel<		■AUXILIARY CONTACT: 1NO+1NC					
Image: Steel Image: Steel<	77	MCB Miniature Circuit Breaker, 20A	piece	1	324.00	324.00	
Image: Standard Grade Image: Steel Imag		■2-Pole					
Image: 230/415 VAC Image: 230/415 VAC Image: 240 (0.239) (0.239) (0.237) Image: 240 (0.239) (0.237) (0.237) Image: 240 (0.239) (0.247) (0.237) (0.257) Image: 240 (0.239) (0.247) (0.257) (0.247) (0.257) Image: 240 (0.239) (0.247) (0.257) (0.257) Image: 240 (0.259) (0.257) (0.257) (0.257) Image: 250 (0.257) (0.257) (0.257) Image: 250 (0.257) (0.257) (0.257) (0.257) (0.257) Image: 250 (0.257) (0.257) (0.257) (0.257) (0.257) Image: 250 (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.257) (0.2							
Image: DIN RAIL Mounted Type Image: Discrete state piece 1 500.00 Retal Sheet Thickness Gauge piece 1 500.00 500.00 Image: Material: Good Quality and Stable wear resistant Stainless Steel piece 1 500.00 500.00 Image: Metal Sheet Thickness Gauge piece 1 500.00 500.00 Image: Material: Good Quality and Stable wear resistant Stainless Steel Image: Material: Good Quality and Stable wear resistant Image: Material: Good Quality and Stable wear resistant Image: Metal Sheet Image: Metal Sheet Image: Material: Good Quality and Stable wear resistant Image: Material: Good Quality and Stable Wear resistant Image: Metal Sheet Image: Metal Sheet Image: Material: Good Quality and Stable Metal Sheet Image: Metal Sheet							
78 Metal Sheet Thickness Gauge piece 1 500.00 500.00 ■Material: Good Quality and Stable wear resistant Stainless Steel Image: 1 500.00 500.00 ■Weight: Atleast15g Image: 24GA (.0239), 22GA (.0299), 20GA (.0359), 18GA (.0478), 16GA (.0598), 14GA (.0747), 1/8" (.0125), 10GA(.1345), 3/16" (.1875), 1/4" (.250), 5/16" (.3125), (.024"), (.030"), (.035") Image: 1 5,500.00 79 Mild Steel Plate, 5/32"(4mm thickness) x 4' x 8' Image: 24GA Grade sheet 1 5,500.00 5,500.00 Image: 80 Nails, Common Wire, 2" ki 6 75.00 450.00 450.00 100.00<				1	<u> </u>		
 Material: Good Quality and Stable wear resistant Stainless Steel Meight: Atleast15g Measuring range: 24GA (.0239), 22GA (.0299), 20GA (.0359), 18GA (.0478), 16GA (.0598), 14GA	78		piece	1	500.00	500.00	
Stainless Steel Image: 24GA (.0239), 22GA (.0299), 20GA (.0299), 20GA (.0359), 18GA (.0478), 16GA (.0598), 14GA (.0747), 1/8" (.0125), 10GA(.1345), 3/16" (.1875), 1/4" (.250), 5/16" (.3125), (.024"), (.030"), (.035") Image: Steel Imag	10		Picce		000.00	000.00	
Image: Weight: Atleast15g Image: 24GA (.0239), 22GA (.0299), 20GA (.0359), 18GA (.0478), 16GA (.0598), 14GA (.0747), 1/8" (.0125), 10GA(.1345), 3/16" (.1875), 1/4" (.250), 5/16" (.3125), (.024"), (.030"), (.035") Image: Mail of the standard Grade Sheet 1 5,500.00 5,500.00 5,500.00 5,500.00 5,500.00 5,500.00 5,500.00 5,500.00 5,500.00 6 7 Mild Steel Plate, 5/32"(4mm thickness) x 4' x 8' sheet 1 5,500.00 5,500.00 5,500.00 6 7 6 7 6 7 6 7 6 7 7 Mild Steel Plate, 5/32"(4mm thickness) x 4' x 8' sheet 1 5,500.00 5,500.00 6 7 7 80 Nails, Common Wire, 2" kl 6 75.00 450.00 9 9 9 9 9 9 81 Nails, Common Wire, 3" kl 5 60.00 300.00							
 Measuring range: 24GA (.0239), 22GA (.0299), 20GA (.0359), 18GA (.0478), 16GA (.0598), 14GA (.0747), 1/8" (.0125), 10GA(.1345), 3/16" (.1875), 1/4" (.250), 5/16" (.3125), (.024"), (.030"), (.035") Mild Steel Plate, 5/32"(4mm thickness) x 4' x 8' Sheet 					<u> </u>		
20GA (.0359), 18GA (.0478), 16GA (.0598), 14GA Image: constraint of the system of					<u> </u>		
(.0747), 1/8" (.0125), 10GA(.1345), 3/16" (.1875), 1/4" (.250), 5/16" (.3125), (.024"), (.030"), (.035") Image: Constant of the second sec							
1/4" (.250), 5/16" (.3125), (.024"), (.030"), (.035")							
79 Mild Steel Plate, 5/32"(4mm thickness) x 4' x 8' sheet 1 5,500.00 5,500.00 Standard Grade Image: Standard Grade Ki 6 75.00 75.00							
Image: Standard Grade Image: Standard Grade 80 Nails, Common Wire, 2" kl 6 75.00 450.00 Image: Standard Shank Image: Shank	70		chast	4	5 500 00	5 500 00	
80 Nails, Common Wire, 2" kl 6 75.00 450.00	19		sneet		5,500.00	5,500.00	
■Smooth Shank Image: Mail Common Wire, 3" kl 5 60.00 300.00	00				75.00	450.00	
81 Nails, Common Wire, 3" kl 5 60.00 300.00	80		KI	6	75.00	450.00	
				<u> </u>			
Smooth Shank	81		kl	5	60.00	300.00	
		Smooth Shank					



82	Nails, Common Wire, 4"	kl	15	70.00	1,050.00
02	Smooth Shank	N	10	70.00	1,000.00
83	Nails, Fiber Cement Board, 1"	kl	10	150.00	1,500.00
	Heavy Duty, Good Quality			100100	1,000100
84	Nails, Roofing (Umbrella), 2"	kl	15	120.00	1,800.00
	Twist Shank			120100	1,000.00
85	Padlock, 60mm	piece	3	270.00	810.00
	Heavy Duty, Durable, Good Quality	1		210100	010100
86	Paint Brush, 2"	pcs	2	45.00	90.00
87	Paint Brush, 2"	pcs	50	100.00	5,000.00
	Durable bristles				0,000100
	Heavy duty metal ferrules				
88	Paint Brush, 4"	pcs	50	120.00	6,000.00
89	Paint Thinner	gallon	1	350.00	350.00
	Premium Quality	Ŭ			
90	Paint, Acrylic Base Latex, White,	gallon	10	700.00	7,000.00
	Premium Quality Paint	Ŭ	_		,
91	Paint, Aerosol Spray, QDE/Acrylic, 12 oz, white	can	5	210.00	1,050.00
	Paint, Aerosol Spray, QDE/Acrylic, 12 oz,				
92	yellow color	can	5	210.00	1,050.00
93	Paint, Flatwall Enamel, White	gallon	20	600.00	12,000.00
	Premium Quality Paint				
94	Paint, Lacquer, Clear gloss	gallon	2	600.00	1,200.00
95	Paint, Latex Flat, White	gallon	182	600.00	109,200.00
	Premium Quality Paint				
96	Paint, Latex Gloss	gallons	6	750.00	4,500.00
	■Gloss, Latex				
97	Paint, Latex, Chocolate Brown	gallon	32	812.50	26,000.00
	Premium Quality Paint				
98	Paint, Latex, Semi Gloss, White	gallon	375	650.00	243,750.00
	Premium Quality Paint				
99	Paint, QDE, Black	quarts	1	650.00	650.00
	Premium Quality Paint				
100	Paint, QDE, Chocolate Brown	gallon	20	695.00	13,900.00
	Premium Quality Paint				
101	Paint, QDE, Maple	gal	50	695.00	34,750.00
	Premium Quality Paint				
102	Paint, QDE, Semi Gloss, White	gallon	2	650.00	1,300.00
	Premium Quality Paint				
103	Paint, QDE, White	gallon	5	720.00	3,600.00
	Premium Quality Paint				
104	Paint, Roof, Baguio Green	gallon	20	700.00	14,000.00
	Premium Quality Paint		10		
105	Paint, Roofshield-delete Roof Paint, Casa Blue	gallon	40	900.00	36,000.00
106	Paint, TTC, Lamp Black, Latex	can	1	60.00	60.00
107	Premium Quality, 0.25L per can				4 050 00
107	Paints, Acrylic Cast	gallon	3	550.00	1,650.00
400	Premium Quality		50	05.00	4 750 00
108	Pipe Fittings, (G.I.) Coupling, 1/2"Ø	piece	50	35.00	1,750.00
400	Schedule 40, Good Quality	niaca	50	40.00	0.000.00
109	Pipe Fittings, (G.I.) Elbow, 90 deg x 1/2"Ø	piece	50	40.00	2,000.00
440	Schedule 40, Good Quality		45	50.00	0.050.00
110	Pipe Fittings, (G.I.), Nipple, 1/2" x 4"	pcs	45	50.00	2,250.00
111	Pipe Fittings, (PVC) Coupling, 1/2"Ø	piece	50	20.00	1,000.00
440	Schedule 40, Good Quality	n:	00	50.00	4 000 00
112	Pipe Fittings, (PVC) Elbow, 45 deg x 1/2"Ø	piece	20	50.00	1,000.00
440	Heavy Duty, Good Quality		4	2 500 00	0.500.00
113	Pipe, (BI) Black Iron , 3" dia. x 6 meter	pcs	1	3,500.00	3,500.00



114	Pipe, (G.I.), 1"Ø x 20'	length	4	1,045	4,180.00
	Schedule 40, Good Quality	Ŭ		,	,
115	Pipe, (G.I.), 1/2"Ø x 20'	length	8	572.00	4,576.00
	Schedule 40Wall Thickness: 2.77mm				,
116	Pipe, (G.I.), 1-1/2"Ø x 20'	рс	19	1,657.89	31,500.00
	Schedule 40, Good Quality			,	,
117	Pipe, (G.I.), 2"Ø x 20'	length	13	2,261.53	29,400.00
	Schedule 40Wall thickness: 3.91mm				
118	Pipe, (G.I.), 3/4"Ø x 20'	length	103	504.08	51,920.00
	Schedule 40, Good Quality				.,
119	Pipe, (PVC) Blue 1/2" dia x 10'	pcs	5	85.00	425.00
120	Pipe, PE 80, 1/2" Ø, (100m/spool)	spool	1	1,800.00	1,800.00
121	Pipe Fittings, (PVC) Male Coupling, 3/4"	pcs	10	25.00	250.00
122	Plywood, Marine, 1/2"(thickness) x 4' x 8'	piece	2	720.00	1,440.00
	Standard, Good Quality	pi000		120.00	1,110.00
123	Plywood, Marine, 1/4"(thickness) x 4' x 8'	piece	20	450.00	9,000.00
120	Standard, Good Quality	piece	20	400.00	3,000.00
124	Plywood, Marine, 3/4"(thickness) x 4' x 8'	piece	3	1,200.00	3,600.00
	Standard, Good Quality	Picoc		1,200.00	0,000.00
125	Pressure Washer Set (Car Wash)	unit	1	10,500.00	10,500.00
120	Specification:	Grift		.0,000.00	10,000.00
	1.5hp Motor				
	Bell driven pump				
	298-498 psi				
	At least 14 liters/min suction				
	10m Discharge hose				
	2m suction and return hose				
	Spray gun with throttle control				
126	Putty Knife, 3"(75mm)	piece	5	120.00	600.00
120	Flexible Stainless Steel Blade	piece	5	120.00	000.00
	Mirror Surface Finishes				
	Rubberized Handle or Equivalent				
127	Good Quality, Durable, Heavy Duty.	ncc	10	250.00	2 500 00
127	PVC Solvent, 400 cc	pcs	10 7		2,500.00
120	Rainboots, Size: 10 (Men), Black	pair	/	450.00	3,150.00
	Hi-cut, Seamless injection for good waterproofing, Premium Quality				
129		poir	4	365.00	1 460 00
129	Rainboots, Size: 6 (Men), Black Phi-cut, Seamless injection for good	pair	4	305.00	1,460.00
130	waterproofing, Premium Quality	pair	3	365.00	1,095.00
130	Rainboots, Size: 7 (Men), Black BHi-cut, Seamless injection for good	Pall	3	303.00	1,095.00
	waterproofing, Premium Quality				
131	Rainboots, Size: 8 (Men), Black	pair	7	365.00	2,555.00
131	The seamless injection for good	Pair	(505.00	2,303.00
	waterproofing, Premium Quality				
132	Rainboots, Size: 9 (Men), Black	pair	1	400.00	400.00
132	The History State of Men , Black	Pair		+00.00	+00.00
	waterproofing, Premium Quality				
133	Raincoat, Jacket and Pants, Large, Blue	pair	2	600.00	1,200.00
100	The avy Duty, Good Quality	Pair	~	000.00	1,200.00
	Raincoat, Jacket and Pants, Small,				
134	Transparent	pair	2	600.00	1,200.00
	Inalisparent Beleavy Duty, Good Quality				
135	Raincoat, Poncho Type, Medium, Brown	piece	5	500.00	2,500.00
155	■ Rancoat, Poncho Type, Medium, Brown	piece	5	500.00	2,300.00
136	Roller Foam, 9"	noc	80	90.00	7 200 00
130	Rope,Nylon, #16 (8mm)	pcs	200	17.00	7,200.00 3,400.00
13/		meter	200	17.00	3,400.00



	Twisted 3 Strand, Good Quality				
138	Rope,Nylon,, #12 (6mm)	meter	600	15.00	9,000.00
130	Twisted 3 Strand, Good Quality	meter	000	13.00	9,000.00
139	Sand, Washed	cu.m	2	1,500.00	3,000.00
	Sanitary Fittings, (PVC) Clean Out, 4" x 45deg,	ou.m			
140	S1000	pcs	20	100.00	2,000.00
141	Sanitary Fittings, (PVC) Elbow, 2" x 45deg, S1000	pcs	35	65.00	2,275.00
142	Sanitary Fittings, (PVC) Elbow, 4" x 45 deg, S1000	pcs	20	130.00	2,600.00
143	Sanitary Fittings, (PVC) Elbow, 4" x 90deg, S1000	pcs	26	100.00	2,600.00
144	Sanitary Fittings, (PVC) Tee, 4" x 4", S1000	pcs	10	200.00	2,000.00
145	Sanitary Fittings, (PVC) Wye, 2" x 2", S1000	pcs	25	85.00	2,125.00
146	Sanitary Fittings, (PVC) Wye, 4" x 4" S1000	pcs	15	150.00	2,250.00
147	Sanitary Pipe, (PVC) 2" dia x 3 meters, S1000	pcs	10	300.00	3,000.00
148	Sanitary Pipe, (PVC) 4" dia x 3 meters, S1000	pcs	15	750.00	11,250.00
149	Scaffolding clamp, (Swivel Type), 1-1/2"	pcs	600	120.00	72,000.00
	High quality Durable material Heavy Duty				
150	Screened Sand	cu.m.	137	1,500.00	205,500.00
151	Screwdriver, Flat Head (Slotted), 6"	piece	1	150.00	150.00
	Heavy Duty, Cushion Grip, Durable, Good Quality				
152	Screwdriver, Philips(Cross Head), 6" Magnetic	piece	1	200.00	200.00
	Heavy Duty, Cushion Grip, Durable, Good Quality	•			
450	Screwdriver, Precision Set, 11 pieces with			450.00	450.00
153	case	set	1	150.00	150.00
	eHeavy Duty, Durable, Good Quality				
	Includes: 1x 1.0mm Screwdriver 1x 1.2mm				
	Screwdriver 1x 1.4mm Screwdriver 1x 1.8mm				
	Screwdriver 1x 2.4mm Screwdriver 1x 3.0mm Screwdriver 1x #00 Phillip Screwdriver 2x #0				
	Phillip Screwdriver 1x #1 Phillip Screwdriver 1x AWL Screwdriver				
154	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) x 4' x 12'	sheet	65	990.00	64,350.00
	Standard, Good Quality				
155	Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8'	sheet	12	637.50	7,650.00
	Standard, Good Quality				
156	Sheets, (G.I.) Plain, Gauge 16 (1.613mm)-delete x 8'	sheet	10	2,200.00	22,000.00
	Standard, Good Quality				
157	Shovel, Tempered steel spade	piece	2	250.00	500.00
	Heavy duty wooden handle, Good quality				
158	Single Groove Pulley, 2"	unit	30	1,000.00	30,000.00
	Durable stainless steel				
	Single swivel pulley				
	Wheel Diameter: 50mm				
	Wheel width: 13.5mm				
	Total Height: 127mm				
450	Eye Diameter: 20mm				4 400 00
159	Skim Coat, 20kg/bag	bag	2	550.00	1,100.00
	Good water vapor permeability				
	Excellent bonding to concrete				
160	Sliding window, 2.4 meters x1.2 meters, Analok frame with bronze <i>with installation</i>	рс	1	7,000.00	7,000.00
161	Spade Shovel, flat end	piece	2	250.00	500.00
162	Stainless Sink, Double Faucet complete with	set	1	8,000.00	8,000.00



	accessories				
163	Star Delta Timer 220V	piece	1	3,000.00	3,000.00
	Operating Voltage: 220V				
	■Time: 30sec				
	Operating Volt. Range: 85-110% of rated				
	operating voltage				
	Rated Frequency: 50/60 Hz				
	Contact Rating: 250 VAC 5A (resistive load)				
	Reset Time: MAX 0.3S				
	Power Consumption: Approx. 3 VA				
164	Steel Bar, Deformed(Corrugated),10mm x 6m	length	909	220.00	199,980.00
	■0.616 kg/M PNS 230				
	ASTM / Grade 33 Structural				
165	Steel Bar, Deformed(Corrugated),12mm x 6m	length	391	310.00	121,210.00
	Standard Grade	Ŭ			
166	Steel Plate (G.I.), Gauge 18 (1.0mm) 4' x 8'	sheet	4	900.00	3,600.00
	Standard, Good Quality				,
167	Stone, Sander for 4" angle grinder	piece	20	150.00	3,000.00
	Durable, Good Quality				,
168	Tapping Screw Black 1"	pcs	1	50.00	50.00
169	Teflon Tape, 1/2"Ø x 10m	roll	28	50.00	1,400.00
	Good for sealing on pipe thread		-		, 30
170	Tex Screw, Metal, 2"	pcs	2000	5.00	10,000.00
171	Tox, 1", at least 100 pieces per box	box	10	130.00	1,300.00
172	Transformer Oil	drums	10	28,000.00	280,000.00
	POWER PREMIUM TRANSFORMER OIL		_	,	,
173	Universal Convenience Outlet, 4-gang, 10m	рс	1	500.00	500.00
	■10m 4-gang Universal Convenience Outlet	•			
174	W Clip for Double Furring, (0.40mm thickness)	pieces	500	6.00	3,000.00
175	Water Closet with Lavatory, Big, Good Quality	set	2	15,000.00	30,000.00
	Weighing Scale, Top Loading Dial Scale, (60 kg	.,			
176	capacity)	unit	1	3,500.00	3,500.00
	Hi-strength flat plate top loading				
	Spring loaded Dial Scale, Durable, Good Quality				
177	Welding Apron with Sleeves & Bib, (Leather)	set	5	1,000.00	5,000.00
	Heavy Duty and Good quality leather				
	Flame/Heat/Abrasion Resistant Welding				
	Protection				
178	Welding Gloves	pair	10	500.00	5,000.00
	ISO and CE certified				
	EN12477 Type-A protection for welding and				
	thermal jobs				
	Suitable for stick and MIG welding, as well as				
	torch cutting and grinding				
	Premium split cowhide leather and welted seams				
	Cotton lining provides thermal insulation				
	Long cuff extends protection over the forearm.				
179	Welding Rod, E-6010, 1/8"	kl	60	200.00	12,000.00
	Premium Quality				
180	Welding Rod, E-6011, 3/32"	kl	4	200.00	800.00
	Premium Quality				
181	Welding Rod, E-6012, 5/32"	kl	20	200.00	4,000.00
	Premium Quality				
182	Welding Rod, E-6013, 1/8"	kl	15	150.00	2,250.00
	Premium Quality				,
183	Welding Rod, E-6013, 5/32"	kl	20	150.00	3,000.00
	Premium Quality	1			-,
184	Wheelbarrow	unit	3	3,500.00	10,500.00



	At least 4 cu.ft lightweight powder-coated steel				
	tray with rust-resistant zinc handles and legs				
	Heavy-duty rubber wheels, Durable				
	Windows, 1.20m x 1.60m Fixed Slide				
185	Aluminum with bronze glass, white, including	sets	2	5,000.00	10,000.00
	installation				
186	Wire, Duplex #12, PDX	meters	12	50.00	600.00
187	Wire, Mesh, 1/2" x 3'	meter	3	30.00	90.00
188	Wood Glue	quart	1	140.00	140.00
	■Premium Quality				
189	Wood preservative, brown	gallon	1	1,150.00	1,150.00
	Schedule 40, Good Quality				
		TOTAL:			3,025,754.50

Sgnd DILBERTO O. FERRAREN BAC Chairman