



**VISAYAS**  
STATE UNIVERSITY

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

## **Supply and Delivery of Hardware and Construction Supplies (VSU-GOODS-24-25)**

**Government of the Republic of the Philippines**

**March 20, 2024; 9:00 AM  
BAC Conference Room, VSU Market, Visca, Baybay City, Leyte  
and via Zoom**

**Sixth Edition  
July 2020**

## Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	3
Section I. Invitation to Bid	6
Section II. Instructions to Bidders	25
1. Scope of Bid	26
2. Funding Information	26
3. Bidding Requirements	26
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	26
5. Eligible Bidders	26
6. Origin of Goods	27
7. Subcontracts	27
8. Pre-Bid Conference	27
9. Clarification and Amendment of Bidding Documents	27
10. Documents comprising the Bid: Eligibility and Technical Components	27
11. Documents comprising the Bid: Financial Component	28
12. Bid Prices	28
13. Bid and Payment Currencies	29
14. Bid Security	29
15. Sealing and Marking of Bids	29
16. Deadline for Submission of Bids	29
17. Opening and Preliminary Examination of Bids	30
18. Domestic Preference	30
19. Detailed Evaluation and Comparison of Bids	30
20. Post-Qualification	31
21. Signing of the Contract	31
Section III. Bid Data Sheet	32
Section IV. General Conditions of Contract	34
1. Scope of Contract	35
2. Advance Payment and Terms of Payment	35
3. Performance Security	35
4. Inspection and Tests	35
5. Warranty	36
6. Liability of the Supplier	36
Section V. Special Conditions of Contract	37
Section VI. Schedule of Requirements	42
Section VII. Technical Specifications	58
Section VIII. Checklist of Technical and Financial Documents	75

## ***Glossary of Acronyms, Terms, and Abbreviations***

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.



**VISAYAS**  
STATE UNIVERSITY

## ***Section I. Invitation to Bid***



## INVITATION TO BID FOR SUPPLY AND DELIVERY OF HARDWARE AND CONSTRUCTION SUPPLIES

1. The *Visayas State University* through the *GF, STF, and TF 2024* intends to apply the sum of *Four Million Fifty One Thousand Eight Hundred Eight Pesos (PhP 4,051,808.00)* being the ABC to payments under the contract for *Supply and Delivery of Hardware and Construction Supplies (VSU-GOODS-24-25)*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University*, through the *GF, STF, and TF 2024* intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item #	Description	Unit	Qty	ABC/Unit (Pesos)	Total ABC (Pesos)
<b>1</b>	<b>original combination wrench set, (8mm-32mm)</b>	<b>set</b>	<b>1</b>	<b>1,800.00</b>	<b>1,800.00</b>
	<i>Combination set original</i>				
	<i>Original made, *durable</i>				
	<i>*made from high quality steel</i>				
	<i>*16PCS HEAVY DUTY COMBINATION WRENCH</i>				
	<i>SIZES: 8,9,10,11,12,13,14,15,17,19,21,22,24,27,30,32MM</i>				
<b>2</b>	<b>Professional Drilling and Screwdriving 103 pcs/set</b>	<b>set</b>	<b>1</b>	<b>2,000.00</b>	<b>2,000.00</b>
	<i>Assortment of screw driving bits</i>				
	<i>Socket wrenches and adapter</i>				
	<i>Holds some magnetic bits</i>				
	<i>Compatible with attractive mixed set that covers all common applications</i>				
	<i>Organised in a moulded display robust carry case</i>				
	<b>INCLUDES:</b>				
	<i>9 x metal drill bits (2 x 1.5, 3 x 2, 1 x 2.5, 4 x 3, 1 x 3.2, 1 x 3.5, 1 x 4, 1 x 4.5, 1 x 4.8, 1 x 5, 1 x 5.5, 1 x 6 and 1 x 7mm),</i>				
	<i>40 x 25mm screwdriver bits (10 x PH (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm), 10 x PZ (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm)</i>				
	<i>6 x S (2 x 4, 2 x 6 and 2 x 7mm)</i>				
	<i>10 x T (2 x 10, 2 x 15, 2 x 20, 2 x 25, 30 and 40mm)</i>				
	<i>4 x H (3, 4, 5 and 6mm))</i>				
	<i>13 x 50mm screwdriver bits (4 x PH (0, 1, 2 and 3mm)</i>				
	<i>4 x PZ (0, 1, 2 and 3mm)</i>				
	<i>2 x S (4 and 6mm)</i>				
	<i>3 x T (10, 20 and 25mm))</i>				
	<i>2 x spade bits (16 and 22mm),</i>				
	<i>5 x masonry drill bits (4, 5, 6, 8 and 10mm)</i>				
	<i>Bit holder</i>				
	<i>4 x holesaws (32, 38, 44 and 54mm)</i>				
	<i>Hole saw adapter</i>				
	<i>9 x wood drill bits (2 x 3, 2 x 4, 1 x 5, 1 x 6, 1 x 7, 1 x 8 and 1 x 10mm)</i>				



	7 x nut setters (5, 6, 8, 10, 11, 12 and 13mm)				
	Countersink and Allen key				
<b>3</b>	<b>1-1/2 inch wood screws</b>	<b>box</b>	<b>1</b>	<b>300.00</b>	<b>300.00</b>
	<i>phillips head, dry wall black screw, 500 pcs. per box</i>				
<b>4</b>	<b>1-1/2-inch self-drilling screws for steel</b>	<b>box</b>	<b>2</b>	<b>70.00</b>	<b>140.00</b>
	<i>Hex head, with rubber gasket, 100 pcs per box</i>				
<b>5</b>	<b>door knob</b>	<b>pc</b>	<b>15</b>	<b>1,300.00</b>	<b>19,500.00</b>
	<i>Protected by antimicrobial Microban – surface is 99.9% cleaner. Fits door thickness of 1-3/8 in. to 1-3/4 in. Adjustable latch fits all standard door types.</i>				
	<i>Good Quality</i>				
<b>6</b>	<b>4-inch diamond cup grinding disc</b>	<b>pc</b>	<b>3</b>	<b>230.00</b>	<b>690.00</b>
	<i>heavy-duty, diamond cup wheel for concrete grinding</i>				
<b>7</b>	<b>4-inch metal cutting disc</b>	<b>pc</b>	<b>5</b>	<b>250.00</b>	<b>1,250.00</b>
	<i>heavy-duty, EN12413 compliant</i>				
<b>8</b>	<b>500KG Electric Hoist 1600W</b>	<b>unit</b>	<b>1</b>	<b>30,000.00</b>	<b>30,000.00</b>
	<i>Double Hook</i>				
	<i>Input Power : 1600W</i>				
	<i>Load Capacity: 500Kgs</i>				
	<i>Lifting Height: 6 meters</i>				
	<i>Lifting Speed: 4 meters/minute</i>				
<b>9</b>	<b>Abrasive Paper, Floor Sanding Sheet Grit #36</b>	<b>meter</b>	<b>5</b>	<b>350.00</b>	<b>1,750.00</b>
	<i>Very Coarse, Sand Paper Abrasive, Premium Grade</i>				
<b>10</b>	<b>Abrasive Paper, Floor Sanding Sheet Grit #80</b>	<b>meter</b>	<b>5</b>	<b>250.00</b>	<b>1,250.00</b>
	<i>Medium Coarse, Sand Paper Abrasive, Premium Grade</i>				
<b>11</b>	<b>Abrasive Paper, Sand Paper Grit #120, 9" x 11"</b>	<b>sheet</b>	<b>6</b>	<b>30.00</b>	<b>180.00</b>
	<i>Fine Sanding, Waterproof, Good Quality</i>				
<b>12</b>	<b>Abrasive Paper, Sandpaper Grit #100</b>	<b>sheet</b>	<b>20</b>	<b>30.00</b>	<b>600.00</b>
	<i>Medium Coarse, Premium Grade, Waterproof</i>				
<b>13</b>	<b>Abrasive Paper, Sandpaper, #1000</b>	<b>sheet</b>	<b>20</b>	<b>40.00</b>	<b>800.00</b>
	<i>Super Fine, Premium Grade, Waterproof</i>				
<b>14</b>	<b>Abrasive Paper, Sandpaper, #120</b>	<b>meter</b>	<b>50</b>	<b>200.00</b>	<b>10,000.00</b>
	<i>Fine, Premium Grade, Waterproof</i>				
<b>15</b>	<b>Acrytex Cast</b>	<b>gal</b>	<b>9</b>	<b>750.00</b>	<b>6,750.00</b>
<b>16</b>	<b>Adjustable Eye Shield Protection safety goggles</b>	<b>pc</b>	<b>3</b>	<b>160.00</b>	<b>480.00</b>
	<i>Eye Shield Protection - safety goggles</i>				
	<i>This glasses is made of premium material for lab factory warehouse and outside cycling construction work anywhere need to wear goggles.</i>				
	<i>Eye Protection</i>				
	<i>Anti Virus Glasses</i>				
	<i>Anti-dust Anti-droplets</i>				
	<i>Adjustable frame</i>				
	<i>Light Weight</i>				
	<i>Lens Color: Transparent</i>				
	<i>Frame Color: Black</i>				
<b>17</b>	<b>Adopter P.E. 2"</b>	<b>pc</b>	<b>5</b>	<b>400.00</b>	<b>2,000.00</b>
<b>18</b>	<b>Advance Upgraded Starter Arduino Kit</b>	<b>pc</b>	<b>2</b>	<b>1,850.00</b>	<b>3,700.00</b>





19	<b>Angle Grinder, 4"Ø (100mm)</b>	pc	1	4,500.00	4,500.00
	☑Heavy Duty				
	☑Durable				
	☑Power Rating: At least 840 Watts				
	☑No load speed: At least 11,000 rpm				
	☑Wheel diameter: 4"(100mm)				
20	<b>Anti UV 85% Sun Shade Net black Outdoor Garden Net Farm Net Greenhouse Net Sunscreen</b>	roll	2	1,800.00	3,600.00
	Sun shade net				
	Color: Black				
	Dimension (LXW): 1×20M				
	Function: Shading heat insulation, humidity reduction				
	Applicable scene: Garden, Plants shade, Greenhouse				
21	<b>ball bearing</b>	pc	20	150.00	3,000.00
	Specification: 6205ZZ				
22	<b>Barbed Wire, Gauge 12</b>	roll	3	3,500.00	10,500.00
	☑GI #12 wires of 2-points-4-strand rolls				
	☑26kg/roll at 150 m per roll				
23	<b>Bench Grinder, Grinding Wheel, 6" x 3/4"(thickness) x 1" Arbor hole</b>	pc	4	150.00	600.00
	Bench and Pedestal Grinding Wheel (Rough) for Steel and Stainless Steel, 6" Diameter, 3/4" Thick, Heavy Duty, Durable				
24	<b>Bidet spray toilet bidet rinse set, Heavy Duty</b>	pc	19	2,000.00	38,000.00
25	<b>Bolt w/nut, 5/16 x 1-1/2"</b>	pc	100	15.00	1,500.00
26	<b>Bolt with nut, 5/16" dia x 1"</b>	pc	100	15.00	1,500.00
27	<b>Bolt with nut, 7/16" x 2"</b>	pc	100	20.00	2,000.00
	dimension: 7/16 inch by 2 inches				
28	<b>Bolt with nut, 7/16" dia x 1-1/2"</b>	pc	100	15.00	1,500.00
29	<b>Bulb Socket, PVC</b>	pc	4	50.00	200.00
	☑Standard size,				
	☑round,				
	☑ISO Certified and Good Quality				
30	<b>Bulb, LED, 15W</b>	pc	98	300.00	29,400.00
	☑Wattage: 15 Watts				
	☑Lumens: 1521				
	☑Color Temp. : Daylight				
	☑Beam Angle: 200 degrees				
	☑Voltage: 170-240 V AC 50/60Hz				
	☑Bulb Holder: E27				
	☑Life Hours: 15,000 hrs.				
	☑Material: PC cover & Aluminum PCB				
31	<b>Bulb, LED, 20 Watts</b>	pc	20	400.00	8,000.00
	☑Up to 80% energy savings,				
	☑Eco-friendly,				
	☑No UV radiation,				
	☑No mercury,				
	☑Wattage: 20 Watts,				
	☑Color Temperature: 6500K,				



	☑Daylight Brightness: at least 1800 Lumens				
	☑Base: E27,				
	☑Lifetime: at least 30,000 hours,				
	☑Power Input: 220-240Vac, 50/60Hz				
32	<b>Bulb, LED, 9W</b>	pc	65	250.00	16,250.00
33	<b>Bulb, Sockets</b>	pc	15	100.00	1,500.00
	☑Plastic				
	☑round, size 3" x 3",				
	☑White color.				
	☑For E27 bulbs.				
34	<b>Bushing G.I. 2" x 1-1/2</b>	pc	2	350.00	700.00
35	<b>Cable Tie, 4" x 250mm, 100pcs/pack</b>	pack	5	150.00	750.00
	Nylon, 4x250mm;				
36	<b>Cement, Portland</b>	bag	158	330.00	52,140.00
	☑Type 1P, Premium Quality				
	☑ASTM C150				
37	<b>Circuit breaker 15A, surface type, 2-pole</b>	pc	2	600.00	1,200.00
	15A, surface type, 2-pole;				
38	<b>Concrete Hollow Blocks (CHB), 4"</b>	pc	598	25.00	14,950.00
	☑Standard Size				
	☑3-Cell Concrete Hollow Block 4"				
	☑At least 350psi				
39	<b>Crushed gravel, 3/4 inch nominal diameter crushed stone, for coarse aggregates</b>	cu.m.	5	1,800.00	9,000.00
40	<b>Cut off Blade, 14" x 1/8" x 1", good quality</b>	pc	20	360.00	7,200.00
41	<b>Cutting Disc for Steel/Stainless, 4"</b>	pc	12	270.00	3,240.00
42	<b>Deadbolt, Single Cylinder</b>	pc	5	1,200.00	6,000.00
	Chassis : Stainless Steel				
	Latch and Bolt : Zinc - Strike : Steel / Brass / Stainless Steel				
	Cylinder Housing : Brass / Steel Backset: 60mm / 70mm				
	Anti-Sawing Insert : Hardened Steel				
	Cylinder : Solid Brass 5-pin tumbler cylinder				
	Heavy Duty				
	US32D Finish				
43	<b>Demolition Jack Hammer, (Ground Breaking) concrete</b>	pc	1	20,000.00	20,000.00
	Dimensions:72 x 34 x 20 cm				
	Rated Input Power: 2200W				
	Hammer Type:Demolition Hammer				
	Frequency: 60Hz				
	Power Source:AC				
	Usage:Renovation Team				
	Weight:20Kgs				
	Rated Voltage:220V				
	Power:2200W, 3600W				
	Power Source(Others):Electric				
	Voltage:110V for US, 220V for AU/EU				
	No Load Speed(2200W):1400 R/Min				



	Impact Force(2200W):55J				
	Chuck Size:1-1/8Inch (Hex)				
	Fore-Grip Handle Swivel:360 degrees				
	Oil(3600W):No.46 Hydraulic Oil				
	Usage:Home DIY & Industry				
	Chisel:1-1/8" Bull Point Chisel, 1-1/8" Flat Chisel				
	Tool Size(2200W):410mm				
	Machine Length (w/o tool)(2200W):630mm				
<b>44</b>	<b>Diameter Tape</b>	<b>pc</b>	<b>1</b>	<b>5,000.00</b>	<b>5,000.00</b>
	☑Forestry diameter tape				
	☑Woven synthetic fabric tape				
	☑PVC coated steel case				
	☑Case size: at least80mm				
	☑Tape length: at least10m				
	☑Tape width: at least16mm				
<b>45</b>	<b>Door Knob</b>	<b>pc</b>	<b>5</b>	<b>1,000.00</b>	<b>5,000.00</b>
	▶ Stainless Steel				
	▶ Door Thickness: 35-50mm				
	▶ Entrance Function				
	▶ 3 Keys Included				
	▶ US32D Finish				
	▶ High Quality				
	▶ Heavy Duty				
<b>46</b>	<b>Double pulley, 3"x1", B type</b>	<b>pc</b>	<b>20</b>	<b>200.00</b>	<b>4,000.00</b>
	3 inches x 1 inch, B typewith big hub				
<b>47</b>	<b>Drill bit set</b>	<b>set</b>	<b>1</b>	<b>4,000.00</b>	<b>4,000.00</b>
	Set consists of: 1/16 inch to 1/2 inch drill bits				
	(A19020)				
<b>48</b>	<b>Drum, Barrel Drum, Blue 200-220L capacity</b>	<b>drum</b>	<b>2</b>	<b>2,100.00</b>	<b>4,200.00</b>
	☑HDPE				
	☑Closed Head				
	☑Good Quality				
	☑Clean				
<b>49</b>	<b>Electric grinder</b>	<b>set</b>	<b>2</b>	<b>4,000.00</b>	<b>8,000.00</b>
	Diameter: 100mm				
	Voltage: AC, 220-240V; Amperage: 3.2A				
	Hertz: 50-60Hz; Wattage: 840W				
<b>50</b>	<b>Electric Hand Drill</b>	<b>set</b>	<b>3</b>	<b>14,900.00</b>	<b>44,700.00</b>
	☑Rotary hammer, 26mm max. cap., 800W, 230V, 50/60Hz, 0-1150rpm, 2.3KJ,				
	☑5kg. with reverse				
<b>51</b>	<b>Electric Water pump, Jet shallow, 1 HP</b>	<b>unit</b>	<b>1</b>	<b>10,500.00</b>	<b>10,500.00</b>
<b>52</b>	<b>Electrical Circuit Breaker, 30A, (Box type)</b>	<b>pc</b>	<b>3</b>	<b>550.00</b>	<b>1,650.00</b>
	Heavy Duty and Good quality, Durable				
	220-240V				
<b>53</b>	<b>Electrical Outlet, Convenience 2 gang, (Flush type)</b>	<b>set</b>	<b>3</b>	<b>200.00</b>	<b>600.00</b>
	Good Quality, Durable				



54	<b>Electrical Switch, 3-way, flush type</b> <i>Heavy duty, Good quality</i>	pc	1	200.00	200.00
55	<b>Electrical Tape (Rubber)</b> ☑rubber, 0.8 x 19mm x 8m any color;	pc	5	180.00	900.00
56	<b>Electrical Tape, Vinyl</b> ☑Flame retardant and compatible with plastic cable and wire harness insulations ☑Flexible PVC with aggressive rubber adhesive ☑Primary electrical insulation for all wire and cable splices rated up to 600 volts. ☑19mm x 16m x 0.155mm ☑Heavy Duty ☑ASTM approved	roll	40	75.00	3,000.00
57	<b>Electrical Wire, THHN / THWN, AWG 10 (5.5mm<sup>2</sup>), Stranded, 150 meters/box</b> ☑Building Wire ☑Stranded with Nylon Insulation ☑Gauge 10 ☑UL listed	box	2	8,500.00	17,000.00
58	<b>Electrical Wire, THHN/THWN 250 MCM (125 mm<sup>2</sup>) 600 volts (stranded copper wire)</b> <i>Electrical Wire, THHN/THWN 250 MCM/ 150 mm<sup>2</sup>, 600 Volts, Stranded Wire</i> ☑Building Wire ☑Stranded with Nylon Insulation ☑Gauge 10 ☑UL listed	meter	21	1,300.00	27,300.00
59	<b>Emergency Light, 2 x 3 Watts</b> <i>Good quality Durable Dome reflector for wider light distribution Automatic Operation (turns on instantly when power is cut-off) Equipped with Overcharging protection Fuse protected Illuminates areas more than 1 lux Light Source: 2x1W High Power SMT LED Battery: 4V 4.0Ah - 6V 4.5Ah Sealed Lead Acid Charging Time: &lt;20 hours Performance Time: ≤6 hours (at full charge)</i>	pc	25	2,500.00	62,500.00
60	<b>End mill size 10</b> <i>has 10mm milling cutter;</i>	box	6	850.00	5,100.00
61	<b>End mill size 6</b> <i>has 6mm milling cutter;</i>	box	3	550.00	1,650.00
62	<b>Extension Ladder, Fiber Glass, at least 21'</b> <i>Load Capacity: atleast 300 lbs Reaches from 8 ft to an extendable length of 13 ft Self-leveling 2-way swivel safety shoes Main Material: Fiberglass Dimension: atleast 268 x 47 x 17, cm Weight: atleast 16.5 kg</i>	unit	2	20,000.00	40,000.00



63	<b>Extension wire with 4 gang Universal Convenience Outlet, at least 10m long</b>	pc	16	500.00	8,000.00
	☐at least 10 amperes wire capacity				
64	<b>Faucet, Brass (Ordinary)</b>	pc	10	400.00	4,000.00
65	<b>Fire Extinguisher, Dry Chemical (ABC), 10lbs</b>	unit	7	3,000.00	21,000.00
	ISO Certified				
	Dry Chemical recommended for all classes of fires				
	Non Toxic				
	Non Conducting and Non Corrosive Chemical				
66	<b>Flange bearing, square type</b>	pc	10	480.00	4,800.00
	Square flanged ball bearing unit with set screw locking				
	1 1/4 inch bore diameter				
67	<b>Flat Bar, 1/4"(thickness) x 1" x 6 meter</b>	pc	5	500.00	2,500.00
68	<b>Flourescent Lamp Set 40 watts, 220 volts</b>	set	20	400.00	8,000.00
	Fluorescent Tube 40 watts, 220 volts, with casing ballast and starter.				
69	<b>G.I. Tie Wire #16, Good Quality</b>	kg	86	90.00	7,740.00
70	<b>Galvanized Steel Roof Panel, 12ft</b>	sheet	20	850.00	17,000.00
	☐Features				
	◀Roof Panel Type: Corrugated sheet or pre-painted roof panel				
	◀Color Family: Metallic				
	◀Material: Metal				
	◀Product Thickness (in.): .020				
	◀Product Length (in.): 144 in				
	◀Approximate Length (ft.): 12				
	◀Product Width (in.): 26 in				
71	<b>garden bolol/ guna</b>	pc	4	350.00	1,400.00
	weeding knife with a very short and wide dull blade with a perpendicular blunt end.				
72	<b>Garden Hose, 5/8"Ø, Good Quality</b>	meter	500	55.00	27,500.00
73	<b>GI Pipe 1/2 x 6 m. sch 40</b>	length	7	650.00	4,550.00
74	<b>GI Pipe 1/2x6m sch 60</b>	length	5	750.00	3,750.00
75	<b>GI Pipe 3/4 x 6 m. sch 40</b>	length	15	1,000.00	15,000.00
76	<b>GI Pipe 3/4x6m sch 60</b>	length	4	1,300.00	5,200.00
77	<b>Good Lumber Wood 2x2x12 (s4s)</b>	pc	27	400.00	10,800.00
78	<b>Good Lumber, 2" x 3" x 12"</b>	pc	2	800.00	1,600.00
79	<b>Good Lumber, 2" x 6" x 12'</b>	pc	439	1,500.00	658,500.00
80	<b>Good lumber, 2"x4"x12"</b>	pc	2	1,300.00	2,600.00
81	<b>Grass/Brush cutter (Four Stroke Engine)</b>	unit	4	25,000.00	100,000.00
	☐Engine: 4 stroke engine				
	☐Handle type: both hands				
	☐Power transmission method: automatic centrifugal clutch, spiral gear				
	☐Displacement Volume (cc): 41.5				
	☐Carburetor: Float, piston valve				
	☐Starting Method: Recoil starter				
	☐Stopping Method: Sparking Circuit Primary Short				



	☑Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)				
	☑Lubricating Oil Used: 2-cycle engine oil				
	☑Fuel Tank Capacity (L): 1				
<b>82</b>	<b>Grasscutter Blade (305mm x 1.6mm x 25.4mm x 2T)</b>	<b>pc</b>	<b>10</b>	<b>650.00</b>	<b>6,500.00</b>
	<i>For Kawasaki Grasscutter unit, functional &amp; good quality</i>				
<b>83</b>	<b>Grinding Stone 4"</b>	<b>pc</b>	<b>12</b>	<b>300.00</b>	<b>3,600.00</b>
<b>84</b>	<b>Hacksaw Blade, 14 TPI x 12"</b>	<b>pc</b>	<b>30</b>	<b>75.00</b>	<b>2,250.00</b>
	<i>Bi-metal, High-Speed, Durable, Premium Quality</i>				
<b>85</b>	<b>Hand Planer Portable 3-1/4" good quality</b>	<b>unit</b>	<b>1</b>	<b>6,000.00</b>	<b>6,000.00</b>
<b>86</b>	<b>Heat Gun 2000W 4 nozzle</b>	<b>unit</b>	<b>2</b>	<b>3,000.00</b>	<b>6,000.00</b>
	<i>Voltage: 202V-240V, 50/60 hz</i>				
	<i>Power: 2000W</i>				
	<i>AirFlow: 300/500L/min with 1 pc scrapper and 4 pcs Nozzles</i>				
<b>87</b>	<b>Heavy Duty 18 V Brushless Cordless Impact Drill</b>	<b>pc</b>	<b>1</b>	<b>13,000.00</b>	<b>13,000.00</b>
	<i>Including 2pcs batteries and charger</i>				
<b>88</b>	<b>Heavy Duty Angle Grinder, 4"</b>	<b>pc</b>	<b>1</b>	<b>3,500.00</b>	<b>3,500.00</b>
	<i>Continuous rating input: 840W</i>				
	<i>Wheel Diameter: 100 mm (4")</i>				
	<i>No Load Speed (RPM): 11,000</i>				
	<i>Vibration Level: Surface Grinding: 7.5 m/s<sup>2</sup></i>				
	<i>Vibration K Factor: Surface Grinding: 1.5 m/s<sup>2</sup></i>				
	<i>Sound Pressure Level 85 dB(A)</i>				
	<i>Sound Power Level: N/A dB(A)</i>				
	<i>Noise K Factor: 3 dB(A)</i>				
	<i>Dimensions (L x W x H): 273x118x97 mm (10-3/4"x4-5/8"x3-13/16")</i>				
	<i>Net weight: 1.7 – 2.0 kg (3.7 – 4.5 lbs.)</i>				
	<i>Power supply cord: 2.5 m (8.2 ft.)</i>				
<b>89</b>	<b>Heavy Duty Electric Hand Drill</b>	<b>pc</b>	<b>1</b>	<b>2,500.00</b>	<b>2,500.00</b>
	<i>Rated power input 320 W</i>				
	<i>No-load speed 0 - 4 / 200 rpm</i>				
	<i>Weight without cable 1 kg</i>				
	<i>Chuck capacity 6,5 mm</i>				
	<i>Length 204 mm</i>				
	<i>Width 58 mm</i>				
	<i>Height 174 mm</i>				
<b>90</b>	<b>Industrial and Heavy Duty High-Voltage Electrical Tester</b>	<b>unit</b>	<b>2</b>	<b>26,000.00</b>	<b>52,000.00</b>
	<i>Calibration Every 1-year</i>				
	<i>Fork opening 17.8mm (0.7")</i>				
	<i>Temperature: Opening (-10 °C to +50 °C)</i>				
	<i>Storage: (-30 °C to +60 °C)</i>				
	<i>Altitude: Operating (2,000 m)</i>				
	<i>Storage: 10,000 m)</i>				
	<i>Relative Humidity : 0 % to 90 %, 5 °C to 30 °C</i>				
	<i>0 % to 75 %, 30°C to 40°C</i>				
	<i>0 % to 45 %, 40°C to 50°C</i>				
	<i>Battery Type &amp; Life: 2xAA (IEC LR6) &amp; 200-hour using the</i>				



	<i>field sense Function</i>				
	<i>Temperature coefficient: 0.1 x (specified accuracy) /°C for &lt;18 °C or &gt; 28°C</i>				
	<i>Safety: IEC 61010-1 : Pollution Degree @</i>				
	<i>IEC 61010-2-032: CAT IV 600 V/ CAT III 1000 V</i>				
	<i>Electromagnetic Compatibility : IEC/EN 61326-1</i>				
	<i>General Requirement:</i>				
	<i>Provide one-year Warranty</i>				
	<i>Provide technical assistance and training on product usage and service center within the Cebu or Manila.</i>				
	<i>Product Manufacturer/developer at least 15 years in the Electro-mechanical maintenance industry</i>				
<b>91</b>	<b>Industrial and Heavy-Duty Non-Contact Voltage Tester</b>	<b>unit</b>	<b>5</b>	<b>3,500.00</b>	<b>17,500.00</b>
	<i>Voltage sensing ranges :90 V AC to 1000 V AC</i>				
	<i>Detector tip style: Flat-tip</i>				
	<i>Light Source: One high intensity red LED</i>				
	<i>Safety IEC 61010-1: Pollution Degree 2, IEC 61010-2-030:CAT IV 1000V</i>				
	<i>EMC : ICE 61326-1</i>				
	<i>IP Rating: IP 40</i>				
	<i>Operating Temperature: -10°C to 50°C (14°F to 122°F</i>				
	<i>General Requirement:</i>				
	<i>Provide one-year warranty</i>				
	<i>Provide technical assistance and training on product usage and service center within the Cebu or Manila</i>				
	<i>Product Manufacturer/developer at least 15 years in the electro-mechanical maintenance industry</i>				
<b>92</b>	<b>Knife, Butcher's, Stainles Steel</b>	<b>pc</b>	<b>1</b>	<b>400.00</b>	<b>400.00</b>
	<i>6.5" blade by 11" length, Good Quality</i>				
<b>93</b>	<b>LED Bulb, 13 watts, 87% Energy Saving</b>	<b>pc</b>	<b>200</b>	<b>250.00</b>	<b>50,000.00</b>
<b>94</b>	<b>LED Bulb, 9 watts</b>	<b>pc</b>	<b>100</b>	<b>150.00</b>	<b>15,000.00</b>
<b>95</b>	<b>LED T5 Tubelight</b>	<b>pc</b>	<b>12</b>	<b>350.00</b>	<b>4,200.00</b>
	☑ <i>Rated Power:16 Watts</i>				
	☑ <i>Length: 1200mm</i>				
<b>96</b>	<b>Long Tape Measure (60M)</b>	<b>unit</b>	<b>1</b>	<b>1,500.00</b>	<b>1,500.00</b>
	☑ <i>Blade length: 60m/200'</i>				
	☑ <i>Blade width: 1/2"</i>				
	☑ <i>Rubber grip for comfort 2-sided blade graphics with fractional inch/decimal foot scales</i>				
	☑ <i>Corrosion-resistant Tru-zero folding end hook for accurate measurements</i>				
	☑ <i>Polymer-coated blade withstands abrasion</i>				
<b>97</b>	<b>magnetic welding holder to set fixed angle</b>	<b>pc</b>	<b>4</b>	<b>100.00</b>	<b>400.00</b>
	<i>Soldering locator for 45, 90, and 135 degrees angle</i>				
<b>98</b>	<b>Mild Steel Plate , 1/8"( 3mm thickness) x 4' x 8'</b>	<b>sheet</b>	<b>5</b>	<b>5,850.00</b>	<b>29,250.00</b>
	<i>Standard Grade</i>				
<b>99</b>	<b>Mild Steel Plate, 6mm(thickness) x 4' x 8'</b>	<b>pc</b>	<b>1</b>	<b>12,500.00</b>	<b>12,500.00</b>
	<i>Steel Plate, (4' x 8' x 1/4" size);</i>				
<b>100</b>	<b>Nails, Common Wire, 1", Smooth Shank</b>	<b>kg</b>	<b>13</b>	<b>90.00</b>	<b>1,170.00</b>



101	<b>Nails, Common Wire, 2"</b> <i>Smooth Shank</i>	kg	35	90.00	3,150.00
102	<b>Nails, Common Wire, 2-1/2"</b>	kg	4	90.00	360.00
103	<b>Nails, Common Wire, 3"</b> <i>Smooth Shank</i>	kg	52	90.00	4,680.00
104	<b>Nails, Common Wire, 4"</b> <i>Smooth Shank</i>	kg	61	90.00	5,490.00
105	<b>Nails, Finishing 1-1/2"</b>	kg	1	90.00	90.00
106	<b>Nails, Roofing (Umbrella), 2 1/2"</b> <i>Twist Shank</i>	kg	40	130.00	5,200.00
107	<b>P.E. Pipe hdpe 2", 60 metersper roll</b>	roll	1	8,500.00	8,500.00
108	<b>Paint Brush, 2"</b> ☑ <i>Durable bristles</i> ☑ <i>Heavy duty metal ferrules</i>	pc	30	80.00	2,400.00
109	<b>Paint Brush, 4"</b>	pc	20	100.00	2,000.00
110	<b>Paint, Acrylic Base Latex, White, flat</b> <i>Premium Quality Paint</i>	gal	2	850.00	1,700.00
111	<b>Paint, Burnt Umber Latex</b>	liter	1	260.00	260.00
112	<b>Paint, color: white, enamel</b> <i>good quality;</i>	gal	2	800.00	1,600.00
113	<b>Paint, Flat Latex, Chocolate Brown</b>	gal	2	750.00	1,500.00
114	<b>Paint, Latex, Semi Gloss, White, at least 16 liters per pail</b> <i>Premium Quality Paint</i>	pail	1	3,200.00	3,200.00
115	<b>Paint, QDE, Black</b> <i>Premium Quality Paint</i>	gal	6	720.00	4,320.00
116	<b>Paint, Toluidine Red, Latex</b>	liter	1	260.00	260.00
117	<b>Paint, TTC, Thalo Green, Latex</b> <i>Premium Quality</i>	liter	4	500.00	2,000.00
118	<b>Pipe Fittings (Brass) Ball valve, 3/4"Ø</b>	pc	2	450.00	900.00
119	<b>Pipe Fittings (G.I.) Reducer Bushing, 3/4"Ø x 1/2"Ø, Sched 80</b>	length	10	65.00	650.00
120	<b>Pipe Fittings (G.I.) Union, 1/2"Ø, Sched 80</b>	length	10	50.00	500.00
121	<b>Pipe Fittings (G.I.)Coupling, 3/4"Ø, Sched 80</b>	pc	10	35.00	350.00
122	<b>Pipe Fittings, (G.I.) Elbow, Straight, 90 deg x 2"Ø</b> <i>Schedule 40, Good Quality</i>	pc	8	70.00	560.00
123	<b>Pipe Fittings, (G.I.), Tee, 2"Ø</b> <i>Schedule 40, Good Quality</i>	pc	3	65.00	195.00
124	<b>Pipe Fittings, (G.I.), Tee, 3/4"Ø</b> <i>Schedule 40, Good Quality</i>	pc	10	30.00	300.00
125	<b>Pipe Fittings, (G.I.), Union, 2"Ø</b> <i>Schedule 40, Good Quality</i>	pc	3	105.00	315.00
126	<b>Pipe Fittings, (G.I.), Union, 3/4"Ø</b> <i>Schedule 40, Good Quality</i>	pc	5	35.00	175.00
127	<b>Pipe Fittings,(G.I.), Reducer Bushing 1"Ø x 3/4"Ø</b> <i>Schedule 60, Good quality;</i>	pc	10	82.00	820.00
128	<b>Pipe Wrench #6</b> <i>Super strength cast aluminum and alloy metal handle.</i>	pc	1	5,000.00	5,000.00





	<i>Two way toothing and spring loaded jaw provide positive grip</i>				
	<i>Made of Chromium-Molybdenum steel forged jaws heat treated</i>				
	<i>Hand Tools Type : Wrenches</i>				
	<i>Jaw Capacity : 34 mm</i>				
	<i>Size : 6 Inch</i>				
<b>129</b>	<b>Pipe Wrench, 12"</b>	<b>unit</b>	<b>3</b>	<b>4,600.00</b>	<b>13,800.00</b>
	<i>Heavy Duty Straight Pipe Wrench</i>				
	<i>Durable</i>				
<b>130</b>	<b>Pliers, 6", Long nose</b>	<b>pc</b>	<b>1</b>	<b>100.00</b>	<b>100.00</b>
	<i>Heavy Duty, Durable, Good Quality</i>				
<b>131</b>	<b>Pliers, 8", Long nose</b>	<b>pc</b>	<b>1</b>	<b>280.00</b>	<b>280.00</b>
	<i>Heavy Duty, Durable, Good Quality</i>				
<b>132</b>	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>	<b>pc</b>	<b>350</b>	<b>580.00</b>	<b>203,000.00</b>
	<i>Standard, Good Quality</i>				
<b>133</b>	<b>Plywood, Marine, 3/4"(thickness) x 4' x 8'</b>	<b>pc</b>	<b>317</b>	<b>1,650.00</b>	<b>523,050.00</b>
	<i>Standard, Good Quality</i>				
<b>134</b>	<b>Plywood, Ordinary, 1/2"(thickness) x 4' x 8'</b>	<b>pc</b>	<b>5</b>	<b>538.00</b>	<b>2,690.00</b>
	<i>Standard, Good Quality</i>				
<b>135</b>	<b>Portable Electric Welding Machine, 300A Inverter</b>	<b>unit</b>	<b>1</b>	<b>10,000.00</b>	<b>10,000.00</b>
	☑ <i>Phase: Single</i>				
	☑ <i>Max. No-Load Voltage: 60V</i>				
	☑ <i>Duty Cycle: 60%</i>				
	☑ <i>Rated output current : 300 Amperes</i>				
	☑ <i>Single phase, portable, fan cooled</i>				
	☑ <i>Low energy consumption, light in weight with handle for easy handling</i>				
<b>136</b>	<b>Power Sprayer Pressure Washer</b>	<b>pc</b>	<b>1</b>	<b>3,250.00</b>	<b>3,250.00</b>
	<i>High Pressure Washer Specs</i>				
	<i>Technical Details</i>				
	<i>Motor Power 1200W</i>				
	<i>Design</i>				
	<i>Color Black</i>				
<b>137</b>	<b>Pressure Washer Set, Heavy Duty (Belt Driven)</b>	<b>unit</b>	<b>2</b>	<b>15,000.00</b>	<b>30,000.00</b>
	<i>80 Bars = 1200 psi</i>				
	<i>Contents:</i>				
	<i>Electronic Motor 1.5 Hp</i>				
	<i>Piston Pump</i>				
	<i>50m discharge hose</i>				
	<i>2m suction hose</i>				
	<i>2 m return hose</i>				
	<i>Sprayer Straight</i>				
	<i>Base</i>				
	<i>Power cord and plug included</i>				
<b>138</b>	<b>Professional Jigsaw</b>	<b>pc</b>	<b>1</b>	<b>4,500.00</b>	<b>4,500.00</b>
	<i>520W, 220V, adjustable speed</i>				
<b>139</b>	<b>Rainboots, Heavy Duty High Cut Boots, for Men (# 6), White</b>	<b>pair</b>	<b>2</b>	<b>700.00</b>	<b>1,400.00</b>



140	<b>Rainboots, Size: 7 (Women), Black</b>	pair	2	365.00	730.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
141	<b>Rangepole Graduated, 5 meters</b>	pc	1	7,280.00	7,280.00
	<i>Rangepole Graduated, 5 meter length, telescopic, built-in bubble with individual Soft Bag</i>				
142	<b>Receptacle Socket, 4" x 4"</b>	pc	20	50.00	1,000.00
143	<b>Rechargeable Emergency Bulbs, ACDC, 12W</b>	pc	30	620.00	18,600.00
	<i>3.7V 4000 mAh Lithium Ion Battery</i>				
	<i>Daylight Color Temperature</i>				
	<i>840 Lumes AC</i>				
	<i>500 Lumens DC</i>				
	<i>220V AC/DC</i>				
	<i>8 Hours Charging Time</i>				
	<i>2.5 - 3 Hours Usage Duration</i>				
	<i>Overcharge and discharge protection</i>				
	<i>Free portable Lamp Holder</i>				
	<i>Instant Flashlight</i>				
144	<b>Rope, Nylon, #18 (9mm)</b>	meter	200	18.00	3,600.00
	<i>Twisted 3 Strand, Good Quality</i>				
145	<b>Safety Gloves, Cotton knitted with Latex Orange Coated Palm</b>	pair	17	40.00	680.00
	<i>☑Five fingers freedom, can satisfy various movements and comfortable and flexible.</i>				
	<i>☑Anti-skid</i>				
	<i>☑Wear-resistant</i>				
	<i>☑Oil resistant</i>				
	<i>☑Corrosion resistant</i>				
146	<b>Sand, Coarsed, Washed</b>	cu.m.	8	1,700.00	13,600.00
147	<b>Sand, Washed</b>	cu.m.	6	1,700.00	10,200.00
148	<b>SDR 11, Black HDPE Pipe 25.4mm (1" Ø) x 100 meters</b>	roll	1	4,500.00	4,500.00
149	<b>Shafting, Mild Steel 1-1/4"Ø x 20'</b>	length	3	6,000.00	18,000.00
150	<b>Shafting, Mild Steel, 1/2"Ø x 20'</b>	length	5	800.00	4,000.00
151	<b>Shafting, Mild Steel, 1"Ø x 20'</b>	length	3	900.00	2,700.00
152	<b>Sharpening Stone, Silicon Carbide(Carborundum), 6", original</b>	pc	2	220.00	440.00
	<i>Premium Grade, 6" x 2" x 1.2"</i>				
153	<b>Sheet, Polycarbonate Roofing(Corrugated), 4' x 8'</b>	sheet	79	2,000.00	158,000.00
	<i>Durable, Premium Quality</i>				
154	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm), 8'</b>	pc	60	550.00	33,000.00
	<i>Standard width;</i>				
155	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'</b>	sheet	8	990.00	7,920.00
	<i>Standard width, Good Quality;</i>				
156	<b>Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 10'</b>	pc	24	700.00	16,800.00
157	<b>Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 12'</b>	sheet	37	750.00	27,750.00
158	<b>Sheets, (G.I.) Plain, Gauge 16 x 4' x 8'</b>	sheet	5	2,200.00	11,000.00
	<i>Standard, Good Quality</i>				
159	<b>Shovel, Tempered steel round pointed end</b>	pc	3	370.00	1,110.00



	☑Heavy duty wooden handle				
	☑Good quality				
160	<b>Shovel, Tempered steel spade</b>	pc	3	300.00	900.00
	<i>Heavy duty wooden handle, Good quality</i>				
161	<b>Single pulley, 3"x3/4", A (big hub)</b>	pc	20	200.00	4,000.00
	<i>3 inches x 3/4 inch A</i>				
	<i>with big hub</i>				
162	<b>Skim Coat, 20kg/bag</b>	bag	1	550.00	550.00
	☑Good water vapor permeability				
	☑Excellent bonding to concrete				
163	<b>Soldering Lead, 1mm</b>	spool	3	120.00	360.00
	☑Good quality				
	☑60% tin and 40% lead				
	☑melting point 190oC				
164	<b>Steel Bar, Deformed(Corrugated),10mm x 6m</b>	length	65	250.00	16,250.00
	☑0.616 kg/M PNS 230				
	☑ASTM / Grade 33 Structural				
165	<b>Steel Bar, Deformed(Corrugated),12mm x 6m</b>	length	18	330.00	5,940.00
	<i>ASTM / Grade 33 Structural;</i>				
166	<b>Steel Bar, Round (plain), 10mm x 6m</b>	length	6	295.00	1,770.00
	<i>Standard Grade</i>				
167	<b>Steel Brush</b>	pc	10	70.00	700.00
168	<b>Stone, Sander for 4" angle grinder</b>	pc	65	150.00	9,750.00
	<i>Durable, Good Quality</i>				
169	<b>Straight Elbow G.I. 3/4"</b>	pc	10	90.00	900.00
170	<b>Teflon Tape, 1" x 10m</b>	roll	40	100.00	4,000.00
171	<b>Teflon Tape, 1/2"Ø x 10m</b>	roll	10	50.00	500.00
	<i>Good for sealing on pipe thread</i>				
172	<b>Threaded Teeth/ Head Ratchet Type with Handle</b>	set	1	6,000.00	6,000.00
173	<b>Tiles, Granite 60cm x 60cm</b>	pc	300	295.00	88,500.00
	<i>Biege, Premium grade</i>				
174	<b>Tool Bit, 5/16" Ordinary, box of 50's</b>	box	3	800.00	2,400.00
175	<b>Tool Bit, 5/16", Carbide, box of 50's</b>	box	3	1,000.00	3,000.00
176	<b>Trowel, Concrete Plastering, (230mm x 100mm), Metal</b>	pc	5	200.00	1,000.00
	<i>Heavy Duty, Good Quality</i>				
177	<b>Welding dimming glass</b>	pc	5	20.00	100.00
	<i>#10, (2" x 4 1/4" x 2.7mm )</i>				
178	<b>Welding Gloves</b>	pair	10	500.00	5,000.00
	☑ISO and CE certified				
	☑EN12477 Type-A protection for welding and thermal jobs				
	☑Suitable for stick and MIG welding, as well as torch cutting and grinding				
	☑Premium split cowhide leather and welted seams				
	☑Cotton lining provides thermal insulation				
	☑Long cuff extends protection over the forearm.				
179	<b>Welding Rod, E-6012, 3/32"</b>	kg	120	200.00	24,000.00
	<i>Premium Quality</i>				



180	<b>Welding tong or welding rod handle</b>	unit	4	1,700.00	6,800.00
	<i>Size: 500A to 800A</i>				
	<i>Heavy Duty</i>				
181	<b>Wheel barrow</b>	pc	1	2,868.00	2,868.00
	<i>Quality Wheel Barrow for agriculture and construction Ideal helper for your work and gardening. *Orange color *Load Capacity: 150KG *Material: Made of Metal *Packaging: Multiple Solid Rubber Wheel Tire Type Wheel size: 33 " Light Easy to assemble</i>				
182	<b>Wood Glue</b>	liter	1	250.00	250.00
183	<b>Iron Barbed Wire # 12</b>	roll	10	4,000.00	40,000.00
	☐Iron Barbed Wire #12				
	☐150 Meters/roll				
	☐Material : Iron Wire				
	☐Commonly used for fencing				
184	<b>Wire, Duplex #14, PDX</b>	meter	5000	50.00	250,000.00
185	<b>Plywood, Marine, 1/2"(thickness) x 4' x 8'</b>	pc	215	1,100.00	236,500.00
	<i>Standard, Good Quality</i>				
186	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'</b>	sheet	110	990.00	108,900.00
	<i>Standard width, Good Quality</i>				
187	<b>Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8'</b>	sheet	40	600.00	24,000.00
	<i>Standard, Good Quality</i>				
188	<b>Slotted Angle Bar</b>	length	50	750.00	37,500.00
	<i>1 ½" X 1 ½" X 3 m , 2mm thk, including bolts and accessories, metal powder coated – Off white</i>				
189	<b>Wye delta timer, Normally Open (NO) - Normally Close (NC), w/ socket</b>	pc	2	3,000.00	6,000.00
190	<b>Cast Iron Stove Heavy Duty Stove, 3 Way Burner, with Hose and Regulator</b>	set	1	5,000.00	5,000.00
191	<b>Nails, Common Wire, 1-1/2"</b>	kg	11	90.00	990.00
192	<b>Paint, Roller Cotton, 4"</b>	pc	5	80.00	400.00
	<i>for repair of ceiling</i>				
193	<b>Paint, Roller Cotton, 7"</b>	pc	5	110.00	550.00
	<i>for repair of ceiling</i>				
194	<b>JET/SHALLOW WATER PUMP 12 HP</b>	unit	1	20,000.00	20,000.00
195	<b>Cement, (White) Portland</b>	bag	10	400.00	4,000.00
	<i>Premium Quality, 1kg per bag</i>				
196	<b>Nails, Concrete, 2"</b>	kg	5	150.00	750.00
	<i>Fluted shank</i>				
197	<b>Padlock, 50mm</b>	pc	10	210.00	2,100.00
	<i>Heavy Duty, Durable, Good Quality</i>				
198	<b>Paint Brush, 3"</b>	pc	15	95.00	1,425.00
199	<b>Paint Brush, Roller with handle and PVC Tray, 9"</b>	pc	2	350.00	700.00
	<i>Durable, good quality</i>				
200	<b>Paint Brush, Roller with handle, 7"</b>	pc	15	100.00	1,500.00
	<i>Durable, Good quality</i>				
201	<b>Paint, Silver Alum</b>	gal	2	1,200.00	2,400.00
	<i>Premium Quality Paint</i>				



202	<b>Putty Knife, 3"(75mm)</b>	pc	6	120.00	720.00
	☐Flexible Stainless Steel Blade				
	☐Mirror Surface Finishes				
	☐Rubberized Handle or Equivalent				
	☐Good Quality, Durable, Heavy Duty.				
203	<b>Steel Wire Brush, Wood Handle</b>	pc	2	25.00	50.00
	Abrasive Brush, Heavy-Cleaning with Arched Handle, 1/8" Wide x 4-7/8" Long, Steel				
204	<b>Varnish, plastic, natural</b>	btl	5	170.00	850.00
	Premium Quality				
205	<b>Wood preservative, brown</b>	gal	6	1,700.00	10,200.00
	Schedule 40, Good Quality				
206	<b>Nails, Concrete, 1-1/2"</b>	kg	1	400.00	400.00
207	<b>Tile Adhesive, 25kg/bag</b>	bag	15	350.00	5,250.00
208	<b>Faucet, Brass Plated</b>	pc	15	300.00	4,500.00
	☐Sturdy and Durable				
	☐Heavy Duty Hose bib: 1/2" Hose end: 3/4"				
209	<b>Nails, Concrete, 4"</b>	kg	5	100.00	500.00
	Fluted Shank				
210	<b>Nails, Finishing, 1"</b>	kg	2	80.00	160.00
	Smooth Shank				
211	<b>Nails, Finishing, 2"</b>	kg	3	80.00	240.00
	Smooth Shank				
212	<b>Paint Thinner</b>	gal	2	590.00	1,180.00
	Premium Quality				
213	<b>Paint, Latex Flat, White</b>	gal	15	800.00	12,000.00
	Premium Quality Paint				
214	<b>Paint, Latex, Chocolate Brown</b>	gal	2	950.00	1,900.00
	Premium Quality Paint				
215	<b>Paint, Latex, Semi Gloss, White</b>	gal	15	950.00	14,250.00
	Premium Quality Paint				
216	<b>Paint, Metal Primer, Red Lead</b>	liter	8	195.00	1,560.00
	Premium Quality				
217	<b>Paint, Roof, White (Iaguna)</b>	gal	6	800.00	4,800.00
	Premium Quality Paint				
218	<b>Paint, TTC, Bulletin Red, Latex</b>	liter	1	500.00	500.00
	Premium Quality				
219	<b>Paint, TTC, Burnt Sienna, Latex</b>	liter	5	500.00	2,500.00
	Premium Quality				
220	<b>Paint, TTC, Raw Sienna, Latex</b>	liter	10	500.00	5,000.00
	Premium Quality				
221	<b>Paint, TTC, Thalo Blue, Latex</b>	liter	4	500.00	2,000.00
	Premium Quality				
222	<b>Cutting Disc, 4" (Super Thin)</b>	pc	10	100.00	1,000.00
223	<b>SSR Square Tube (T304) 1.20mm X 1 1/2 X 1 1/2 X 20ft</b>	length	7	3,800.00	26,600.00
224	<b>Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard</b>	length	10	1,000.00	10,000.00



225	Plywood, Marine, 1/4"(thickness) x 4' x 8'	pc	2	580.00	1,160.00
226	Welding Rod, E-6012, 1/8" <i>Premium Quality</i>	kg	20	200.00	4,000.00
227	Open Reel Measuring Tape <ul style="list-style-type: none"> <li>☐Fiberglass</li> <li>☐Stainless steel frame</li> <li>☐Specification: 30M/50M/100M (98ft/164ft/328ft)</li> <li>☐Material: Stainless steel</li> <li>☐ABS Unit: Metric/Imperial</li> <li>☐Dimension: 30M: approx. 25x17x2cm 50M: approx. 31x18x2.5cm 100M: approx. 31x18x2.5cm</li> <li>☐Rugged, Impact-resistant</li> <li>☐Plating ruler tape/nylon ruler tape, with good clarity and wear-resistant.</li> <li>☐Features Cone Tip Stake for Accurate Measurements and Stability.</li> <li>☐Comes with a convenient carry handle.</li> <li>☐Easy to read Metric and Imperial graduation</li> </ul>	pc	2	2,000.00	4,000.00
228	Adjustable Shower Head <i>Spout diameter: at least 80mm, Interface diameter: at least 20mm, Three (3) adjustment shower spray</i>	pc	5	150.00	750.00
229	Epoxy Primer with catalyst <i>Premium Quality for Auto body repair</i>	gal	4	1,200.00	4,800.00
230	Floor Tiles, 40 cm x 40 cm (White)	pc	20	300.00	6,000.00
231	Padlock, 60mm <i>Heavy duty, durable, Good Quality</i>	pc	2	350.00	700.00
232	Paint, Latex, Glossy White <i>Premium Quality Paint</i>	pail	5	3,200.00	16,000.00
233	Paint Brush, Roller with tray, 1-1/4" x 4" <i>Durable, Good quality</i>	pc	3	100.00	300.00
234	Steel Wire Brush, Wood Handle <i>Abrasive Brush, Heavy-Cleaning with Arched Handle, 1/8" Wide x 4-7/8" Long, Steel</i>	pc	4	25.00	100.00
235	Doorknob, excellent quality	pc	20	1,100.00	22,000.00
236	LED Bulb, 15 watts	pc	30	300.00	9,000.00
237	Jalousie Aluminum Frame, 14 blades	set	52	250.00	13,000.00
238	Jalousie Glass Blades, 3/16" x 4" x 24", Smoked glass	pc	364	50.00	18,200.00
239	Bench Grinder	set	1	21,000.00	21,000.00
				<b>TOTAL:</b>	<b>4,051,808.00</b>

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

- The *Visayas State University* now invites bids for the above Procurement Project. Delivery of the Goods is required by *thirty (30) calendar days upon receipt of each Purchase Order*. Bidders should have completed, within *two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of



an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays - Fridays (8:00 AM-5:00 PM)*.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **28 February – 20 March 2024 until 8:30 AM** from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
6. The *Visayas State University* will hold a Pre-Bid Conference on **March 8, 2024; 9:00 AM** at the *BAC Conference Room, VSU Market, Visca, Baybay City, Leyte* and through video conferencing *via Zoom*, which shall be open to prospective bidders.

Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Zoom meeting details.

7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before **20 March 2024 until 8:30 AM**. Late bids shall not be accepted.
8. For bidders who opt to submit their bids electronically, a hardcopy (original) of the bid must be sent to the BAC through preferred couriers. A proof (e.g. courier receipt/waybill, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
10. Bid opening shall be on **20 March 2024; 9:00 AM** at the *BAC Conference Room, VSU Market, Visca, Baybay City, Leyte* and through video conferencing *via Zoom*. Bids will be opened in the presence of the bidders’ representatives who choose to attend the activity.



Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Zoom meeting details.

11. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

***Ms. Jessamine C. Ecleo (BAC Secretariat)***  
*Office of the Head for Procurement,*  
*VSU-Main, Visca, Baybay City, Leyte*  
*Mobile: 053 565 0600 local 1093 or 0998 555 0106*  
*Email: [jessamine.ecleo@vsu.edu.ph](mailto:jessamine.ecleo@vsu.edu.ph)*

***or***

***Mr. Toni Marc L. Dargantes (BAC Secretariat)***  
*Office of the VP for Planning, Resource Generation & Auxiliary Services*  
*VSU-Main, Visca, Baybay City, Leyte*  
*Mobile: 0977 7186594*  
*Email: [tmdargantes@vsu.edu.ph](mailto:tmdargantes@vsu.edu.ph)*

13. You may visit the following websites:

For downloading of Bidding Documents: <https://www.vsu.edu.ph/philgeps-opportunities>

*February 26, 2024*

**DILBERTO O. FERRAREN**  
*Chairperson, VSU BAC*



## ***Section II. Instructions to Bidders***

## **1. Scope of Bid**

The Procuring Entity, *Visayas State University*, wishes to receive Bids for the *Supply and Delivery of Hardware and Construction Supplies*, with identification number *VSU-GOODS-24-25*.

The Procurement Project (referred to herein as “Project”) is composed of **239 items**, the details of which are described in Section VII (Technical Specifications).

## **2. Funding Information**

2.1. The GOP through the source of funding as indicated below for 2024 in the amount of *Four Million Fifty One Thousand Eight Hundred Eight Pesos (Php 4,051,808.00)*.

2.2. The source of funding is: NGA, the General Fund, Special Trust Fund, and Trust Fund.

## **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the on-going posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## **5. Eligible Bidders**

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *twenty-five percent (25%)* of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## **7. Subcontracts**

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed.**

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two (2 years)** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### **13. Bid and Payment Currencies**

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in: Philippine Pesos.

### **14. Bid Security**

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid until **July 19, 2024**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

***Section III. Bid Data Sheet***





## Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> <li>a. <i>Hardware/Construction/Electrical/Plumbing Supplies, or a combination of the foregoing</i></li> <li>b. completed within two (2) years prior to the deadline for the submission and receipt of bids.</li> </ul>
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: <ul style="list-style-type: none"> <li>a. The amount of not less than <i>Eighty One Thousand Thirty Six and 16/100 Pesos (PhP 81,036.16) or two percent (2%) of ABC</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <i>Two hundred Two Thousand Five Hundred Ninety and 40/100 pesos (PhP 202,590.40) or five percent (5%) of ABC</i> if bid security is in Surety Bond.</li> </ul>
15	<p>Bidders are requested to submit two (2) more copies of its bid (Copy 1 and Copy 2) in addition to the required original hardcopy.</p> <p>For filing purposes, the bidders are urged to use <b>Light Blue</b> envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>
19.3	<i>See Section I. Invitation to Bid (Item 1) for the list of items and their corresponding total Approved Budget for the Contract (ABC) per item.</i>
20.2	Bidders are required to submit its updated Mayor's/Business Permit during post-qualification.
21.2	<i>Not Applicable.</i>

## ***Section IV. General Conditions of Contract***



## **1. Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## **2. Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## **3. Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## **4. Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.



## **5. Warranty**

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



## *Section V. Special Conditions of Contract*



## Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery term applicable to this Contract is delivered <i>VSU Main Campus, Visca, Baybay City, Leyte</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is:</p> <p style="padding-left: 40px;"><b><u>Ms. Vivian V. Balbarino</u></b>  <i>Head, Supply and Property Office</i>  <i>VSU-Main, Visca, Baybay City, Leyte</i>  <i>Contact #: 053 565 0600 local 1082/ 09175518871</i>  <a href="mailto:sppmo@vsu.edu.ph">sppmo@vsu.edu.ph</a></p> <ul style="list-style-type: none"> <li>● <b><i>Additional Instruction: The Supplier should notify the Head of Supply and Property Management Office at least 1 week before the scheduled delivery.</i></b></li> </ul> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance r supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ol>



The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.

Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.

**Packaging –**

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:



	<p>Name of the Procuring Entity</p> <p>Name of the Supplier</p> <p>Contract Description</p> <p>Final Destination</p> <p>Gross weight</p> <p>Any special lifting instructions</p> <p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p>





	<p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	Payment of staggered deliveries shall be allowed. Payment shall be on “as per cost of the items delivered” subject to inspection and acceptance.
4	The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU to confirm conformity to the contract specifications at no extra cost to VSU.



## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item #	Unit	Qty	Description	Delivered, Weeks/Months
<b>1</b>	<b>set</b>	<b>1</b>	<b>original combination wrench set, (8mm-32mm)</b>	All Items Should Be Delivered to <b>VSU Main Campus, Visca, Baybay City, Leyte</b> within <b>30 calendar days</b> from receipt of each Purchase Order(PO)
			<i>Combination set original</i>	
			<i>Original made, *durable</i>	
			<i>*made from high quality steel</i>	
			<i>*16PCS HEAVY DUTY COMBINATION WRENCH</i>	
			<i>SIZES: 8,9,10,11,12,13,14,15,17,19,21,22,24,27,30,32MM</i>	
<b>2</b>	<b>set</b>	<b>1</b>	<b>Professional Drilling and Screwdriving 103 pcs/set</b>	
			<i>Assortment of screw driving bits</i>	
			<i>Socket wrenches and adapter</i>	
			<i>Holds some magnetic bits</i>	
			<i>Compatible with attractive mixed set that covers all common applications</i>	
			<i>Organised in a moulded display robust carry case</i>	
			<b>INCLUDES:</b>	
			<i>9 x metal drill bits (2 x 1.5, 3 x 2, 1 x 2.5, 4 x 3, 1 x 3.2, 1 x 3.5, 1 x 4, 1 x 4.5, 1 x 4.8, 1 x 5, 1 x 5.5, 1 x 6 and 1 x 7mm),</i>	
			<i>40 x 25mm screwdriver bits (10 x PH (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm), 10 x PZ (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm)</i>	
			<i>6 x S (2 x 4, 2 x 6 and 2 x 7mm)</i>	
			<i>10 x T (2 x 10, 2 x 15, 2 x 20, 2 x 25, 30 and 40mm)</i>	
			<i>4 x H (3, 4, 5 and 6mm))</i>	
			<i>13 x 50mm screwdriver bits (4 x PH (0, 1, 2 and 3mm)</i>	
			<i>4 x PZ (0, 1, 2 and 3mm)</i>	
			<i>2 x S (4 and 6mm)</i>	
			<i>3 x T (10, 20 and 25mm))</i>	
			<i>2 x spade bits (16 and 22mm),</i>	
			<i>5 x masonry drill bits (4, 5, 6, 8 and 10mm)</i>	
			<i>Bit holder</i>	
			<i>4 x holesaws (32, 38, 44 and 54mm)</i>	
			<i>Hole saw adapter</i>	
			<i>9 x wood drill bits (2 x 3, 2 x 4, 1 x 5, 1 x 6, 1 x 7, 1 x 8 and 1 x 10mm)</i>	
			<i>7 x nut setters (5, 6, 8, 10, 11, 12 and 13mm)</i>	
			<i>Countersink and Allen key</i>	
<b>3</b>	<b>box</b>	<b>1</b>	<b>1-1/2 inch wood screws</b>	
			<i>phillips head, dry wall black screw, 500 pcs. per box</i>	
<b>4</b>	<b>box</b>	<b>2</b>	<b>1-1/2-inch self-drilling screws for steel</b>	
			<i>Hex head, with rubber gasket, 100 pcs per box</i>	
<b>5</b>	<b>pc</b>	<b>15</b>	<b>door knob</b>	
			<i>Protected by antimicrobial Microban – surface is 99.9% cleaner. Fits door thickness of 1-3/8 in. to 1-3/4 in. Adjustable</i>	



			<i>latch fits all standard door types.</i>
			<i>Good Quality</i>
6	pc	3	<b>4-inch diamond cup grinding disc</b>
			<i>heavy-duty, diamond cup wheel for concrete grinding</i>
7	pc	5	<b>4-inch metal cutting disc</b>
			<i>heavy-duty, EN12413 compliant</i>
8	unit	1	<b>500KG Electric Hoist 1600W</b>
			<i>Double Hook</i>
			<i>Input Power : 1600W</i>
			<i>Load Capacity: 500Kgs</i>
			<i>Lifting Height: 6 meters</i>
			<i>Lifting Speed: 4 meters/minute</i>
9	meter	5	<b>Abrasive Paper, Floor Sanding Sheet Grit #36</b>
			☑ <i>Very Coarse, Sand Paper Abrasive, Premium Grade</i>
10	meter	5	<b>Abrasive Paper, Floor Sanding Sheet Grit #80</b>
			<i>Medium Coarse, Sand Paper Abrasive, Premium Grade</i>
11	sheet	6	<b>Abrasive Paper, Sand Paper Grit #120, 9" x 11"</b>
			☑ <i>Fine Sanding, Waterproof, Good Quality</i>
12	sheet	20	<b>Abrasive Paper, Sandpaper Grit #100</b>
			<i>Medium Coarse, Premium Grade, Waterproof</i>
13	sheet	20	<b>Abrasive Paper, Sandpaper, #1000</b>
			<i>Super Fine, Premium Grade, Waterproof</i>
14	meter	50	<b>Abrasive Paper, Sandpaper, #120</b>
			☑ <i>Fine, Premium Grade, Waterproof</i>
15	gal	9	<b>Acrytex Cast</b>
16	pc	3	<b>Adjustable Eye Shield Protection safety goggles</b>
			<i>Eye Shield Protection - safety goggles</i>
			<i>This glasses is made of premium material for lab factory warehouse and outside cycling construction work anywhere need to wear goggles.</i>
			<i>Eye Protection</i>
			<i>Anti Virus Glasses</i>
			<i>Anti-dust Anti-droplets</i>
			<i>Adjustable frame</i>
			<i>Light Weight</i>
			<i>Lens Color: Transparent</i>
			<i>Frame Color: Black</i>
17	pc	5	<b>Adopter P.E. 2"</b>
18	pc	2	<b>Advance Upgraded Starter Arduino Kit</b>
19	pc	1	<b>Angle Grinder, 4"Ø (100mm)</b>
			☑ <i>Heavy Duty</i>
			☑ <i>Durable</i>
			☑ <i>Power Rating: At least 840 Watts</i>
			☑ <i>No load speed: At least 11,000 rpm</i>
			☑ <i>Wheel diameter: 4"(100mm)</i>
20	roll	2	<b>Anti UV 85% Sun Shade Net black Outdoor Garden Net Farm Net Greenhouse Net Sunscreen</b>
			<i>Sun shade net</i>



			<i>Color: Black</i>
			<i>Dimension (LXW): 1×20M</i>
			<i>Function: Shading heat insulation, humidity reduction</i>
			<i>Applicable scene: Garden, Plants shade, Greenhouse</i>
21	pc	20	<b>ball bearing</b>
			<i>Specification: 6205ZZ</i>
22	roll	3	<b>Barbed Wire, Gauge 12</b>
			☐GI #12 wires of 2-points-4-strand rolls
			☐26kg/roll at 150 m per roll
23	pc	4	<b>Bench Grinder, Grinding Wheel, 6" x 3/4"(thickness) x 1" Arbor hole</b>
			<i>Bench and Pedestal Grinding Wheel (Rough) for Steel and Stainless Steel, 6" Diameter, 3/4" Thick, Heavy Duty, Durable</i>
24	pc	19	<b>Bidet spray toilet bidet rinse set, Heavy Duty</b>
25	pc	100	<b>Bolt w/nut, 5/16 x 1-1/2"</b>
26	pc	100	<b>Bolt with nut, 5/16" dia x 1"</b>
27	pc	100	<b>Bolt with nut, 7/16" x 2"</b>
			<i>dimension: 7/16 inch by 2 inches</i>
28	pc	100	<b>Bolt with nut, 7/16" dia x 1-1/2"</b>
29	pc	4	<b>Bulb Socket, PVC</b>
			☐Standard size,
			☐round,
			☐ISO Certified and Good Quality
30	pc	98	<b>Bulb, LED, 15W</b>
			☐Wattage: 15 Watts
			☐Lumens: 1521
			☐Color Temp. : Daylight
			☐Beam Angle: 200 degrees
			☐Voltage: 170-240 V AC 50/60Hz
			☐Bulb Holder: E27
			☐Life Hours: 15,000 hrs.
			☐Material: PC cover & Aluminum PCB
31	pc	20	<b>Bulb, LED, 20 Watts</b>
			☐Up to 80% energy savings,
			☐Eco-friendly,
			☐No UV radiation,
			☐No mercury,
			☐Wattage: 20 Watts,
			☐Color Temperature: 6500K,
			☐Daylight Brightness: at least 1800 Lumens
			☐Base: E27,
			☐Lifetime: at least 30,000 hours,
			☐Power Input: 220-240Vac, 50/60Hz
32	pc	65	<b>Bulb, LED, 9W</b>
33	pc	15	<b>Bulb, Sockets</b>
			☐Plastic
			☐round, size 3" x 3",



			<ul style="list-style-type: none"> <li>■ White color.</li> <li>■ For E27 bulbs.</li> </ul>
34	pc	2	<b>Bushing G.I. 2" x 1-1/2</b>
35	pack	5	<b>Cable Tie, 4" x 250mm, 100pcs/pack</b> Nylon, 4x250mm;
36	bag	158	<b>Cement, Portland</b> <ul style="list-style-type: none"> <li>■ Type 1P, Premium Quality</li> <li>■ ASTM C150</li> </ul>
37	pc	2	<b>Circuit breaker 15A, surface type, 2-pole</b> 15A, surface type, 2-pole;
38	pc	598	<b>Concrete Hollow Blocks (CHB), 4"</b> <ul style="list-style-type: none"> <li>■ Standard Size</li> <li>■ 3-Cell Concrete Hollow Block 4"</li> <li>■ At least 350psi</li> </ul>
39	cu.m.	5	<b>Crushed gravel, 3/4 inch nominal diameter crushed stone, for coarse aggregates</b>
40	pc	20	<b>Cut off Blade, 14" x 1/8" x 1", good quality</b>
41	pc	12	<b>Cutting Disc for Steel/Stainless, 4"</b>
42	pc	5	<b>Deadbolt, Single Cylinder</b> <ul style="list-style-type: none"> <li>Chassis : Stainless Steel</li> <li>Latch and Bolt : Zinc - Strike : Steel / Brass / Stainless Steel</li> <li>Cylinder Housing : Brass / Steel Backset: 60mm / 70mm</li> <li>Anti-Sawing Insert : Hardened Steel</li> <li>Cylinder : Solid Brass 5-pin tumbler cylinder</li> <li>Heavy Duty</li> <li>US32D Finish</li> </ul>
43	pc	1	<b>Demolition Jack Hammer, (Ground Breaking) concrete</b> <ul style="list-style-type: none"> <li>Dimensions:72 x 34 x 20 cm</li> <li>Rated Input Power: 2200W</li> <li>Hammer Type:Demolition Hammer</li> <li>Frequency: 60Hz</li> <li>Power Source:AC</li> <li>Usage:Renovation Team</li> <li>Weight:20Kgs</li> <li>Rated Voltage:220V</li> <li>Power:2200W, 3600W</li> <li>Power Source(Others):Electric</li> <li>Voltage:110V for US, 220V for AU/EU</li> <li>No Load Speed(2200W):1400 R/Min</li> <li>Impact Force(2200W):55J</li> <li>Chuck Size:1-1/8Inch (Hex)</li> <li>Fore-Grip Handle Swivel:360 degrees</li> <li>Oil(3600W):No.46 Hydraulic Oil</li> <li>Usage:Home DIY &amp; Industry</li> <li>Chisel:1-1/8" Bull Point Chisel, 1-1/8" Flat Chisel</li> <li>Tool Size(2200W):410mm</li> <li>Machine Length (w/o tool)(2200W):630mm</li> </ul>



44	pc	1	<b>Diameter Tape</b>
			☐Forestry diameter tape
			☐Woven synthetic fabric tape
			☐PVC coated steel case
			☐Case size: at least 80mm
			☐Tape length: at least 10m
			☐Tape width: at least 16mm
45	pc	5	<b>Door Knob</b>
			▶ Stainless Steel
			▶ Door Thickness: 35-50mm
			▶ Entrance Function
			▶ 3 Keys Included
			▶ US32D Finish
			▶ High Quality
			▶ Heavy Duty
46	pc	20	<b>Double pulley, 3"x1", B type</b>
			3 inches x 1 inch, B type with big hub
47	set	1	<b>Drill bit set</b>
			Set consists of: 1/16 inch to 1/2 inch drill bits (A19020)
48	drum	2	<b>Drum, Barrel Drum, Blue 200-220L capacity</b>
			☐HDPE
			☐Closed Head
			☐Good Quality
			☐Clean
49	set	2	<b>Electric grinder</b>
			Diameter: 100mm
			Voltage: AC, 220-240V; Amperage: 3.2A
			Hertz: 50-60Hz; Wattage: 840W
50	set	3	<b>Electric Hand Drill</b>
			☐Rotary hammer, 26mm max. cap., 800W, 230V, 50/60Hz, 0-1150rpm, 2.3KJ,
			☐5kg. with reverse
51	unit	1	<b>Electric Water pump, Jet shallow, 1 HP</b>
52	pc	3	<b>Electrical Circuit Breaker, 30A, (Box type)</b>
			Heavy Duty and Good quality, Durable 220-240V
53	set	3	<b>Electrical Outlet, Convenience 2 gang, (Flush type)</b>
			Good Quality, Durable
54	pc	1	<b>Electrical Switch, 3-way, flush type</b>
			Heavy duty, Good quality
55	pc	5	<b>Electrical Tape (Rubber)</b>
			☐rubber, 0.8 x 19mm x 8m any color;
56	roll	40	<b>Electrical Tape, Vinyl</b>
			☐Flame retardant and compatible with plastic cable and wire harness insulations
			☐Flexible PVC with aggressive rubber adhesive



			<ul style="list-style-type: none"> <li>☐ Primary electrical insulation for all wire and cable splices rated up to 600 volts.</li> </ul>
			☐ 19mm x 16m x 0.155mm
			☐ Heavy Duty
			☐ ASTM approved
57	box	2	<b>Electrical Wire, THHN / THWN, AWG 10 (5.5mm<sup>2</sup>), Stranded, 150 meters/box</b>
			☐ Building Wire
			☐ Stranded with Nylon Insulation
			☐ Gauge 10
			☐ UL listed
58	meter	21	<b>Electrical Wire, THHN/THWN 250 MCM (125 mm<sup>2</sup>) 600 volts (stranded copper wire)</b>
			Electrical Wire, THHN/THWN 250 MCM/ 150 mm <sup>2</sup> , 600 Volts, Stranded Wire
			☐ Building Wire
			☐ Stranded with Nylon Insulation
			☐ Gauge 10
			☐ UL listed
59	pc	25	<b>Emergency Light, 2 x 3 Watts</b>
			Good quality
			Durable
			Dome reflector for wider light distribution
			Automatic Operation (turns on instantly when power is cut-off)
			Equipped with Overcharging protection
			Fuse protected
			Illuminates areas more than 1 lux
			Light Source: 2x1W High Power SMT LED
			Battery: 4V 4.0Ah - 6V 4.5Ah Sealed Lead Acid
			Charging Time: <20 hours
			Performance Time: ≤6 hours (at full charge)
60	box	6	<b>End mill size 10</b>
			has 10mm milling cutter;
61	box	3	<b>End mill size 6</b>
			has 6mm milling cutter;
62	unit	2	<b>Extension Ladder, Fiber Glass, at least 21'</b>
			Load Capacity: atleast 300 lbs Reaches from 8 ft to an extendable length of 13 ft Self-leveling 2-way swivel safety shoes Main Material: Fiberglass Dimension: atleast 268 x 47 x 17, cm Weight: atleast 16.5 kg
63	pc	16	<b>Extension wire with 4 gang Universal Convenience Outlet, at least 10m long</b>
			☐ at least 10 amperes wire capacity
64	pc	10	<b>Faucet, Brass (Ordinary)</b>
65	unit	7	<b>Fire Extinguisher, Dry Chemical (ABC), 10lbs</b>
			ISO Certified
			Dry Chemical recommended for all classes of fires
			Non Toxic



			<i>Non Conducting and Non Corrosive Chemical</i>
66	pc	10	<b>Flange bearing, square type</b>
			<i>Square flanged ball bearing unit with set screw locking</i>
			<i>1 1/4 inch bore diameter</i>
67	pc	5	<b>Flat Bar, 1/4"(thickness) x 1" x 6 meter</b>
68	set	20	<b>Flourescent Lamp Set 40 watts, 220 volts</b>
			<i>Fluorescent Tube 40 watts, 220 volts, with casing ballast and starter.</i>
69	kg	86	<b>G.I. Tie Wire #16, Good Quality</b>
70	sheet	20	<b>Galvanized Steel Roof Panel, 12ft</b>
			☐ <b>Features</b>
			◀ <i>Roof Panel Type: Corrugated sheet or pre-painted roof panel</i>
			◀ <i>Color Family: Metallic</i>
			◀ <i>Material: Metal</i>
			◀ <i>Product Thickness (in.): .020</i>
			◀ <i>Product Length (in.): 144 in</i>
			◀ <i>Approximate Length (ft.): 12</i>
			◀ <i>Product Width (in.): 26 in</i>
71	pc	4	<b>garden bolo/ guna</b>
			<i>weeding knife with a very short and wide dull blade with a perpendicular blunt end.</i>
72	meter	500	<b>Garden Hose, 5/8"Ø, Good Quality</b>
73	length	7	<b>GI Pipe 1/2 x 6 m. sch 40</b>
74	length	5	<b>GI Pipe 1/2x6m sch 60</b>
75	length	15	<b>GI Pipe 3/4 x 6 m. sch 40</b>
76	length	4	<b>GI Pipe 3/4x6m sch 60</b>
77	pc	27	<b>Good Lumber Wood 2x2x12 (s4s)</b>
78	pc	2	<b>Good Lumber, 2" x 3" x 12"</b>
79	pc	439	<b>Good Lumber, 2" x 6" x 12'</b>
80	pc	2	<b>Good lumber, 2"x4"x12"</b>
81	unit	4	<b>Grass/Brush cutter (Four Stroke Engine)</b>
			☐ <i>Engine: 4 stroke engine</i>
			☐ <i>Handle type: both hands</i>
			☐ <i>Power transmission method: automatic centrifugal clutch, spiral gear</i>
			☐ <i>Displacement Volume (cc): 41.5</i>
			☐ <i>Carburetor: Float, piston valve</i>
			☐ <i>Starting Method: Recoil starter</i>
			☐ <i>Stopping Method: Sparking Circuit Primary Short</i>
			☐ <i>Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)</i>
			☐ <i>Lubricating Oil Used: 2-cycle engine oil</i>
			☐ <i>Fuel Tank Capacity (L): 1</i>
82	pc	10	<b>Grasscutter Blade (305mm x 1.6mm x 25.4mm x 2T)</b>
			<i>For Kawasaki Grasscutter unit, functional &amp; good quality</i>
83	pc	12	<b>Grinding Stone 4"</b>
84	pc	30	<b>Hacksaw Blade, 14 TPI x 12"</b>
			<i>Bi-metal, High-Speed, Durable, Premium Quality</i>





85	unit	1	<b>Hand Planer Portable 3-1/4" good quality</b>
86	unit	2	<b>Heat Gun 2000W 4 nozzle</b>
			<i>Voltage: 202V-240V, 50/60 hz</i>
			<i>Power: 2000W</i>
			<i>AirFlow: 300/500L/min with 1 pc scrapper and 4 pcs Nozzles</i>
87	pc	1	<b>Heavy Duty 18 V Brushless Cordless Impact Drill</b>
			<i>Including 2pcs batteries and charger</i>
88	pc	1	<b>Heavy Duty Angle Grinder, 4"</b>
			<i>Continuous rating input: 840W</i>
			<i>Wheel Diameter: 100 mm (4")</i>
			<i>No Load Speed (RPM): 11,000</i>
			<i>Vibration Level: Surface Grinding: 7.5 m/s<sup>2</sup></i>
			<i>Vibration K Factor: Surface Grinding: 1.5 m/s<sup>2</sup></i>
			<i>Sound Pressure Level 85 dB(A)</i>
			<i>Sound Power Level: N/A dB(A)</i>
			<i>Noise K Factor: 3 dB(A)</i>
			<i>Dimensions (L x W x H): 273x118x97 mm (10-3/4"x4-5/8"x3-13/16")</i>
			<i>Net weight: 1.7 – 2.0 kg (3.7 – 4.5 lbs.)</i>
			<i>Power supply cord: 2.5 m (8.2 ft.)</i>
89	pc	1	<b>Heavy Duty Electric Hand Drill</b>
			<i>Rated power input 320 W</i>
			<i>No-load speed 0 - 4 / 200 rpm</i>
			<i>Weight without cable 1 kg</i>
			<i>Chuck capacity 6,5 mm</i>
			<i>Length 204 mm</i>
			<i>Width 58 mm</i>
			<i>Height 174 mm</i>
90	unit	2	<b>Industrial and Heavy Duty High-Voltage Electrical Tester</b>
			<i>Calibration Every 1-year</i>
			<i>Fork opening 17.8mm (0.7")</i>
			<i>Temperature: Operating (-10 °C to +50 °C)</i>
			<i>Storage: (-30 °C to +60 °C)</i>
			<i>Altitude: Operating (2,000 m)</i>
			<i>Storage: 10,000 m)</i>
			<i>Relative Humidity : 0 % to 90 %, 5 °C to 30 °C</i>
			<i>0 % to 75 %, 30°C to 40°C</i>
			<i>0 % to 45 %, 40°C to 50°C</i>
			<i>Battery Type &amp; Life: 2xAA (IEC LR6) &amp; 200-hour using the field sense Function</i>
			<i>Temperature coefficient: 0.1 x (specified accuracy) /°C for &lt;18 °C or &gt; 28°C</i>
			<i>Safety: IEC 61010-1 : Pollution Degree @</i>
			<i>IEC 61010-2-032: CAT IV 600 V/ CAT III 1000 V</i>
			<i>Electromagnetic Compatibility : IEC/EN 61326-1</i>
			<i>General Requirement:</i>
			<i>Provide one-year Warranty</i>
			<i>Provide technical assistance and training on product usage</i>



			<i>and service center within the Cebu or Manila.</i>
			<i>Product Manufacturer/developer at least 15 years in the Electro-mechanical maintenance industry</i>
<b>91</b>	<b>unit</b>	<b>5</b>	<b>Industrial and Heavy-Duty Non-Contact Voltage Tester</b>
			<i>Voltage sensing ranges :90 V AC to 1000 V AC</i>
			<i>Detector tip style: Flat-tip</i>
			<i>Light Source: One high intensity red LED</i>
			<i>Safety IEC 61010-1: Pollution Degree 2, IEC 61010-2-030:CAT IV 1000V</i>
			<i>EMC : ICE 61326-1</i>
			<i>IP Rating: IP 40</i>
			<i>Operating Temperature: -10°C to 50°C (14°F to 122°F</i>
			<i>General Requirement:</i>
			<i>Provide one-year warranty</i>
			<i>Provide technical assistance and training on product usage and service center within the Cebu or Manila</i>
			<i>Product Manufacturer/developer at least 15 years in the electro-mechanical maintenance industry</i>
<b>92</b>	<b>pc</b>	<b>1</b>	<b>Knife, Butcher's, Stainles Steel</b>
			<i>6.5" blade by 11" length, Good Quality</i>
<b>93</b>	<b>pc</b>	<b>200</b>	<b>LED Bulb, 13 watts, 87% Energy Saving</b>
<b>94</b>	<b>pc</b>	<b>100</b>	<b>LED Bulb, 9 watts</b>
<b>95</b>	<b>pc</b>	<b>12</b>	<b>LED T5 Tubelight</b>
			☑ <i>Rated Power:16 Watts</i>
			☑ <i>Length: 1200mm</i>
<b>96</b>	<b>unit</b>	<b>1</b>	<b>Long Tape Measure (60M)</b>
			☑ <i>Blade length: 60m/200'</i>
			☑ <i>Blade width: 1/2"</i>
			☑ <i>Rubber grip for comfort 2-sided blade graphics with fractional inch/decimal foot scales</i>
			☑ <i>Corrosion-resistant Tru-zero folding end hook for accurate measurements</i>
			☑ <i>Polymer-coated blade withstands abrasion</i>
<b>97</b>	<b>pc</b>	<b>4</b>	<b>magnetic welding holder to set fixed angle</b>
			<i>Soldering locator for 45, 90, and 135 degrees angle</i>
<b>98</b>	<b>sheet</b>	<b>5</b>	<b>Mild Steel Plate , 1/8"( 3mm thickness) x 4' x 8'</b>
			<i>Standard Grade</i>
<b>99</b>	<b>pc</b>	<b>1</b>	<b>Mild Steel Plate, 6mm(thickness) x 4' x 8'</b>
			<i>Steel Plate, (4' x 8' x 1/4" size);</i>
<b>100</b>	<b>kg</b>	<b>13</b>	<b>Nails, Common Wire, 1", Smooth Shank</b>
<b>101</b>	<b>kg</b>	<b>35</b>	<b>Nails, Common Wire, 2"</b>
			<i>Smooth Shank</i>
<b>102</b>	<b>kg</b>	<b>4</b>	<b>Nails, Common Wire, 2-1/2"</b>
<b>103</b>	<b>kg</b>	<b>52</b>	<b>Nails, Common Wire, 3"</b>
			<i>Smooth Shank</i>
<b>104</b>	<b>kg</b>	<b>61</b>	<b>Nails, Common Wire, 4"</b>
			<i>Smooth Shank</i>
<b>105</b>	<b>kg</b>	<b>1</b>	<b>Nails, Finishing 1-1/2"</b>



106	kg	40	<b>Nails, Roofing (Umbrella), 2 1/2"</b>
			<i>Twist Shank</i>
107	roll	1	<b>P.E. Pipe hdpe 2", 60 metersper roll</b>
108	pc	30	<b>Paint Brush, 2"</b>
			■Durable bristles
			■Heavy duty metal ferrules
109	pc	20	<b>Paint Brush, 4"</b>
110	gal	2	<b>Paint, Acrylic Base Latex, White, flat</b>
			<i>Premium Quality Paint</i>
111	liter	1	<b>Paint, Burnt Umber Latex</b>
112	gal	2	<b>Paint, color: white, enamel</b>
			<i>good quality;</i>
113	gal	2	<b>Paint, Flat Latex, Chocolate Brown</b>
114	pail	1	<b>Paint, Latex, Semi Gloss, White, at least 16 liters per pail</b>
			<i>Premium Quality Paint</i>
115	gal	6	<b>Paint, QDE, Black</b>
			<i>Premium Quality Paint</i>
116	liter	1	<b>Paint, Toluidine Red, Latex</b>
117	liter	4	<b>Paint, TTC, Thalo Green, Latex</b>
			<i>Premium Quality</i>
118	pc	2	<b>Pipe Fittings (Brass) Ball valve, 3/4"Ø</b>
119	length	10	<b>Pipe Fittings (G.I.) Reducer Bushing, 3/4"Ø x 1/2"Ø, Sched 80</b>
120	length	10	<b>Pipe Fittings (G.I.) Union, 1/2"Ø, Sched 80</b>
121	pc	10	<b>Pipe Fittings (G.I.)Coupling, 3/4"Ø, Sched 80</b>
122	pc	8	<b>Pipe Fittings, (G.I.) Elbow, Straight, 90 deg x 2"Ø</b>
			<i>Schedule 40, Good Quality</i>
123	pc	3	<b>Pipe Fittings, (G.I.), Tee, 2"Ø</b>
			<i>Schedule 40, Good Quality</i>
124	pc	10	<b>Pipe Fittings, (G.I.), Tee, 3/4"Ø</b>
			<i>Schedule 40, Good Quality</i>
125	pc	3	<b>Pipe Fittings, (G.I.), Union, 2"Ø</b>
			<i>Schedule 40, Good Quality</i>
126	pc	5	<b>Pipe Fittings, (G.I.), Union, 3/4"Ø</b>
			<i>Schedule 40, Good Quality</i>
127	pc	10	<b>Pipe Fittings,(G.I.), Reducer Bushing 1"Ø x 3/4"Ø</b>
			<i>Schedule 60, Good quality;</i>
128	pc	1	<b>Pipe Wrench #6</b>
			<i>Super strength cast aluminum and alloy metal handle.</i>
			<i>Two way toothing and spring loaded jaw provide positive grip</i>
			<i>Made of Chromium-Molybdenum steel forged jaws heat treated</i>
			<i>Hand Tools Type : Wrenches</i>
			<i>Jaw Capacity : 34 mm</i>
			<i>Size : 6 Inch</i>
129	unit	3	<b>Pipe Wrench, 12"</b>
			<i>Heavy Duty Straight Pipe Wrench</i>



			<i>Durable</i>
130	pc	1	<b>Pliers, 6", Long nose</b>
			<i>Heavy Duty, Durable, Good Quality</i>
131	pc	1	<b>Pliers, 8", Long nose</b>
			<i>Heavy Duty, Durable, Good Quality</i>
132	pc	350	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
133	pc	317	<b>Plywood, Marine, 3/4"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
134	pc	5	<b>Plywood, Ordinary, 1/2"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
135	unit	1	<b>Portable Electric Welding Machine, 300A Inverter</b>
			☐Phase: Single
			☐Max. No-Load Voltage: 60V
			☐Duty Cycle: 60%
			☐Rated output current : 300 Amperes
			☐Single phase, portable, fan cooled
			☐Low energy consumption, light in weight with handle for easy handling
136	pc	1	<b>Power Sprayer Pressure Washer</b>
			<i>High Pressure Washer Specs</i>
			<i>Technical Details</i>
			<i>Motor Power 1200W</i>
			<i>Design</i>
			<i>Color Black</i>
137	unit	2	<b>Pressure Washer Set, Heavy Duty (Belt Driven)</b>
			<i>80 Bars = 1200 psi</i>
			<i>Contents:</i>
			<i>Electronic Motor 1.5 Hp</i>
			<i>Piston Pump</i>
			<i>50m discharge hose</i>
			<i>2m suction hose</i>
			<i>2 m return hose</i>
			<i>Sprayer Straight</i>
			<i>Base</i>
			<i>Power cord and plug included</i>
138	pc	1	<b>Professional Jigsaw</b>
			<i>520W, 220V, adjustable speed</i>
139	pair	2	<b>Rainboots, Heavy Duty High Cut Boots, for Men (# 6), White</b>
140	pair	2	<b>Rainboots, Size: 7 (Women), Black</b>
			<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>
141	pc	1	<b>Rangepole Graduated, 5 meters</b>
			<i>Rangepole Graduated, 5 meter length, telescopic, built-in bubble with individual Soft Bag</i>
142	pc	20	<b>Receptacle Socket, 4" x 4"</b>
143	pc	30	<b>Rechargeable Emergency Bulbs, ACDC, 12W</b>



			3.7V 4000 mAh Lithium Ion Battery
			Daylight Color Temperature
			840 Lumens AC
			500 Lumens DC
			220V AC/DC
			8 Hours Charging Time
			2.5 - 3 Hours Usage Duration
			Overcharge and discharge protection
			Free portable Lamp Holder
			Instant Flashlight
144	meter	200	<b>Rope, Nylon, #18 (9mm)</b>
			Twisted 3 Strand, Good Quality
145	pair	17	<b>Safety Gloves, Cotton knitted with Latex Orange Coated Palm</b>
			☑Five fingers freedom, can satisfy various movements and comfortable and flexible.
			☑Anti-skid
			☑Wear-resistant
			☑Oil resistant
			☑Corrosion resistant
146	cu.m.	8	<b>Sand, Coarsed, Washed</b>
147	cu.m.	6	<b>Sand, Washed</b>
148	roll	1	<b>SDR 11, Black HDPE Pipe 25.4mm (1" Ø) x 100 meters</b>
149	length	3	<b>Shafting, Mild Steel 1-1/4"Ø x 20'</b>
150	length	5	<b>Shafting, Mild Steel, 1/2"Ø x 20'</b>
151	length	3	<b>Shafting, Mild Steel, 1"Ø x 20'</b>
152	pc	2	<b>Sharpening Stone, Silicon Carbide(Carborundum), 6", original</b>
			Premium Grade, 6" x 2" x 1.2"
153	sheet	79	<b>Sheet, Polycarbonate Roofing(Corrugated), 4' x 8'</b>
			Durable, Premium Quality
154	pc	60	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm), 8'</b>
			Standard width;
155	sheet	8	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'</b>
			Standard width, Good Quality;
156	pc	24	<b>Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 10'</b>
157	sheet	37	<b>Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 12'</b>
158	sheet	5	<b>Sheets, (G.I.) Plain, Gauge 16 x 4' x 8'</b>
			Standard, Good Quality
159	pc	3	<b>Shovel, Tempered steel round pointed end</b>
			☑Heavy duty wooden handle
			☑Good quality
160	pc	3	<b>Shovel, Tempered steel spade</b>
			Heavy duty wooden handle, Good quality
161	pc	20	<b>Single pulley, 3"x3/4", A (big hub)</b>
			3 inches x 3/4 inch A
			with big hub
162	bag	1	<b>Skim Coat, 20kg/bag</b>



			<ul style="list-style-type: none"> <li>☑ Good water vapor permeability</li> <li>☑ Excellent bonding to concrete</li> </ul>
163	spool	3	<b>Soldering Lead, 1mm</b>
			<ul style="list-style-type: none"> <li>☑ Good quality</li> <li>☑ 60% tin and 40% lead</li> <li>☑ melting point 190oC</li> </ul>
164	length	65	<b>Steel Bar, Deformed(Corrugated),10mm x 6m</b>
			<ul style="list-style-type: none"> <li>☑ 0.616 kg/M PNS 230</li> <li>☑ ASTM / Grade 33 Structural</li> </ul>
165	length	18	<b>Steel Bar, Deformed(Corrugated),12mm x 6m</b>
			ASTM / Grade 33 Structural;
166	length	6	<b>Steel Bar, Round (plain), 10mm x 6m</b>
			Standard Grade
167	pc	10	<b>Steel Brush</b>
168	pc	65	<b>Stone, Sander for 4" angle grinder</b>
			Durable, Good Quality
169	pc	10	<b>Straight Elbow G.I. 3/4"</b>
170	roll	40	<b>Teflon Tape, 1" x 10m</b>
171	roll	10	<b>Teflon Tape, 1/2"Ø x 10m</b>
			Good for sealing on pipe thread
172	set	1	<b>Threaded Teeth/ Head Ratchet Type with Handle</b>
173	pc	300	<b>Tiles, Granite 60cm x 60cm</b>
			Biege, Premium grade
174	box	3	<b>Tool Bit, 5/16" Ordinary, box of 50's</b>
175	box	3	<b>Tool Bit, 5/16", Carbide, box of 50's</b>
176	pc	5	<b>Trowel, Concrete Plastering, (230mm x 100mm), Metal</b>
			Heavy Duty, Good Quality
177	pc	5	<b>Welding dimming glass</b>
			#10, (2" x 4 1/4" x 2.7mm )
178	pair	10	<b>Welding Gloves</b>
			<ul style="list-style-type: none"> <li>☑ ISO and CE certified</li> <li>☑ EN12477 Type-A protection for welding and thermal jobs</li> <li>☑ Suitable for stick and MIG welding, as well as torch cutting and grinding</li> <li>☑ Premium split cowhide leather and welted seams</li> <li>☑ Cotton lining provides thermal insulation</li> <li>☑ Long cuff extends protection over the forearm.</li> </ul>
179	kg	120	<b>Welding Rod, E-6012, 3/32"</b>
			Premium Quality
180	unit	4	<b>Welding tong or welding rod handle</b>
			Size: 500A to 800A
			Heavy Duty
181	pc	1	<b>Wheel barrow</b>
			Quality Wheel Barrow for agriculture and construction Ideal helper for your work and gardening. *Orange color *Load Capacity: 150KG *Material: Made of Metal *Packaging: Multiple Solid Rubber Wheel Tire Type Wheel size: 33 " Light Easy to assemble



182	liter	1	<b>Wood Glue</b>
183	roll	10	<b>Iron Barbed Wire # 12</b>
			☐Iron Barbed Wire #12
			☐150 Meters/roll
			☐Material : Iron Wire
			☐Commonly used for fencing
184	meter	5000	<b>Wire, Duplex #14, PDX</b>
185	pc	215	<b>Plywood, Marine, 1/2"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
186	sheet	110	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'</b>
			<i>Standard width, Good Quality</i>
187	sheet	40	<b>Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8'</b>
			<i>Standard, Good Quality</i>
188	length	50	<b>Slotted Angle Bar</b>
			<i>1 ½" X 1 ½" X 3 m , 2mm thk, including bolts and accessories, metal powder coated – Off white</i>
189	pc	2	<b>Wye delta timer, Normally Open (NO) - Normally Close (NC), w/ socket</b>
190	set	1	<b>Cast Iron Stove Heavy Duty Stove, 3 Way Burner, with Hose and Regulator</b>
191	kg	11	<b>Nails, Common Wire, 1-1/2"</b>
192	pc	5	<b>Paint, Roller Cotton, 4"</b>
			<i>for repair of ceiling</i>
193	pc	5	<b>Paint, Roller Cotton, 7"</b>
			<i>for repair of ceiling</i>
194	unit	1	<b>JET/SHALLOW WATER PUMP 12 HP</b>
195	bag	10	<b>Cement, (White) Portland</b>
			<i>Premium Quality, 1kg per bag</i>
196	kg	5	<b>Nails, Concrete, 2"</b>
			<i>Fluted shank</i>
197	pc	10	<b>Padlock, 50mm</b>
			<i>Heavy Duty, Durable, Good Quality</i>
198	pc	15	<b>Paint Brush, 3"</b>
199	pc	2	<b>Paint Brush, Roller with handle and PVC Tray, 9"</b>
			<i>Durable, good quality</i>
200	pc	15	<b>Paint Brush, Roller with handle, 7"</b>
			<i>Durable, Good quality</i>
201	gal	2	<b>Paint, Silver Alum</b>
			<i>Premium Quality Paint</i>
202	pc	6	<b>Putty Knife, 3"(75mm)</b>
			☐Flexible Stainless Steel Blade
			☐Mirror Surface Finishes
			☐Rubberized Handle or Equivalent
			☐Good Quality, Durable, Heavy Duty.
203	pc	2	<b>Steel Wire Brush, Wood Handle</b>
			<i>Abrasive Brush, Heavy-Cleaning with Arched Handle, 1/8" Wide x 4-7/8" Long, Steel</i>
204	btl	5	<b>Varnish, plastic, natural</b>



			<i>Premium Quality</i>
205	gal	6	<b>Wood preservative, brown</b>
			<i>Schedule 40, Good Quality</i>
206	kg	1	<b>Nails, Concrete, 1-1/2"</b>
207	bag	15	<b>Tile Adhesive, 25kg/bag</b>
208	pc	15	<b>Faucet, Brass Plated</b>
			☐ <i>Sturdy and Durable</i>
			☐ <i>Heavy Duty Hose bib: 1/2" Hose end: 3/4"</i>
209	kg	5	<b>Nails, Concrete, 4"</b>
			<i>Fluted shank</i>
210	kg	2	<b>Nails, Finishing, 1"</b>
			<i>Smooth Shank</i>
211	kg	3	<b>Nails, Finishing, 2"</b>
			<i>Smooth Shank</i>
212	gal	2	<b>Paint Thinner</b>
			<i>Premium Quality</i>
213	gal	15	<b>Paint, Latex Flat, White</b>
			<i>Premium Quality Paint</i>
214	gal	2	<b>Paint, Latex, Chocolate Brown</b>
			<i>Premium Quality Paint</i>
215	gal	15	<b>Paint, Latex, Semi Gloss, White</b>
			<i>Premium Quality Paint</i>
216	liter	8	<b>Paint, Metal Primer, Red Lead</b>
			<i>Premium Quality</i>
217	gal	6	<b>Paint, Roof, White (laguna)</b>
			<i>Premium Quality Paint</i>
218	liter	1	<b>Paint, TTC, Bulletin Red, Latex</b>
			<i>Premium Quality</i>
219	liter	5	<b>Paint, TTC, Burnt Sienna, Latex</b>
			<i>Premium Quality</i>
220	liter	10	<b>Paint, TTC, Raw Sienna, Latex</b>
			<i>Premium Quality</i>
221	liter	4	<b>Paint, TTC, Thalo Blue, Latex</b>
			<i>Premium Quality</i>
222	pc	10	<b>Cutting Disc, 4" (Super Thin)</b>
223	length	7	<b>SSR Square Tube (T304) 1.20mm X 1 1/2 X 1 1/2 X 20ft</b>
224	length	10	<b>Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard</b>
225	pc	2	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>
226	kg	20	<b>Welding Rod, E-6012, 1/8"</b>
			<i>Premium Quality</i>
227	pc	2	<b>Open Reel Measuring Tape</b>
			☐ <i>Fiberglass</i>
			☐ <i>Stainless steel frame</i>
			☐ <i>Specification: 30M/50M/100M (98ft/164ft/328ft)</i>
			☐ <i>Material: Stainless steel</i>
			☐ <i>ABS Unit: Metric/Imperial</i>





			<ul style="list-style-type: none"> <li>■ Dimension: 30M: approx. 25x17x2cm 50M: approx. 31x18x2.5cm 100M: approx. 31x18x2.5cm</li> <li>■ Rugged, Impact-resistant</li> <li>■ Plating ruler tape/nylon ruler tape, with good clarity and wear-resistant.</li> <li>■ Features Cone Tip Stake for Accurate Measurements and Stability.</li> <li>■ Comes with a convenient carry handle.</li> <li>■ Easy to read Metric and Imperial graduation</li> </ul>
228	pc	5	<b>Adjustable Shower Head</b> <i>Spout diameter: atleast 80mm, Interface diameter: atleast 20mm, Three (3) adjustment shower spray</i>
229	gal	4	<b>Epoxy Primer with catalyst</b> <i>Premium Quality for Auto body repair</i>
230	pc	20	<b>Floor Tiles, 40 cm x 40 cm (White)</b>
231	pc	2	<b>Padlock, 60mm</b> <i>Heavy duty, durable, Good Quality</i>
232	pail	5	<b>Paint, Latex, Glossy White</b> <i>Premium Quality Paint</i>
233	pc	3	<b>Paint Brush, Roller with tray, 1-1/4" x 4"</b> <i>Durable, Good quality</i>
234	pc	4	<b>Steel Wire Brush, Wood Handle</b> <i>Abrasive Brush, Heavy-Cleaning with Arched Handle, 1/8" Wide x 4-7/8" Long, Steel</i>
235	pc	20	<b>Doorknob, excellent quality</b>
236	pc	30	<b>LED Bulb, 15 watts</b>
237	set	52	<b>Jalousie Aluminum Frame, 14 blades</b>
238	pc	364	<b>Jalousie Glass Blades, 3/16" x 4" x 24", Smoked glass</b>
239	set	1	<b>Bench Grinder</b>



## ***Section VII. Technical Specifications***



## Technical Specifications

Item #	Unit	Qty	Description	Statement of Compliance
1	set	1	<b>original combination wrench set, (8mm-32mm)</b>	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
			<i>Combination set original</i>	
			<i>Original made, *durable</i>	
			<i>*made from high quality steel</i>	
			<i>*16PCS HEAVY DUTY COMBINATION WRENCH SIZES: 8,9,10,11,12,13,14,15,17,19,21,22,24,27,30,32MM</i>	
2	set	1	<b>Professional Drilling and Screwdriving 103 pcs/set</b>	
			<i>Assortment of screw driving bits</i>	
			<i>Socket wrenches and adapter</i>	
			<i>Holds some magnetic bits</i>	
			<i>Compatible with attractive mixed set that covers all common applications</i>	
			<i>Organised in a moulded display robust carry case</i>	
			<i>INCLUDES:</i>	
			<i>9 x metal drill bits (2 x 1.5, 3 x 2, 1 x 2.5, 4 x 3, 1 x 3.2, 1 x 3.5, 1 x 4, 1 x 4.5, 1 x 4.8, 1 x 5, 1 x 5.5, 1 x 6 and 1 x 7mm),</i>	
			<i>40 x 25mm screwdriver bits (10 x PH (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm), 10 x PZ (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm)</i>	
			<i>6 x S (2 x 4, 2 x 6 and 2 x 7mm)</i>	
			<i>10 x T (2 x 10, 2 x 15, 2 x 20, 2 x 25, 30 and 40mm)</i>	
			<i>4 x H (3, 4, 5 and 6mm))</i>	
			<i>13 x 50mm screwdriver bits (4 x PH (0, 1, 2 and 3mm)</i>	
			<i>4 x PZ (0, 1, 2 and 3mm)</i>	
			<i>2 x S (4 and 6mm)</i>	
			<i>3 x T (10, 20 and 25mm))</i>	
			<i>2 x spade bits (16 and 22mm),</i>	
			<i>5 x masonry drill bits (4, 5, 6, 8 and 10mm)</i>	
			<i>Bit holder</i>	
			<i>4 x holesaws (32, 38, 44 and 54mm)</i>	
<i>Hole saw adapter</i>				
<i>9 x wood drill bits (2 x 3, 2 x 4, 1 x 5, 1 x 6, 1 x 7, 1 x 8 and 1 x 10mm)</i>				
<i>7 x nut setters (5, 6, 8, 10, 11, 12 and 13mm)</i>				
<i>Countersink and Allen key</i>				
3	box	1	<b>1-1/2 inch wood screws</b>	
			<i>phillips head, dry wall black screw, 500 pcs. per box</i>	
4	box	2	<b>1-1/2-inch self-drilling screws for steel</b>	
			<i>Hex head, with rubber gasket, 100 pcs per box</i>	
5	pc	15	<b>door knob</b>	
			<i>Protected by antimicrobial Microban – surface is 99.9% cleaner. Fits door thickness of 1-3/8 in. to 1-3/4 in. Adjustable latch fits all standard door types.</i>	
			<i>Good Quality</i>	
6	pc	3	<b>4-inch diamond cup grinding disc</b>	
			<i>heavy-duty, diamond cup wheel for concrete grinding</i>	



7	pc	5	<b>4-inch metal cutting disc</b> <i>heavy-duty, EN12413 compliant</i>
8	unit	1	<b>500KG Electric Hoist 1600W</b> <i>Double Hook</i> <i>Input Power : 1600W</i> <i>Load Capacity: 500Kgs</i> <i>Lifting Height: 6 meters</i> <i>Lifting Speed: 4 meters/minute</i>
9	meter	5	<b>Abrasive Paper, Floor Sanding Sheet Grit #36</b> ☑ <i>Very Coarse, Sand Paper Abrasive, Premium Grade</i>
10	meter	5	<b>Abrasive Paper, Floor Sanding Sheet Grit #80</b> <i>Medium Coarse, Sand Paper Abrasive, Premium Grade</i>
11	sheet	6	<b>Abrasive Paper, Sand Paper Grit #120, 9" x 11"</b> ☑ <i>Fine Sanding, Waterproof, Good Quality</i>
12	sheet	20	<b>Abrasive Paper, Sandpaper Grit #100</b> <i>Medium Coarse, Premium Grade, Waterproof</i>
13	sheet	20	<b>Abrasive Paper, Sandpaper, #1000</b> <i>Super Fine, Premium Grade, Waterproof</i>
14	meter	50	<b>Abrasive Paper, Sandpaper, #120</b> ☑ <i>Fine, Premium Grade, Waterproof</i>
15	gal	9	<b>Acrytex Cast</b>
16	pc	3	<b>Adjustable Eye Shield Protection safety goggles</b> <i>Eye Shield Protection - safety goggles</i> <i>This glasses is made of premium material for lab factory warehouse and outside cycling construction work anywhere need to wear goggles.</i> <i>Eye Protection</i> <i>Anti Virus Glasses</i> <i>Anti-dust Anti-droplets</i> <i>Adjustable frame</i> <i>Light Weight</i> <i>Lens Color: Transparent</i> <i>Frame Color: Black</i>
17	pc	5	<b>Adopter P.E. 2"</b>
18	pc	2	<b>Advance Upgraded Starter Arduino Kit</b>
19	pc	1	<b>Angle Grinder, 4"Ø (100mm)</b> ☑ <i>Heavy Duty</i> ☑ <i>Durable</i> ☑ <i>Power Rating: At least 840 Watts</i> ☑ <i>No load speed: At least 11,000 rpm</i> ☑ <i>Wheel diameter: 4"(100mm)</i>
20	roll	2	<b>Anti UV 85% Sun Shade Net black Outdoor Garden Net Farm Net Greenhouse Net Sunscreen</b> <i>Sun shade net</i> <i>Color: Black</i> <i>Dimension (LXW): 1×20M</i> <i>Function: Shading heat insulation, humidity reduction</i>



			<i>Applicable scene: Garden, Plants shade, Greenhouse</i>
21	pc	20	<b>ball bearing</b>
			<i>Specification: 6205ZZ</i>
22	roll	3	<b>Barbed Wire, Gauge 12</b>
			☐ <i>GI #12 wires of 2-points-4-strand rolls</i>
			☐ <i>26kg/roll at 150 m per roll</i>
23	pc	4	<b>Bench Grinder, Grinding Wheel, 6" x 3/4"(thickness) x 1" Arbor hole</b>
			<i>Bench and Pedestal Grinding Wheel (Rough) for Steel and Stainless Steel, 6" Diameter, 3/4" Thick, Heavy Duty, Durable</i>
24	pc	19	<b>Bidet spray toilet bidet rinse set, Heavy Duty</b>
25	pc	100	<b>Bolt w/nut, 5/16 x 1-1/2"</b>
26	pc	100	<b>Bolt with nut, 5/16" dia x 1"</b>
27	pc	100	<b>Bolt with nut, 7/16" x 2"</b>
			<i>dimension: 7/16 inch by 2 inches</i>
28	pc	100	<b>Bolt with nut, 7/16" dia x 1-1/2"</b>
29	pc	4	<b>Bulb Socket, PVC</b>
			☐ <i>Standard size,</i>
			☐ <i>round,</i>
			☐ <i>ISO Certified and Good Quality</i>
30	pc	98	<b>Bulb, LED, 15W</b>
			☐ <i>Wattage: 15 Watts</i>
			☐ <i>Lumens: 1521</i>
			☐ <i>Color Temp. : Daylight</i>
			☐ <i>Beam Angle: 200 degrees</i>
			☐ <i>Voltage: 170-240 V AC 50/60Hz</i>
			☐ <i>Bulb Holder: E27</i>
			☐ <i>Life Hours: 15,000 hrs.</i>
			☐ <i>Material: PC cover &amp; Aluminum PCB</i>
31	pc	20	<b>Bulb, LED, 20 Watts</b>
			☐ <i>Up to 80% energy savings,</i>
			☐ <i>Eco-friendly,</i>
			☐ <i>No UV radiation,</i>
			☐ <i>No mercury,</i>
			☐ <i>Wattage: 20 Watts,</i>
			☐ <i>Color Temperature: 6500K,</i>
			☐ <i>Daylight Brightness: at least 1800 Lumens</i>
			☐ <i>Base: E27,</i>
			☐ <i>Lifetime: at least 30,000 hours,</i>
			☐ <i>Power Input: 220-240Vac, 50/60Hz</i>
32	pc	65	<b>Bulb, LED, 9W</b>
33	pc	15	<b>Bulb, Sockets</b>
			☐ <i>Plastic</i>
			☐ <i>round, size 3" x 3",</i>
			☐ <i>White color.</i>
			☐ <i>For E27 bulbs.</i>
34	pc	2	<b>Bushing G.I. 2" x 1-1/2</b>



35	pack	5	<b>Cable Tie, 4" x 250mm, 100pcs/pack</b> <i>Nylon, 4x250mm;</i>
36	bag	158	<b>Cement, Portland</b> <ul style="list-style-type: none"> <li>☐Type 1P, Premium Quality</li> <li>☐ASTM C150</li> </ul>
37	pc	2	<b>Circuit breaker 15A, surface type, 2-pole</b> <i>15A, surface type, 2-pole;</i>
38	pc	598	<b>Concrete Hollow Blocks (CHB), 4"</b> <ul style="list-style-type: none"> <li>☐Standard Size</li> <li>☐3-Cell Concrete Hollow Block 4"</li> <li>☐At least 350psi</li> </ul>
39	cu.m.	5	<b>Crushed gravel, 3/4 inch nominal diameter crushed stone, for coarse aggregates</b>
40	pc	20	<b>Cut off Blade, 14" x 1/8" x 1", good quality</b>
41	pc	12	<b>Cutting Disc for Steel/Stainless, 4"</b>
42	pc	5	<b>Deadbolt, Single Cylinder</b> <i>Chassis : Stainless Steel</i> <i>Latch and Bolt : Zinc - Strike : Steel / Brass / Stainless Steel</i> <i>Cylinder Housing : Brass / Steel Backset: 60mm / 70mm</i> <i>Anti-Sawing Insert : Hardened Steel</i> <i>Cylinder : Solid Brass 5-pin tumbler cylinder</i> <i>Heavy Duty</i> <i>US32D Finish</i>
43	pc	1	<b>Demolition Jack Hammer, (Ground Breaking) concrete</b> <i>Dimensions:72 x 34 x 20 cm</i> <i>Rated Input Power: 2200W</i> <i>Hammer Type:Demolition Hammer</i> <i>Frequency: 60Hz</i> <i>Power Source:AC</i> <i>Usage:Renovation Team</i> <i>Weight:20Kgs</i> <i>Rated Voltage:220V</i> <i>Power:2200W, 3600W</i> <i>Power Source(Others):Electric</i> <i>Voltage:110V for US, 220V for AU/EU</i> <i>No Load Speed(2200W):1400 R/Min</i> <i>Impact Force(2200W):55J</i> <i>Chuck Size:1-1/8Inch (Hex)</i> <i>Fore-Grip Handle Swivel:360 degrees</i> <i>Oil(3600W):No.46 Hydraulic Oil</i> <i>Usage:Home DIY &amp; Industry</i> <i>Chisel:1-1/8" Bull Point Chisel, 1-1/8" Flat Chisel</i> <i>Tool Size(2200W):410mm</i> <i>Machine Length (w/o tool)(2200W):630mm</i>
44	pc	1	<b>Diameter Tape</b> <ul style="list-style-type: none"> <li>☐Forestry diameter tape</li> <li>☐Woven synthetic fabric tape</li> </ul>



			<ul style="list-style-type: none"> <li>☐ PVC coated steel case</li> </ul>
			<ul style="list-style-type: none"> <li>☐ Case size: at least 80mm</li> </ul>
			<ul style="list-style-type: none"> <li>☐ Tape length: at least 10m</li> </ul>
			<ul style="list-style-type: none"> <li>☐ Tape width: at least 16mm</li> </ul>
45	pc	5	<b>Door Knob</b>
			<ul style="list-style-type: none"> <li>▶ Stainless Steel</li> </ul>
			<ul style="list-style-type: none"> <li>▶ Door Thickness: 35-50mm</li> </ul>
			<ul style="list-style-type: none"> <li>▶ Entrance Function</li> </ul>
			<ul style="list-style-type: none"> <li>▶ 3 Keys Included</li> </ul>
			<ul style="list-style-type: none"> <li>▶ US32D Finish</li> </ul>
			<ul style="list-style-type: none"> <li>▶ High Quality</li> </ul>
			<ul style="list-style-type: none"> <li>▶ Heavy Duty</li> </ul>
46	pc	20	<b>Double pulley, 3"x1", B type</b>
			3 inches x 1 inch, B type with big hub
47	set	1	<b>Drill bit set</b>
			Set consists of: 1/16 inch to 1/2 inch drill bits
			(A19020)
48	drum	2	<b>Drum, Barrel Drum, Blue 200-220L capacity</b>
			<ul style="list-style-type: none"> <li>☐ HDPE</li> </ul>
			<ul style="list-style-type: none"> <li>☐ Closed Head</li> </ul>
			<ul style="list-style-type: none"> <li>☐ Good Quality</li> </ul>
			<ul style="list-style-type: none"> <li>☐ Clean</li> </ul>
49	set	2	<b>Electric grinder</b>
			Diameter: 100mm
			Voltage: AC, 220-240V; Amperage: 3.2A
			Hertz: 50-60Hz; Wattage: 840W
50	set	3	<b>Electric Hand Drill</b>
			<ul style="list-style-type: none"> <li>☐ Rotary hammer, 26mm max. cap., 800W, 230V, 50/60Hz, 0-1150rpm, 2.3KJ,</li> </ul>
			<ul style="list-style-type: none"> <li>☐ 5kg. with reverse</li> </ul>
51	unit	1	<b>Electric Water pump, Jet shallow, 1 HP</b>
52	pc	3	<b>Electrical Circuit Breaker, 30A, (Box type)</b>
			Heavy Duty and Good quality, Durable
			220-240V
53	set	3	<b>Electrical Outlet, Convenience 2 gang, (Flush type)</b>
			Good Quality, Durable
54	pc	1	<b>Electrical Switch, 3-way, flush type</b>
			Heavy duty, Good quality
55	pc	5	<b>Electrical Tape (Rubber)</b>
			<ul style="list-style-type: none"> <li>☐ rubber, 0.8 x 19mm x 8m any color;</li> </ul>
56	roll	40	<b>Electrical Tape, Vinyl</b>
			<ul style="list-style-type: none"> <li>☐ Flame retardant and compatible with plastic cable and wire harness insulations</li> </ul>
			<ul style="list-style-type: none"> <li>☐ Flexible PVC with aggressive rubber adhesive</li> </ul>
			<ul style="list-style-type: none"> <li>☐ Primary electrical insulation for all wire and cable splices rated up to 600 volts.</li> </ul>
			<ul style="list-style-type: none"> <li>☐ 19mm x 16m x 0.155mm</li> </ul>



			<ul style="list-style-type: none"> <li>☑Heavy Duty</li> <li>☑ASTM approved</li> </ul>
57	box	2	<b>Electrical Wire, THHN / THWN, AWG 10 (5.5mm<sup>2</sup>), Stranded, 150 meters/box</b>
			<ul style="list-style-type: none"> <li>☑Building Wire</li> <li>☑Stranded with Nylon Insulation</li> <li>☑Gauge 10</li> <li>☑UL listed</li> </ul>
58	meter	21	<b>Electrical Wire, THHN/THWN 250 MCM (125 mm<sup>2</sup>) 600 volts (stranded copper wire)</b>
			<ul style="list-style-type: none"> <li><i>Electrical Wire, THHN/THWN 250 MCM/ 150 mm<sup>2</sup>, 600 Volts, Stranded Wire</i></li> <li>☑Building Wire</li> <li>☑Stranded with Nylon Insulation</li> <li>☑Gauge 10</li> <li>☑UL listed</li> </ul>
59	pc	25	<b>Emergency Light, 2 x 3 Watts</b>
			<ul style="list-style-type: none"> <li><i>Good quality</i></li> <li><i>Durable</i></li> <li><i>Dome reflector for wider light distribution</i></li> <li><i>Automatic Operation (turns on instantly when power is cut-off)</i></li> <li><i>Equipped with Overcharging protection</i></li> <li><i>Fuse protected</i></li> <li><i>Illuminates areas more than 1 lux</i></li> <li><i>Light Source: 2x1W High Power SMT LED</i></li> <li><i>Battery: 4V 4.0Ah - 6V 4.5Ah Sealed Lead Acid</i></li> <li><i>Charging Time: &lt;20 hours</i></li> <li><i>Performance Time: ≤6 hours (at full charge)</i></li> </ul>
60	box	6	<b>End mill size 10</b>
			<i>has 10mm milling cutter;</i>
61	box	3	<b>End mill size 6</b>
			<i>has 6mm milling cutter;</i>
62	unit	2	<b>Extension Ladder, Fiber Glass, at least 21'</b>
			<i>Load Capacity: atleast 300 lbs Reaches from 8 ft to an extendable length of 13 ft Self-leveling 2-way swivel safety shoes Main Material: Fiberglass Dimension: atleast 268 x 47 x 17, cm Weight: atleast 16.5 kg</i>
63	pc	16	<b>Extension wire with 4 gang Universal Convenience Outlet, at least 10m long</b>
			☑at least 10 amperes wire capacity
64	pc	10	<b>Faucet, Brass (Ordinary)</b>
65	unit	7	<b>Fire Extinguisher, Dry Chemical (ABC), 10lbs</b>
			<i>ISO Certified</i>
			<i>Dry Chemical recommended for all classes of fires</i>
			<i>Non Toxic</i>
			<i>Non Conducting and Non Corrosive Chemical</i>
66	pc	10	<b>Flange bearing, square type</b>





			Square flanged ball bearing unit with set screw locking
			1 1/4 inch bore diameter
67	pc	5	Flat Bar, 1/4"(thickness) x 1" x 6 meter
68	set	20	Flourescent Lamp Set 40 watts, 220 volts
			Fluorescent Tube 40 watts, 220 volts, with casing ballast and starter.
69	kg	86	G.I. Tie Wire #16, Good Quality
70	sheet	20	Galvanized Steel Roof Panel, 12ft
			☐Features
			◀Roof Panel Type: Corrugated sheet or pre-painted roof panel
			◀Color Family: Metallic
			◀Material: Metal
			◀Product Thickness (in.): .020
			◀Product Length (in.): 144 in
			◀Approximate Length (ft.): 12
			◀Product Width (in.): 26 in
71	pc	4	garden bolo/ guna
			weeding knife with a very short and wide dull blade with a perpendicular blunt end.
72	meter	500	Garden Hose, 5/8"Ø, Good Quality
73	length	7	GI Pipe 1/2 x 6 m. sch 40
74	length	5	GI Pipe 1/2x6m sch 60
75	length	15	GI Pipe 3/4 x 6 m. sch 40
76	length	4	GI Pipe 3/4x6m sch 60
77	pc	27	Good Lumber Wood 2x2x12 (s4s)
78	pc	2	Good Lumber, 2" x 3" x 12"
79	pc	439	Good Lumber, 2" x 6" x 12'
80	pc	2	Good lumber, 2"x4"x12"
81	unit	4	Grass/Brush cutter (Four Stroke Engine)
			☐Engine: 4 stroke engine
			☐Handle type: both hands
			☐Power transmission method: automatic centrifugal clutch, spiral gear
			☐Displacement Volume (cc): 41.5
			☐Carburetor: Float, piston valve
			☐Starting Method: Recoil starter
			☐Stopping Method: Sparking Circuit Primary Short
			☐Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)
			☐Lubricating Oil Used: 2-cycle engine oil
			☐Fuel Tank Capacity (L): 1
82	pc	10	Grasscutter Blade (305mm x 1.6mm x 25.4mm x 2T)
			For Kawasaki Grasscutter unit, functional & good quality
83	pc	12	Grinding Stone 4"
84	pc	30	Hacksaw Blade, 14 TPI x 12"
			Bi-metal, High-Speed, Durable, Premium Quality
85	unit	1	Hand Planer Portable 3-1/4" good quality
86	unit	2	Heat Gun 2000W 4 nozzle



			Voltage: 202V-240V, 50/60 hz
			Power: 2000W
			AirFlow: 300/500L/min with 1 pc scrapper and 4 pcs Nozzles
<b>87</b>	<b>pc</b>	<b>1</b>	<b>Heavy Duty 18 V Brushless Cordless Impact Drill</b>
			Including 2pcs batteries and charger
<b>88</b>	<b>pc</b>	<b>1</b>	<b>Heavy Duty Angle Grinder, 4"</b>
			Continuous rating input: 840W
			Wheel Diameter: 100 mm (4")
			No Load Speed (RPM): 11,000
			Vibration Level: Surface Grinding: 7.5 m/s <sup>2</sup>
			Vibration K Factor: Surface Grinding: 1.5 m/s <sup>2</sup>
			Sound Pressure Level 85 dB(A)
			Sound Power Level: N/A dB(A)
			Noise K Factor: 3 dB(A)
			Dimensions (L x W x H): 273x118x97 mm (10-3/4"x4-5/8"x3-13/16")
			Net weight: 1.7 – 2.0 kg (3.7 – 4.5 lbs.)
			Power supply cord: 2.5 m (8.2 ft.)
<b>89</b>	<b>pc</b>	<b>1</b>	<b>Heavy Duty Electric Hand Drill</b>
			Rated power input 320 W
			No-load speed 0 - 4 / 200 rpm
			Weight without cable 1 kg
			Chuck capacity 6,5 mm
			Length 204 mm
			Width 58 mm
			Height 174 mm
<b>90</b>	<b>unit</b>	<b>2</b>	<b>Industrial and Heavy Duty High-Voltage Electrical Tester</b>
			Calibration Every 1-year
			Fork opening 17.8mm (0.7")
			Temperature: Operating (-10 °C to +50 °C)
			Storage: (-30 °C to +60 °C)
			Altitude: Operating (2,000 m)
			Storage: 10,000 m)
			Relative Humidity : 0 % to 90 %, 5 °C to 30 °C
			0 % to 75 %, 30°C to 40°C
			0 % to 45 %, 40°C to 50°C
			Battery Type & Life: 2xAA (IEC LR6) & 200-hour using the field sense Function
			Temperature coefficient: 0.1 x (specified accuracy) /°C for <18 °C or > 28°C
			Safety: IEC 61010-1 : Pollution Degree @
			IEC 61010-2-032: CAT IV 600 V/ CAT III 1000 V
			Electromagnetic Compatibility : IEC/EN 61326-1
			General Requirement:
			Provide one-year Warranty
			Provide technical assistance and training on product usage and service center within the Cebu or Manila.
			Product Manufacturer/developer at least 15 years in the



			<i>Electro-mechanical maintenance industry</i>
<b>91</b>	<b>unit</b>	<b>5</b>	<b>Industrial and Heavy-Duty Non-Contact Voltage Tester</b>
			<i>Voltage sensing ranges :90 V AC to 1000 V AC</i>
			<i>Detector tip style: Flat-tip</i>
			<i>Light Source: One high intensity red LED</i>
			<i>Safety IEC 61010-1: Pollution Degree 2, IEC 61010-2-030:CAT IV 1000V</i>
			<i>EMC : ICE 61326-1</i>
			<i>IP Rating: IP 40</i>
			<i>Operating Temperature: -10°C to 50°C (14°F to 122°F</i>
			<i>General Requirement:</i>
			<i>Provide one-year warranty</i>
			<i>Provide technical assistance and training on product usage and service center within the Cebu or Manila</i>
			<i>Product Manufacturer/developer at least 15 years in the electro-mechanical maintenance industry</i>
<b>92</b>	<b>pc</b>	<b>1</b>	<b>Knife, Butcher's, Stainles Steel</b>
			<i>6.5" blade by 11" length, Good Quality</i>
<b>93</b>	<b>pc</b>	<b>200</b>	<b>LED Bulb, 13 watts, 87% Energy Saving</b>
<b>94</b>	<b>pc</b>	<b>100</b>	<b>LED Bulb, 9 watts</b>
<b>95</b>	<b>pc</b>	<b>12</b>	<b>LED T5 Tubelight</b>
			☑ <i>Rated Power:16 Watts</i>
			☑ <i>Length: 1200mm</i>
<b>96</b>	<b>unit</b>	<b>1</b>	<b>Long Tape Measure (60M)</b>
			☑ <i>Blade length: 60m/200'</i>
			☑ <i>Blade width: 1/2"</i>
			☑ <i>Rubber grip for comfort 2-sided blade graphics with fractional inch/decimal foot scales</i>
			☑ <i>Corrosion-resistant Tru-zero folding end hook for accurate measurements</i>
			☑ <i>Polymer-coated blade withstands abrasion</i>
<b>97</b>	<b>pc</b>	<b>4</b>	<b>magnetic welding holder to set fixed angle</b>
			<i>Soldering locator for 45, 90, and 135 degrees angle</i>
<b>98</b>	<b>sheet</b>	<b>5</b>	<b>Mild Steel Plate , 1/8"( 3mm thickness) x 4' x 8'</b>
			<i>Standard Grade</i>
<b>99</b>	<b>pc</b>	<b>1</b>	<b>Mild Steel Plate, 6mm(thickness) x 4' x 8'</b>
			<i>Steel Plate, (4' x 8' x 1/4" size);</i>
<b>100</b>	<b>kg</b>	<b>13</b>	<b>Nails, Common Wire, 1", Smooth Shank</b>
<b>101</b>	<b>kg</b>	<b>35</b>	<b>Nails, Common Wire, 2"</b>
			<i>Smooth Shank</i>
<b>102</b>	<b>kg</b>	<b>4</b>	<b>Nails, Common Wire, 2-1/2"</b>
<b>103</b>	<b>kg</b>	<b>52</b>	<b>Nails, Common Wire, 3"</b>
			<i>Smooth Shank</i>
<b>104</b>	<b>kg</b>	<b>61</b>	<b>Nails, Common Wire, 4"</b>
			<i>Smooth Shank</i>
<b>105</b>	<b>kg</b>	<b>1</b>	<b>Nails, Finishing 1-1/2"</b>
<b>106</b>	<b>kg</b>	<b>40</b>	<b>Nails, Roofing (Umbrella), 2 1/2"</b>
			<i>Twist Shank</i>



107	roll	1	P.E. Pipe hdpe 2", 60 metersper roll
108	pc	30	Paint Brush, 2"
			■Durable bristles
			■Heavy duty metal ferrules
109	pc	20	Paint Brush, 4"
110	gal	2	Paint, Acrylic Base Latex, White, flat
			Premium Quality Paint
111	liter	1	Paint, Burnt Umber Latex
112	gal	2	Paint, color: white, enamel
			good quality;
113	gal	2	Paint, Flat Latex, Chocolate Brown
114	pail	1	Paint, Latex, Semi Gloss, White, at least 16 liters per pail
			Premium Quality Paint
115	gal	6	Paint, QDE, Black
			Premium Quality Paint
116	liter	1	Paint, Toluidine Red, Latex
117	liter	4	Paint, TTC, Thalo Green, Latex
			Premium Quality
118	pc	2	Pipe Fittings (Brass) Ball valve, 3/4"Ø
119	length	10	Pipe Fittings (G.I.) Reducer Bushing, 3/4"Ø x 1/2"Ø, Sched 80
120	length	10	Pipe Fittings (G.I.) Union, 1/2"Ø, Sched 80
121	pc	10	Pipe Fittings (G.I.)Coupling, 3/4"Ø, Sched 80
122	pc	8	Pipe Fittings, (G.I.) Elbow, Straight, 90 deg x 2"Ø
			Schedule 40, Good Quality
123	pc	3	Pipe Fittings, (G.I.), Tee, 2"Ø
			Schedule 40, Good Quality
124	pc	10	Pipe Fittings, (G.I.), Tee, 3/4"Ø
			Schedule 40, Good Quality
125	pc	3	Pipe Fittings, (G.I.), Union, 2"Ø
			Schedule 40, Good Quality
126	pc	5	Pipe Fittings, (G.I.), Union, 3/4"Ø
			Schedule 40, Good Quality
127	pc	10	Pipe Fittings,(G.I.), Reducer Bushing 1"Ø x 3/4"Ø
			Schedule 60, Good quality;
128	pc	1	Pipe Wrench #6
			Super strength cast aluminum and alloy metal handle.
			Two way toothing and spring loaded jaw provide positive grip
			Made of Chromium-Molybdenum steel forged jaws heat treated
			Hand Tools Type : Wrenches
			Jaw Capacity : 34 mm
			Size : 6 Inch
129	unit	3	Pipe Wrench, 12"
			Heavy Duty Straight Pipe Wrench
			Durable
130	pc	1	Pliers, 6", Long nose



			<i>Heavy Duty, Durable, Good Quality</i>
131	pc	1	<b>Pliers, 8", Long nose</b>
			<i>Heavy Duty, Durable, Good Quality</i>
132	pc	350	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
133	pc	317	<b>Plywood, Marine, 3/4"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
134	pc	5	<b>Plywood, Ordinary, 1/2"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
135	unit	1	<b>Portable Electric Welding Machine, 300A Inverter</b>
			☐Phase: Single
			☐Max. No-Load Voltage: 60V
			☐Duty Cycle: 60%
			☐Rated output current : 300 Amperes
			☐Single phase, portable, fan cooled
			☐Low energy consumption, light in weight with handle for easy handling
136	pc	1	<b>Power Sprayer Pressure Washer</b>
			<i>High Pressure Washer Specs</i>
			<i>Technical Details</i>
			<i>Motor Power 1200W</i>
			<i>Design</i>
			<i>Color Black</i>
137	unit	2	<b>Pressure Washer Set, Heavy Duty (Belt Driven)</b>
			<i>80 Bars = 1200 psi</i>
			<i>Contents:</i>
			<i>Electronic Motor 1.5 Hp</i>
			<i>Piston Pump</i>
			<i>50m discharge hose</i>
			<i>2m suction hose</i>
			<i>2 m return hose</i>
			<i>Sprayer Straight</i>
			<i>Base</i>
			<i>Power cord and plug included</i>
138	pc	1	<b>Professional Jigsaw</b>
			<i>520W, 220V, adjustable speed</i>
139	pair	2	<b>Rainboots, Heavy Duty High Cut Boots, for Men (# 6), White</b>
140	pair	2	<b>Rainboots, Size: 7 (Women), Black</b>
			<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>
141	pc	1	<b>Rangepole Graduated, 5 meters</b>
			<i>Rangepole Graduated, 5 meter length, telescopic, built-in bubble with individual Soft Bag</i>
142	pc	20	<b>Receptacle Socket, 4" x 4"</b>
143	pc	30	<b>Rechargeable Emergency Bulbs, ACDC, 12W</b>
			<i>3.7V 4000 mAh Lithium Ion Battery</i>
			<i>Daylight Color Temperature</i>



			840 Lumens AC
			500 Lumens DC
			220V AC/DC
			8 Hours Charging Time
			2.5 - 3 Hours Usage Duration
			Overcharge and discharge protection
			Free portable Lamp Holder
			Instant Flashlight
144	meter	200	<b>Rope, Nylon, #18 (9mm)</b>
			Twisted 3 Strand, Good Quality
145	pair	17	<b>Safety Gloves, Cotton knitted with Latex Orange Coated Palm</b>
			☑Five fingers freedom, can satisfy various movements and comfortable and flexible.
			☑Anti-skid
			☑Wear-resistant
			☑Oil resistant
			☑Corrosion resistant
146	cu.m.	8	<b>Sand, Coarsed, Washed</b>
147	cu.m.	6	<b>Sand, Washed</b>
148	roll	1	<b>SDR 11, Black HDPE Pipe 25.4mm (1" Ø) x 100 meters</b>
149	length	3	<b>Shafting, Mild Steel 1-1/4"Ø x 20'</b>
150	length	5	<b>Shafting, Mild Steel, 1/2"Ø x 20'</b>
151	length	3	<b>Shafting, Mild Steel, 1"Ø x 20'</b>
152	pc	2	<b>Sharpening Stone, Silicon Carbide(Carborundum), 6", original</b>
			Premium Grade, 6" x 2" x 1.2"
153	sheet	79	<b>Sheet, Polycarbonate Roofing(Corrugated), 4' x 8'</b>
			Durable, Premium Quality
154	pc	60	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm), 8'</b>
			Standard width;
155	sheet	8	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'</b>
			Standard width, Good Quality;
156	pc	24	<b>Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 10'</b>
157	sheet	37	<b>Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 12'</b>
158	sheet	5	<b>Sheets, (G.I.) Plain, Gauge 16 x 4' x 8'</b>
			Standard, Good Quality
159	pc	3	<b>Shovel, Tempered steel round pointed end</b>
			☑Heavy duty wooden handle
			☑Good quality
160	pc	3	<b>Shovel, Tempered steel spade</b>
			Heavy duty wooden handle, Good quality
161	pc	20	<b>Single pulley, 3"x3/4", A (big hub)</b>
			3 inches x 3/4 inch A
			with big hub
162	bag	1	<b>Skim Coat, 20kg/bag</b>
			☑Good water vapor permeability



			<ul style="list-style-type: none"> <li>●Excellent bonding to concrete</li> </ul>
163	spool	3	<b>Soldering Lead, 1mm</b>
			<ul style="list-style-type: none"> <li>●Good quality</li> <li>●60% tin and 40% lead</li> <li>●melting point 190oC</li> </ul>
164	length	65	<b>Steel Bar, Deformed(Corrugated),10mm x 6m</b>
			<ul style="list-style-type: none"> <li>●0.616 kg/M PNS 230</li> <li>●ASTM / Grade 33 Structural</li> </ul>
165	length	18	<b>Steel Bar, Deformed(Corrugated),12mm x 6m</b>
			ASTM / Grade 33 Structural;
166	length	6	<b>Steel Bar, Round (plain), 10mm x 6m</b>
			Standard Grade
167	pc	10	<b>Steel Brush</b>
168	pc	65	<b>Stone, Sander for 4" angle grinder</b>
			Durable, Good Quality
169	pc	10	<b>Straight Elbow G.I. 3/4"</b>
170	roll	40	<b>Teflon Tape, 1" x 10m</b>
171	roll	10	<b>Teflon Tape, 1/2"Ø x 10m</b>
			Good for sealing on pipe thread
172	set	1	<b>Threaded Teeth/ Head Ratchet Type with Handle</b>
173	pc	300	<b>Tiles, Granite 60cm x 60cm</b>
			Biege, Premium grade
174	box	3	<b>Tool Bit, 5/16" Ordinary, box of 50's</b>
175	box	3	<b>Tool Bit, 5/16", Carbide, box of 50's</b>
176	pc	5	<b>Trowel, Concrete Plastering, (230mm x 100mm), Metal</b>
			Heavy Duty, Good Quality
177	pc	5	<b>Welding dimming glass</b>
			#10, (2" x 4 1/4" x 2.7mm )
178	pair	10	<b>Welding Gloves</b>
			<ul style="list-style-type: none"> <li>●ISO and CE certified</li> <li>●EN12477 Type-A protection for welding and thermal jobs</li> <li>●Suitable for stick and MIG welding, as well as torch cutting and grinding</li> <li>●Premium split cowhide leather and welted seams</li> <li>●Cotton lining provides thermal insulation</li> <li>●Long cuff extends protection over the forearm.</li> </ul>
179	kg	120	<b>Welding Rod, E-6012, 3/32"</b>
			Premium Quality
180	unit	4	<b>Welding tong or welding rod handle</b>
			Size: 500A to 800A
			Heavy Duty
181	pc	1	<b>Wheel barrow</b>
			Quality Wheel Barrow for agriculture and construction Ideal helper for your work and gardening. *Orange color *Load Capacity: 150KG *Material: Made of Metal *Packaging: Multiple Solid Rubber Wheel Tire Type Wheel size: 33 " Light Easy to assemble



182	liter	1	<b>Wood Glue</b>
183	roll	10	<b>Iron Barbed Wire # 12</b>
			☐Iron Barbed Wire #12
			☐150 Meters/roll
			☐Material : Iron Wire
			☐Commonly used for fencing
184	meter	5000	<b>Wire, Duplex #14, PDX</b>
185	pc	215	<b>Plywood, Marine, 1/2"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
186	sheet	110	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'</b>
			<i>Standard width, Good Quality</i>
187	sheet	40	<b>Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8'</b>
			<i>Standard, Good Quality</i>
188	length	50	<b>Slotted Angle Bar</b>
			<i>1 ½" X 1 ½" X 3 m , 2mm thk, including bolts and accessories, metal powder coated – Off white</i>
189	pc	2	<b>Wye delta timer, Normally Open (NO) - Normally Close (NC), w/ socket</b>
190	set	1	<b>Cast Iron Stove Heavy Duty Stove, 3 Way Burner, with Hose and Regulator</b>
191	kg	11	<b>Nails, Common Wire, 1-1/2"</b>
192	pc	5	<b>Paint, Roller Cotton, 4"</b>
			<i>for repair of ceiling</i>
193	pc	5	<b>Paint, Roller Cotton, 7"</b>
			<i>for repair of ceiling</i>
194	unit	1	<b>JET/SHALLOW WATER PUMP 12 HP</b>
195	bag	10	<b>Cement, (White) Portland</b>
			<i>Premium Quality, 1kg per bag</i>
196	kg	5	<b>Nails, Concrete, 2"</b>
			<i>Fluted shank</i>
197	pc	10	<b>Padlock, 50mm</b>
			<i>Heavy Duty, Durable, Good Quality</i>
198	pc	15	<b>Paint Brush, 3"</b>
199	pc	2	<b>Paint Brush, Roller with handle and PVC Tray, 9"</b>
			<i>Durable, good quality</i>
200	pc	15	<b>Paint Brush, Roller with handle, 7"</b>
			<i>Durable, Good quality</i>
201	gal	2	<b>Paint, Silver Alum</b>
			<i>Premium Quality Paint</i>
202	pc	6	<b>Putty Knife, 3"(75mm)</b>
			☐Flexible Stainless Steel Blade
			☐Mirror Surface Finishes
			☐Rubberized Handle or Equivalent
			☐Good Quality, Durable, Heavy Duty.
203	pc	2	<b>Steel Wire Brush, Wood Handle</b>
			<i>Abrasive Brush, Heavy-Cleaning with Arched Handle, 1/8" Wide x 4-7/8" Long, Steel</i>
204	btl	5	<b>Varnish, plastic, natural</b>





			<i>Premium Quality</i>
205	gal	6	<b>Wood preservative, brown</b>
			<i>Schedule 40, Good Quality</i>
206	kg	1	<b>Nails, Concrete, 1-1/2"</b>
207	bag	15	<b>Tile Adhesive, 25kg/bag</b>
208	pc	15	<b>Faucet, Brass Plated</b>
			☑ <i>Sturdy and Durable</i>
			☑ <i>Heavy Duty Hose bib: 1/2" Hose end: 3/4"</i>
209	kg	5	<b>Nails, Concrete, 4"</b>
			<i>Fluted shank</i>
210	kg	2	<b>Nails, Finishing, 1"</b>
			<i>Smooth Shank</i>
211	kg	3	<b>Nails, Finishing, 2"</b>
			<i>Smooth Shank</i>
212	gal	2	<b>Paint Thinner</b>
			<i>Premium Quality</i>
213	gal	15	<b>Paint, Latex Flat, White</b>
			<i>Premium Quality Paint</i>
214	gal	2	<b>Paint, Latex, Chocolate Brown</b>
			<i>Premium Quality Paint</i>
215	gal	15	<b>Paint, Latex, Semi Gloss, White</b>
			<i>Premium Quality Paint</i>
216	liter	8	<b>Paint, Metal Primer, Red Lead</b>
			<i>Premium Quality</i>
217	gal	6	<b>Paint, Roof, White (laguna)</b>
			<i>Premium Quality Paint</i>
218	liter	1	<b>Paint, TTC, Bulletin Red, Latex</b>
			<i>Premium Quality</i>
219	liter	5	<b>Paint, TTC, Burnt Sienna, Latex</b>
			<i>Premium Quality</i>
220	liter	10	<b>Paint, TTC, Raw Sienna, Latex</b>
			<i>Premium Quality</i>
221	liter	4	<b>Paint, TTC, Thalo Blue, Latex</b>
			<i>Premium Quality</i>
222	pc	10	<b>Cutting Disc, 4" (Super Thin)</b>
223	length	7	<b>SSR Square Tube (T304) 1.20mm X 1 1/2 X 1 1/2 X 20ft</b>
224	length	10	<b>Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard</b>
225	pc	2	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>
226	kg	20	<b>Welding Rod, E-6012, 1/8"</b>
			<i>Premium Quality</i>
227	pc	2	<b>Open Reel Measuring Tape</b>
			☑ <i>Fiberglass</i>
			☑ <i>Stainless steel frame</i>
			☑ <i>Specification: 30M/50M/100M (98ft/164ft/328ft)</i>
			☑ <i>Material: Stainless steel</i>
			☑ <i>ABS Unit: Metric/Imperial</i>



			<ul style="list-style-type: none"> <li>■ <i>Dimension: 30M: approx. 25x17x2cm 50M: approx. 31x18x2.5cm 100M: approx. 31x18x2.5cm</i></li> <li>■ <i>Rugged, Impact-resistant</i></li> <li>■ <i>Plating ruler tape/nylon ruler tape, with good clarity and wear-resistant.</i></li> <li>■ <i>Features Cone Tip Stake for Accurate Measurements and Stability.</i></li> <li>■ <i>Comes with a convenient carry handle.</i></li> <li>■ <i>Easy to read Metric and Imperial graduation</i></li> </ul>
228	pc	5	<p><b>Adjustable Shower Head</b></p> <p><i>Spout diameter: atleast 80mm, Interface diameter: atleast 20mm, Three (3) adjustment shower spray</i></p>
229	gal	4	<p><b>Epoxy Primer with catalyst</b></p> <p><i>Premium Quality for Auto body repair</i></p>
230	pc	20	<b>Floor Tiles, 40 cm x 40 cm (White)</b>
231	pc	2	<p><b>Padlock, 60mm</b></p> <p><i>Heavy duty, durable, Good Quality</i></p>
232	pail	5	<p><b>Paint, Latex, Glossy White</b></p> <p><i>Premium Quality Paint</i></p>
233	pc	3	<p><b>Paint Brush, Roller with tray, 1-1/4" x 4"</b></p> <p><i>Durable, Good quality</i></p>
234	pc	4	<p><b>Steel Wire Brush, Wood Handle</b></p> <p><i>Abrasive Brush, Heavy-Cleaning with Arched Handle, 1/8" Wide x 4-7/8" Long, Steel</i></p>
235	pc	20	<b>Doorknob, excellent quality</b>
236	pc	30	<b>LED Bulb, 15 watts</b>
237	set	52	<b>Jalousie Aluminum Frame, 14 blades</b>
238	pc	364	<b>Jalousie Glass Blades, 3/16" x 4" x 24", Smoked glass</b>
239	set	1	<b>Bench Grinder</b>



***Section VIII. Checklist of Technical and  
Financial Documents***

## Checklist of Technical and Financial Documents

### I. TECHNICAL COMPONENT ENVELOPE

#### *Class "A" Documents*

##### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);

##### Technical Documents

- (b) Statement of the prospective bidder of all its on-going government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid in the amount of *at least 25% of the ABC or at least One Million Twelve Thousand Nine Hundred Fifty Two Pesos (PhP 1,012,952.00)*;

**or**

Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to *at least 25% of the ABC* or *at least One Million Twelve Thousand Nine Hundred Fifty Two Pesos (PhP 1,012,952.00)* and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or *at least Five Hundred Six Thousand Four Hundred Seventy Six Pesos (PhP 506,476.00)*; **and**

- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

**or**

Original copy of Notarized Bid Securing Declaration; **and**

- (e) Conformity with the Technical Specifications; **and**
- (f) Schedule of Requirements/production and delivery schedule; **and**
- (g) Manpower requirements; **and**
- (h) After-sales service/parts; **and**

- (i) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

##### Financial Documents

- (j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**

- (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) – at least equal to ABC (**PhP 4,051,808.00**);

**or**

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation (at least 10% of ABC or **PhP 405,180.80**).



**II. FINANCIAL COMPONENT ENVELOPE**

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

**Guidelines on the Preparation of Electronic Bid (e-Bid)  
(for bidders who prefer electronic bid submission)**

1. Scan per file all documents into Portable Document Format (PDF) and should be printable.
2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

<b>Document</b>	<b>Filename (in PDF form)</b>
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
3. Statement of Bidder's Single Largest Completed Contract	SLCC
4. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
5. Bid Security	Bid Security
6. Technical Specifications	Technical Specifications
7. SCHEDULE of Requirements/Production and delivery schedule	Schedule of Requirements
8. Manpower Requirements	Manpower Requirements
9. After Sales service/parts	After Sales
10. Omnibus Sworn Statement	Omnibus Sworn Statement
11. Audited Financial Statements	Audited Financial Statements
12. Net Financial Contracting Capacity	NFCC
13. Committed Line of Credit	CLC
14. Bid Form	Bid Form
15. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII. The second folder should contain all requirements under Financial Component checklist.
4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at [jessamine.ecleo@vsu.edu.ph](mailto:jessamine.ecleo@vsu.edu.ph) before the deadline (March 20, 2024; 8:30 AM).

