

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Supply and Delivery of Construction Materials

(GOODS-21-19)

Government of the Republic of the Philippines

April 12, 2021; 2:00 PM Cooperative Building, VSU Market, Visca, Baybay City, Leyte

> Sixth Edition July 2020

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	3
Sectio	on I. Invitation to Bid	6
Sectio	on II. Instructions to Bidders	22
1.	Scope of Bid	
2.	Funding Information	23
3.	Bidding Requirements	23
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	23
5.	Eligible Bidders	23
6.	Origin of Goods	24
7.	Subcontracts	24
8.	Pre-Bid Conference	24
9.	Clarification and Amendment of Bidding Documents	24
10.	Documents comprising the Bid: Eligibility and Technical Components	24
11.	Documents comprising the Bid: Financial Component	25
12.	Bid Prices	25
13.	Bid and Payment Currencies	26
14.	Bid Security	26
15.	Sealing and Marking of Bids	26
16.	Deadline for Submission of Bids	26
17.	Opening and Preliminary Examination of Bids	27
18.	Domestic Preference	27
19.	Detailed Evaluation and Comparison of Bids	27
20.	Post-Qualification	28
21.	Signing of the Contract	28
Sectio	n III. Bid Data Sheet	29
Sectio	on IV. General Conditions of Contract	39
1.	Scope of Contract	40
2.	Advance Payment and Terms of Payment	40
3.	Performance Security	40
4.	Inspection and Tests	40
5.	Warranty	41
6.	Liability of the Supplier	41
Sectio	on V. Special Conditions of Contract	42
	on VI. Schedule of Requirements	
	n VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	
	ar varas vaivoisinus va avoilliidui uliu i liiullolui 1700:liillollis aaaaaaa	/17

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

STFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Invitation to Bid for SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS

1. The Visayas State University through the GF, STF, TF 2021 intends to apply the sum of Four Million Nine Hundred Twenty-Nine Thousand Nine Hundred Twenty-Seven Pesos (PhP 4,929,927.00) being the ABC to payments under the contract for Supply and Delivery of Construction Materials (GOODS-21-19). Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University – Main Campus*, through the *GF*, *STF*, *TF* 2021 intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item No.	Item Description and Specifications	Unit	Qty	ABC/Unit	Total ABC/Item
1	1.20m Aluminum Mosquito Screen, US	meters	300	185.00	55,500.00
2	1.20m Wire Mesh 1/4", aluminum	meters	300	100.00	30,000.00
3	1.5mm x 2"x 2"x 6 meter B.I. Pipe	pcs	230	1,000.00	230,000.00
4	1/2" x 4' x 8' Marine Plywood	pcs	50	750.00	37,500.00
5	1/4" x 4" x 4" x 6 meters angle bars	pcs	40	4,200.00	168,000.00
6	1/4" x 4' x 8' Marine Plywood	pcs	20	500.00	10,000.00
7	1/8" x 1" x 6 meters Flat bars	pcs	150	300.00	45,000.00
8	10mm dia x 6 meter def bars	pcs	400	165.00	66,000.00
9	12mm dia x 6meter def bars	pcs	300	250.00	75,000.00
10	2" x 6" x 12' coco lumber	pcs	50	360.00	18,000.00
11	2" x 6" x 12' Lauan lumber	pcs	100	900.00	90,000.00
12	3/4" x 4' x 8' Marine Plywood	pcs	20	1,200.00	24,000.00
13	Acrytex Cast	gals	5	600.00	3,000.00
14	Bidet spray toilet bidet rinse set, Heavy Duty	piece	1	2,000.00	2,000.00
15	Bulb Socket, Porcelain	рс	28	120.00	3,360.00
	■at least 3 inches diameter; Standard size; ISO Certified and Good Quality;				
16	Bulb Socket, PVC	рс	20	50.00	1,000.00
	Standard size, round, ISO Certified and Good Quality;				
17	Bulb, Incandescent, 50 watts	pieces	15	50.00	750.00
18	Bulb, LED, 15W	pieces	43	150.00	6,450.00
	■Wattage: 15 Watts				
	■Lumens: 1521				
	■Color Temp. : Daylight				
	■Beam Angle: 200 degrees				

	■Voltage: 170-240 V AC 50/60Hz				
	■Bulb Holder: E27				
	■Life Hours: 15,000 hrs.				
	■Material: PC cover & Aluminum PCB				
19	Bulb, LED, 20 Watts	рс	48	300.00	14,400.00
	■Up to 80% energy savings,				,
	■Eco-friendly,				
	■Color Temp. : Daylight				
	■No UV radiation,				
	■No mercury,				
	■Wattage: 20 Watts,				
	■Color Temperature: 6500K,				
	■Daylight Brightness: at least 1800 Lumens				
	BBase: E27,				
	■Lifetime: at least 30,000 hours,				
	■Power Input: 220-240Vac, 50/60Hz				
20	Bulb, LED, 9W	piece	115	150.00	17,250.00
21	Cement, Portland	bags	460	250.00	115,000.00
	■Type 1P, Premium Quality				
22	Cut Off Blade 14"	pcs	10	250.00	2,500.00
23	Cut-off Machine, 14"Ø (355 mm)	рс	1	5,000.00	5,000.00
	Cut-off Machine, 14"Ø (355 mm)				
	■Rating Input: at least 2,200 Watts				
	■Durable, Heavy Duty				
	■Blade Diameter: 14" (355mm)				
	■Compatible cutting for wood and metal and stone				
	■No-Load Speed: at least 3,800 rpm				
24	Cutting Disc (100x1.2x16mm) cutting for G.I Pipe	pcs	15	200.00	3,000.00
25	Door Knob	piece	10	1,000.00	10,000.00
	■Interior Type Cylindrical Door Knob Lockset, Good Quality				
26	Door Knobs, Good Quality	pcs	15	1,000.00	15,000.00
27	Electrical Circuit Breaker, 100A, 2-Pole(Plug-in)	рс	1	2,000.00	2,000.00
	■Heavy Duty and Good qualityDurable220- 240V				
28	Electrical Circuit Breaker, 30A, (Box type)	рс	1	425.00	425.00
	■Heavy Duty and Good qualityDurable220- 240V				
29	Electrical PVC Clip, 3/4", High quality PVC	pcs	15	50.00	750.00
30	Electrical Tape, Vinyl	rolls	100	70.00	7,000.00
	■Flame retardant and compatible with plastic cable and wire harness insulations				
	■Flexible PVC with aggressive rubber adhesive				

Section Sect		■Primary electrical insulation for all wire and				
### ##################################		1				
### ### ### ### #### #################		■19mm x 16m x 0.155mm				
Biectrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box		⊚Heavy Duty				
### Stranded, 150 meters/box 1		■ASTM approved				
InsulationGauge 10UL listed pcs 6	31		box	1	6,200.00	6,200.00
Brown Structure Structur						
### ### ##############################	32		pcs	6	150.00	900.00
######################################		⊚ 10A				
Selectrical, male plug, 3 pin pcs 2 65.00 130.00		© 250V				
Believe Beli		⊚ Heavy Duty				
Belleavy Duty Begood Quality Set 2 350.00 700.00		⊚ Durable				
Second Quality Set 2 350.00 700.00	33	Electrical, male plug, 3 pin	pcs	2	65.00	130.00
Set 2 350.00 700.00		Meavy Duty				
### Extension Hanging Cord Cable with button on/off switch pc 5 250.00 1,250.00 #### ### ### ### ### ### ### ### ###		■Good Quality				
State Stat	34		set	2	350.00	700.00
button on/off switch pc 5 250.00 1,250.00		<u>'</u>				
■ Woltage: 220V-240V ■ Material: Flame resistant materials ■ Plug: 2 prongs ■ Switch: On/Off button ■ Socket: E26/E27 ■ Color: White ■ Total Length: at least 15ft ■ UL listed ■ Heavy duty ■ Durable 36 Faucet, (PVC) Ball Valve, Durable, Good Quality 37 Fluorescent Lamp tube (40 watts) pcs 20 150.00 3,000.00 38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality 42 Grass cutter pc 4 20,000.00 80,000.00	35		рс	5	250.00	1,250.00
■Material: Flame resistant materials ■Plug: 2 prongs ■Switch: On/Off button ■Socket: E26/E27 ■Color: White ■Total Length: at least 15ft ■UL listed ■Heavy duty ■Durable ■Durable 36 Faucet, (PVC) Ball Valve, Durable, Good Quality piece 20 60.00 1,200.00 37 Fluorescent Lamp tube (40 watts) pcs 20 150.00 3,000.00 38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00		■Max Wattage: 360W				
■ Plug: 2 prongs ■ Switch: On/Off button ■ Socket: E26/E27 ■ Color: White ■ Total Length: at least 15ft ■ UL listed ■ Heavy duty ■ Durable 36 Faucet, (PVC) Ball Valve, Durable, Good Quality 37 Fluorescent Lamp tube (40 watts) 38 Fluorescent Starter, 40 watts 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top Garden Hose Nozzle Spray, Heavy Duty, Good Quality 41 Garass cutter pc 4 20,000.00 80,000.00 80,000.00		■Voltage: 220V-240V				
■Switch: On/Off button ■Socket: E26/E27 ■Color: White ■Total Length: at least 15ft ■UL listed ■Heavy duty ■Durable Faucet, (PVC) Ball Valve, Durable, Good Quality Tluorescent Lamp tube (40 watts) Fluorescent Starter, 40 watts pc 12 300.00 3,600.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality □Engine: 4 stroke engine □Socket: E26/E27 □COLOR		Material: Flame resistant materials				
■Socket: E26/E27 ■Color: White ■Total Length: at least 15ft ■UL listed ■Heavy duty ■Durable Faucet, (PVC) Ball Valve, Durable, Good Quality Tluorescent Lamp tube (40 watts) Fluorescent Starter, 40 watts Fluorescent Tube, 40 watts Formica Top Garden Hose Nozzle Spray, Heavy Duty, Good Quality Faucet: (PVC) Ball Valve, Durable, Good piece 20 60.00 1,200.00 3,000.		■Plug: 2 prongs				
■Color: White ■Total Length: at least 15ft ■UL listed ■Heavy duty ■Durable		■Switch: On/Off button				
■Total Length: at least 15ft ■UL listed ■Heavy duty ■Durable 36 Faucet, (PVC) Ball Valve, Durable, Good Quality piece 20 60.00 1,200.00 37 Fluorescent Lamp tube (40 watts) pcs 20 150.00 3,000.00 38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 ®Engine: 4 stroke engine — 4 20,000.00 80,000.00		■Socket: E26/E27				
BUL listed BHeavy duty BDurable 36 Faucet, (PVC) Ball Valve, Durable, Good Quality piece 20 60.00 1,200.00 37 Fluorescent Lamp tube (40 watts) pcs 20 150.00 3,000.00 38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 BEngine: 4 stroke engine BEngine: 4 stroke engine Description 20 60.00 80,000.00		© Color: White				
Belle avy duty Bourable 36 Faucet, (PVC) Ball Valve, Durable, Good Quality piece 20 60.00 1,200.00 37 Fluorescent Lamp tube (40 watts) pcs 20 150.00 3,000.00 38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 BEngine: 4 stroke engine		■Total Length: at least 15ft				
BDurable piece 20 60.00 1,200.00 36 Quality piece 20 60.00 1,200.00 37 Fluorescent Lamp tube (40 watts) pcs 20 150.00 3,000.00 38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 BEngine: 4 stroke engine pc 4 20,000.00		© UL listed				
36 Faucet, (PVC) Ball Valve, Durable, Good Quality piece 20 60.00 1,200.00 37 Fluorescent Lamp tube (40 watts) pcs 20 150.00 3,000.00 38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 ©Engine: 4 stroke engine pc 4 20,000.00 80,000.00		BHeavy duty				
36 Quality piece 20 60.00 1,200.00 37 Fluorescent Lamp tube (40 watts) pcs 20 150.00 3,000.00 38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 ©Engine: 4 stroke engine Pc 4 20,000.00 80,000.00						
38 Fluorescent Starter, 40 watts piece 25 20.00 500.00 39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 ©Engine: 4 stroke engine	36	Quality	piece	20	60.00	1,200.00
39 Fluorescent Tube, 40 watts pc 12 300.00 3,600.00 40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 ©Engine: 4 stroke engine	37		pcs			*
40 Formica Top panels 20 650.00 13,000.00 41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 ©Engine: 4 stroke engine		· ·	piece			
41 Garden Hose Nozzle Spray, Heavy Duty, Good Quality piece 1 200.00 200.00 42 Grass cutter pc 4 20,000.00 80,000.00 ■Engine: 4 stroke engine □Engine: 4 stroke engine □Engine: 4 stroke engine □Engine: 4 stroke engine □Engine: 4 stroke engine		-				· · · · · · · · · · · · · · · · · · ·
41 Good Quality piece 1 200.00 42 Grass cutter pc 4 20,000.00 ■Engine: 4 stroke engine	40	Formica Top	panels	20	650.00	13,000.00
■Engine: 4 stroke engine	41		piece	1	200.00	200.00
	42	Grass cutter	рс	4	20,000.00	80,000.00
BHandle type: both hands		■Engine: 4 stroke engine				
<u> </u>		■Handle type: both hands				

<u></u>				
Power transmission method: automatic centrifugal clutch, spiral gear				
■Displacement Volume (cc): 41.5				
■Carburetor: Float, piston valve				
■Starting Method: Recoil starter				
■Stopping Method: Sparking Circuit Primary Short				
■Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)				
■Lubricating Oil Used: 2-cycle engine oil				
■Fuel Tank Capacity (L): 1				
Grasscutter Blade (305MMx1.6MMx25.4MMx2T)	pcs	30	600.00	18,000.00
Gravel 3/4 Crushed	cum	40	1,500.00	60,000.00
Grinding Disc for Makita 4"	pcs	5	100.00	500.00
concrete plywood Lite 4' x 8' x 3/16	pcs	50	450.00	22,500.00
Hinges 1-1/2	pcs	26	35.00	910.00
Hose, Garden, 5/8"Ø, Good Quality	meter	85	10.00	850.00
Industrial Hand Gloves, Denim (maong type), Large, Good Quality	pair	12	25.00	300.00
Industrial Hand Gloves, Denim (maong type), Medium, Good Quality	pair	12	15.00	180.00
Knife, 6", Stainless Steel	piece	3	200.00	600.00
High quality stainless steel, Non slip plastic handle, Durable				
Ladder, 4 step folding aluminum	unit	2	6,500.00	13,000.00
■4 step folding aluminum				
■Multi-purpose extension ladders				
■non slip handrail work platform tool 330lb				
■heavy duty w/ hand grip				
Ladder, Extension, Aluminum, Sliding, 16' extension	unit	1	7,500.00	7,500.00
LED Bulb 12 watts	pcs	20	250.00	5,000.00
Nails 1", Common	kilos	10	68.00	680.00
Nails 1-1/2", Finishing	kilos	10	68.00	680.00
Nails 2", Common	kilos	30	65.00	1,950.00
Nails 2", Finishing	kilos	10	68.00	680.00
Nails 4", Common	kilos	30	65.00	1,950.00
Nails, Common Nails #4	kilos	10	100.00	1,000.00
Nails, Concrete Nails #4	kilos	5	120.00	600.00
Nylon Line (Monoline) #300, Good Quality	kl	20	180.00	3,600.00
Padlock, 60mm, Heavy Duty, Durable, Good Quality	piece	2	90.00	180.00
Paint Brush 4"	pcs	10	95.00	950.00
Paint Brush, Lettering, 1/2" , Camel's Hair, Good Quality	piece	5	85.00	425.00
	mDisplacement Volume (cc): 41.5 mCarburetor: Float, piston valve mStarting Method: Recoil starter mStopping Method: Sparking Circuit Primary Short mFuel Used: Lubricating oil mixed gasoline (mixing rate 25:1) mLubricating Oil Used: 2-cycle engine oil mFuel Tank Capacity (L): 1 Grasscutter Blade (305MMx1.6MMx25.4MMx2T) Gravel 3/4 Crushed Grinding Disc for Makita 4" concrete plywood Lite 4' x 8' x 3/16 Hinges 1-1/2 Hose, Garden, 5/8"Ø, Good Quality Industrial Hand Gloves, Denim (maong type), Large, Good Quality Industrial Hand Gloves, Denim (maong type), Medium, Good Quality Knife, 6", Stainless Steel mHigh quality stainless steel, Non slip plastic handle, Durable Ladder, 4 step folding aluminum mAulti-purpose extension ladders mnon slip handrail work platform tool 330lb mheavy duty w/ hand grip Ladder, Extension, Aluminum, Sliding, 16' extension LED Bulb 12 watts Nails 1", Common Nails 2", Finishing Nails 2", Finishing Nails 4", Common Nails, Concrete Nails #4 Nylon Line (Monoline) #300, Good Quality Padlock, 60mm, Heavy Duty, Durable, Good Quality Paint Brush 4" Paint Brush 4" Paint Brush, Lettering, 1/2", Camel's	mDisplacement Volume (cc): 41.5 mCarburetor: Float, piston valve mStarting Method: Recoil starter mStopping Method: Sparking Circuit Primary Short mFuel Used: Lubricating oil mixed gasoline (mixing rate 25:1) mLubricating Oil Used: 2-cycle engine oil mFuel Tank Capacity (L): 1 Grasscutter Blade (305MMx1.6MMx25.4MMx2T) Gravel 3/4 Crushed Grinding Disc for Makita 4" pcs concrete plywood Lite 4' x 8' x 3/16 pcs Hinges 1-1/2 pcs Hose, Garden, 5/8"Ø, Good Quality meter Industrial Hand Gloves, Denim (maong type), Large, Good Quality Industrial Hand Gloves, Denim (maong type), Medium, Good Quality Knife, 6", Stainless Steel mHigh quality stainless steel, Non slip plastic handle, Durable Ladder, 4 step folding aluminum mMulti-purpose extension ladders mnon slip handrail work platform tool 330lb mheavy duty w/ hand grip Ladder, Extension, Aluminum, Sliding, 16' extension Nails 1-1/2", Finishing kilos Nails 2", Common kilos Nails 2", Finishing kilos Nails 4", Common Nails 4", Common Nails 4", Common Nails, Concrete Nails #4 Nylon Line (Monoline) #300, Good Quality Paint Brush, Lettering, 1/2", Camel's piece	mDisplacement Volume (cc): 41.5 mCarburetor: Float, piston valve mStarting Method: Recoil starter mStopping Method: Sparking Circuit Primary Short mEruel Used: Lubricating oil mixed gasoline (mixing rate 25:1) mLubricating Oil Used: 2-cycle engine oil mFuel Tank Capacity (L): 1 Grasscutter Blade (305MMx1.6MMx25.4MMx2T) Gravel 3/4 Crushed Grinding Disc for Makita 4" pcs 5 concrete plywood Lite 4' x 8' x 3/16 Hinges 1-1/2 Hose, Garden, 5/8"Ø, Good Quality meter lindustrial Hand Gloves, Denim (maong type), Large, Good Quality motive mail y stainless Steel mHigh quality stainless Steel mel-ligh quality stainless steel, Non slip plastic handle, Durable Ladder, 4 step folding aluminum mMulti-purpose extension ladders mnon slip handrail work platform tool 330lb mheavy duty w/ hand grip Ladder, Extension, Aluminum, Sliding, 16' extension Nails 1-1/2", Finishing Nails 2", Common Nails 2", Common Nails 2", Finishing Nails 4", Common	Centrifugal clutch, spiral gear

	T	1			
66	Paint Brush, Lettering, 1/4", Camel's Hair, Good Quality	piece	5	58.60	293.00
67	Paint Thinner	gals	4	400.00	1,600.00
68	Paint Thinner, Premium Quality	gallon	2	350.00	700.00
69	Paint, Flat Latex, Good Quality	gals	40	550.00	22,000.00
70	Paint, Flatwall Enamel, Good Quality	gals	20	750.00	15,000.00
71	Paint, QDE, White, Premium Quality Paint	gallon	2	600.00	1,200.00
72	Paint, Quick Dry Enamel, Good Quality (white)	gals	35	750.00	26,250.00
73	Paint, Red Oxide, Primer	gallon	4	405.00	1,620.00
74	Paint, Red Oxide Primer, Good Quality	gals	10	500.00	5,000.00
75	Paint, Roof, White , Premium Quality Paint, 4 gallons per pail	pail	6	1,694.00	10,164.00
76	Paint, Semi Gloss Latex, Good Quality (white)	gals	40	650.00	26,000.00
77	Plywood, Marine, 1/4"(thickness) x 4' x 8'	piece	25	423.00	10,575.00
	■Standard, Good Quality				
78	Plywood, Marine, 3/4"(thickness) x 4' x 8'	piece	20	1,200.00	24,000.00
	■Standard, Good Quality				
79	Polycarbonate sheet, Embosed & Corrugated sheets White	ln.m.	350	1,450.00	507,500.00
80	Polyurethane Top Coat	liters	10	310.00	3,100.00
81	Rainboots, Size: 7 (Men), Black	pair	1	230.00	230.00
	BHi-cut, Seamless injection for good waterproofing, Premium Quality				
82	Rainboots, Size: 7 (Women), Black	pair	2	200.00	400.00
	BHi-cut, Seamless injection for good waterproofing, Premium Quality				
83	Rainboots, Size: 8 (Men), Black	pair	3	230.00	690.00
	■Hi-cut, Seamless injection for good waterproofing, Premium Quality				
84	Rainboots, Size: 8 (Women), Black	pair	2	249.00	498.00
	■Hi-cut, Seamless injection for good waterproofing, Premium Quality	•			
85	Rainboots, Size: 9 (Men), Black	pair	7	209.00	1,463.00
	■Hi-cut, Seamless injection for good waterproofing, Premium Quality	•			·
86	Raincoat, Jacket and Pants, Medium, Transparent	pair	6	125.00	750.00
	■Heavy Duty, Good Quality				
87	Raincoat, Poncho Type, Medium, Brown	piece	8	144.00	1,152.00
	■Heavy Duty, Good Quality				
88	Roller Brush 9" with handle	pcs	10	95.00	950.00
89	Roof Sealant, All-Purpose, 1/2L/can	cans	2	290.00	580.00
	■Premium Quality				
90	Rope,Nylon, #3 (1.5mm)	meter	250	27.00	6,750.00
_					

	■Twisted 3 Strand, Good Quality				
91	Cord, #10/3 (5.5mm x 3 c)	meters	1	250.00	250.00
	■ Cord 10/3 (5.5mmx3c)				
	■Electrical stranded copper wires				
	■Electrical Wire: 60 meters				
92	Rubber Cement	gals	5	600.00	3,000.00
93	Washed Sand	cum	40	1,500.00	60,000.00
94	Sanding Sealer	gals	4	600.00	2,400.00
95	Sharpening Stone, 8" Dual Grit Combination	pcs	24	90.00	2,160.00
96	Sharpening Stone, Silicon Carbide(Carborundum), 6"	piece	10	100.00	1,000.00
	■Premium Grade, 6" x 2" x 1.2"				
97	Soldering Lead, 1mm	spool	3	120.00	360.00
	■Good quality, 60% tin and 40% lead, melting point 190oC				
98	Spade Shovel, flat end	piece	5	250.00	1,250.00
99	Stand Fan, 405 mm diameter, 220 volts	unit	3	2,500.00	7,500.00
	■Durable High-performance motor				
	■3-speed push button switch				
	■Thermal fuse protection				
	■Oscillation				
	■With height adjustment				
100	Texcrew Metal 1-1/2"	pcs	3000	4.00	12,000.00
101	Tie Wire # 16 G.I. construction	kilos	115	90.00	10,350.00
102	Tile Adhesive, Heavy Duty	bags	20	500.00	10,000.00
103	Tiles 0.60m x 0.60m (white)	pcs	700	200.00	140,000.00
104	Tinting Color, Raw Sienna Latex	cans	20	85.00	1,700.00
105	U-Nails 40mm	box	6	90.00	540.00
106	Universal Coax Compression Crimping Tools	рс	1	2,600.00	2,600.00
	©Universal durable Coax Compression Crimper Tool				
	■BNC/RCA/F Crimp Connector				
	■RG59/58/6 Cable Wire				
	■Cutter adjustable Crimping Plier tools ■Length: approx. 225mm Adjustable Max.				
	10mm				
	■Crimp range: RG59, 58, 6 (3C, 4C, 5C) /F, BNC, RCA				
	■Side Cutter for coaxial cable				
	■coaxial cable prep tool				
107	Varnish, plastic, natural, Premium Quality	gallon	2	170.00	340.00
108	Weighing Scale, Top Loading Dial Scale, (20 kg)	unit	1	1,000.00	1,000.00
	■Hi-strength flat plate top loading, Spring loaded Dial Scale, Durable, Good Quality				

109	Welding Rod 2.5mm	kilos	12	150.00	1,800.00
110	Welding Rod, 3.2mm (1/8)	box	3	4,000.00	12,000.00
111	Tubular Steel (Square), 1/4"(thickness) x 1" x 1" x 20', standard	pcs	10	377.00	3,770.00
	■Square Tube Dimension: 1" x 1" x 1/4"				
112	Angle Grinder 4"Ø, Grinding Wheel	pcs	2	160.00	320.00
	■General Purpose Angle Grinder Wheel (Rough) for Steel				
	■Unthreaded Arbor Hole				
	■4" Diameter				
	■1/4" Thick				
	BHeavy Duty				
	■ Durable				
113	Welding Rod, E-6013, 3/32", (20kg/box)	boxes	2	2,000.00	4,000.00
	■Premium Quality				
114	SERVICE ENTRANCE AND PANEL BOARDS	set	1	72,000.00	72,000.00
	■Main Distribution Panel (flush type)				
	■3 phase				
	■bolt-on type with cooper busbar in Nema 3R enclosure				
	■5 holes				
	◄ Consist of the following:				
	©Center Main: 300AT300AF, 3P, 25 KAIC @ 240V, MCCB				
	◄ Branches:				
	■2 - 100AT/100AF, 3P, 18KAIC, MCCB				
	■1 - 100AT/150AF, 3P, 18KAIC, MCCB				
	■1 - 100AT/200AF, 3P, 18KAIC, MCCB				
115	Panel Board "P-2" (flush type)	set	1	50,000.00	50,000.00
	■3 phase				
	■bolt-on type with cooper busbar in Nema 3R enclosure				
	■25 holes				
	◆Consist of the following:				
	©Center Main: 200AT/200AF, 3P, 18KAIC @ 240V, MCCB				
	◆Branches:				
	■17=-30AT/30AF, 2P, MCCB				
	■5=-40AT/30AF, 2P, MCCB				
116	Panel Board "P-3" (flush type)	set	1	35,000.00	35,000.00
	■3 phase				
	■bolt-on type with cooper busbar in Nema 3R enclosure				
	■25 holes				
	◄ Consist of the following:				
	■Center Main: 100AT/100AF, 3P, 18 KAIC@ 240V, MCCB				

	■Branches:				
	■4-20AT/30AF, 2P, MCCB				
	■ 6-30AT/30AF, 2P, MCCB				
	■2-40AT/30AF, 2P, MCCB				
117	60 mm² THHN/THW stranded wire (LOT)	mtrs	200	440.00	88,000.00
118	100 mm² THHN/THW stranded wire	mtrs	6	772.00	4,632.00
119	38 mm² THHN/THW stranded wire	mtrs	180	320.00	57,600.00
120	5.5 mm² THHN/THW stranded wire	box	7	5,750.00	40,250.00
121	2.0 mm² THHN/THW stranded wire	box	2	2,580.00	5,160.00
122	30 mm ² THHN/THW (GREEN) stranded wire	mtrs	3	220.00	660.00
123	22 mm ² THHN/THW (GREEN) stranded wire	mtrs	100	150.00	15,000.00
124	14 mm ² THHN/THW (GREEN) stranded wire	mtrs	65	96.00	6,240.00
125	3.5 mm² THHN/THW (GREEN) stranded wire	box	3	3,760.00	11,280.00
126	ACCU outlet	pcs	15	300.00	4,500.00
127	Fire Alarm panel (4 zones)	unit	1	24,000.00	24,000.00
128	Fire Alarm Bell	unit	1	2,421.00	2,421.00
129	Fire Alarm push button switch	рс	1	600.00	600.00
130	Smoke Detectors	pcs	20	390.00	7,800.00
131	ELECTRICAL ROUGH INS (LOT)				
132	63 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	1	375.00	375.00
133	50 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	45	245.00	11,025.00
134	40 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	30	225.00	6,750.00
135	20 mm. dia. Conduit (Electrical PVC)	Ingth	170	75.00	12,750.00
136	Utility Box	pcs	21	25.00	525.00
137	Octagonal box with cover	pcs	21	45.00	945.00
138	63 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)	pcs	2	80.00	160.00
139	50 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)	pcs	6	40.00	240.00
140	40 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)	pcs	14	32.00	448.00
141	PVC Solvent	pcs	10	56.00	560.00
142	Feeder Line raceway support	pcs	1	9,000.00	9,000.00
143	Electrical Tape (Rubber)	pcs	10	100.00	1,000.00
	■Specification:				
	■rubber, 0.8 x 19mm x 8m any color				
144	Electrical, Photocell Control Switch, Electric 10A, 230V	pcs	10	600.00	6,000.00
	■Streetlight, Auto on/off sensor switch, Durable, Heavy Duty, Good Quality				
145	Hose, Garden, 5/8"Ø	meter	10	50.00	500.00
	■Rubber Material, Premium Grade				
146	Machine bolt, Hex Head 5/8" x 12" length with plain washer and nut	pcs	10	100.00	1,000.00

147	Paint Brush, Lettering, 1"	pcs	2	880.00	1,760.00
	Camel's hair, Good Quality	•			,
148	Rope, Nylon, #56 (28mm)	mtrs	50	25.00	1,250.00
	■Twisted 3 Strand, Good Quality				
149	Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V	sets	45	4,500.00	202,500.00
150	2 HP water self priming pump, 60m head	units	4	15,000.00	60,000.00
151	2" x 6" x 12' Good Lumber	pcs	60	900.00	54,000.00
152	Angle Bar, stainless steel, 3/16 x 1" x 1" x 20'	lengths	10	2,200.00	22,000.00
153	Carbon Brush, #441	box	2	760.00	1,520.00
154	Coarsed Sand (River)	cum	550	1,500.00	825,000.00
155	C-Purlins, 2.0 mm x 2" x 4" x 20 feet	lengths	24	895.00	21,480.00
156	Flat bar, stainless, 3" x 3/16" x 20'	lengths	4	2,500.00	10,000.00
157	Industrial Imaging Infrared Thermometer with Case	unit	1	60,000.00	60,000.00
	Specification:				
	Maximum Temperature Measurement: +380°C				
	Temperature Scale: Centigrade/Fahrenheit				
	Accuracy: + 1.5%				
	Minimum Temperature Measurement: -25°C				
	Emissivity: 0.1-0.99				
	Resolution: 0.1°C				
158	Perforated Sheet, 304 stainless 1cm Holes, 4x8, 1.2mm	sheets	6	20,000.00	120,000.00
159	PHASE ROTATION INDICATOR	unit	1	30,000.00	30,000.00
	3 fused test probes, 1000 V CAT III				
	3 Alligator clip, 1000 V CAT III/600V CAT IV				
	LCD Display				
	Current Consumption 1 m A				
	Max. Frequency - 400 Hz				
	Max. Voltage - 700V				
	Min. Voltage - 40V				
	Safety Category Voltage: 300V-600V				
	Temperature Range: 0°C-40°C				
160	Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'	pcs.	8	2,200.00	17,600.00
161	Stainless Steel Flat bar, 1" x 1/8" x 20'	pcs.	8	600.00	4,800.00
162	Sand, screen	cu.m.	120	1,500.00	180,000.00
163	Shafting, stainless steel; 1"Ø x 10'	lengths	1	4,000.00	4,000.00
164	Stainless steel tube pipe, 1/4" ID x 10'	units	5	1,000.00	5,000.00
165	Tee, PVC 4" x 2", sch. 40	pcs	2	135.00	270.00
166	TRUE-RMS CLAMP METER	unit	1	40,000.00	40,000.00
	Specification:				
	Max. AC/DC Current: 999.9-A				

	Max. AC/DC Voltage: 1000V				
	AC/DC Measurement Resolution: 0.I A				
	Battery Type: AA				
	Temperature Range: 10°-50°C				
	Clamp Meter Type: AC/DC clamp meter				
167	Welding handle, (300A)	pcs	2	355.00	710.00
168	Aluminum come along clamp conductor grip -70mm	pcs.	3	1,300.00	3,900.00
169	Clear type water stop sealant per tube	tube	10	150.00	1,500.00
170	Metal Cut-off Saw 2400W, Heavy Duty	units	2	17,500.00	35,000.00
	► Cutting disc diameter: 355mm			-	·
	► Cutting disc bore: 25.4mm				
	► No-load speed: 3,800rpm				
	► Cutting capacity at rectangle 0°: 100 x 196mm				
	► Cutting capacity at square 0°: 119 x 119mm				
	► Cutting capacity at L-profile 0º: 130 x 130mm				
	Cutting capacity at rectangle 45° mitre:				
	► Cutting capacity at square 45° mitre: 110 x 110mm				
	Cutting capacity at L-profile 45° mitre: 115 x 115: mm				
	► Tool dimensions (width x length x height): 256 x 520 x 400mm				
	► Rated input power: 2,400WFEATURES:				
	► Heavy-duty meets durability				
	► High overload capacity for the toughest of applications				
	► Increased usage of cutting disc by 20%				
171	G.I. Gate Valve, 2"Ø	рс	5	2,200.00	11,000.00
172	Grinder 4" with chainsaw stand	set	1	4,500.00	4,500.00
173	Hand hammer drill w/ hard case & bits	set	2	6,000.00	12,000.00
174	Lever block 1.5 tons, Ratchet	unit	1	6,000.00	6,000.00
175	Vacuum Cleaner wet/dry 3 gallons heavy duty	unit	1	6,000.00	6,000.00
176	Blade for Grass Cutter	pcs	2	410.00	820.00
177	Padlock, at least 50mm, Heavy Duty, Durable	pcs	9	400.00	3,600.00
178	Screened Sand	cu.m.	45	1,500.00	67,500.00
179	Pipe Fittings, (PPR) Male Threaded Plug,1"Ø,	pcs	40	40.00	1,600.00
180	Pipe Fittings, (PPR) Male Threaded Plug, 3/4"Ø	pcs	50	30.00	1,500.00
181	Pipe Fittings, (PPR) Male Threaded Plug,1/2"Ø	pcs	75	20.00	1,500.00
182	Paint, Roof, White, Premium Quality	gallon	200	710.00	142,000.00
183	Paint, Latex, Semi-Gloss, White, Premium Quality	gallon	140	610.00	85,400.00
184	Hose, Rubber, 1/2"Ø, Durable, Good	meter	50	30.00	1,500.00

	Quality				
185	Nails, Finishing, 2", Smooth Shank	kg	1	65.00	65.00
186	Paint, QDE, Semi-Gloss, White , Premium Quality	gallon	1	600.00	600.00
187	Raincoat, Poncho Type, Medium, Brown , Heavy Duty, Good Quality	piece	10	273.60	2,736.00
188	Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 4' x 10', Standard, Good Quality	sheet	2	500.00	1,000.00
189	Glass Mirror, 1/4" (thick) x 12" x 24", Good Quality	piece	2	210.00	420.00
190	Extension Ladder, Fiber Glass, 21', Load Capacity: at least 300 lbs, Reaches from 8 ft to an extendable length of 13 ft	unit	2	8,500.00	17,000.00
	Self-levelling 2-way swivel safety shoes				
	Main Material: Fiberglass				
	Dimension: at least 268 x 47 x 17, cm				
	Weight: at least 16.5 kg				
191	Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8', Standard, Good Quality	sheet	2	450.00	900.00
192	Stock & Die 3/4" Pipe Threader, Ratchet type, Stock; Die 3/4" Pipe Threader, Ratchet type;	piece	1	3,500.00	3,500.00
193	Pipe, (PVC), 3/4" x 20', Sched 40, Durable, Good Quality	length	12	105.00	1,260.00
194	Pipe, (PVC), 1/2" x 20', Sched 40, Durable, Good Quality	length	12	70.00	840.00
195	Pipe Fittings, (PVC) Elbow, 45 deg x 1-1/2"Ø, Heavy Duty, Good Quality	piece	12	194.00	2,328.00
196	Pipe Fittings, (PVC) Elbow, 45 deg x 2"Ø, Heavy Duty, Good Quality	piece	12	295.00	3,540.00
197	Pipe Fittings, (PVC) Elbow, 45 deg x 1/2"Ø, Heavy Duty, Good Quality	piece	12	50.00	600.00
198	Pipe Fittings, (PVC) Elbow, 45 deg x 3/4", Heavy Duty, Good Quality	piece	12	70.00	840.00
199	Rubber/Contact Cementr, Premium Quality	btl	12	75.00	900.00
200	Solvent Cement, (PVC) , 400cc/can, Premium Quality	cans	18	120.00	2,160.00
201	Paint Thinner, Lacquer , Premium Quality	gallon	4	425.00	1,700.00
202	Washer, Plain, 3/8"Ø, Cast Iron Material Housing, Corrosion Resistant, Self- Priming Pump, Discharge Pipe Size: 3", Height: 17.5", Maximum Discharge: 25'	piece	36	5.00	180.00
203	Stove bolt & Nut, 3/16 x 11, 100pcs/box,	box	4	29.00	116.00
204	Paint Brush, Roller with handle, 7", Durable, Good Quality	piece	6	80.00	480.00
205	Paint, Metal Primer, Red Oxide, Premium Quality	gallon	7	420.00	2,940.00
206	Sand, Washed, (3 cu.m.)	truck load	10	1,500.00	15,000.00

207	Evaporative Cooling Pad, 1. Corrugated paper with the spatial crossing-link technology, ensuring high-absorb ability. 2. High-water resistance, economic and durable; 3. Low energy consumption, just one-tenth of traditional air conditioner. 4. Environment-friendly.; 5. Dimension: 1500*300*100mm; 6. Color: brown, green; 7. Good quality;	pad	16	350.00	5,600.00
208	Ladder, Extension, Aluminum, Sliding, 16' extension	unit	2	7,500.00	15,000.00
209	Hacksaw Blade, 18 TPI x 12", Bi-metal, High-Speed, Durable, Premium Quality	piece	22	48.00	1,056.00
210	Tool Storage Cabinet, (Tool Caddy), Depth: At least 18"	piece	2	4,500.00	9,000.00
	Height: At least 37.5"				
	Lockable: Yes				
	Material: Metal				
	Number of Drawers: atleat 5 drawers				
	Weight Capacity: Atleast 1500 lb. capacity				
	Wheeled: Yes				
	Width: Atleast 26.5"				
	Ball Bearing Slides: Yes				
211	Welding Rod, E-7014, 1/8", (20kg/box), Premium Quality	box	1	2,850.00	2,850.00
212	Hacksaw Holder , Adjusting Screw, Wing nut adjuster and Stud, Premium Quality	pcs	2	475.00	950.00
213	Silicone oil, spray (360ml/can)	can	5	350.00	1,750.00
214	Angle Bar, 1/8"(thickness) x 1" x 1"x 20', standard, Premium Grade	length	10	320.00	3,200.00
215	Butane gas, 250gms, Canister	can	20	130.00	2,600.00
216	Soldering Paste	piece	2	100.00	200.00
217	Soldering Lead, 1mm, Good quality, 60% tin and 40% lead, melting point 190oC	spool	3	120.00	360.00
218	Paint Thinner, Lacquer , Premium Quality	btl	10	60.00	600.00
219	Formica sheets, (White), 4' x 8', Good Quality	sheet	1	920.00	920.00
220	Wire, Audio Speaker, AWG 18, Color coded two insulated copper wires Heavy Duty Durable Waterproof	roll	1	1,500.00	1,500.00
221	Pipe, PE 80, 1"Ø, (100m/spool)	pcs	4	2,500.00	10,000.00
222	Chainsaw 11.5" attachment for 4" angle grinder, Attachment includes: Heavy duty and durable 11.5" chain saw Heavy duty blade protection Safety grip Heavy duty and durable chain blade cover Heavy duty and durable guide bar adapter	pcs	1	2,000.00	2,000.00
223	Nails, Common Wire, 2", Smooth Shank	kl	2	55.00	110.00
224	Industrial Hand Gloves, Denim (maong type), Medium, Good Quality	pair	13	25.00	325.00

225	Welded Wire Mesh/eye 20 count, 0.9mm, 4' x 12 yrd,	roll	6	1,100.00	6,600.00
226	Raincoat, Jacket and Pants, Large, Mint Green, Heavy Duty, Good Quality	pair	2	580.00	1,160.00
227	Screened Sand, 5 cu. m. per 1 truck load,	truck load	1	3,200.00	3,200.00
228	Raincoat, Jacket and Pants, Small, Transparent, Heavy Duty, Good Quality	pair	1	580.00	580.00
229	Rainboots, Size: 8 (Women), Black, Hicut, Seamless injection for good waterproofing, Premium Quality	pair	1	350.00	350.00
230	Rainboots, Size: 10 (Men), Black, Hi-cut, Seamless injection for good waterproofing, Premium Quality	pair	2	450.00	900.00
231	Paint, QDE, Red , Premium Quality Paint	gallon	2	650.00	1,300.00
232	Rainboots, Size: 7 (Men), Black, Hi-cut, Seamless injection for good waterproofing, Premium Quality	pair	5	350.00	1,750.00
233	Rainboots, Size: 7 (Women), Black, Hi- cut, Seamless injection for good waterproofing, Premium Quality	pair	2	350.00	700.00
234	Rainboots, Size: 8 (Men), Black, Hi-cut, Seamless injection for good waterproofing, Premium Quality	pair	5	350.00	1,750.00
235	Angle Grinder 4"Ø, Cordless, (Rechargeable), Rechargeable Lithium- lon Battery, Heavy Duty and Durable Brushless DC motor, Wheel Diameter: 100mm (4"), No speed load: at least 8,500 rpm, Dimension (mm): at least 362 x 117 x 146	set	1	10,500.00	10,500.00
236	Bench Grinder, 5"Ø, Heavy Duty, Durable, Rated Power: at least180 Watts or 1/4Hp, Speed: at least 2950 rpm, Frequency: 60hz, Rated Voltage: 220v, Grinder Wheel, Dimension: at least 125mm x16mm x 12.7mm, 5" Inches	unit	1	2,750.00	2,750.00
237	Metal Blade for Grass Cutter	pcs	3	75.00	225.00
		Tota	I ABC (1	for this project):	4,929,927.00

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

- 2. The *Visayas State University Main Campus* now invites bids for the above Procurement Project. Delivery of the Goods is required by *thirty* (30) calendar days upon receipt of Notice to Proceed (NTP). Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays Fridays* (8:00 AM-5:00 PM).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on 23 March 12 April 2021 until 1:00 PM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- 6. The *Visayas State University Main Campus* will hold a Pre-Bid Conference on *March 30, 2021; 9:00 AM* at *the Cooperative Building, VSU Market, Visca, Baybay City, Leyte* and/or through video conferencing or webcasting *via Google Meet,* which shall be open to prospective bidders.
 - Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Google Meet link.
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before 12 April 2021 until 1:00 PM. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 12 April 2021; 2:00 PM at the Cooperative Building, VSU Market, Visca, Baybay City, Leyte and/or via Google Meet. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
 - Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Google Meet link.
- 10. For bidders who opt to submit their bids electronically, a hardcopy (original) of the bid must be sent to the BAC through couriers. A proof (e.g. courier receipt, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
- 11. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

12. For further information, please refer to:

Ms. Jessamine C. Ecleo (BAC Secretariat)

Office of the Head for Procurement, VSU-Main, Visca, Baybay City, Leyte

Mobile: 053 565 0600 local 1093 or 0917 6341 474

Email: jecleo@vsu.edu.ph

or

Mr. Toni Marc L. Dargantes (BAC Secretariat)

Office of the VP for Planning, Resource Generation & Auxiliary Services VSU-Main, Visca, Baybay City, Leyte

Mobile: 053 565 0600 local 1004 or 0977 7186594

Email: tmdargantes@vsu.edu.ph

13. You may visit the following websites:

For downloading of Bidding Documents: https://www.vsu.edu.ph/philgeps-opportunities

March 23, 2021

DILBERTO O. FERRAREN

Chairperson, VSU BAC

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Visayas State University*, wishes to receive Bids for the *Supply and Delivery of Construction Materials*, with identification number *GOODS-21-19*.

The Procurement Project (referred to herein as "Project") is composed of 237 items, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of Four Million Nine Hundred Twenty-Nine Thousand Nine Hundred Twenty-Seven Pesos (PhP 4,929,927.00).
- 2.2. The source of funding is: NGA, the General Appropriations Act (GAA) and Special Appropriations, and Trust Fund.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidders should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *twenty-five percent* (25%) of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed**.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).

- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two** (2 years) prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *July 8, 2021*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB									
Clause									
5.3	For this	purpose, contracts similar to the Proj	ject shall	be:					
	a. Construction Materials								
	h completed within two (2) years prior to the deadline for the submission and receipt of								
	b. completed within two (2) years prior to the deadline for the submission and receipt of bids.								
7.1	Subcontracting is not allowed.								
12	The price of the Goods shall be quoted <i>DDP VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.								
14.1		I security shall be in the form of a Bi and amounts:	id Securir	ng Decl	laration, or any o	f the following			
	b.	The amount of not less than <i>Ninety-54/100 Pesos</i> (<i>PhP 98,598.54</i>) or two cashier's/manager's check, bank draf. The amount of not less than <i>Two Hur Six and 35/100 Pesos</i> (<i>PhP 246,496.3</i> in Surety Bond.	o percent t/guarante ndred For	(2%) og ee or irr ty-Six 7	f ABC, if bid secretocable letter of Thousand Four H	urity is in cash, f credit; or fundred Ninety-			
19.3			1	1	T				
	Item No.	Item Description and Specifications	Unit	Qty	ABC/Unit	Total ABC/Item			
	1	1.20m Aluminum Mosquito Screen, US	meters	300	185.00	55,500.00			
	2	1.20m Wire Mesh 1/4", aluminum	meters	300	100.00	30,000.00			
	3	1.5mm x 2"x 2"x 6 meter B.I. Pipe	pcs	230	1,000.00	230,000.00			
	4	1/2" x 4' x 8' Marine Plywood	pcs	50	750.00	37,500.00			
	5	1/4" x 4" x 4" x 6 meters angle bars	pcs	40	4,200.00	168,000.00			
	6	1/4" x 4' x 8' Marine Plywood	pcs	20	500.00	10,000.00			
	7	1/8" x 1" x 6 meters Flat bars	pcs	150	300.00	45,000.00			
	8	10mm dia x 6 meter def bars	pcs	400	165.00	66,000.00			
	9	12mm dia x 6meter def bars	pcs	300	250.00	75,000.00			
	10	2" x 6" x 12' coco lumber	pcs	50	360.00	18,000.00			
	11	2" x 6" x 12' Lauan lumber	pcs	100	900.00	90,000.00			
	12	3/4" x 4' x 8' Marine Plywood	pcs	20	1,200.00	24,000.00			
	13	Acrytex Cast	gals	5	600.00	3,000.00			
	14	Bidet spray toilet bidet rinse set, Heavy Duty	piece	1	2,000.00	2,000.00			
	15	Bulb Socket, Porcelain	рс	28	120.00	3,360.00			
	16	Bulb Socket, PVC	рс	20	50.00	1,000.00			
	17	Bulb, Incandescent, 50 watts	pieces	15	50.00	750.00			
	18	Bulb, LED, 15W	pieces	43	150.00	6,450.00			

19	Bulb, LED, 20 Watts	рс	48	300.00	14,400.00
20	Bulb, LED, 9W	piece	115	150.00	17,250.00
21	Cement, Portland	bags	460	250.00	115,000.00
22	Cut Off Blade 14"	pcs	10	250.00	2,500.00
23	Cut-off Machine, 14"Ø (355 mm)	рс	1	5,000.00	5,000.00
24	Cutting Disc (100x1.2x16mm) cutting for G.I Pipe	pcs	15	200.00	3,000.00
25	Door Knob	piece	10	1,000.00	10,000.00
26	Door Knobs, Good Quality	pcs	15	1,000.00	15,000.00
27	Electrical Circuit Breaker, 100A, 2-Pole(Plug-in)	рс	1	2,000.00	2,000.00
28	Electrical Circuit Breaker, 30A, (Box type)	рс	1	425.00	425.00
29	Electrical PVC Clip, 3/4", High quality PVC	pcs	15	50.00	750.00
30	Electrical Tape, Vinyl	rolls	100	70.00	7,000.00
31	Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box	box	1	6,200.00	6,200.00
32	Electrical, 3 gang universal outlet with ground, (surface type)	pcs	6	150.00	900.00
33	Electrical, male plug, 3 pin	pcs	2	65.00	130.00
34	Epoxy, A & B (Liter/set)	set	2	350.00	700.00
35	Extension Hanging Cord Cable with button on/off switch	рс	5	250.00	1,250.00
36	Faucet, (PVC) Ball Valve, Durable, Good Quality	piece	20	60.00	1,200.00
37	Fluorescent Lamp tube (40 watts)	pcs	20	150.00	3,000.00
38	Fluorescent Starter, 40 watts	piece	25	20.00	500.00
39	Fluorescent Tube, 40 watts	рс	12	300.00	3,600.00
40	Formica Top	panels	20	650.00	13,000.00
41	Garden Hose Nozzle Spray, Heavy Duty, Good Quality	piece	1	200.00	200.00
42	Grass cutter	рс	4	20,000.00	80,000.00
43	Grasscutter Blade (305MMx1.6MMx25.4MMx2T)	pcs	30	600.00	18,000.00
44	Gravel 3/4 Crushed	cum	40	1,500.00	60,000.00
45	Grinding Disc for Makita 4"	pcs	5	100.00	500.00
46	concrete plywood Lite 4' x 8' x 3/16	pcs	50	450.00	22,500.00
47	Hinges 1-1/2	pcs	26	35.00	910.00
48	Hose, Garden, 5/8"Ø, Good Quality	meter	85	10.00	850.00
49	Industrial Hand Gloves, Denim (maong type), Large, Good Quality	pair	12	25.00	300.00
50	Industrial Hand Gloves, Denim (maong type), Medium, Good Quality	pair	12	15.00	180.00
51	Knife, 6", Stainless Steel	piece	3	200.00	600.00
52	Ladder, 4 step folding aluminum	unit	2	6,500.00	13,000.00
53	Ladder, Extension, Aluminum,	unit	1	7,500.00	7,500.00

	01'-1'		1		
	Sliding, 16' extension				
54	LED Bulb 12 watts	pcs	20	250.00	5,000.00
55	Nails 1", Common	kilos	10	68.00	680.00
56	Nails 1-1/2", Finishing	kilos	10	68.00	680.00
57	Nails 2", Common	kilos	30	65.00	1,950.00
58	Nails 2", Finishing	kilos	10	68.00	680.00
59	Nails 4", Common	kilos	30	65.00	1,950.00
60	Nails, Common Nails #4	kilos	10	100.00	1,000.00
61	Nails, Concrete Nails #4	kilos	5	120.00	600.00
62	Nylon Line (Monoline) #300, Good Quality	kl	20	180.00	3,600.00
63	Padlock, 60mm, Heavy Duty, Durable, Good Quality	piece	2	90.00	180.00
64	Paint Brush 4"	pcs	10	95.00	950.00
65	Paint Brush, Lettering, 1/2", Camel's Hair, Good Quality	piece	5	85.00	425.00
66	Paint Brush, Lettering, 1/4", Camel's Hair, Good Quality	piece	5	58.60	293.00
67	Paint Thinner	gals	4	400.00	1,600.00
68	Paint Thinner, Premium Quality	gallon	2	350.00	700.00
69	Paint, Flat Latex, Good Quality	gals	40	550.00	22,000.00
70	Paint, Flatwall Enamel, Good Quality	gals	20	750.00	15,000.00
71	Paint, QDE, White, Premium Quality Paint	gallon	2	600.00	1,200.00
72	Paint, Quick Dry Enamel, Good Quality (white)	gals	35	750.00	26,250.00
73	Paint, Red Oxide, Primer	gallon	4	405.00	1,620.00
74	Paint, Red Oxide Primer, Good Quality	gals	10	500.00	5,000.00
75	Paint, Roof, White , Premium Quality Paint, 4 gallons per pail	pail	6	1,694.00	10,164.00
76	Paint, Semi Gloss Latex, Good Quality (white)	gals	40	650.00	26,000.00
77	Plywood, Marine, 1/4"(thickness) x 4' x 8'	piece	25	423.00	10,575.00
78	Plywood, Marine, 3/4"(thickness) x 4' x 8'	piece	20	1,200.00	24,000.00
79	Polycarbonate sheet, Embosed & Corrugated sheets White	ln.m.	350	1,450.00	507,500.00
80	Polyurethane Top Coat	liters	10	310.00	3,100.00
81	Rainboots, Size: 7 (Men), Black	pair	1	230.00	230.00
82	Rainboots, Size: 7 (Women), Black	pair	2	200.00	400.00
83	Rainboots, Size: 8 (Men), Black	pair	3	230.00	690.00
84	Rainboots, Size: 8 (Women), Black	pair	2	249.00	498.00
85	Rainboots, Size: 9 (Men), Black	pair	7	209.00	1,463.00
86	Raincoat, Jacket and Pants, Medium, Transparent	pair	6	125.00	750.00
87	Raincoat, Poncho Type, Medium, Brown	piece	8	144.00	1,152.00

00	Dellar Bruch Oll with bandle	222	40	05.00	050.00
88	Roller Brush 9" with handle	pcs	10	95.00	950.00
89	Roof Sealant, All-Purpose, 1/2L/can	cans	2	290.00	580.00
90	Rope,Nylon, #3 (1.5mm)	meter	250	27.00	6,750.00
91	Cord, #10/3 (5.5mm x 3 c)	meters	1	250.00	250.00
92	Rubber Cement	gals	5	600.00	3,000.00
93	Washed Sand	cum	40	1,500.00	60,000.00
94	Sanding Sealer	gals	4	600.00	2,400.00
95	Sharpening Stone, 8" Dual Grit Combination	pcs	24	90.00	2,160.00
96	Sharpening Stone, Silicon Carbide(Carborundum), 6"	piece	10	100.00	1,000.00
97	Soldering Lead, 1mm	spool	3	120.00	360.00
98	Spade Shovel, flat end	piece	5	250.00	1,250.00
99	Stand Fan, 405 mm diameter, 220 volts	unit	3	2,500.00	7,500.00
100	Texcrew Metal 1-1/2"	pcs	3000	4.00	12,000.00
101	Tie Wire # 16 G.I. construction	kilos	115	90.00	10,350.00
102	Tile Adhesive, Heavy Duty	bags	20	500.00	10,000.00
103	Tiles 0.60m x 0.60m (white)	pcs	700	200.00	140,000.00
104	Tinting Color, Raw Sienna Latex	cans	20	85.00	1,700.00
105	U-Nails 40mm	box	6	90.00	540.00
106	Universal Coax Compression Crimping Tools	рс	1	2,600.00	2,600.00
107	Varnish, plastic, natural, Premium Quality	gallon	2	170.00	340.00
108	Weighing Scale, Top Loading Dial Scale, (20 kg)	unit	1	1,000.00	1,000.00
109	Welding Rod 2.5mm	kilos	12	150.00	1,800.00
110	Welding Rod, 3.2mm (1/8)	box	3	4,000.00	12,000.00
111	Tubular Steel (Square), 1/4"(thickness) x 1" x 1" x 20', standard	pcs	10	377.00	3,770.00
112	Angle Grinder 4"Ø, Grinding Wheel	pcs	2	160.00	320.00
113	Welding Rod, E-6013, 3/32", (20kg/box)	boxes	2	2,000.00	4,000.00
	■Premium Quality				
114	SERVICE ENTRANCE AND PANEL BOARDS	set	1	72,000.00	72,000.00
115	Panel Board "P-2" (flush type)	set	1	50,000.00	50,000.00
116	Panel Board "P-3" (flush type)	set	1	35,000.00	35,000.00
117	60 mm ² THHN/THW stranded wire (LOT)	trs	200	440.00	88,000.00
118	100 mm² THHN/THW stranded wire	mtrs	6	772.00	4,632.00
119	38 mm² THHN/THW stranded wire	mtrs	180	320.00	57,600.00
120	5.5 mm² THHN/THW stranded wire	box	7	5,750.00	40,250.00
121	2.0 mm² THHN/THW stranded wire	box	2	2,580.00	5,160.00
122	30 mm² THHN/THW (GREEN) stranded wire	mtrs	3	220.00	660.00
123	22 mm² THHN/THW (GREEN) stranded wire	mtrs	100	150.00	15,000.00

		ſ			
124	14 mm² THHN/THW (GREEN) stranded wire	mtrs	65	96.00	6,240.00
125	3.5 mm² THHN/THW (GREEN) stranded wire	box	3	3,760.00	11,280.00
126	ACCU outlet	pcs	15	300.00	4,500.00
127	Fire Alarm panel (4 zones)	unit	1	24,000.00	24,000.00
128	Fire Alarm Bell	unit	1	2,421.00	2,421.00
129	Fire Alarm push button switch	рс	1	600.00	600.00
130	Smoke Detectors	pcs	20	390.00	7,800.00
131	ELECTRICAL ROUGH INS (LOT)	F			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
132	63 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	1	375.00	375.00
133	50 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	45	245.00	11,025.00
134	40 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	30	225.00	6,750.00
135	20 mm. dia. Conduit (Electrical PVC)	Ingth	170	75.00	12,750.00
136	Utility Box	pcs	21	25.00	525.00
137	Octagonal box with cover	pcs	21	45.00	945.00
138	63 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)	pcs	2	80.00	160.00
139	50 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)	pcs	6	40.00	240.00
140	40 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)	pcs	14	32.00	448.00
141	PVC Solvent	pcs	10	56.00	560.00
142	Feeder Line raceway support	pcs	1	9,000.00	9,000.00
143	Electrical Tape (Rubber)	pcs	10	100.00	1,000.00
144	Electrical, Photocell Control Switch, Electric 10A, 230V	pcs	10	600.00	6,000.00
145	Hose, Garden, 5/8"Ø	meter	10	50.00	500.00
146	Machine bolt, Hex Head 5/8" x 12" length with plain washer and nut	pcs	10	100.00	1,000.00
147	Paint Brush, Lettering, 1"	pcs	2	880.00	1,760.00
148	Rope, Nylon, #56 (28mm)	mtrs	50	25.00	1,250.00
149	Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V	sets	45	4,500.00	202,500.00
150	2 HP water self priming pump, 60m head	units	4	15,000.00	60,000.00
151	2" x 6" x 12' Good Lumber	pcs	60	900.00	54,000.00
152	Angle Bar, stainless steel, 3/16 x 1" x 1" x 20'	lengths	10	2,200.00	22,000.00
153	Carbon Brush, #441	box	2	760.00	1,520.00
154	Coarsed Sand (River)	cum	550	1,500.00	825,000.00
155	C-Purlins, 2.0 mm x 2" x 4" x 20 feet	lengths	24	895.00	21,480.00
156	Flat bar, stainless, 3" x 3/16" x 20'	lengths	4	2,500.00	10,000.00
157	Industrial Imaging Infrared Thermometer with Case	unit	1	60,000.00	60,000.00

158	Perforated Sheet, 304 stainless 1cm Holes, 4x8, 1.2mm	sheets	6	20,000.00	120,000.00
159	PHASE ROTATION INDICATOR	unit	1	30,000.00	30,000.00
160	Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'	pcs.	8	2,200.00	17,600.00
161	Stainless Steel Flat bar, 1" x 1/8" x 20'	pcs.	8	600.00	4,800.00
162	Sand, screen	cu.m.	120	1,500.00	180,000.00
163	Shafting, stainless steel; 1"Ø x 10'	lengths	1	4,000.00	4,000.00
164	Stainless steel tube pipe, 1/4" ID x 10'	units	5	1,000.00	5,000.00
165	Tee, PVC 4" x 2", sch. 40	pcs	2	135.00	270.00
166	TRUE-RMS CLAMP METER	unit	1	40,000.00	40,000.00
167	Welding handle, (300A)	pcs	2	355.00	710.00
168	Aluminum come along clamp conductor grip -70mm	pcs.	3	1,300.00	3,900.00
169	Clear type water stop sealant per tube	tube	10	150.00	1,500.00
170	Metal Cut-off Saw 2400W, Heavy Duty	units	2	17,500.00	35,000.00
171	G.I. Gate Valve, 2"Ø	рс	5	2,200.00	11,000.00
172	Grinder 4" with chainsaw stand	set	1	4,500.00	4,500.00
173	Hand hammer drill w/ hard case & bits	set	2	6,000.00	12,000.00
174	Lever block 1.5 tons, Ratchet	unit	1	6,000.00	6,000.00
175	Vacuum Cleaner wet/dry 3 gallons heavy duty	unit	1	6,000.00	6,000.00
176	Blade for Grass Cutter	pcs	2	410.00	820.00
177	Padlock, at least 50mm, Heavy Duty, Durable	pcs	9	400.00	3,600.00
178	Screened Sand	cu.m.	45	1,500.00	67,500.00
179	Pipe Fittings, (PPR) Male Threaded Plug,1"Ø,	pcs	40	40.00	1,600.00
180	Pipe Fittings, (PPR) Male Threaded Plug, 3/4"Ø	pcs	50	30.00	1,500.00
181	Pipe Fittings, (PPR) Male Threaded Plug,1/2"Ø	pcs	75	20.00	1,500.00
182	Paint, Roof, White, Premium Quality	gallon	200	710.00	142,000.00
183	Paint, Latex, Semi-Gloss, White, Premium Quality	gallon	140	610.00	85,400.00
184	Hose, Rubber, 1/2"Ø, Durable, Good Quality	meter	50	30.00	1,500.00
185	Nails, Finishing, 2", Smooth Shank	kg	1	65.00	65.00
186	Paint, QDE, Semi-Gloss, White , Premium Quality	gallon	1	600.00	600.00
187	Raincoat, Poncho Type, Medium, Brown , Heavy Duty, Good Quality	piece	10	273.60	2,736.00
188	Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 4' x 10', Standard, Good Quality	sheet	2	500.00	1,000.00
189	Glass Mirror, 1/4" (thick) x 12" x 24", Good Quality	piece	2	210.00	420.00
190	Extension Ladder, Fiber Glass, 21', Load Capacity: at least 300 lbs,	unit	2	8,500.00	17,000.00

	Reaches from 8 ft to an extendable length of 13 ft				
19	Quality	sheet	2	450.00	900.00
19	Stock & Die 3/4" Pipe Threader, Ratchet type, Stock; Die 3/4" Pipe Threader, Ratchet type;	piece	1	3,500.00	3,500.00
19	Pipe, (PVC), 3/4" x 20', Sched 40, Durable, Good Quality	length	12	105.00	1,260.00
19	Durable, Good Quality	length	12	70.00	840.00
19	Pipe Fittings, (PVC) Elbow, 45 deg 5 x 1-1/2"Ø, Heavy Duty, Good Quality	piece	12	194.00	2,328.00
19	Pipe Fittings, (PVC) Elbow, 45 deg x 2"Ø, Heavy Duty, Good Quality	piece	12	295.00	3,540.00
19	Pipe Fittings, (PVC) Elbow, 45 deg x 1/2"Ø, Heavy Duty, Good Quality	piece	12	50.00	600.00
19	Pipe Fittings, (PVC) Elbow, 45 deg x 3/4", Heavy Duty, Good Quality	piece	12	70.00	840.00
19	9 Rubber/Contact Cementr, Premium Quality	btl	12	75.00	900.00
20	Premium Quality	cans	18	120.00	2,160.00
20	Paint Thinner, Lacquer , Premium Quality	gallon	4	425.00	1,700.00
20	Discharge Pipe Size: 3", Height: 17.5", Maximum Discharge: 25'	piece	36	5.00	180.00
20	3 Stove bolt & Nut, 3/16 x 11, 100pcs/box,	box	4	29.00	116.00
20	Durable, Good Quality	piece	6	80.00	480.00
20	Paint, Metal Primer, Red Oxide, Premium Quality	gallon	7	420.00	2,940.00
20	, , ,	truck load	10	1,500.00	15,000.00
20	one-tenth of traditional air conditioner. 4. Environment- friendly.; 5. Dimension: 1500*300*100mm; 6. Color: brown, green; 7. Good quality;	pad	16	350.00	5,600.00
20	Sliding, 16" extension	unit	2	7,500.00	15,000.00
20	Hacksaw Blade, 18 TPI x 12", Bi- metal, High-Speed, Durable,	piece	22	48.00	1,056.00

	Premium Quality				
210	Tool Storage Cabinet, (Tool Caddy), Depth: At least 18"	piece	2	4,500.00	9,000.0
211	Welding Rod, E-7014, 1/8", (20kg/box), Premium Quality	box	1	2,850.00	2,850.0
212	Hacksaw Holder , Adjusting Screw, Wing nut adjuster and Stud, Premium Quality	pcs	2	475.00	950.0
213	Silicone oil, spray (360ml/can)	can	5	350.00	1,750.0
214	Angle Bar, 1/8"(thickness) x 1" x 1"x 20', standard, Premium Grade	length	10	320.00	3,200.0
215	Butane gas, 250gms, Canister	can	20	130.00	2,600.0
216	Soldering Paste	piece	2	100.00	200.
217	Soldering Lead, 1mm, Good quality, 60% tin and 40% lead, melting point 190oC	spool	3	120.00	360.
218	Paint Thinner, Lacquer , Premium Quality	btl	10	60.00	600.
219	Formica sheets, (White), 4' x 8', Good Quality	sheet	1	920.00	920.
220	Wire, Audio Speaker, AWG 18, Color coded two insulated copper wires Heavy Duty Durable Waterproof	roll	1	1,500.00	1,500.0
221	Pipe, PE 80, 1"Ø, (100m/spool)	pcs	4	2,500.00	10,000.
222	Chainsaw 11.5" attachment for 4" angle grinder, Attachment includes: Heavy duty and durable 11.5" chain saw Heavy duty blade protection Safety grip Heavy duty and durable chain blade cover Heavy duty and durable guide bar adapter	pcs	1	2,000.00	2,000.0
223	Nails, Common Wire, 2", Smooth Shank	kl	2	55.00	110.0
224	Industrial Hand Gloves, Denim (maong type), Medium, Good Quality	pair	13	25.00	325.
225	Welded Wire Mesh/eye 20 count, 0.9mm, 4' x 12 yrd,	roll	6	1,100.00	6,600.
226	Raincoat, Jacket and Pants, Large, Mint Green, Heavy Duty, Good Quality	pair	2	580.00	1,160.
227	Screened Sand, 5 cu. m. per 1 truck load,	truck load	1	3,200.00	3,200.
228	Raincoat, Jacket and Pants, Small, Transparent, Heavy Duty, Good Quality	pair	1	580.00	580.
229	Rainboots, Size: 8 (Women), Black, Hi-cut, Seamless injection for good waterproofing, Premium Quality	pair	1	350.00	350.
230	Rainboots, Size: 10 (Men), Black, Hi-cut, Seamless injection for good waterproofing, Premium Quality	pair	2	450.00	900.

		D : 1				T
	232	Rainboots, Size: 7 (Men), Black, Hi- cut, Seamless injection for good waterproofing, Premium Quality	pair	5	350.00	1,750.00
	233	Rainboots, Size: 7 (Women), Black, Hi-cut, Seamless injection for good waterproofing, Premium Quality	pair	2	350.00	700.00
	234	Rainboots, Size: 8 (Men), Black, Hi- cut, Seamless injection for good waterproofing, Premium Quality	pair	5	350.00	1,750.00
	235	Angle Grinder 4"Ø, Cordless, (Rechargeable), Rechargeable Lithium-Ion Battery, Heavy Duty and Durable Brushless DC motor, Wheel Diameter: 100mm (4"), No speed load: at least 8,500 rpm, Dimension (mm): at least 362 x 117 x 146	set	1	10,500.00	10,500.00
	236	Bench Grinder, 5"Ø, Heavy Duty, Durable, Rated Power: at least180 Watts or 1/4Hp, Speed: at least 2950 rpm, Frequency: 60hz, Rated Voltage: 220v, Grinder Wheel, Dimension: at least 125mm x16mm x 12.7mm, 5" Inches	unit	1	2,750.00	2,750.00
	237	Metal Blade for Grass Cutter	pcs	3	75.00	225.00
20.2	submiss Section	the PhilGEPS Platinum Certificatesion, it shall be submitted as a post 34.2 of the 2016 Revised IRR of R.A. policable.	t-qualifica	-		

Section IV.	General	Conditions	of	Contract
-------------	---------	-------------------	----	----------

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section	V.	Special	Conditions	of	Contract
---------	----	----------------	-------------------	----	----------

Special Conditions of Contract

~~~	Special Conditions of Contract					
GCC Clause						
1	Delivery and Documents –					
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:					
	The delivery terms applicable to this Contract are delivered <i>VSU Main Campus</i> , <i>Visca, Baybay City, Leyte</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.					
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).					
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is:					
	Ms. Alicia M. Flores Head, Supply and Property Management Office, VSU-Main, Visca, Baybay City, Leyte Contact #: 053 565 0600 local 1082 / 0917 6341 430					
	Incidental Services –					
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:  a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;  b. furnishing of tools required for assembly and/or maintenance of the					
	supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;					
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and					
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.					
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.					

### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof is included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.

Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.

### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

## Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

## **Intellectual Property Rights –**

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2	Payment shall be done upon full delivery of the items and compliance of all terms specified in the Purchase Order/Contract.
4	The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU Main to confirm conformity to the contract specifications at no extra cost to VSU.

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Item Description and Specifications	Unit	Qty	Delivered, Weeks/Months
1	1.20m Aluminum Mosquito Screen, US	meters	300	All Items Should Be Delivered
2	1.20m Wire Mesh 1/4", aluminum	meters	300	Within 30 Calendar Days From
3	1.5mm x 2"x 2"x 6 meter B.I. Pipe	pcs	230	Receipt Of Notice To Proceed
4	1/2" x 4' x 8' Marine Plywood	pcs	50	And Purchase Order
5	1/4" x 4" x 4" x 6 meters angle bars	pcs	40	
6	1/4" x 4' x 8' Marine Plywood	pcs	20	
7	1/8" x 1" x 6 meters Flat bars	pcs	150	
8	10mm dia x 6 meter def bars	pcs	400	
9	12mm dia x 6meter def bars	pcs	300	
10	2" x 6" x 12' coco lumber	pcs	50	
11	2" x 6" x 12' Lauan lumber	pcs	100	
12	3/4" x 4' x 8' Marine Plywood	pcs	20	
13	Acrytex Cast	gals	5	
14	Bidet spray toilet bidet rinse set, Heavy Duty	piece	1	
15	Bulb Socket, Porcelain	рс	28	
16	Bulb Socket, PVC	рс	20	
17	Bulb, Incandescent, 50 watts	pieces	15	
18	Bulb, LED, 15W	pieces	43	
19	Bulb, LED, 20 Watts	рс	48	
20	Bulb, LED, 9W	piece	115	
21	Cement, Portland	bags	460	
22	Cut Off Blade 14"	pcs	10	
23	Cut-off Machine, 14"Ø (355 mm)	рс	1	
24	Cutting Disc (100x1.2x16mm) cutting for G.I Pipe	pcs	15	
25	Door Knob	piece	10	
26	Door Knobs, Good Quality	pcs	15	
27	Electrical Circuit Breaker, 100A, 2-Pole( Plug-in)	рс	1	
28	Electrical Circuit Breaker, 30A, (Box type)	рс	1	
29	Electrical PVC Clip, 3/4", High quality PVC	pcs	15	
30	Electrical Tape, Vinyl	rolls	100	
31	Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box	box	1	
32	Electrical, 3 gang universal outlet with ground, (surface type)	pcs	6	

33	Electrical, male plug, 3 pin	pcs	2
34	Epoxy, A & B (Liter/set)	set	2
35	Extension Hanging Cord Cable with button on/off switch	рс	5
36	Faucet, (PVC) Ball Valve, Durable, Good Quality	piece	20
37	Fluorescent Lamp tube (40 watts)	pcs	20
38	Fluorescent Starter, 40 watts	piece	25
39	Fluorescent Tube, 40 watts	рс	12
40	Formica Top	panels	20
41	Garden Hose Nozzle Spray, Heavy Duty, Good Quality	piece	1
42	Grass cutter	рс	4
43	Grasscutter Blade (305MMx1.6MMx25.4MMx2T)	pcs	30
44	Gravel 3/4 Crushed	cum	40
45	Grinding Disc for Makita 4"	pcs	5
46	concrete plywood Lite 4' x 8' x 3/16	pcs	50
47	Hinges 1-1/2	pcs	26
48	Hose, Garden, 5/8"Ø, Good Quality	meter	85
49	Industrial Hand Gloves, Denim (maong type), Large, Good Quality	pair	12
50	Industrial Hand Gloves, Denim (maong type), Medium, Good Quality	pair	12
51	Knife, 6", Stainless Steel	piece	3
52	Ladder, 4 step folding aluminum	unit	2
53	Ladder, Extension, Aluminum, Sliding, 16' extension	unit	1
54	LED Bulb 12 watts	pcs	20
55	Nails 1", Common	kilos	10
56	Nails 1-1/2", Finishing	kilos	10
57	Nails 2", Common	kilos	30
58	Nails 2", Finishing	kilos	10
59	Nails 4", Common	kilos	30
60	Nails, Common Nails #4	kilos	10
61	Nails, Concrete Nails #4	kilos	5
62	Nylon Line (Monoline) #300, Good Quality	kl	20
63	Padlock, 60mm, Heavy Duty, Durable, Good Quality	piece	2
64	Paint Brush 4"	pcs	10
65	Paint Brush, Lettering, 1/2", Camel's Hair, Good Quality	piece	5
66	Paint Brush, Lettering, 1/4", Camel's Hair, Good Quality	piece	5
67	Paint Thinner	gals	4
68	Paint Thinner, Premium Quality	gallon	2

69	Paint, Flat Latex, Good Quality	gals	40
70	Paint, Flatwall Enamel, Good	gals	20
70	Quality Paint, QDE, White, Premium	yais	20
71	Quality Paint	gallon	2
72	Paint, Quick Dry Enamel, Good Quality (white)	gals	35
73	Paint, Red Oxide, Primer	gallon	4
74	Paint, Red Oxide Primer, Good Quality	gals	10
75	Paint, Roof, White , Premium Quality Paint, 4 gallons per pail	pail	6
76	Paint, Semi Gloss Latex, Good Quality (white)	gals	40
77	Plywood, Marine, 1/4"(thickness) x 4' x 8'	piece	25
78	Plywood, Marine, 3/4"(thickness) x 4' x 8'	piece	20
79	Polycarbonate sheet, Embosed & Corrugated sheets White	ln.m.	350
80	Polyurethane Top Coat	liters	10
81	Rainboots, Size: 7 (Men), Black	pair	1
82	Rainboots, Size: 7 (Women), Black	pair	2
83	Rainboots, Size: 8 (Men), Black	pair	3
84	Rainboots, Size: 8 (Women), Black	pair	2
85	Rainboots, Size: 9 (Men), Black	pair	7
86	Raincoat, Jacket and Pants, Medium, Transparent	pair	6
87	Raincoat, Poncho Type, Medium, Brown	piece	8
88	Roller Brush 9" with handle	pcs	10
89	Roof Sealant, All-Purpose, 1/2L/can	cans	2
90	Rope,Nylon, #3 (1.5mm)	meter	250
91	Cord, #10/3 (5.5mm x 3 c)	meters	1
92	Rubber Cement	gals	5
93	Washed Sand	cum	40
94	Sanding Sealer	gals	4
95	Sharpening Stone, 8" Dual Grit Combination	pcs	24
96	Sharpening Stone, Silicon Carbide(Carborundum), 6"	piece	10
97	Soldering Lead, 1mm	spool	3
98	Spade Shovel, flat end	piece	5
99	Stand Fan, 405 mm diameter, 220 volts	unit	3
100	Texcrew Metal 1-1/2"	pcs	3000
101	Tie Wire # 16 G.I. construction	kilos	115
102	Tile Adhesive, Heavy Duty	bags	20
103	Tiles 0.60m x 0.60m (white)	pcs	700
104	Tinting Color, Raw Sienna Latex	cans	20

105	U-Nails 40mm	box	6
106	Universal Coax Compression	рс	1
	Crimping Tools Varnish, plastic, natural, Premium		_
107	Quality	gallon	2
108	Weighing Scale, Top Loading Dial Scale, (20 kg)	unit	1
109	Welding Rod 2.5mm	kilos	12
110	Welding Rod, 3.2mm (1/8)	box	3
111	Tubular Steel (Square), 1/4"(thickness) x 1" x 1" x 20', standard	pcs	10
112	Angle Grinder 4"Ø, Grinding Wheel	pcs	2
113	Welding Rod, E-6013, 3/32", (20kg/box)	boxes	2
	■Premium Quality		
114	SERVICE ENTRANCE AND PANEL BOARDS	set	1
115	Panel Board "P-2" (flush type)	set	1
116	Panel Board "P-3" (flush type)	set	1
117	60 mm ² THHN/THW stranded wire (LOT)	mtrs	200
118	100 mm² THHN/THW stranded wire	mtrs	6
119	38 mm² THHN/THW stranded wire	mtrs	180
120	5.5 mm² THHN/THW stranded wire	box	7
121	2.0 mm² THHN/THW stranded wire	box	2
122	30 mm² THHN/THW (GREEN) stranded wire	mtrs	3
123	22 mm² THHN/THW (GREEN) stranded wire	mtrs	100
124	14 mm² THHN/THW (GREEN) stranded wire	mtrs	65
125	3.5 mm² THHN/THW (GREEN) stranded wire	box	3
126	ACCU outlet	pcs	15
127	Fire Alarm panel (4 zones)	unit	1
128	Fire Alarm Bell	unit	1
129	Fire Alarm push button switch	рс	1
130	Smoke Detectors	pcs	20
131	ELECTRICAL ROUGH INS (LOT)		
132	63 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	1
133	50 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	45
134	40 mm. dia. Conduit (Electrical PVC) with coupling	Ingth	30
135	20 mm. dia. Conduit (Electrical PVC)	Ingth	170
136	Utility Box	pcs	21
137	Octagonal box with cover	pcs	21
138	63 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)	pcs	2
139	50 mm. dia. (Electrical PVC) 90	pcs	6

	Elbow (Long sweep)		
140	40 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)	pcs	14
141	PVC Solvent	pcs	10
142	Feeder Line raceway support	pcs	1
143	Electrical Tape (Rubber)	pcs	10
144	Electrical, Photocell Control Switch, Electric 10A, 230V	pcs	10
145	Hose, Garden, 5/8"Ø	meter	10
146	Machine bolt, Hex Head 5/8" x 12" length with plain washer and nut	pcs	10
147	Paint Brush, Lettering, 1"	pcs	2
148	Rope, Nylon, #56 (28mm)	mtrs	50
149	Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V	sets	45
150	2 HP water self priming pump, 60m head	units	4
151	2" x 6" x 12' Good Lumber	pcs	60
152	Angle Bar, stainless steel, 3/16 x 1" x 1" x 20'	lengths	10
153	Carbon Brush, #441	box	2
154	Coarsed Sand (River)	cum	550
155	C-Purlins, 2.0 mm x 2" x 4" x 20 feet	lengths	24
156	Flat bar, stainless, 3" x 3/16" x 20'	lengths	4
157	Industrial Imaging Infrared Thermometer with Case	unit	1
158	Perforated Sheet, 304 stainless 1cm Holes, 4x8, 1.2mm	sheets	6
159	PHASE ROTATION INDICATOR	unit	1
160	Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'	pcs.	8
161	Stainless Steel Flat bar, 1" x 1/8" x 20'	pcs.	8
162	Sand, screen	cu.m.	120
163	Shafting, stainless steel; 1"Ø x 10' Stainless steel tube pipe, 1/4" ID x	lengths	1
164	10'	units	5
165	Tee, PVC 4" x 2", sch. 40	pcs	2
166	TRUE-RMS CLAMP METER	unit	1
167	Welding handle, (300A)	pcs	2
168	Aluminum come along clamp conductor grip -70mm	pcs.	3
169	Clear type water stop sealant per tube	tube	10
170	Metal Cut-off Saw 2400W, Heavy Duty	units	2
171	G.I. Gate Valve, 2"Ø	рс	5
172	Grinder 4" with chainsaw stand	set	1

173	Hand hammer drill w/ hard case & bits	set	2	
174	Lever block 1.5 tons, Ratchet	unit	1	
175	Vacuum Cleaner wet/dry 3 gallons heavy duty	unit	1	
176	Blade for Grass Cutter	pcs	2	
177	Padlock, at least 50mm, Heavy Duty, Durable	pcs	9	
178	Screened Sand	cu.m.	45	
179	Pipe Fittings, (PPR) Male Threaded Plug,1"Ø,	pcs	40	
180	Pipe Fittings, (PPR) Male Threaded Plug, 3/4"Ø	pcs	50	
181	Pipe Fittings, (PPR) Male Threaded Plug,1/2"Ø	pcs	75	
182	Paint, Roof, White, Premium Quality	gallon	200	
183	Paint, Latex, Semi-Gloss, White, Premium Quality	gallon	140	
184	Hose, Rubber, 1/2"Ø, Durable, Good Quality	meter	50	
185	Nails, Finishing, 2", Smooth Shank	kg	1	
186	Paint, QDE, Semi-Gloss, White , Premium Quality	gallon	1	
187	Raincoat, Poncho Type, Medium, Brown , Heavy Duty, Good Quality	piece	10	
188	Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 4' x 10', Standard, Good Quality	sheet	2	
189	Glass Mirror, 1/4" (thick) x 12" x 24", Good Quality	piece	2	
190	Extension Ladder, Fiber Glass, 21', Load Capacity: at least 300 lbs, Reaches from 8 ft to an extendable length of 13 ft	unit	2	
191	Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8', Standard, Good Quality	sheet	2	
192	Stock & Die 3/4" Pipe Threader, Ratchet type, Stock; Die 3/4" Pipe Threader, Ratchet type;	piece	1	
193	Pipe, (PVC), 3/4" x 20', Sched 40, Durable, Good Quality	length	12	
194	Pipe, (PVC), 1/2" x 20', Sched 40, Durable, Good Quality	length	12	
195	Pipe Fittings, (PVC) Elbow, 45 deg x 1-1/2"Ø, Heavy Duty, Good Quality	piece	12	
196	Pipe Fittings, (PVC) Elbow, 45 deg x 2"Ø, Heavy Duty, Good Quality	piece	12	
197	Pipe Fittings, (PVC) Elbow, 45 deg x 1/2"Ø, Heavy Duty, Good Quality	piece	12	
198	Pipe Fittings, (PVC) Elbow, 45 deg x 3/4", Heavy Duty, Good Quality	piece	12	

199	Rubber/Contact Cementr, Premium Quality	btl	12
200	Solvent Cement, (PVC) , 400cc/can, Premium Quality	cans	18
201	Paint Thinner, Lacquer , Premium Quality	gallon	4
202	Washer, Plain, 3/8"Ø, Cast Iron Material Housing, Corrosion Resistant, Self-Priming Pump, Discharge Pipe Size: 3", Height: 17.5", Maximum Discharge: 25'	piece	36
203	Stove bolt & Nut, 3/16 x 11, 100pcs/box,	box	4
204	Paint Brush, Roller with handle, 7", Durable, Good Quality	piece	6
205	Paint, Metal Primer, Red Oxide, Premium Quality	gallon	7
206	Sand, Washed, (3 cu.m.)	truck load	10
207	Evaporative Cooling Pad, 1. Corrugated paper with the spatial crossing-link technology, ensuring high-absorb ability. 2. High-water resistance, economic and durable; 3. Low energy consumption, just one-tenth of traditional air conditioner. 4. Environment-friendly.; 5. Dimension: 1500*300*100mm; 6. Color: brown, green; 7. Good quality;	pad	16
208	Ladder, Extension, Aluminum, Sliding, 16' extension	unit	2
209	Hacksaw Blade, 18 TPI x 12", Bi- metal, High-Speed, Durable, Premium Quality	piece	22
210	Tool Storage Cabinet, (Tool Caddy), Depth: At least 18"	piece	2
211	Welding Rod, E-7014, 1/8", (20kg/box), Premium Quality	box	1
212	Hacksaw Holder , Adjusting Screw, Wing nut adjuster and Stud, Premium Quality	pcs	2
213	Silicone oil, spray (360ml/can)	can	5
214	Angle Bar, 1/8"(thickness) x 1" x 1"x 20', standard, Premium Grade	length	10
215	Butane gas, 250gms, Canister	can	20
216	Soldering Paste	piece	2
217	Soldering Lead, 1mm, Good quality, 60% tin and 40% lead, melting point 190oC	spool	3
218	Paint Thinner, Lacquer , Premium Quality	btl	10
219	Formica sheets, (White), 4' x 8', Good Quality	sheet	1

		1	1
	Wire, Audio Speaker, AWG 18,		
220	Color coded two insulated copper	roll	1
	wires Heavy Duty Durable		
224	Waterproof		4
221	Pipe, PE 80, 1"Ø, (100m/spool)	pcs	4
	Chainsaw 11.5" attachment for 4"		
	angle grinder, Attachment		
	includes: Heavy duty and durable 11.5" chain saw Heavy duty blade		
222	protection Safety grip Heavy duty	pcs	1
	and durable chain blade cover		
	Heavy duty and durable guide bar		
	adapter		
222	Nails, Common Wire, 2", Smooth	Lal	2
223	Shank	kl	2
	Industrial Hand Gloves, Denim		
224	(maong type), Medium, Good	pair	13
	Quality		
225	Welded Wire Mesh/eye 20 count,	roll	6
	0.9mm, 4' x 12 yrd,		
226	Raincoat, Jacket and Pants, Large, Mint Green, Heavy Duty, Good	nair	2
226	Quality	pair	~
	Screened Sand, 5 cu. m. per 1	truck	
227	truck load,	load	1
	Raincoat, Jacket and Pants, Small,		
228	Transparent, Heavy Duty, Good	pair	1
	Quality		
	Rainboots, Size: 8 (Women), Black,		
229	Hi-cut, Seamless injection for good	pair	1
	waterproofing, Premium Quality		
220	Rainboots, Size: 10 (Men), Black,	noir	2
230	Hi-cut, Seamless injection for good waterproofing, Premium Quality	pair	2
	Paint, QDE, Red , Premium Quality		
231	Paint	gallon	2
	Rainboots, Size: 7 (Men), Black, Hi-		
232	cut, Seamless injection for good	pair	5
	waterproofing, Premium Quality		
	Rainboots, Size: 7 (Women), Black,	_	_
233	Hi-cut, Seamless injection for good	pair	2
	waterproofing, Premium Quality		
234	Rainboots, Size: 8 (Men), Black, Hicut, Seamless injection for good	pair	5
234	waterproofing, Premium Quality	Pail	
	Angle Grinder 4"Ø, Cordless,		
	(Rechargeable), Rechargeable		
	Lithium-Ion Battery, Heavy Duty		
235	and Durable Brushless DC motor,	set	1
200	Wheel Diameter: 100mm (4"), No	301	· '
	speed load: at least 8,500 rpm,		
	Dimension (mm): at least 362 x 117 x 146		
	Bench Grinder, 5"Ø, Heavy Duty,		
	Durable, Rated Power: at least180 Watts or 1/4Hp, Speed: at least		
236	2950 rpm, Frequency: 60hz, Rated	unit	1
	Voltage: 220v, Grinder Wheel,		
	Dimension: at least 125mm x16mm		
	l	1	<u> </u>

	x 12.7mm, 5" Inches			
237	Metal Blade for Grass Cutter	pcs	3	

Section VII. Technical Specifications

# **Technical Specifications**

Item No.	Item Description and Specifications	STATEMENT OF COMPLIANCE
1	1.20m Aluminum Mosquito Screen, US	
2	1.20m Wire Mesh 1/4", aluminum	[Bidders must state here either "Comply"
3	1.5mm x 2"x 2"x 6 meter B.I. Pipe	or "Not Comply" against each of the
4	1/2" x 4' x 8' Marine Plywood	individual parameters of each
5	1/4" x 4" x 4" x 6 meters angle bars	Specification stating the corresponding
6	1/4" x 4' x 8' Marine Plywood	<ul><li>performance parameter of the equipment</li><li>offered. Statements of "Comply" or "Not</li></ul>
7	1/8" x 1" x 6 meters Flat bars	Comply" must be supported by evidence in
8	10mm dia x 6 meter def bars	a Bidders Bid and cross-referenced to that
9	12mm dia x 6meter def bars	evidence. Evidence shall be in the form of
10	2" x 6" x 12' coco lumber	manufacturer's un-amended sales
11	2" x 6" x 12' Lauan lumber	literature, unconditional statements of
12	3/4" x 4' x 8' Marine Plywood	specification and compliance issued by the
13	Acrytex Cast	manufacturer, samples, independent test data etc., as appropriate. A statement that
14	Bidet spray toilet bidet rinse set, Heavy Duty	is not supported by evidence or is
15	Bulb Socket, Porcelain	subsequently found to be contradicted by
	■at least 3 inches diameter; Standard size; ISO Certified and Good Quality;	the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement
16	Bulb Socket, PVC	of compliance or the supporting evidence
	■Standard size, round, ISO Certified and Good Quality;	that is found to be false either during Bid evaluation, post-qualification or the
17	Bulb, Incandescent, 50 watts	execution of the Contract may be regarded
18	Bulb, LED, 15W	as fraudulent and render the Bidder or
	■Wattage: 15 Watts	supplier liable for prosecution subject to
	■Lumens: 1521	the applicable laws and issuances.]
	■Color Temp. : Daylight	
	■Beam Angle: 200 degrees	
	■Voltage: 170-240 V AC 50/60Hz	
	■Bulb Holder: E27	
	■Life Hours: 15,000 hrs.	
	■Material: PC cover & Aluminum PCB	
19	Bulb, LED, 20 Watts	
	■Up to 80% energy savings,	
	<b>⊚</b> Eco-friendly,	
	<b>■</b> Color Temp. : Daylight	
	■No UV radiation,	
	■No mercury,	
	■Wattage: 20 Watts,	
	<b>©</b> Color Temperature: 6500K,	
	■Daylight Brightness: at least 1800 Lumens	

	1	
	Base: E27,	
	■Lifetime: at least 30,000 hours,	
	■Power Input: 220-240Vac, 50/60Hz	
20	Bulb, LED, 9W	
21	Cement, Portland	
	■Type 1P, Premium Quality	
22	Cut Off Blade 14"	
23	Cut-off Machine, 14"Ø (355 mm)	
	Cut-off Machine, 14"Ø (355 mm)	
	■Rating Input: at least 2,200 Watts	
	⊚Durable, Heavy Duty	
	■Blade Diameter: 14" (355mm)	
	■Compatible cutting for wood and metal and stone	
	■No-Load Speed: at least 3,800 rpm	
24	Cutting Disc (100x1.2x16mm) cutting for G.I Pipe	
25	Door Knob	
	■Interior Type Cylindrical Door Knob Lockset, Good Quality	
26	Door Knobs, Good Quality	
27	Electrical Circuit Breaker, 100A, 2-Pole(Plug-in)	
	■Heavy Duty and Good qualityDurable220- 240V	
28	Electrical Circuit Breaker, 30A, (Box type)	
	■Heavy Duty and Good qualityDurable220- 240V	
29	Electrical PVC Clip, 3/4", High quality PVC	
30	Electrical Tape, Vinyl	
	■Flame retardant and compatible with plastic cable and wire harness insulations	
	■Flexible PVC with aggressive rubber adhesive	
	■Primary electrical insulation for all wire and cable splices rated up to 600 volts.	
	■19mm x 16m x 0.155mm	
	Duty	
	■ASTM approved	
31	Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box	
	■Building WireStranded with Nylon InsulationGauge 10UL listed	
32	Electrical, 3 gang universal outlet with ground, (surface type)	
	<b>■</b> 10A	
	I and the second	1

1		T
	■Heavy Duty	
	<b>■</b> Durable	
33	Electrical, male plug, 3 pin	
	■Heavy Duty	
	■Good Quality	
34	Epoxy, A & B (Liter/set)	
	■All Purpose Structural Adhesive, Premium Grade	
35	Extension Hanging Cord Cable with button on/off switch	
	■Max Wattage: 360W	
	■Voltage: 220V-240V	
	■Material: Flame resistant materials	
	■Plug: 2 prongs	
	■Switch: On/Off button	
	■Socket: E26/E27	
	■Color: White	
	■Total Length: at least 15ft	
	<b>⊚</b> UL listed	
	■Heavy duty	
	<b>■</b> Durable	
36	Faucet, (PVC) Ball Valve, Durable, Good Quality	
37	Fluorescent Lamp tube (40 watts)	
38	Fluorescent Starter, 40 watts	
39	Fluorescent Tube, 40 watts	
40	Formica Top	
41	Garden Hose Nozzle Spray, Heavy Duty, Good Quality	
42	Grass cutter	
	■Engine: 4 stroke engine	
	■Handle type: both hands	
	■Power transmission method: automatic centrifugal clutch, spiral gear	
	■Displacement Volume (cc): 41.5	
	■Carburetor: Float, piston valve	
	■Starting Method: Recoil starter	
	■Stopping Method: Sparking Circuit Primary Short	
	■Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)	
	■Lubricating Oil Used: 2-cycle engine oil	
	■Fuel Tank Capacity (L): 1	
43	Grasscutter Blade (305MMx1.6MMx25.4MMx2T)	
44	Gravel 3/4 Crushed	

46 concrete plywood Lite 4' x 8' x 3/16  47 Hinges 1-1/2  48 Hose, Garden, 5/8"Ø, Good Quality  49 Industrial Hand Gloves, Denim (maong type), Large, Good Quality  50 Industrial Hand Gloves, Denim (maong type), Medium, Good Quality  51 Knife, 6", Stainless Steel  Brigh quality stainless Steel  Brigh quality stainless steel, Non slip plastic handle, Durable  52 Ladder, 4 step folding aluminum  Brigh folding aluminum  Brigh handrail work platform tool 330lb  Brigheavy duty w/ hand grip  53 Ladder, Extension, Aluminum, Sliding, 16' extension  54 LED Bulb 12 watts  55 Nails 1", Common  56 Nails 1-1/2", Finishing  57 Nails 2", Common  58 Nails 2", Finishing  59 Nails 4", Common
Hose, Garden, 5/8"Ø, Good Quality  Industrial Hand Gloves, Denim (maong type), Large, Good Quality  Industrial Hand Gloves, Denim (maong type), Medium, Good Quality  Knife, 6", Stainless Steel  High quality stainless Steel, Non slip plastic handle, Durable  Ladder, 4 step folding aluminum  Multi-purpose extension ladders  Industrial Hand Gloves, Denim (maong type), Medium, Good Quality  Ladder, 4 step folding aluminum  Multi-purpose extension slip plastic handlers  Industrial Hand Gloves, Denim (maong type)  Ladder, 4 step folding aluminum  Multi-purpose extension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 4 step folding aluminum  Multi-purpose extension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 4 step folding aluminum  Multi-purpose extension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 4 step folding aluminum  Multi-purpose extension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Ladder, 5 tension ladders  Industrial Hand Gloves, Denim (maong type)  Industrial Hand Gloves, Denim (maong type)  Ladder, 6 tension ladders  Industrial Hand Gloves, Denim (maong type)  Industrial
Industrial Hand Gloves, Denim (maong type), Large, Good Quality  Industrial Hand Gloves, Denim (maong type), Medium, Good Quality  Knife, 6", Stainless Steel  High quality stainless steel, Non slip plastic handle, Durable  Ladder, 4 step folding aluminum  Multi-purpose extension ladders  Inon slip handrail work platform tool 330lb  heavy duty w/ hand grip  Ladder, Extension, Aluminum, Sliding, 16' extension  LED Bulb 12 watts  Nails 1", Common  Nails 2", Finishing  Nails 2", Finishing
type), Large, Good Quality  Industrial Hand Gloves, Denim (maong type), Medium, Good Quality  Knife, 6", Stainless Steel  High quality stainless steel, Non slip plastic handle, Durable  Ladder, 4 step folding aluminum  A step folding aluminum  Multi-purpose extension ladders  non slip handrail work platform tool 330lb  heavy duty w/ hand grip  Ladder, Extension, Aluminum, Sliding, 16' extension  LED Bulb 12 watts  Nails 1", Common  Nails 2", Finishing  Nails 2", Finishing
type), Medium, Good Quality  Knife, 6", Stainless Steel  High quality stainless steel, Non slip plastic handle, Durable  Ladder, 4 step folding aluminum  A step folding aluminum  Multi-purpose extension ladders  non slip handrail work platform tool 330lb  heavy duty w/ hand grip  Ladder, Extension, Aluminum, Sliding, 16' extension  LED Bulb 12 watts  Nails 1", Common  Nails 1-1/2", Finishing  Nails 2", Common
BHigh quality stainless steel, Non slip plastic handle, Durable  52 Ladder, 4 step folding aluminum  B4 step folding aluminum  Multi-purpose extension ladders  Bnon slip handrail work platform tool 330lb  Bheavy duty w/ hand grip  53 Ladder, Extension, Aluminum, Sliding, 16' extension  54 LED Bulb 12 watts  55 Nails 1", Common  56 Nails 1-1/2", Finishing  57 Nails 2", Common  58 Nails 2", Finishing
handle, Durable  52 Ladder, 4 step folding aluminum  B4 step folding aluminum  BMulti-purpose extension ladders  Bnon slip handrail work platform tool 330lb  Bheavy duty w/ hand grip  53 Ladder, Extension, Aluminum, Sliding, 16' extension  54 LED Bulb 12 watts  55 Nails 1", Common  56 Nails 1-1/2", Finishing  57 Nails 2", Common  58 Nails 2", Finishing
<ul> <li>a4 step folding aluminum</li> <li>Multi-purpose extension ladders</li> <li>non slip handrail work platform tool 330lb</li> <li>heavy duty w/ hand grip</li> <li>Ladder, Extension, Aluminum, Sliding, 16' extension</li> <li>LED Bulb 12 watts</li> <li>Nails 1", Common</li> <li>Nails 1-1/2", Finishing</li> <li>Nails 2", Common</li> <li>Nails 2", Finishing</li> </ul>
<ul> <li>Multi-purpose extension ladders</li> <li>non slip handrail work platform tool 330lb</li> <li>heavy duty w/ hand grip</li> <li>Ladder, Extension, Aluminum, Sliding, 16' extension</li> <li>LED Bulb 12 watts</li> <li>Nails 1", Common</li> <li>Nails 1-1/2", Finishing</li> <li>Nails 2", Common</li> <li>Nails 2", Finishing</li> </ul>
<ul> <li>Sanon slip handrail work platform tool 330lb</li> <li>Sale avy duty w/ hand grip</li> <li>Ladder, Extension, Aluminum, Sliding, 16' extension</li> <li>LED Bulb 12 watts</li> <li>Nails 1", Common</li> <li>Nails 1-1/2", Finishing</li> <li>Nails 2", Common</li> <li>Nails 2", Finishing</li> </ul>
<ul> <li>Sheavy duty w/ hand grip</li> <li>Ladder, Extension, Aluminum, Sliding, 16' extension</li> <li>LED Bulb 12 watts</li> <li>Nails 1", Common</li> <li>Nails 1-1/2", Finishing</li> <li>Nails 2", Common</li> <li>Nails 2", Finishing</li> </ul>
Ladder, Extension, Aluminum, Sliding, 16' extension  LED Bulb 12 watts  Nails 1", Common  Nails 1-1/2", Finishing  Nails 2", Common  Nails 2", Finishing
extension  54 LED Bulb 12 watts  55 Nails 1", Common  56 Nails 1-1/2", Finishing  57 Nails 2", Common  58 Nails 2", Finishing
<ul> <li>55 Nails 1", Common</li> <li>56 Nails 1-1/2", Finishing</li> <li>57 Nails 2", Common</li> <li>58 Nails 2", Finishing</li> </ul>
<ul> <li>56 Nails 1-1/2", Finishing</li> <li>57 Nails 2", Common</li> <li>58 Nails 2", Finishing</li> </ul>
57 Nails 2", Common 58 Nails 2", Finishing
58 Nails 2", Finishing
59 Nails 4" Common
33 Italia + , Collinion
60 Nails, Common Nails #4
61 Nails, Concrete Nails #4
62 Nylon Line (Monoline) #300, Good Quality
63 Padlock, 60mm, Heavy Duty, Durable, Good Quality
64 Paint Brush 4"
Paint Brush, Lettering, 1/2", Camel's Hair, Good Quality
Paint Brush, Lettering, 1/4", Camel's Hair, Good Quality
67 Paint Thinner
68 Paint Thinner, Premium Quality
69 Paint, Flat Latex, Good Quality
70 Paint, Flatwall Enamel, Good Quality
71 Paint, QDE, White, Premium Quality Paint
72 Paint, Quick Dry Enamel, Good Quality (white)
73 Paint, Red Oxide, Primer
74 Paint, Red Oxide Primer, Good Quality
Paint, Roof, White , Premium Quality Paint, 4 gallons per pail
Paint, Semi Gloss Latex, Good Quality (white)
77 Plywood, Marine, 1/4"(thickness) x 4' x 8'

	■Standard, Good Quality	
78	Plywood, Marine, 3/4"(thickness) x 4' x 8'	
70	■Standard, Good Quality	
	Polycarbonate sheet, Embosed &	
79	Corrugated sheets White	
80	Polyurethane Top Coat	
81	Rainboots, Size: 7 (Men), Black	
	■Hi-cut, Seamless injection for good waterproofing, Premium Quality	
82	Rainboots, Size: 7 (Women), Black	
	■Hi-cut, Seamless injection for good waterproofing, Premium Quality	
83	Rainboots, Size: 8 (Men), Black	
	■Hi-cut, Seamless injection for good waterproofing, Premium Quality	
84	Rainboots, Size: 8 (Women), Black	
	■Hi-cut, Seamless injection for good waterproofing, Premium Quality	
85	Rainboots, Size: 9 (Men), Black	
	■Hi-cut, Seamless injection for good	
	waterproofing, Premium Quality	
86	Raincoat, Jacket and Pants, Medium, Transparent	
07	■Heavy Duty, Good Quality	
87	Raincoat, Poncho Type, Medium, Brown	
00	Ballar Break Off with heading	
88	Roller Brush 9" with handle	
89	Roof Sealant, All-Purpose, 1/2L/can	
90	■Premium Quality  Rope,Nylon, #3 (1.5mm)	
90	■Twisted 3 Strand, Good Quality	
91	Cord, #10/3 (5.5mm x 3 c)	
91	©Cord 10/3 (5.5mmx3c)	
	■Electrical stranded copper wires	
	©Electrical Wire: 60 meters	
92	Rubber Cement	
93	Washed Sand	
94	Sanding Sealer	
	Sharpening Stone, 8" Dual Grit	
95	Combination	
96	Sharpening Stone, Silicon Carbide(Carborundum), 6"	
	■Premium Grade, 6" x 2" x 1.2"	
97	Soldering Lead, 1mm	
	■Good quality, 60% tin and 40% lead, melting point 190oC	

98	Spade Shovel, flat end
99	Stand Fan, 405 mm diameter, 220 volts
	■Durable High-performance motor
	■3-speed push button switch
	■Thermal fuse protection
	■Oscillation
	■With height adjustment
100	Texcrew Metal 1-1/2"
101	Tie Wire # 16 G.I. construction
102	Tile Adhesive, Heavy Duty
103	Tiles 0.60m x 0.60m (white)
104	Tinting Color, Raw Sienna Latex
105	U-Nails 40mm
106	Universal Coax Compression Crimping Tools
	■Universal durable Coax Compression Crimper Tool
	■BNC/RCA/F Crimp Connector
	■RG59/58/6 Cable Wire
	■Cutter adjustable Crimping Plier tools
	■Length: approx. 225mm Adjustable Max. 10mm
	<b>■</b> Crimp range: RG59, 58, 6 (3C, 4C, 5C) /F, BNC, RCA
	■Side Cutter for coaxial cable
	■coaxial cable prep tool
107	Varnish, plastic, natural, Premium Quality
108	Weighing Scale, Top Loading Dial Scale, (20 kg)
	■Hi-strength flat plate top loading, Spring loaded Dial Scale, Durable, Good Quality
109	Welding Rod 2.5mm
110	Welding Rod, 3.2mm (1/8)
111	Tubular Steel (Square), 1/4"(thickness) x 1" x 1" x 20', standard
	■Square Tube Dimension: 1" x 1" x 1/4"
112	Angle Grinder 4"Ø, Grinding Wheel
- <del>-</del>	■General Purpose Angle Grinder Wheel
	(Rough) for Steel
	■Unthreaded Arbor Hole
	■4" Diameter
	■1/4" Thick
	■Heavy Duty
	<b>■</b> Durable
113	Welding Rod, E-6013, 3/32", (20kg/box)
	■Premium Quality
114	SERVICE ENTRANCE AND PANEL BOARDS

	■Main Distribution Panel (flush type)
	■3 phase
	■bolt-on type with cooper busbar in Nema 3R enclosure
	■5 holes
	<b>◄</b> Consist of the following:
	■Center Main: 300AT300AF, 3P, 25 KAIC @ 240V, MCCB
	<b>⊲</b> Branches:
	■2 - 100AT/100AF, 3P, 18KAIC, MCCB
	■1 - 100AT/150AF, 3P, 18KAIC, MCCB
	■1 - 100AT/200AF, 3P, 18KAIC, MCCB
115	Panel Board "P-2" (flush type)
	■3 phase
	■bolt-on type with cooper busbar in Nema 3R enclosure
	■25 holes
	<b>◄</b> Consist of the following:
	■Center Main: 200AT/200AF, 3P, 18KAIC @ 240V, MCCB
	<b>◄</b> Branches:
	■17=-30AT/30AF, 2P, MCCB
	■5=-40AT/30AF, 2P, MCCB
116	Panel Board "P-3" (flush type)
	■3 phase
	■bolt-on type with cooper busbar in Nema 3R enclosure
	■25 holes
	<b>◄</b> Consist of the following:
	©Center Main: 100AT/100AF, 3P, 18 KAIC @ 240V, MCCB
	■Branches:
	<b>■</b> 4-20AT/30AF, 2P, MCCB
	■6-30AT/30AF, 2P, MCCB
	■2-40AT/30AF, 2P, MCCB
117	60 mm ² THHN/THW stranded wire (LOT)
118	100 mm² THHN/THW stranded wire
119	38 mm² THHN/THW stranded wire
120	5.5 mm² THHN/THW stranded wire
121	2.0 mm² THHN/THW stranded wire
122	30 mm² THHN/THW (GREEN) stranded wire
123	22 mm² THHN/THW (GREEN) stranded wire
	22 mm Timily Tim (ONLLIN) stranded wife
124	14 mm² THHN/THW (GREEN) stranded wire
124 125	' '
	14 mm² THHN/THW (GREEN) stranded wire 3.5 mm² THHN/THW (GREEN) stranded
125	14 mm² THHN/THW (GREEN) stranded wire 3.5 mm² THHN/THW (GREEN) stranded wire

420	
129	Fire Alarm push button switch
130	Smoke Detectors
131	ELECTRICAL ROUGH INS (LOT)
132	63 mm. dia. Conduit (Electrical PVC) with coupling
133	50 mm. dia. Conduit (Electrical PVC) with coupling
134	40 mm. dia. Conduit (Electrical PVC) with coupling
135	20 mm. dia. Conduit (Electrical PVC)
136	Utility Box
137	Octagonal box with cover
138	63 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)
139	50 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)
140	40 mm. dia. (Electrical PVC) 90 Elbow (Long sweep)
141	PVC Solvent
142	Feeder Line raceway support
143	Electrical Tape (Rubber)
	≪Specification:
	■rubber, 0.8 x 19mm x 8m any color
144	Electrical, Photocell Control Switch, Electric 10A, 230V
	■Streetlight, Auto on/off sensor switch, Durable, Heavy Duty, Good Quality
145	Hose, Garden, 5/8"Ø
	■Rubber Material, Premium Grade
146	Machine bolt, Hex Head 5/8" x 12" length with plain washer and nut
147	Paint Brush, Lettering, 1"
147	Paint Brush, Lettering, 1"  Camel's hair, Good Quality
147	Camel's hair, Good Quality
	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)
	Camel's hair, Good Quality
148	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing
148	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V
148 149 150	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V  2 HP water self priming pump, 60m head
148 149 150 151	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  ■Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V  2 HP water self priming pump, 60m head  2" x 6" x 12' Good Lumber  Angle Bar, stainless steel, 3/16 x 1" x 1" x
148 149 150 151 152	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  ■Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V  2 HP water self priming pump, 60m head  2" x 6" x 12' Good Lumber  Angle Bar, stainless steel, 3/16 x 1" x 1" x 20'
148 149 150 151 152 153	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  ■Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V  2 HP water self priming pump, 60m head  2" x 6" x 12' Good Lumber  Angle Bar, stainless steel, 3/16 x 1" x 1" x 20'  Carbon Brush, #441
148 149 150 151 152 153 154	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  ■Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V  2 HP water self priming pump, 60m head 2" x 6" x 12' Good Lumber  Angle Bar, stainless steel, 3/16 x 1" x 1" x 20'  Carbon Brush, #441  Coarsed Sand (River)  C-Purlins, 2.0 mm x 2" x 4" x 20 feet
148 149 150 151 152 153 154 155	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  ■Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V  2 HP water self priming pump, 60m head  2" x 6" x 12' Good Lumber  Angle Bar, stainless steel, 3/16 x 1" x 1" x 20'  Carbon Brush, #441  Coarsed Sand (River)
148 149 150 151 152 153 154 155 156	Camel's hair, Good Quality  Rope, Nylon, #56 (28mm)  ■Twisted 3 Strand, Good Quality  Lamp Fluorescent 28W, double surface type T5, electronic Ballast, metal casing with louver and reflector, 220V  2 HP water self priming pump, 60m head  2" x 6" x 12' Good Lumber  Angle Bar, stainless steel, 3/16 x 1" x 1" x 20'  Carbon Brush, #441  Coarsed Sand (River)  C-Purlins, 2.0 mm x 2" x 4" x 20 feet  Flat bar, stainless, 3" x 3/16" x 20'  Industrial Imaging Infrared Thermometer

Maximum Temperature Measurement: +380°C Temperature Scale: Centigrade/Fahrenheit Accuracy: + 1.5% Minimum Temperature Measurement: -25°C Emissivity: 0.1-0.99 Resolution: 0.1°C  158 Resolution: 0.1°C Perforated Sheet, 304 stainless 1cm Holes, 4x8, 1.2mm 159 PHASE ROTATION INDICATOR 3 fused test probes, 1000 ∨ CAT III 3 Alligator clip, 1000 ∨ CAT III/600∨ CAT IV LCD Display Current Consumption 1 m A Max. Frequency - 400 Hz Max. Voltage - 700∨ Min. Voltage - 40∨ Safety Category Voltage: 300∨-600∨ Temperature Range: 0°C-40°C Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1 1/4" x 1 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20' 162 Sand, screen 163 Shafting, stainless steel; 1"Ø x 10' 164 Stainless steel tube pipe, 1/4" ID x 10' 165 Tee, PVC 4" x 2", sch. 40 166 TRUE-RMS CLAMP METER Specification: Max. AC/DC Voltage: 1000∨ AC/DC Measurement Resolution: 0.1 A Battery Type: AA Temperature Range: 10°-50°C Clamp Meter Type: AC/DC clamp meter 167 Welding handle, (300A) Aluminum come along clamp conductor grip -70mm 169 Clear type water stop sealant per tube 170 Metal Cut-off Saw 2400W, Heavy Duty ▶ Cutting disc diameter: 355mm ▶ Cutting capacity at rectangle 0°: 100 x 196mm ▶ Cutting capacity at rectangle 0°: 100 x 196mm ▶ Cutting capacity at square 0°: 119 x 119mm ▶ Cutting capacity at square 0°: 119 x 119mm ▶ Cutting capacity at L-profile 0°: 130 x 130mm			
Accuracy: + 1.5%  Minimum Temperature Measurement: -25°C  Emissivity: 0.1-0.99  Resolution: 0.1°C  158  Perforated Sheet, 304 stainless 1cm Holes, 4x8, 1.2mm  159  PHASE ROTATION INDICATOR  3 fused test probes, 1000 V CAT III  3 Alligator clip, 1000 V CAT III/600V CAT IV  LCD Display  Current Consumption 1 m A  Max. Frequency - 400 Hz  Max. Voltage - 700V  Min. Voltage - 40V  Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  160  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  161  Stainless Steel Flat bar, 1" x 1/8" x 20'  162  Sand, screen  163  Shafting, stainless steel; 1"Ø x 10'  165  Tee, PVC 4" x 2", sch. 40  166  TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167  Welding handle, (300A)  Aluminum come along clamp conductor grip -70mm  P Cutting disc diameter: 355mm  P Cutting disc diameter: 355mm  P Cutting capacity at rectangle 0°: 100 x 196mm  P Cutting capacity at rectangle 0°: 100 x 199mm  P Cutting capacity at square 0°: 119 x 119mm  P Cutting capacity at square 0°: 119 x 119mm  P Cutting capacity at L-profile 0°: 130 x		· · · · · · · · · · · · · · · · · · ·	
Minimum Temperature Measurement: -25°C Emissivity: 0.1-0.99 Resolution: 0.1°C  158 Perforated Sheet, 304 stainless 1cm Holes, 4x8, 1.2mm  159 PHASE ROTATION INDICATOR 3 fused test probes, 1000 V CAT III 3 Alligator clip, 1000 V CAT III/600V CAT IV LCD Display Current Consumption 1 m A Max. Frequency - 400 Hz Max. Voltage - 700V Min. Voltage - 700V Min. Voltage - 40V Safety Category Voltage: 300V-600V Temperature Range: 0°C-40°C Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20' 162 Sand, screen 163 Shafting, stainless steel; 1"Ø x 10' 164 Stainless steel tube pipe, 1/4" ID x 10' 165 Tee, PVC 4" x 2", sch. 40 166 TRUE-RMS CLAMP METER Specification: Max. AC/DC Current: 999.9-A Max. AC/DC Woltage: 1000V AC/DC Measurement Resolution: 0.1 A Battery Type: AA Temperature Range: 10°-50°C Clamp Meter Type: AC/DC clamp meter 167 Welding handle, (300A) Aluminum come along clamp conductor grip -70mm 169 Clear type water stop sealant per tube 170 Metal Cut-off Saw 2400W, Heavy Duty ▶ Cutting disc diameter: 355mm ▶ Cutting capacity at rectangle 0°: 100 x 196mm ▶ Cutting capacity at rectangle 0°: 100 x 199mm ▶ Cutting capacity at square 0°: 119 x 119mm ▶ Cutting capacity at square 0°: 119 x 119mm ▶ Cutting capacity at square 0°: 110 x 119mm		Temperature Scale: Centigrade/Fahrenheit	
Emissivity: 0.1-0.99  Resolution: 0.1°C  158 Perforated Sheet, 304 stainless 1cm Holes, 4x8, 1.2mm  159 PHASE ROTATION INDICATOR  3 fused test probes, 1000 V CAT III  3 Alligator clip, 1000 V CAT IIII  3 Alligator clip, 1000 V CAT IIII  4 Max. Frequency - 400 Hz  5 Max. Voltage - 700V  5 Min. Voltage - 40V  5 Safety Category Voltage: 300V-600V  7 Temperature Range: 0°C-40°C  5 Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x		Accuracy: + 1.5%	
Resolution: 0.1°C  Perforated Sheet, 304 stainless 1cm Holes, 4x8, 1.2mm  159 PHASE ROTATION INDICATOR  3 fused test probes, 1000 ∨ CAT IIII  3 Alligator clip, 1000 ∨ CAT IIII/600∨ CAT IV  LCD Display  Current Consumption 1 m A  Max. Frequency - 400 Hz  Max. Voltage - 700∨  Min. Voltage - 40∨  Safety Category Voltage: 300∨-600∨  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20¹  161 Stainless Steel Flat bar, 1" x 1/8" x 20¹  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10¹  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000∨  AC/DC Measurement Resolution: 0.I A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x		Minimum Temperature Measurement: -25°C	
158   Perforated Sheet, 304 stainless 1cm   Holes, 4x8, 1.2mm   159   PHASE ROTATION INDICATOR   3 fused test probes, 1000 ∨ CAT III   3 Alligator clip, 1000 ∨ CAT III/600∨ CAT IV   LCD Display   Current Consumption 1 m A   Max. Frequency - 400 Hz   Max. Voltage - 700∨   Min. Voltage - 40∨   Safety Category Voltage: 300∨-600∨   Temperature Range: 0°C-40°C   Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'   160   Stainless Steel Flat bar, 1" x 1/8" x 20'   161   Stainless Steel Flat bar, 1" x 1/8" x 20'   162   Sand, screen   163   Shafting, stainless steel; 1"Ø x 10'   164   Stainless steel tube pipe, 1/4" ID x 10'   165   Tee, PVC 4" x 2", sch. 40   166   TRUE-RMS CLAMP METER   Specification:   Max. AC/DC Current: 999.9-A   Max. AC/DC Voltage: 1000∨   AC/DC Measurement Resolution: 0.I A   Battery Type: AA   Temperature Range: 10°-50°C   Clamp Meter Type: AC/DC clamp meter   167   Welding handle, (300A)   168   grip -70mm   169   Clear type water stop sealant per tube   170   Metal Cut-off Saw 2400W, Heavy Duty    ► Cutting disc diameter: 355mm    ► Cutting capacity at rectangle 0°: 100 x 196mm    ► Cutting capacity at square 0°: 119 x 119mm    ► Cutting capacity at square 0°: 119 x 119mm    ► Cutting capacity at L-profile 0°: 130 x		Emissivity: 0.1-0.99	
Holes, 4x8, 1.2mm  159 PHASE ROTATION INDICATOR  3 fused test probes, 1000 ∨ CAT IIII  3 Alligator clip, 1000 ∨ CAT IIII/600∨ CAT IV  LCD Display  Current Consumption 1 m A  Max. Frequency - 400 Hz  Max. Voltage - 700∨  Min. Voltage - 40∨  Safety Category Voltage: 300∨-600∨  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20¹  160 Stainless Steel Flat bar, 1" x 1/8" x 20¹  161 Stainless Steel Flat bar, 1" x 1/8" x 20¹  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10¹  164 Stainless steel tube pipe, 1/4" ID x 10¹  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Woltage: 1000∨  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x			
159 PHASE ROTATION INDICATOR  3 fused test probes, 1000 V CAT III  3 Alligator clip, 1000 V CAT III/600V CAT IV  LCD Display  Current Consumption 1 m A  Max. Frequency - 400 Hz  Max. Voltage - 700V  Min. Voltage - 40V  Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  160 Stainless Steel Flat bar, 1" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  Cutting disc diameter: 355mm  Cutting disc bore: 25.4mm  No-load speed: 3,800rpm  Cutting capacity at rectangle 0°: 100 x 196mm  Cutting capacity at square 0°: 119 x 119mm  Cutting capacity at square 0°: 119 x 119mm  Cutting capacity at L-profile 0°: 130 x	158		
3 Alligator clip, 1000 V CAT III/600V CAT IV  LCD Display  Current Consumption 1 m A  Max. Frequency - 400 Hz  Max. Voltage - 700V  Min. Voltage - 40V  Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  160 x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x	159		
3 Alligator clip, 1000 V CAT III/600V CAT IV  LCD Display  Current Consumption 1 m A  Max. Frequency - 400 Hz  Max. Voltage - 700V  Min. Voltage - 40V  Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  160 x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x		3 fused test probes, 1000 V CAT III	
Current Consumption 1 m A  Max. Frequency - 400 Hz  Max. Voltage - 700V  Min. Voltage - 40V  Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc diameter: 355mm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x		<del> </del>	
Max. Frequency - 400 Hz  Max. Voltage - 700V  Min. Voltage - 40V  Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  160 Stainless Steel Flat bar, 1" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 130 x		LCD Display	
Max. Voltage - 700V  Min. Voltage - 40V  Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 130 x		Current Consumption 1 m A	
Min. Voltage - 40V  Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  160 Stainless Steel Flat bar, 1" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x		Max. Frequency - 400 Hz	
Safety Category Voltage: 300V-600V  Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x		Max. Voltage - 700V	
Temperature Range: 0°C-40°C  Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x		Min. Voltage - 40V	
Stainless Steel Angle Bar, 1-1/4" x 1 1/4" x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  Cutting disc diameter: 355mm  Cutting disc bore: 25.4mm  No-load speed: 3,800rpm  Cutting capacity at rectangle 0°: 100 x 196mm  Cutting capacity at square 0°: 119 x 119mm  Cutting capacity at L-profile 0°: 130 x		Safety Category Voltage: 300V-600V	
160 x 1/8" x 20'  161 Stainless Steel Flat bar, 1" x 1/8" x 20'  162 Sand, screen  163 Shafting, stainless steel; 1"Ø x 10'  164 Stainless steel tube pipe, 1/4" ID x 10'  165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.I A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x		Temperature Range: 0°C-40°C	
162 Sand, screen 163 Shafting, stainless steel; 1"Ø x 10' 164 Stainless steel tube pipe, 1/4" ID x 10' 165 Tee, PVC 4" x 2", sch. 40 166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x	160		
163 Shafting, stainless steel; 1"Ø x 10' 164 Stainless steel tube pipe, 1/4" ID x 10' 165 Tee, PVC 4" x 2", sch. 40 166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x	161	Stainless Steel Flat bar, 1" x 1/8" x 20'	
164 Stainless steel tube pipe, 1/4" ID x 10' 165 Tee, PVC 4" x 2", sch. 40 166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x	162	Sand, screen	
165 Tee, PVC 4" x 2", sch. 40  166 TRUE-RMS CLAMP METER  Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.I A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x	163	Shafting, stainless steel; 1"Ø x 10'	
Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.I A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x	164	Stainless steel tube pipe, 1/4" ID x 10'	
Specification:  Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.I A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ▶ Cutting disc diameter: 355mm  ▶ Cutting disc bore: 25.4mm  ▶ No-load speed: 3,800rpm  ▶ Cutting capacity at rectangle 0°: 100 x 196mm  ▶ Cutting capacity at square 0°: 119 x 119mm  ▶ Cutting capacity at L-profile 0°: 130 x	165	Tee, PVC 4" x 2", sch. 40	
Max. AC/DC Current: 999.9-A  Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ► Cutting disc diameter: 355mm  ► Cutting disc bore: 25.4mm  ► No-load speed: 3,800rpm  ► Cutting capacity at rectangle 0°: 100 x 196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x	166	TRUE-RMS CLAMP METER	
Max. AC/DC Voltage: 1000V  AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ► Cutting disc diameter: 355mm  ► Cutting disc bore: 25.4mm  ► No-load speed: 3,800rpm  ► Cutting capacity at rectangle 0°: 100 x 196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x		Specification:	
AC/DC Measurement Resolution: 0.1 A  Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ► Cutting disc diameter: 355mm  ► Cutting disc bore: 25.4mm  ► No-load speed: 3,800rpm  ► Cutting capacity at rectangle 0°: 100 x 196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x			
Battery Type: AA  Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ► Cutting disc diameter: 355mm  ► Cutting disc bore: 25.4mm  ► No-load speed: 3,800rpm  ► Cutting capacity at rectangle 0°: 100 x 196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x		Max. AC/DC Voltage: 1000V	
Temperature Range: 10°-50°C  Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ► Cutting disc diameter: 355mm  ► Cutting disc bore: 25.4mm  ► No-load speed: 3,800rpm  ► Cutting capacity at rectangle 0°: 100 x 196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x		AC/DC Measurement Resolution: 0.I A	
Clamp Meter Type: AC/DC clamp meter  167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ► Cutting disc diameter: 355mm  ► Cutting disc bore: 25.4mm  ► No-load speed: 3,800rpm  ► Cutting capacity at rectangle 0°: 100 x 196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x			
167 Welding handle, (300A)  168 Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ► Cutting disc diameter: 355mm  ► Cutting disc bore: 25.4mm  ► No-load speed: 3,800rpm  ► Cutting capacity at rectangle 0°: 100 x 196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x			
Aluminum come along clamp conductor grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty			
grip -70mm  169 Clear type water stop sealant per tube  170 Metal Cut-off Saw 2400W, Heavy Duty  ► Cutting disc diameter: 355mm  ► Cutting disc bore: 25.4mm  ► No-load speed: 3,800rpm  ► Cutting capacity at rectangle 0°: 100 x 196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x	167		
170 Metal Cut-off Saw 2400W, Heavy Duty	168	· · · · · · · · · · · · · · · · · · ·	
<ul> <li>Cutting disc diameter: 355mm</li> <li>Cutting disc bore: 25.4mm</li> <li>No-load speed: 3,800rpm</li> <li>Cutting capacity at rectangle 0°: 100 x 196mm</li> <li>Cutting capacity at square 0°: 119 x 119mm</li> <li>Cutting capacity at L-profile 0°: 130 x</li> </ul>	169	Clear type water stop sealant per tube	
<ul> <li>Cutting disc bore: 25.4mm</li> <li>No-load speed: 3,800rpm</li> <li>Cutting capacity at rectangle 0°: 100 x 196mm</li> <li>Cutting capacity at square 0°: 119 x 119mm</li> <li>Cutting capacity at L-profile 0°: 130 x</li> </ul>	170	Metal Cut-off Saw 2400W, Heavy Duty	
► No-load speed: 3,800rpm  Cutting capacity at rectangle 0°: 100 x 196mm  Cutting capacity at square 0°: 119 x 119mm  Cutting capacity at L-profile 0°: 130 x		► Cutting disc diameter: 355mm	
<ul> <li>Cutting capacity at rectangle 0°: 100 x</li> <li>196mm</li> <li>Cutting capacity at square 0°: 119 x</li> <li>119mm</li> <li>Cutting capacity at L-profile 0°: 130 x</li> </ul>		► Cutting disc bore: 25.4mm	
196mm  ► Cutting capacity at square 0°: 119 x 119mm  ► Cutting capacity at L-profile 0°: 130 x			
119mm  ► Cutting capacity at L-profile 0°: 130 x		196mm	
		119mm	

	► Cutting capacity at rectangle 45° mitre: 107 x 115mm
	► Cutting capacity at square 45° mitre: 110 x
	110mm  ► Cutting capacity at L-profile 45° mitre: 115
	x 115: mm
	► Tool dimensions (width x length x height):
	256 x 520 x 400mm
	► Rated input power: 2,400WFEATURES:
	► Heavy-duty meets durability
	► High overload capacity for the toughest of
	applications  ► Increased usage of cutting disc by 20%
171	G.I. Gate Valve, 2"Ø
171	Grinder 4" with chainsaw stand
172	Hand hammer drill w/ hard case & bits
174	Lever block 1.5 tons, Ratchet  Vacuum Cleaner wet/dry 3 gallons heavy
175	duty
176	Blade for Grass Cutter
177	Padlock, at least 50mm, Heavy Duty,
178	Durable Screened Sand
	Pipe Fittings, (PPR) Male Threaded
179	Plug,1"Ø,
180	Pipe Fittings, (PPR) Male Threaded Plug,
	3/4"Ø Pipe Fittings, (PPR) Male Threaded
181	Plug,1/2"Ø
182	Paint, Roof, White, Premium Quality
183	Paint, Latex, Semi-Gloss, White, Premium
	Quality Hose, Rubber, 1/2"Ø, Durable, Good
184	Quality 9, Burable, 3000
185	Nails, Finishing, 2", Smooth Shank
186	Paint, QDE, Semi-Gloss, White , Premium
	Quality Raincoat, Poncho Type, Medium, Brown,
187	Heavy Duty, Good Quality
100	Sheets, (G.I.) Corrugated, Gauge 26
188	(0.40mm) 4' x 10', Standard, Good Quality
189	Glass Mirror, 1/4" (thick) x 12" x 24",
	Good Quality  Extension Ladder, Fiber Glass, 21', Load
190	Capacity: at least 300 lbs, Reaches from 8
	ft to an extendable length of 13 ft
	Self-levelling 2-way swivel safety shoes
	Main Material: Fiberglass
	Dimension: at least 268 x 47 x 17, cm
	Weight: at least 16.5 kg
191	Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x
131	8', Standard, Good Quality

192	Stock & Die 3/4" Pipe Threader, Ratchet type, Stock; Die 3/4" Pipe Threader, Ratchet type;
193	Pipe, (PVC), 3/4" x 20', Sched 40, Durable, Good Quality
194	Pipe, (PVC), 1/2" x 20', Sched 40, Durable, Good Quality
195	Pipe Fittings, (PVC) Elbow, 45 deg x 1-1/2"Ø, Heavy Duty, Good Quality
196	Pipe Fittings, (PVC) Elbow, 45 deg x 2"Ø, Heavy Duty, Good Quality
197	Pipe Fittings, (PVC) Elbow, 45 deg x 1/2"Ø, Heavy Duty, Good Quality
198	Pipe Fittings, (PVC) Elbow, 45 deg x 3/4", Heavy Duty, Good Quality
199	Rubber/Contact Cementr, Premium Quality
200	Solvent Cement, (PVC) , 400cc/can, Premium Quality
201	Paint Thinner, Lacquer , Premium Quality
202	Washer, Plain, 3/8"Ø, Cast Iron Material Housing, Corrosion Resistant, Self- Priming Pump, Discharge Pipe Size: 3", Height: 17.5", Maximum Discharge: 25'
203	Stove bolt & Nut, 3/16 x 11, 100pcs/box,
204	Paint Brush, Roller with handle, 7", Durable, Good Quality
205	Paint, Metal Primer, Red Oxide, Premium Quality
206	Sand, Washed, (3 cu.m.)
207	Evaporative Cooling Pad, 1. Corrugated paper with the spatial crossing-link technology, ensuring high-absorb ability.  2. High-water resistance, economic and durable; 3. Low energy consumption, just one-tenth of traditional air conditioner. 4. Environment-friendly.; 5. Dimension: 1500*300*100mm; 6. Color: brown, green; 7. Good quality;
208	Ladder, Extension, Aluminum, Sliding, 16' extension
209	Hacksaw Blade, 18 TPI x 12", Bi-metal, High-Speed, Durable, Premium Quality
210	Tool Storage Cabinet, (Tool Caddy), Depth: At least 18"
	Height: At least 37.5"
	Lockable: Yes
	Material: Metal
	Number of Drawers: atleat 5 drawers
	Weight Capacity: Atleast 1500 lb. capacity

g/box),
n/hov)
n/box\
3/DOX),
ew, Wing Quality
x 1"x 20',
ality, 60% 190oC
m Quality
Good
Color es Heavy
4" angle Heavy w Heavy p Heavy over ar adapter
h Shank
maong
t, 0.9mm,
ge, Mint ty
ruck load,
all, Quality
ack, Hi- d
k, Hi-cut,
lity Paint
Hi-cut,
•
ok Hi
ack, Hi- d '

234	Rainboots, Size: 8 (Men), Black, Hi-cut, Seamless injection for good waterproofing, Premium Quality	
235	Angle Grinder 4"Ø, Cordless, (Rechargeable), Rechargeable Lithium- lon Battery, Heavy Duty and Durable Brushless DC motor, Wheel Diameter: 100mm (4"), No speed load: at least 8,500 rpm, Dimension (mm): at least 362 x 117 x 146	
236	Bench Grinder, 5"Ø, Heavy Duty, Durable, Rated Power: at least180 Watts or 1/4Hp, Speed: at least 2950 rpm, Frequency: 60hz, Rated Voltage: 220v, Grinder Wheel, Dimension: at least 125mm x16mm x 12.7mm, 5" Inches	
237	Metal Blade for Grass Cutter	

# Section VIII. Checklist of Technical and Financial Documents

# **Checklist of Technical and Financial Documents**

### I. TECHNICAL COMPONENT ENVELOPE

### Class "A" Documents

### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
   or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

## and

② (c) Mayor's or Business permit issued by the city or municipality where the
principal place of business of the prospective bidder is located, or the
equivalent document for Exclusive Economic Zones or Areas;

### <u>and</u>

(d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Note: If the bidder submits item (a), bidder may not submit requirements (b), (c) & (d).

## **Technical Documents**

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid in the amount of <u>at least 25% of the ABC</u> or at least One Million Two Hundred Thirty-Two Thousand Four Hundred Eighty-One and 75/100 Pesos (PhP 1,232,481.75);

Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to <u>at least 25% of the ABC</u> or **at least** One Million Two Hundred Thirty-Two Thousand Four Hundred Eighty-One and 75/100 Pesos (PhP 1,232,481.75) and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or at least Six Hundred Sixteen Thousand Two Hundred Forty and 88/100 Pesos (PhP 616,240.88); and

Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

Original copy of Notarized Bid Securing Declaration; and

- (i) Conformity with the Technical Specifications; and
  - (j) Schedule of Requirements/production and delivery schedule; and
  - (k) Manpower requirements; and

- (l) After-sales service/parts; and
- Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

### Financial Documents

- The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- (o) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) at least equal to ABC (**PhP 4,929,927.00**); or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation (at least 10% of ABC or **PhP 492,992.70**).

### II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).

# Guidelines on the Preparation of Electronic Bid (e-Bid) (for bidders who prefer electronic bid submission)

- 1. Convert all documents into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration	PhilGEPS
	(Platinum)	
2.	Registration Certificate (SEC/DTI)	Registration Certificate
3.	Mayor's/Business Permit	Mayor's-Business Permit
4.	Tax Clearance	Tax Clearance
5.	Statement of On-Going Government	Statement of On-Going
	& Private Contracts	Contracts
6.	Statement of Bidder's Single Largest	SLCC
	Completed Contract	
7.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
8.	Bid Security	Bid Security
9.	Technical Specifications	Technical Specifications
10.	SCHEDULE of	Schedule of Requirements
	Requirements/Production and	
	delivery schedule	
11.	Manpower Requirements	Manpower Requirements
12.	After Sales service/parts	After Sales
13.	Omnibus Sworn Statement	Omnibus Sworn Statement
14.	Audited Financial Statements	Audited Financial Statements
15.	Net Financial Contracting Capacity	NFCC
16.	Committed Line of Credit	CLC
17.	Bid Form	Bid Form
18.	Price Schedule	Price Schedule

- 3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII. The second folder should contain all requirements under Financial Component checklist.
- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at <u>jecleo@vsu.edu.ph</u> before the deadline (April 12, 2021; 1:00PM).



