



VISAYAS
STATE UNIVERSITY

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Supply and Delivery of Office and I.T. Equipment & Supplies (GOODS-21-28)

Government of the Republic of the Philippines

June 14, 2021; 9:00 AM
Cooperative Building, VSU Market, Visca, Baybay City,
Leyte

Sixth Edition
July 2020

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	3
Section I. Invitation to Bid.....	6
Section II. Instructions to Bidders.....	18
1. Scope of Bid	19
2. Funding Information.....	19
3. Bidding Requirements	19
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	19
5. Eligible Bidders.....	19
6. Origin of Goods	20
7. Subcontracts	20
8. Pre-Bid Conference	20
9. Clarification and Amendment of Bidding Documents	20
10. Documents comprising the Bid: Eligibility and Technical Components	21
11. Documents comprising the Bid: Financial Component	21
12. Bid Prices	21
13. Bid and Payment Currencies	22
14. Bid Security	22
15. Sealing and Marking of Bids	22
16. Deadline for Submission of Bids	23
17. Opening and Preliminary Examination of Bids	23
18. Domestic Preference	23
19. Detailed Evaluation and Comparison of Bids	23
20. Post-Qualification	24
21. Signing of the Contract	24
Section III. Bid Data Sheet	25
Section IV. General Conditions of Contract	36
1. Scope of Contract	37
2. Advance Payment and Terms of Payment	37
3. Performance Security	37
4. Inspection and Tests	37
5. Warranty	38
6. Liability of the Supplier	38
Section V. Special Conditions of Contract	39
Section VI. Schedule of Requirements	44
Section VII. Technical Specifications	53
Section VIII. Checklist of Technical and Financial Documents	63

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

STFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



INVITATION TO BID FOR SUPPLY AND DELIVERY OF OFFICE AND I.T. EQUIPMENT & SUPPLIES

- The Visayas State University through the *GF, STF, TF 2021* intends to apply the sum of *One Million Two Hundred Eighty-Four Thousand Seven Hundred Sixty-Five Pesos (PhP 1,284,765.00)* being the ABC to payments under the contract for *Supply and Delivery of Office and I.T. Equipment & Supplies (GOODS-21-28)*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University – Main Campus*, through the *GF, STF, TF 2021* intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item No.	Description	Unit	Qty	ABC/Unit	Total ABC
1	UPS, 1000 VA	unit	6	3,000.00	18,000.00
	■1000VA/600W capacity				
	■Frequency Range: 60 Hz				
	■Freq. Range (Batt. Mode): 60 Hz ± 1 Hz				
	■Transfer Time: Typical 4-8 ms				
	■Waveform (Batt. Mode): Simulated Sine Wave				
	■Back-up Runtime: 10-15 mins				
	■Voltage: 220 VAC				
	■Voltage Range: 162-270 VAC				
2	Ink Cartridge, HP680, black	pcs	20	465.00	9,300.00
3	Ink Cartridge, HP680, tri color	pcs	20	465.00	9,300.00
4	Ink Cartridge, HP704, black	pcs	40	465.00	18,600.00
5	Ink Cartridge, HP704, tri color	pcs	40	465.00	18,600.00
6	Computer Printer 3-in-1 with CIS Filled with Inks	unit	2	9,300.00	18,600.00
	■with CIS Filled with Inks				
	■Compact integrated tank design				
	■High yield ink bottles				
	■Spill-free, error-free refilling				
	■Wi-Fi, Wi-Fi Direct				
	■Borderless printing up to 4R				
7	Ink, Epson 003,Genuine Black 65mL	btl	33	350.00	11,550.00
8	Ink, EPSON 003,Genuine Cyan 65mL	btl	13	350.00	4,550.00
9	Ink, EPSON 003,Genuine Magenta 65mL	btl	13	350.00	4,550.00
10	Ink, EPSON 003,Genuine Yellow 65mL	btl	13	350.00	4,550.00
11	Desktop Computer (i7 Branded)	unit	1	75,000.00	75,000.00
	■CPU: 9th Gen Intel Core i7-9700 (8-Core, 12MB Cache, up to 4.7GHz with Intel Turbo Boost Technology) or higher				
	■HDD: 256GB M.2 PCIe NVMe Solid State Drive + 1TB 7200 rpm 3.5" SATA Hard Drive				
	■RAM: 8GB (8GBx1) DDR4 2666MHz				

	Graphics: NVIDIA GeForce GTX 1650 4GB GDDR5				
	Screen: 23" IPS Monitor FHD				
	Optical Drive: No Optical Drive				
	OS: Windows 10 Home Single Language (64bit) English				
12	LCD Projector SVGA (800x600)	unit	2	25,000.00	50,000.00
	Projection System: 3LCD Technology, RGB liquid crystal shutter				
	Resolution: SVGA (800x600), 4:3				
	Light Output: 3,300 Lumen- 2,050 Lumen (economy)				
	Contrast Ratio: 15,000:1				
	Lamp: 210 W				
	Lamp Hours: 6,000-10,000				
13	External Hard Disk Drive (Portable, 2TB), USB 3.1	unit	1	5,500.00	5,500.00
	Shock-absorbing silicon casing				
	Interface: USB 3.1 (Max.5Gb/s)				
	Capacity: 2TB				
	Texture: Plastic/Rubber				
	Operating Voltage: DC 5V, 900mA				
	System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later				
14	Ink, Epson, genuine (C) T664, 70 ml	pieces	7	350.00	2,450.00
15	Ink, Epson, genuine (M) T664, 70 ml	pieces	7	350.00	2,450.00
16	Ink, Epson, genuine, (BK) T664, 70 ml	pieces	17	350.00	5,950.00
17	Ink, Epson, genuine, (Y) T664, 70 ml	pieces	7	350.00	2,450.00
18	Web Camera for PC	unit	3	2,500.00	7,500.00
	Image sensor: 1 / 2.9				
	Lens: 3.6mm/75.7 °				
	Effective pixel: 1932 (H) * 1088 (V)				
	Horizontal resolution: 2MP				
	SNR: > 50dB				
	Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360				
	Video Frame rate: 25FPS / 30FPS				
	Electronic shutter: Auto				
	Protocol: UVC / UVA				
	Video output: USB video stream				
	Working voltage: DC5V / 160mA ± 6mA				
	Working environment: -20 °C to 60 °C				
19	Projector Screen	pc	1	15,000.00	15,000.00
	manual pull-down with a speed control mechanism				
	Ceiling/Wall Mount				
	Aspect Ratio 16:9				
	Screen Height at least 2030mm				
	Screen at least Width 1145mm				
	Metal casing				
20	Flash Drive, 128GB, USB 3.0	pcs	1	1,500.00	1,500.00
	Capacity:128GB				
	Interface: USB 3.0				
	Speed: 100MB/s read, 10MB/s write				
21	Laptop, 14" (i7)	unit	2	60,000.00	120,000.00
	Processor: Intel Core i7 10th generation or higher				

	Graphics: NVIDIA GeForce MX250 at least 2GB GDDR5				
	Memory: at least 8GB DDR4-2666				
	Storage: at least 256GB SSD M.2 + 1TB HDD				
	Display: 14" FHD (1920x1080) IPS 250nits Anti-glare				
	Touchscreen: None				
	Optical: None				
	Media Reader: 4-in-1 Card Reader				
	Ethernet: None				
	WLAN + Bluetooth				
	Camera: at least 720p				
	Microphone: at least 2x, Array				
	Operating System: licensed Windows 10 Home or Pro				
	Bundled Software: Microsoft Office Perpetual License				
	Repair and replacement should be at most 3 month from returning the unit				
	at least 3 years Warranty				
	FREE: Backpack				
22	DSLR Camera (24.2 MP, APS-C with 18-55mm lens)	unit	2	50,000.00	100,000.00
	24.2MP APS-C CMOS Sensor				
	3.0" 1.04m-Dot Vari-Angle Touchscreen				
	Full HD 1080p Video Recording at 60 fps				
	45-Point All Cross-Type AF System				
	Dual Pixel CMOS AF				
	Expanded ISO 25600, Up to 7 fps Shooting				
	Built-In Wi-Fi with NFCE-S 18-55mm f/3.5-5.6 IS STM				
23	Mouse, Wired, Optical, USB	pieces	1	210.00	210.00
	USB Port Connectivity				
	Sensor: Optical				
	DPI: 1600				
	Work method: Wired				
	Buttons: Left button, middle button, right button				
	Scroll wheel direction: Two way				
	Design highlights: Easy installation. 1600 DPI high-definition tracking engine. Anti-slip scroll wheel. Full-size, ambidextrous design				
24	Flash Drive, at least 32GB USB 3.0	piece	2	800.00	1,600.00
25	PVC Plastic Cover 100pcs per Pack A4 size 0.2mm	packs	20	500.00	10,000.00
26	CCTV IP Camera	piece	5	3,192.00	15,960.00
	2MP WDR, with Built-in Mic				
	12v, DC				
	30m IR range,				
	1920x1080 Max. Resolution				
	Dome Type				
	2.8/4mm fixed lens				
27	UTP Cable Wire, CAT5E, 4 pairs	box	1	1,500.00	1,500.00
	305M UTP Cable (Unshielded Twisted Pairs) CAT5E				
	Category: Cat5E				
	4Pairs 24AWG				
	Insulation Thickness: 0.2mmJacket				
	Thickness: 0.92-0.95mm				
	Stretching Resistance: (max)250N				

	■Impedance : 100 Ω ±15% \hat{I} © at 1~100MHz				
	■DC Resistance Imbalance : 2.50%				
	■Working Capacitance(Max.) :5.4nF/100m				
	■Inner Conductor Thickness:0.4mm 8CCA				
	■Inside Material: CCA (Copper Clad Aluminum)				
	■Outside Material: PVC Jacket				
28	Hard Disk Drive, 2.5", 1TB, for laptop	piece	1	3,000.00	3,000.00
29	SD Card, 128 GB	pcs	1	1,500.00	1,500.00
	■Memory SD Card- 128 GB UHS-I SDXC				
	■Card Type: SDXC				
	■Storage Capacity: 128GB				
	■Bus type: UHS-1				
	■Data Transfer Read Speed: 170 MB/s Maximum (Burst)				
	■Write speed: 90 MB/s maximum (Burst)				
	■Write speed: 30 MB/s Minimum				
	■Built-in Write Protect Switch				
	■Durability: Shockproof, Temperature Extremes, waterproof, X-ray Proof				
	■Opening Temperature: -25 to 85C				
30	Computer Printer, All-in-One / Multifunction Colored-Ink Tank	unit	1	11,000.00	11,000.00
	■Ultra-low-cost printing: Print up to 8,100 pages in black and 6,500 in colour				
	■Next generation ink filling system: Enjoy hassle and mess-free refills with the enhanced ink bottles				
	■Wi-Fi, Wi-Fi Direct & apps: Print from mobile devices				
	■3-in-1: Print, copy & scan and borderless photo printing				
	■Nozzle Configuration: 180 Nozzles Black, 59 Nozzles per Color				
	■Minimum Droplet Size: 3 pl, With Variable-Sized Droplet Technology				
	■Ink Technology: Dye Ink				
	■Printing Resolution: 5,760 x 1,440 DPI				
31	Tablet, 7.9 Inch (Wifi only)	unit	4	20,000.00	80,000.00
	■7.9-inch (diagonal) LED-backlit Multi-Touch display				
	■2048-by-1536 resolution at 326 pixels per inch (ppi)				
	■Wide color display (P3)				
	■True Tone display				
	■Fingerprint-resistant oleophobic coating				
	■Fully laminated display				
	■Antireflective coating				
	■500 nits brightness				
	■8MP camera				
	■f/2.4 aperture				
	■Five-element lens				
	■Hybrid IR filter				
	■Backside illumination				
	■7MP photos				
	■f/2.2 aperture				
	■1080p HD video recording at 30 fps				
	■Retina Flash				

	■Wi-Fi (802.11a/b/g/n/ac); simultaneous dual band (2.4GHz and 5GHz); HT80 with MIMO				
	■Bluetooth 5.0 technology				
32	Antivirus Software 3 Device, 1+1 Year Licence include VPN (enrolled auto-renewal)	pc	1	2,000.00	2,000.00
	■Antivirus Software keeps your PC/Laptop/Mobile device safe from Trojans, viruses, spyware, rootkits, and more, with state-of-the-art anti-malware protection				
	■Detects, quarantines, and blocks viruses and malware to prevent damage to your PC/Laptop				
	■Keep zero-day threats and botnets at bay - McAfee Active Protection and Global Threat Intelligence technology have you covered				
	■Block inappropriate sites				
	■Two-Way Firewall system monitors and stops traffic in and out of your PC				
	■Keep sensitive files private by storing them on your PC with 128-bit encryption				
	■Eliminate the hassle of passwords with the password manager app				
33	External Hard Disk Drive (Portable, 1TB), USB 3.1	unit	1	3,800.00	3,800.00
	■Shock-absorbing silicon casing				
	■Interface: USB 3.1 (Max.5Gb/s)				
	■Capacity: 1TB				
	■Texture: Plastic/Rubber				
	■Operating Voltage: DC 5V, 900mA				
	■System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later				
34	SD Card, 64GB	pcs	2	1,000.00	2,000.00
	■64GB SD Card				
	■SDHC UHS-1 Class 10 80MB/s				
35	Printer All-in-One System With Wi-fi, ADF and Ink Tank System	unit	1	14,695.00	14,695.00
	■PRINTER TYPE:				
	◀Print, Scan, Copy, Fax with ADF				
	■ISO PRINT SPEED (BLACK/COLOUR):				
	◀Up to 10 ipm / 5.0 ipm				
	■ISO PRINT SPEED (BLACK/COLOUR):				
	◀Up to 7.7 ipm / 3.8 ipm				
	■MAXIMUM COPY SIZE: Legal				
	■SCAN SPEED (FLATBED / ADF):				
	◀12 sec / 4.5 ipm (black), 29 sec / 4.5 ipm (colour)				
	■TYPE OF FAX:				
	◀Walk-up Black and white and colour fax capability				
	■SUPPORTED OS & APPLICATIONS:				
	◀Windows XP / Vista / 7 / 8 / 8.1 / 10				
	◀Windows Server 2003/ 2008 / 2012 / 201				
	◀Mac OS X 10.6.8 or later				
	■INTERFACE:				
	◀USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct				
36	Heavy Duty Combo Binding Machine	unit	1	14,500.00	14,500.00
	ΦSpecs:				

	☑Maximum Punching Sheets: 25				
	☑Max Size: LS, F4, A4, Extra Long				
	☑Selectable Punching Pins: 24 slots				
	☑Net Weight: 12.5kgs				
37	Paper Shredder Machine, Heavy Duty	pc	1	6,000.00	6,000.00
	☑Shred Type: Cross Cut				
	☑Maximum Sheet capacity(70gsm) : 10 Sheets				
	☑Waste Container capacity: 21 Liters				
	☑Power Source: 220 - 240 VAC				
38	All-in-One Printer with ADF	unit	1	21,000.00	21,000.00
	☑PRINTER TYPE:				
	◀Print, Scan, Copy, Fax with ADF				
	☑ISO PRINT SPEED (BLACK/COLOUR):				
	◀Up to 10 ipm / 5.0 ipm				
	☑ISO PRINT SPEED (BLACK/COLOUR):				
	◀Up to 7.7 ipm / 3.8 ipm				
	☑MAXIMUM COPY SIZE: Legal				
	☑SCAN SPEED (FLATBED / ADF):				
	◀12 sec / 4.5 ipm (black), 29 sec / 4.5 ipm (colour)				
	☑TYPE OF FAX:				
	◀Walk-up Black and white and colour fax capability				
	☑SUPPORTED OS & APPLICATIONS:				
	◀Windows XP / Vista / 7 / 8 / 8.1 / 10				
	◀Windows Server 2003/ 2008 / 2012 / 201				
	◀Mac OS X 10.6.8 or later				
	☑INTERFACE:				
	◀USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct				
39	LAPTOP	unit	2	42,000.00	84,000.00
	Type: Notebook				
	Intel Core i5-7200U				
	2.5GHz				
	NVIDIA GeForce MX150 up to 2GB GDDRS Dedicated Graphics Memory				
	Memory Storage:				
	RAM: 4GB				
	DDR4				
	HDD+ssd/eMMC				
	1 TB HDD				
	128GB SSD/eMMC				
	15.6 inches display				
	Full HD 1920 x 1080				
	Comfy View				
	RJ45 Gigabit LAN				
	Wifi 802 11ac				
	Windows 10 Home				
40	Desktop Microphone	pcs	2	650.00	1,300.00
	☑Compatible with: Desktop/Notebook/PC, Windows 7-10				
	☑Pickup: 6mm Condenser Mic				
	☑Microphone Directivity: Omnidirectional				
	☑Sensitivity: -58db±3db				
	☑Signal-to-noise Ratio: ≤50dB				

	■Cable Length: 2.5m				
	■Type: 3.5mm Plug				
41	External Hard Disk Drive (Portable, 2TB), USB 3.1	unit	1	5,500.00	5,500.00
	■Shock-absorbing silicon casing				
	■Interface: USB 3.1 (Max.5Gb/s)				
	■Capacity: 2TB				
	■Texture: Plastic/Rubber				
	■Operating Voltage: DC 5V, 900mA				
	■System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later				
	Rebidding (from GOODS-21-12)				
42	Dual Vocal Wireless System	set	2	42,500.00	85,000.00
	with Dual Channel Diversity Receiver:				
	Transmission: Analog				
	Number of compatible systems per frequency band: Up to 4				
	Receiver type: Dual				
	Image Rejection: 50 dB, typical				
	RF Sensitivity: -105 dBm, for 12dB SINAD, typical				
	with at least 2 Microphone wireless handheld transmitter				
	Battery life alkaline: 10 hours				
	Form Factor: handheld				
	Transmitter housings: Molded ABS				
43	Projector, Ultra portable Wireless Full HD	unit	2	79,000.00	158,000.00
	Projection Technology: RGB liquid crystal shutter projection system				
	Auto Iris:10,000:1				
	White Light Output (Normal): at least 3,200lm				
	Colour Light Output:(Normal / Eco): at least 3,200lm / 1,900lm				
	Network:Wireless LAN; In-built				
	Analog Input:D-Sub 15 pin; 1(Blue);Composite; RCA x 1				
	Digital Input:HDMI; 1(MHL)				
	Audio Input:Stereo Mini Jack: 1				
	Others:USB Type A: 1 (for USB Memory, USB Document Camera, Firmware Update)				
	USB Type B: 1 (for USB Display, mouse, K/B/, Control, Firmware Update)				
	Supported Speed for Each Mode:IEEE 802.11b: 11 Mbps				
	IEEE 802.11g: 54 Mbps				
	IEEE 802.11n: 130.0 Mbps				
	Wireless LAN Security:Quick Mode: WPA2-PSK				
	Advanced Mode: WPA2-PSK, WPA/WPA2-PSK, WPA2-EAP				
	Supported EAP type:PEAP, PEAP-TLS, EAP-TLS, EAP-Fast, LEAP				
	Supported Connection Mode:Infrastructure, Access Point				
	Operating Temperature:5°C - 40°C < 41°F - 104°F> (0 m / 0 ft to 2,286m / 7,500ft)				
	5°C - 35°C < 41°F - 95°F> (over 2,286m / 7,500ft) (20% - 80% humidity, No condensation)				

	Operating Altitude:0m - 3,000m (0ft - 9,843 ft) (over 1,500m / 4,921ft: with high altitude mode)				
	Start-Up Period:About 7.2 seconds, Warm-up period: 30 seconds				
	Cool Down Period:Instant off				
	Sound Output:Monaural: 1W X 1				
	Direct Power On/Off:Yes/Yes				
	Dimension Excluding Feet (W x H x D):292mm x 44mm x 213mm				
	Fan Noise (Normal / Eco):39 dB / 30dB				
	Supported Speed for Each Mode:IEEE 802.11g (2.4GHz): 54Mbps				
	IEEE 802.11n (2.4GHz): 130.0 Mbps				
	IEEE 802.11a (5GHz): 54 Mbps				
	IEEE 802.11n (5GHz): 270.0 Mbps				
	IEEE 802.11ac (5GHz): 780 Mbps				
44	Microwave Oven	pc	1	50,000.00	50,000.00
	Exterior Dimensions: 23-7/8"L x 19-7/16"W x14"H				
	Interior Dimensions: 18-1/2"L x 18-7/16"W x 10-15/16"H				
	Power source: 220- 240V 50/60Hz				
	Inverter Turbo Defrost technology				
	10 Power levels				
	Keep Warm mode				
	Delay Start				
	With Timer				
	Quick Minute				
	16.5" Turntable				
45	Desk Electric Fan	unit	1	2,000.00	2,000.00
	16" metal blade				
	three speed controller				
	Rebidding (from GOODS-21-22)				
46	Netbook Laptop, Intel Celeron	unit	1	15,000.00	15,000.00
	■Intel® Celeron® Processor N3350				
	◀up to 2.4GHz				
	■Intel HD Graphics 500 GPU				
	■14.1 inch HD resolution				
	■4GB RAM for Advanced Multitasking				
	■128GB EMMC Storage Capacity				
	■38000mWh Large Battery				
	■Mini-HDMI Output				
	■&Two standard USB 3.0 Slot				
47	Ink Set for HP Designjet T770	set	1	22,000.00	22,000.00
	■HP 72 Photo black				
	■Cyan, Magenta, Gray, Matte Black				
	■6 colors bundle				
48	Video Card	unit	1	9,000.00	9,000.00
	■CUDA Cores at least 768				
	■Core Speed: at least 1290 MHz				
	■Boost Speed: at least 1392 MHz				
	■Memory Size: at least 4GB GDDR5				
	■Memory Interface: at least 128-bit				
	■Memory Frequency: at least 7 Gbps				
	■TDP: at least 75 Watts				

	☑Multi-Screen Support: Yes				
	☑Resolution:7680X4320@60hz Digital				
	☑Bus Type: PCI Express 3.0 16x				
49	Printer	unit	3	9,600.00	28,800.00
	☑Ink Tank System				
	☑Printer Type:				
	◀Print, Scan and Copy				
	☑Scanner Type:				
	◀Flatbed colour image scanner				
	☑Sensor Type: CIS				
	☑Optical Resolution:				
	◀600 x 1200 dpi				
	☑Copy Speed:				
	◀Maximum Copies from Standalone: 20 copies				
	☑Maximum Copy Size: A4, Letter				
	☑ISO 29183				
	◀A4 Simplex Flatbed (Black / Colour):				
	☑Up to 7.0 ipm / 1.7 ipm				
	☑Max Copy Resolution:				
	◀300 x 300 dpi				
	☑Paper Handling:				
	◀Up to 20 sheets-Premium Glossy Photo Paper				
	◀10 sheets-Envelope, 30 sheets-Postcard				
	☑Output Capacity:				
	◀Up to 30 sheets, A4 plain paper				
	◀20 sheets, Premium Glossy Photo Paper				
	☑Maximum Paper Size:				
	◀215.9 x 1200 mm (8.5 x 47.24")				
	☑Paper Size:				
	◀Legal				
	◀Indian-Legal (215 x 345 mm)				
	◀8.5 x 13", Letter, A4, 16K (195 x 270 mm),				
	◀B5, A5, B6, A6, Hagaki (100 x 148 mm)				
	◀5 x 7", 4 x 6", Envelopes: #10, DL, C6				
	☑Print Margin:				
	◀0 mm top, left, right				
	◀bottom via custom settings in printer driver				
	☑Nozzle Configuration:				
	◀180 x 1 nozzles Black				
	◀59 x 1 nozzles per colour (C,Y,M)				
	☑Print Direction: Bi-directional printing				
	☑Maximum Print Resolution:				
	◀5760 x 1440 dpi				
	▶ (with Variable-Sized Droplet Technology)				
	◀5760 x 1440 dpi				
	▶ (with Variable-Sized Droplet Technology)				
	☑Minimum Ink Droplet Size: 3 pl				
	☑Printer Language: ESC / P-R				
50	Computer Printer Ink, HP704 Cartridge, Black	pcs	50	550.00	27,500.00
51	Computer Printer Ink, HP704 Cartridge, Colored	pcs	50	550.00	27,500.00
52	Duplicating Machine	unit	1	75,000.00	75,000.00
	☑copy printer				

	☐fully-automatic one-drum stencil system				
	☐300x300 dpi, 60-90 sheets per minute,				
	☐220-240 V, 50-60 Hz, includes ink black				
	☐master and cabinet				
		TOTAL ABC (this project):			1,284,765.00

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

2. The *Visayas State University – Main Campus* now invites bids for the above Procurement Project. Delivery of the Goods is required by *forty-five (45) calendar days upon receipt of Notice to Proceed (NTP)*. Bidders should have completed, within *two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays - Fridays (8:00 AM-5:00 PM)*.
5. A complete set of Bidding Documents may be acquired by interested Bidders on *24 May – 14 June 2021 until 8:30 AM* from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of *Five Thousand Pesos (PhP 5,000.00)*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
6. The *Visayas State University – Main Campus* will hold a Pre-Bid Conference on *May 31, 2021; 9:00 AM* at the *Cooperative Building, VSU Market, Visca, Baybay City, Leyte* and/or through video conferencing or webcasting *via Google Meet*, which shall be open to prospective bidders.

Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Google Meet link.

7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before *14 June 2021 until 8:30 AM*. Late bids shall not be accepted.

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

9. Bid opening shall be on *14 June 2021; 9:00 AM* at the *Cooperative Building, VSU Market, Visca, Baybay City, Leyte* and/or via *Google Meet*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Google Meet link.

10. For bidders who opt to submit their bids electronically, a hardcopy (original) of the bid must be sent to the BAC through couriers. A proof (e.g. courier receipt, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
11. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

Ms. Jessamine C. Ecleo (BAC Secretariat)
Office of the Head for Procurement,
VSU-Main, Visca, Baybay City, Leyte
Mobile: 053 565 0600 local 1093 or 0998 555 0106
Email: jessamine.ecleo@vsu.edu.ph

or

Mr. Toni Marc L. Dargantes (BAC Secretariat)
Office of the VP for Planning, Resource Generation & Auxiliary Services
VSU-Main, Visca, Baybay City, Leyte
Mobile: 053 565 0600 local 1004 or 0977 7186594
Email: tmdargantes@vsu.edu.ph

13. You may visit the following websites:

For downloading of Bidding Documents: *<https://www.vsu.edu.ph/philgeps-opportunities>*

May 21, 2021

DILBERTO O. FERRAREN
Chairperson, VSU BAC

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Visayas State University*, wishes to receive Bids for the *Supply and Delivery of Office and I.T. Equipment & Supplies*, with identification number *GOODS-21-28*.

The Procurement Project (referred to herein as “Project”) is composed of *52 items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *2021* in the amount of *One Million Two Hundred Eighty-Four Thousand Seven Hundred Sixty-Five Pesos (PhP 1,284,765.00)*.

2.2. The source of funding is: NGA, the General Appropriations Act (GAA), Special Appropriations, and Trust Fund.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidders should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%)* of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed.**

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two (2 years)** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in: Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid until *October 14, 2021*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause																																																																			
5.3	For this purpose, contracts similar to the Project shall be: a. <i>Office and I.T. Equipment & Supplies</i> b. completed within two (2) years prior to the deadline for the submission and receipt of bids.																																																																		
7.1	Subcontracting is not allowed.																																																																		
12	The price of the Goods shall be quoted <i>DDP VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.																																																																		
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than <i>Twenty-Five Thousand Six Hundred Ninety-Five and 30/100 Pesos (PhP 25,695.30) or two percent (2%) of ABC</i> , if bid security is in cash, cashier’s/manager’s check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Sixty-Four Thousand Two Hundred Thirty-Eight and 25/100 Pesos (PhP 64,238.25) or five percent (5%) of ABC</i> if bid security is in Surety Bond.																																																																		
19.3	<table><tr><th>Item No.</th><th>Description</th><th>Total ABC</th></tr><tr><td>1</td><td>UPS, 1000 VA</td><td>18,000.00</td></tr><tr><td></td><td>□1000VA/600W capacity</td><td></td></tr><tr><td></td><td>☑Frequency Range: 60 Hz</td><td></td></tr><tr><td></td><td>☑Freq. Range (Batt. Mode): 60 Hz ± 1 Hz</td><td></td></tr><tr><td></td><td>☑Transfer Time: Typical 4-8 ms</td><td></td></tr><tr><td></td><td>☑Waveform (Batt. Mode): Simulated Sine Wave</td><td></td></tr><tr><td></td><td>☑Back-up Runtime: 10-15 mins</td><td></td></tr><tr><td></td><td>☑Voltage: 220 VAC</td><td></td></tr><tr><td></td><td>☑Voltage Range: 162-270 VAC</td><td></td></tr><tr><td>2</td><td>Ink Cartridge, HP680, black</td><td>9,300.00</td></tr><tr><td>3</td><td>Ink Cartridge, HP680, tri color</td><td>9,300.00</td></tr><tr><td>4</td><td>Ink Cartridge, HP704, black</td><td>18,600.00</td></tr><tr><td>5</td><td>Ink Cartridge, HP704, tri color</td><td>18,600.00</td></tr><tr><td>6</td><td>Computer Printer 3-in-1 with CIS Filled with Inks</td><td>18,600.00</td></tr><tr><td></td><td>☑with CIS Filled with□Inks</td><td></td></tr><tr><td></td><td>☑Compact integrated tank design</td><td></td></tr><tr><td></td><td>☑High yield ink bottles</td><td></td></tr><tr><td></td><td>☑Spill-free, error-free refilling</td><td></td></tr><tr><td></td><td>☑Wi-Fi, Wi-Fi Direct</td><td></td></tr><tr><td></td><td>☑Borderless printing up to 4R</td><td></td></tr><tr><td>7</td><td>Ink, Epson 003,Genuine Black 65mL</td><td>11,550.00</td></tr></table>	Item No.	Description	Total ABC	1	UPS, 1000 VA	18,000.00		□1000VA/600W capacity			☑Frequency Range: 60 Hz			☑Freq. Range (Batt. Mode): 60 Hz ± 1 Hz			☑Transfer Time: Typical 4-8 ms			☑Waveform (Batt. Mode): Simulated Sine Wave			☑Back-up Runtime: 10-15 mins			☑Voltage: 220 VAC			☑Voltage Range: 162-270 VAC		2	Ink Cartridge, HP680, black	9,300.00	3	Ink Cartridge, HP680, tri color	9,300.00	4	Ink Cartridge, HP704, black	18,600.00	5	Ink Cartridge, HP704, tri color	18,600.00	6	Computer Printer 3-in-1 with CIS Filled with Inks	18,600.00		☑with CIS Filled with□Inks			☑Compact integrated tank design			☑High yield ink bottles			☑Spill-free, error-free refilling			☑Wi-Fi, Wi-Fi Direct			☑Borderless printing up to 4R		7	Ink, Epson 003,Genuine Black 65mL	11,550.00
Item No.	Description	Total ABC																																																																	
1	UPS, 1000 VA	18,000.00																																																																	
	□1000VA/600W capacity																																																																		
	☑Frequency Range: 60 Hz																																																																		
	☑Freq. Range (Batt. Mode): 60 Hz ± 1 Hz																																																																		
	☑Transfer Time: Typical 4-8 ms																																																																		
	☑Waveform (Batt. Mode): Simulated Sine Wave																																																																		
	☑Back-up Runtime: 10-15 mins																																																																		
	☑Voltage: 220 VAC																																																																		
	☑Voltage Range: 162-270 VAC																																																																		
2	Ink Cartridge, HP680, black	9,300.00																																																																	
3	Ink Cartridge, HP680, tri color	9,300.00																																																																	
4	Ink Cartridge, HP704, black	18,600.00																																																																	
5	Ink Cartridge, HP704, tri color	18,600.00																																																																	
6	Computer Printer 3-in-1 with CIS Filled with Inks	18,600.00																																																																	
	☑with CIS Filled with□Inks																																																																		
	☑Compact integrated tank design																																																																		
	☑High yield ink bottles																																																																		
	☑Spill-free, error-free refilling																																																																		
	☑Wi-Fi, Wi-Fi Direct																																																																		
	☑Borderless printing up to 4R																																																																		
7	Ink, Epson 003,Genuine Black 65mL	11,550.00																																																																	

8	Ink, EPSON 003,Genuine Cyan 65mL	4,550.00
9	Ink, EPSON 003,Genuine Magenta 65mL	4,550.00
10	Ink, EPSON 003,Genuine Yellow 65mL	4,550.00
11	Desktop Computer (i7 Branded)	75,000.00
	☑CPU: 9th Gen Intel Core i7-9700 (8-Core, 12MB Cache, up to 4.7GHz with Intel Turbo Boost Technology) or higher	
	☑HDD: 256GB M.2 PCIe NVMe Solid State Drive + 1TB 7200 rpm 3.5" SATA Hard Drive	
	☑RAM: 8GB (8GBx1) DDR4 2666MHz	
	☑Graphics: NVIDIA GeForce GTX 1650 4GB GDDR5	
	☑Screen: 23" IPS Monitor FHD	
	☑Optical Drive: No Optical Drive	
	☑OS: Windows 10 Home Single Language (64bit) English	
12	LCD Projector SVGA (800x600)	50,000.00
	☑Projection System: 3LCD Technology, RGB liquid crystal shutter	
	☑Resolution: SVGA (800x600), 4:3	
	☑Light Output: 3,300 Lumen- 2,050 Lumen (economy)	
	☑Contrast Ratio: 15,000:1	
	☑Lamp: 210 W	
	☑Lamp Hours: 6,000-10,000	
13	External Hard Disk Drive (Portable, 2TB), USB 3.1	5,500.00
	☑Shock-absorbing silicon casing	
	☑Interface: USB 3.1 (Max.5Gb/s)	
	☑Capacity: 2TB	
	☑Texture: Plastic/Rubber	
	☑Operating Voltage: DC 5V, 900mA	
	☑System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later	
14	Ink, Epson, genuine (C) T664, 70 ml	2,450.00
15	Ink, Epson, genuine (M) T664, 70 ml	2,450.00
16	Ink, Epson, genuine, (BK) T664, 70 ml	5,950.00
17	Ink, Epson, genuine, (Y) T664, 70 ml	2,450.00
18	Web Camera for PC	7,500.00
	☑Image sensor: 1 / 2.9	
	☑Lens: 3.6mm/75.7 °	
	☑Effective pixel: 1932 (H) * 1088 (V)	
	☑Horizontal resolution: 2MP	
	☑SNR: > 50dB	
	☑Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360	
	☑Video Frame rate: 25FPS / 30FPS	
	☑Electronic shutter: Auto	
	☑Protocol: UVC / UVA	
	☑Video output: USB video stream	
	☑Working voltage: DC5V / 160mA ± 6mA	
	☑Working environment: -20 °C to 60 °C	
19	Projector Screen	15,000.00
	☑manual pull-down with a speed control mechanism	
	☑Ceiling/Wall Mount	
	☑Aspect Ratio 16:9	
	☑Screen Height at least 2030mm	
	☑Screen at least Width 1145mm	

		☑Metal casing	
20	Flash Drive, 128GB, USB 3.0		1,500.00
	☑Capacity:128GB		
	☑Interface: USB 3.0		
	☑Speed: 100MB/s read, 10MB/s write		
21	Laptop, 14" (i7)		120,000.00
	☑Processor: Intel Core i7 10th generation or higher		
	☑Graphics: NVIDIA GeForce MX250 at least 2GB GDDR5		
	☑Memory: at least 8GB DDR4-2666		
	☑Storage: at least 256GB SSD M.2 + 1TB HDD		
	☑Display: 14" FHD (1920x1080) IPS 250nits Anti-glare		
	☑Touchscreen: None		
	☑Optical: None		
	☑Media Reader: 4-in-1 Card Reader		
	☑Ethernet: None		
	☑WLAN + Bluetooth		
	☑Camera: at least 720p		
	☑Microphone: at least 2x, Array		
	☑Operating System: licensed Windows 10 Home or Pro		
	☑Bundled Software: Microsoft Office Perpetual License		
	☑Repair and replacement should be at most 3month from returning the unit		
	☑at least 3 years Warranty		
	☑FREE: Backpack		
22	DSLR Camera (24.2 MP, APS-C with 18-55mm lens)		100,000.00
	☑24.2MP APS-C CMOS Sensor		
	☑3.0" 1.04m-Dot Vari-Angle Touchscreen		
	☑Full HD 1080p Video Recording at 60 fps		
	☑45-Point All Cross-Type AF System		
	☑Dual Pixel CMOS AF		
	☑Expanded ISO 25600, Up to 7 fps Shooting		
	☑Built-In Wi-Fi with NFCE/S 18-55mm f/3.5-5.6 IS STM		
23	Mouse, Wired, Optical, USB		210.00
	☑USB Port Connectivity		
	☑Sensor: Optical		
	☑DPI: 1600		
	☑Work method: Wired		
	☑Buttons: Left button, middle button, right button		
	☑Scroll wheel direction: Two way		
	☑Design highlights: Easy installation. 1600 DPI high-definition tracking engine. Anti-slip scroll wheel. Full-size, ambidextrous design		
24	Flash Drive, at least 32GB USB 3.0		1,600.00
25	PVC Plastic Cover 100pcs per Pack A4 size 0.2mm		10,000.00
26	CCTV IP Camera		15,960.00
	☑2MP WDR, with Built-in Mic		
	☑12v, DC		
	☑30m IR range,		
	☑1920x1080 Max. Resolution		
	☑Dome Type		
	☑2.8/4mm fixed lens		
27	UTP Cable Wire, CAT5E, 4 pairs		1,500.00

		<ul style="list-style-type: none"> 305M UTP Cable (Unshielded Twisted Pairs) CAT5E 	
		<ul style="list-style-type: none"> Category: Cat5E 	
		<ul style="list-style-type: none"> 4Pairs 24AWG 	
		<ul style="list-style-type: none"> Insulation Thickness: 0.2mmJacket 	
		<ul style="list-style-type: none"> Thickness: 0.92-0.95mm 	
		<ul style="list-style-type: none"> Stretching Resistance: (max)250N 	
		<ul style="list-style-type: none"> Impedance : $100\Omega \pm 15\%$ @ 1~100MHz 	
		<ul style="list-style-type: none"> DC Resistance Imbalance : 2.50% 	
		<ul style="list-style-type: none"> Working Capacitance(Max.) :5.4nF/100m 	
		<ul style="list-style-type: none"> Inner Conductor Thickness:0.4mm 8CCA 	
		<ul style="list-style-type: none"> Inside Material: CCA (Copper Clad Aluminum) 	
		<ul style="list-style-type: none"> Outside Material: PVC Jacket 	
28		Hard Disk Drive, 2.5", 1TB, for laptop	3,000.00
29		SD Card, 128 GB	1,500.00
		<ul style="list-style-type: none"> Memory SD Card- 128 GB UHS-I SDXC 	
		<ul style="list-style-type: none"> Card Type: SDXC 	
		<ul style="list-style-type: none"> Storage Capacity: 128GB 	
		<ul style="list-style-type: none"> Bus type: UHS-1 	
		<ul style="list-style-type: none"> Data Transfer Read Speed: 170 MB/s Maximum (Burst) 	
		<ul style="list-style-type: none"> Write speed: 90 MB/s maximum (Burst) 	
		<ul style="list-style-type: none"> Write speed: 30 MB/s Minimum 	
		<ul style="list-style-type: none"> Built-in Write Protect Switch 	
		<ul style="list-style-type: none"> Durability: Shockproof, Temperature Extremes, waterproof, X-ray Proof 	
		<ul style="list-style-type: none"> Opening Temperature: -25 to 85C 	
30		Computer Printer, All-in-One / Multifunction Colored-Ink Tank	11,000.00
		<ul style="list-style-type: none"> Ultra-low-cost printing: Print up to 8,100 pages in black and 6,500 in colour 	
		<ul style="list-style-type: none"> Next generation ink filling system: Enjoy hassle and mess-free refills with the enhanced ink bottles 	
		<ul style="list-style-type: none"> Wi-Fi, Wi-Fi Direct & apps: Print from mobile devices 	
		<ul style="list-style-type: none"> 3-in-1: Print, copy & scan and borderless photo printing 	
		<ul style="list-style-type: none"> Nozzle Configuration: 180 Nozzles Black, 59 Nozzles per Color 	
		<ul style="list-style-type: none"> Minimum Droplet Size: 3 pl, With Variable-Sized Droplet Technology 	
		<ul style="list-style-type: none"> Ink Technology: Dye Ink 	
		<ul style="list-style-type: none"> Printing Resolution: 5,760 x 1,440 DPI 	
31		Tablet, 7.9 Inch (Wifi only)	80,000.00
		<ul style="list-style-type: none"> 7.9-inch (diagonal) LED-backlit Multi-Touch display 	
		<ul style="list-style-type: none"> 2048-by-1536 resolution at 326 pixels per inch (ppi) 	
		<ul style="list-style-type: none"> Wide color display (P3) 	
		<ul style="list-style-type: none"> True Tone display 	
		<ul style="list-style-type: none"> Fingerprint-resistant oleophobic coating 	
		<ul style="list-style-type: none"> Fully laminated display 	
		<ul style="list-style-type: none"> Antireflective coating 	
		<ul style="list-style-type: none"> 500 nits brightness 	
		<ul style="list-style-type: none"> 8MP camera 	
		<ul style="list-style-type: none"> f/2.4 aperture 	
		<ul style="list-style-type: none"> Five-element lens 	
		<ul style="list-style-type: none"> Hybrid IR filter 	
		<ul style="list-style-type: none"> Backside illumination 	

		<ul style="list-style-type: none"> 7MP photos f/2.2 aperture 1080p HD video recording at 30 fps Retina Flash Wi-Fi (802.11a/b/g/n/ac); simultaneous dual band (2.4GHz and 5GHz); HT80 with MIMO Bluetooth 5.0 technology 		
	32	Antivirus Software 3 Devices, 1+1 Year Licence include VPN (enrolled auto-renewal)	2,000.00	
		<ul style="list-style-type: none"> Antivirus Software keeps your PC/Laptop/Mobile device safe from Trojans, viruses, spyware, rootkits, and more, with state-of-the-art anti-malware protection Detects, quarantines, and blocks viruses and malware to prevent damage to your PC/Laptop Keep zero-day threats and botnets at bay - McAfee Active Protection and Global Threat Intelligence technology have you covered Block inappropriate sites Two-Way Firewall system monitors and stops traffic in and out of your PC Keep sensitive files private by storing them on your PC with 128-bit encryption Eliminate the hassle of passwords with the password manager app 		
	33	External Hard Disk Drive (Portable, 1TB), USB 3.1	3,800.00	
		<ul style="list-style-type: none"> Shock-absorbing silicon casing Interface: USB 3.1 (Max.5Gb/s) Capacity: 1TB Texture: Plastic/Rubber Operating Voltage: DC 5V, 900mA System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later 		
	34	SD Card, 64GB	2,000.00	
		<ul style="list-style-type: none"> 64GB SD Card SDHC UHS-1 Class 10 80MB/s 		
	35	Printer All-in-One System With Wi-fi, ADF and Ink Tank System	14,695.00	
		<ul style="list-style-type: none"> PRINTER TYPE: <ul style="list-style-type: none"> Print, Scan, Copy, Fax with ADF ISO PRINT SPEED (BLACK/COLOUR): <ul style="list-style-type: none"> Up to 10 ipm / 5.0 ipm ISO PRINT SPEED (BLACK/COLOUR): <ul style="list-style-type: none"> Up to 7.7 ipm / 3.8 ipm MAXIMUM COPY SIZE: Legal SCAN SPEED (FLATBED / ADF): <ul style="list-style-type: none"> 12 sec / 4.5 ipm (black), 29 sec / 4.5 ipm (colour) TYPE OF FAX: <ul style="list-style-type: none"> Walk-up Black and white and colour fax capability SUPPORTED OS & APPLICATIONS: <ul style="list-style-type: none"> Windows XP / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003/ 2008 / 2012 / 201 Mac OS X 10.6.8 or later 		

		<ul style="list-style-type: none"> INTERFACE: 	
		<ul style="list-style-type: none"> USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct 	
36		Heavy Duty Combo Binding Machine	14,500.00
		ΦSpecs:	
		<ul style="list-style-type: none"> Maximum Punching Sheets: 25 	
		<ul style="list-style-type: none"> Max Size: LS, F4, A4, Extra Long 	
		<ul style="list-style-type: none"> Selectable Punching Pins: 24 slots 	
		<ul style="list-style-type: none"> Net Weight: 12.5kgs 	
37		Paper Shredder Machine, Heavy Duty	6,000.00
		<ul style="list-style-type: none"> Shred Type: Cross Cut 	
		<ul style="list-style-type: none"> Maximum Sheet capacity(70gsm) : 10 Sheets 	
		<ul style="list-style-type: none"> Waste Container capacity: 21 Liters 	
		<ul style="list-style-type: none"> Power Source: 220 - 240 VAC 	
38		All-in-One Printer with ADF	21,000.00
		<ul style="list-style-type: none"> PRINTER TYPE: 	
		<ul style="list-style-type: none"> Print, Scan, Copy, Fax with ADF 	
		<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR): 	
		<ul style="list-style-type: none"> Up to 10 ipm / 5.0 ipm 	
		<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR): 	
		<ul style="list-style-type: none"> Up to 7.7 ipm / 3.8 ipm 	
		<ul style="list-style-type: none"> MAXIMUM COPY SIZE: Legal 	
		<ul style="list-style-type: none"> SCAN SPEED (FLATBED / ADF): 	
		<ul style="list-style-type: none"> 12 sec / 4.5 ipm (black), 29 sec / 4.5 ipm (colour) 	
		<ul style="list-style-type: none"> TYPE OF FAX: 	
		<ul style="list-style-type: none"> Walk-up Black and white and colour fax capability 	
		<ul style="list-style-type: none"> SUPPORTED OS & APPLICATIONS: 	
		<ul style="list-style-type: none"> Windows XP / Vista / 7 / 8 / 8.1 / 10 	
		<ul style="list-style-type: none"> Windows Server 2003/ 2008 / 2012 / 201 	
		<ul style="list-style-type: none"> Mac OS X 10.6.8 or later 	
		<ul style="list-style-type: none"> INTERFACE: 	
		<ul style="list-style-type: none"> USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct 	
39		LAPTOP	84,000.00
		Type: Notebook	
		Intel Core i5-7200U	
		2.5GHz	
		NVIDIA GeForce MX150 up to 2GB GDDRS Dedicated Graphics Memory	
		Memory Storage:	
		RAM: 4GB	
		DDR4	
		<ul style="list-style-type: none"> HDD+ssd/eMMC 	
		1 TB HDD	
		128GB SSD/eMMC	
		15.6 inches display	
		Full HD 1920 x 1080	
		Comfy View	
		RJ45 Gigabit LAN	
		Wifi 802 11ac	
		Windows 10 Home	
40		Desktop Microphone	1,300.00
		<ul style="list-style-type: none"> Compatible with: Desktop/Notebook/PC, Windows 7-10 	
		<ul style="list-style-type: none"> Pickup: 6mm Condenser Mic 	

	☐Microphone Directivity: Omnidirectional	
	☐Sensitivity: -58db±3db	
	☐Signal-to-noise Ratio: ≤50dB	
	☐Cable Length: 2.5m	
	☐Type: 3.5mm Plug	
41	External Hard Disk Drive (Portable, 2TB), USB 3.1	5,500.00
	☐Shock-absorbing silicon casing	
	☐Interface: USB 3.1 (Max.5Gb/s)	
	☐Capacity: 2TB	
	☐Texture: Plastic/Rubber	
	☐Operating Voltage: DC 5V, 900mA	
	☐System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later	
	Rebidding (from GOODS-21-12)	
42	Dual Vocal Wireless System	85,000.00
	with Dual Channel Diversity Receiver:	
	Transmission: Analog	
	Number of compatible systems per frequency band: Up to 4	
	Receiver type: Dual	
	Image Rjection: 50 dB, typical	
	RF Sensitivity: -105 dBm, for 12dB SINAD, typical	
	with at least 2 Microphone wireless handheld transmitter	
	Battery life alkaline: 10 hours	
	Form Factor: handheld	
	Transmitter housings: Molded ABS	
43	Projector, Ultra portable Wireless Full HD	158,000.00
	Projection Technology: RGB liquid crystal shutter projection system	
	Auto Iris:10,000:1	
	White Light Output (Normal): at least 3,200lm	
	Colour Light Output:(Normal / Eco): at least 3,200lm / 1,900lm	
	Network:Wireless LAN; In-built	
	Analog Input:D-Sub 15 pin; 1(Blue);Composite; RCA x 1	
	Digital Input:HDMI; 1(MHL)	
	Audio Input:Stereo Mini Jack: 1	
	Others:USB Type A: 1 (for USB Memory, USB Document Camera, Firmware Update)	
	USB Type B: 1 (for USB Display, mouse, K/B/, Control, Firmware Update)	
	Supported Speed for Each Mode:IEEE 802.11b: 11 Mbps	
	IEEE 802.11g: 54 Mbps	
	IEEE 802.11n: 130.0 Mbps	
	Wireless LAN Security:Quick Mode: WPA2-PSK	
	Advanced Mode: WPA2-PSK, WPA/WPA2-PSK, WPA2-EAP	
	Supported EAP type:PEAP, PEAP-TLS, EAP-TLS, EAP-Fast, LEAP	
	Supported Connection Mode:Infrastructure, Access Point	
	Operating Temperature:5°C - 40°C < 41°F - 104°F> (0 m / 0 ft to 2,286m / 7,500ft)	
	5°C - 35°C < 41°F - 95°F> (over 2,286m / 7,500ft) (20% - 80% humidity, No condensation)	

		Operating Altitude:0m - 3,000m (0ft - 9,843 ft) (over 1,500m / 4,921ft: with high altitude mode)	
		Start-Up Period:About 7.2 seconds, Warm-up period: 30 seconds	
		Cool Down Period:Instant off	
		Sound Output:Monaural: 1W X 1	
		Direct Power On/Off:Yes/Yes	
		Dimension Excluding Feet (W x H x D):292mm x 44mm x 213mm	
		Fan Noise (Normal / Eco):39 dB / 30dB	
		Supported Speed for Each Mode:IEEE 802.11g (2.4GHz): 54Mbps	
		IEEE 802.11n (2.4GHz): 130.0 Mbps	
		IEEE 802.11a (5GHz): 54 Mbps	
		IEEE 802.11n (5GHz): 270.0 Mbps	
		IEEE 802.11ac (5GHz): 780 Mbps	
44	Microwave Oven		50,000.00
		Exterior Dimensions: 23-7/8"L x 19-7/16"W x14"H	
		Interior Dimensions: 18-1/2"L x 18-7/16"W x 10-15/16"H	
		Power source: 220- 240V 50/60Hz	
		Inverter Turbo Defrost technology	
		10 Power levels	
		Keep Warm mode	
		Delay Start	
		With Timer	
		Quick Minute	
		16.5" Turntable	
45	Desk Electric Fan		2,000.00
		16" metal blade	
		three speed controller	
		Rebidding (from GOODS-21-22)	
46	Netbook Laptop, Intel Celeron		15,000.00
		■Intel® Celeron® Processor N3350	
		◀up to 2.4GHz	
		■Intel HD Graphics 500 GPU	
		■14.1 inch HD resolution	
		■4GB RAM for Advanced Multitasking	
		■128GB EMMC Storage Capacity	
		■38000mWh Large Battery	
		■Mini-HDMI Output	
		■& Two standard USB 3.0 Slot	
47	Ink Set for HP Designjet T770		22,000.00
		■HP 72 Photo black	
		■Cyan, Magenta, Gray, Matte Black	
		■6 colors bundle	
48	Video Card		9,000.00
		■CUDA Cores at least 768	
		■Core Speed: at least 1290 MHz	
		■Boost Speed: at least 1392 MHz	
		■Memory Size: at least 4GB GDDR5	
		■Memory Interface: at least 128-bit	
		■Memory Frequency: at least 7 Gbps	
		■TDP: at least 75 Watts	
		■Multi-Screen Support: Yes	

		Resolution:7680X4320@60hz Digital	
		Bus Type: PCI Express 3.0 16x	
4		Printer	28,800.00
		Ink Tank System	
		Printer Type:	
		Print, Scan and Copy	
		Scanner Type:	
		Flatbed colour image scanner	
		Sensor Type: CIS	
		Optical Resolution:	
		600 x 1200 dpi	
		Copy Speed:	
		Maximum Copies from Standalone: 20 copies	
		Maximum Copy Size: A4, Letter	
		ISO 29183	
		A4 Simplex Flatbed (Black / Colour):	
		Up to 7.0 ipm / 1.7 ipm	
		Max Copy Resolution:	
		300 x 300 dpi	
		Paper Handling:	
		Up to 20 sheets-Premium Glossy Photo Paper	
		10 sheets-Envelope, 30 sheets-Postcard	
		Output Capacity:	
		Up to 30 sheets, A4 plain paper	
		20 sheets, Premium Glossy Photo Paper	
		Maximum Paper Size:	
		215.9 x 1200 mm (8.5 x 47.24")	
		Paper Size:	
		Legal	
		Indian-Legal (215 x 345 mm)	
		8.5 x 13", Letter, A4, 16K (195 x 270 mm),	
		B5, A5, B6, A6, Hagaki (100 x 148 mm)	
		5 x 7", 4 x 6", Envelopes: #10, DL, C6	
		Print Margin:	
		0 mm top, left, right	
		bottom via custom settings in printer driver	
		Nozzle Configuration:	
		180 x 1 nozzles Black	
		59 x 1 nozzles per colour (C,Y,M)	
		Print Direction: Bi-directional printing	
		Maximum Print Resolution:	
		5760 x 1440 dpi	
		(with Variable-Sized Droplet Technology)	
		5760 x 1440 dpi	
		(with Variable-Sized Droplet Technology)	
		Minimum Ink Droplet Size: 3 pl	
		Printer Language: ESC / P-R	
50		Computer Printer Ink, HP704 Cartridge, Black	27,500.00
51		Computer Printer Ink, HP704 Cartridge, Colored	27,500.00
52		Duplicating Machine	75,000.00
		copy printer	
		fully-automatic one-drum stencil system	

	<table><tr><td></td><td>☐300x300 dpi, 60-90 sheets per minute,</td><td></td></tr><tr><td></td><td>☐220-240 V, 50-60 Hz, includes ink black</td><td></td></tr><tr><td></td><td>☐master and cabinet</td><td></td></tr></table>		☐300x300 dpi, 60-90 sheets per minute,			☐220-240 V, 50-60 Hz, includes ink black			☐master and cabinet	
	☐300x300 dpi, 60-90 sheets per minute,									
	☐220-240 V, 50-60 Hz, includes ink black									
	☐master and cabinet									
20.2	In case the PhilGEPS Platinum Certificate of Registration is not available during bid submission, it shall be submitted as a post-qualification requirement, in accordance with Section 34.2 of the 2016 Revised IRR of R.A. 9184.									
21.2	<i>Not Applicable.</i>									

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery terms applicable to this Contract are delivered <i>VSU Main Campus, Visca, Baybay City, Leyte</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is:</p> <p style="text-align: center;"><i>Ms. Alicia M. Flores</i> <i>Head, Supply and Property Management Office,</i> <i>VSU-Main, Visca, Baybay City, Leyte</i> <i>Contact #: 053 565 0600 local 1082 / 0917 6341 430</i></p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	<p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>

	<p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <ul style="list-style-type: none"> a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts: <ul style="list-style-type: none"> i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof is included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.</p>
	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier</p>

	<p>Contract Description</p> <p>Final Destination</p> <p>Gross weight</p> <p>Any special lifting instructions</p> <p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>

2.2	Payment shall be done in staggered basis. Items that were already delivered can be paid subject to inspection and acceptance.
4	The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU Main to confirm conformity to the contract specifications at no extra cost to VSU.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Description	Delivered, Weeks/Months
1	UPS, 1000 VA	All Items Should Be Delivered Within 45 Calendar Days From Receipt Of Notice To Proceed And Purchase Order
	☐1000VA/600W capacity	
	☐Frequency Range: 60 Hz	
	☐Freq. Range (Batt. Mode): 60 Hz ± 1 Hz	
	☐Transfer Time: Typical 4-8 ms	
	☐Waveform (Batt. Mode): Simulated Sine Wave	
	☐Back-up Runtime: 10-15 mins	
	☐Voltage: 220 VAC	
	☐Voltage Range: 162-270 VAC	
2	Ink Cartridge, HP680, black	
3	Ink Cartridge, HP680, tri color	
4	Ink Cartridge, HP704, black	
5	Ink Cartridge, HP704, tri color	
6	Computer Printer 3-in-1 with CIS Filled with Inks	
	☐with CIS Filled with Inks	
	☐Compact integrated tank design	
	☐High yield ink bottles	
	☐Spill-free, error-free refilling	
	☐Wi-Fi, Wi-Fi Direct	
	☐Borderless printing up to 4R	
7	Ink, Epson 003,Genuine Black 65mL	
8	Ink, EPSON 003,Genuine Cyan 65mL	
9	Ink, EPSON 003,Genuine Magenta 65mL	
10	Ink, EPSON 003,Genuine Yellow 65mL	
11	Desktop Computer (i7 Branded)	
	☐CPU: 9th Gen Intel Core i7-9700 (8-Core, 12MB Cache, up to 4.7GHz with Intel Turbo Boost Technology) or higher	
	☐HDD: 256GB M.2 PCIe NVMe Solid State Drive + 1TB 7200 rpm 3.5" SATA Hard Drive	
	☐RAM: 8GB (8GBx1) DDR4 2666MHz	
	☐Graphics: NVIDIA GeForce GTX 1650 4GB GDDR5	
	☐Screen: 23" IPS Monitor FHD	
	☐Optical Drive: No Optical Drive	
	☐OS: Windows 10 Home Single Language (64bit) English	
12	LCD Projector SVGA (800x600)	
	☐Projection System: 3LCD Technology, RGB liquid crystal shutter	
	☐Resolution: SVGA (800x600), 4:3	
	☐Light Output: 3,300 Lumen- 2,050 Lumen (economy)	
	☐Contrast Ratio: 15,000:1	
	☐Lamp: 210 W	
	☐Lamp Hours: 6,000-10,000	
13	External Hard Disk Drive (Portable, 2TB), USB 3.1	
	☐Shock-absorbing silicon casing	
	☐Interface: USB 3.1 (Max.5Gb/s)	

	☑Capacity: 2TB
	☑Texture: Plastic/Rubber
	☑Operating Voltage: DC 5V, 900mA
	☑System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later
14	Ink, Epson, genuine (C) T664, 70 ml
15	Ink, Epson, genuine (M) T664, 70 ml
16	Ink, Epson, genuine, (BK) T664, 70 ml
17	Ink, Epson, genuine, (Y) T664, 70 ml
18	Web Camera for PC
	☑Image sensor: 1 / 2.9
	☑Lens: 3.6mm/75.7 °
	☑Effective pixel: 1932 (H) * 1088 (V)
	☑Horizontal resolution: 2MP
	☑SNR: > 50dB
	☑Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360
	☑Video Frame rate: 25FPS / 30FPS
	☑Electronic shutter: Auto
	☑Protocol: UVC / UVA
	☑Video output: USB video stream
	☑Working voltage: DC5V / 160mA ± 6mA
	☑Working environment: -20 °C to 60 °C
19	Projector Screen
	☑manual pull-down with a speed control mechanism
	☑Ceiling/Wall Mount
	☑Aspect Ratio 16:9
	☑Screen Height at least 2030mm
	☑Screen at least Width 1145mm
	☑Metal casing
20	Flash Drive, 128GB, USB 3.0
	☑Capacity:128GB
	☑Interface: USB 3.0
	☑Speed: 100MB/s read, 10MB/s write
21	Laptop, 14" (i7)
	☑Processor: Intel Core i7 10th generation or higher
	☑Graphics: NVIDIA GeForce MX250 at least 2GB GDDR5
	☑Memory: at least 8GB DDR4-2666
	☑Storage: at least 256GB SSD M.2 + 1TB HDD
	☑Display: 14" FHD (1920x1080) IPS 250nits Anti-glare
	☑Touchscreen: None
	☑Optical: None
	☑Media Reader: 4-in-1 Card Reader
	☑Ethernet: None
	☑WLAN + Bluetooth
	☑Camera: at least 720p
	☑Microphone: at least 2x, Array
	☑Operating System: licensed Windows 10 Home or Pro
	☑Bundled Software: Microsoft Office Perpetual License
	☑Repair and replacement should be at most 3 month from returning the unit
	☑at least 3 years Warranty

	☑FREE: Backpack
22	DSLR Camera (24.2 MP, APS-C with 18-55mm lens)
	☑24.2MP APS-C CMOS Sensor
	☑3.0" 1.04m-Dot Vari-Angle Touchscreen
	☑Full HD 1080p Video Recording at 60 fps
	☑45-Point All Cross-Type AF System
	☑Dual Pixel CMOS AF
	☑Expanded ISO 25600, Up to 7 fps Shooting
	☑Built-In Wi-Fi with NFC/EF-S 18-55mm f/3.5-5.6 IS STM
23	Mouse, Wired, Optical, USB
	☑USB Port Connectivity
	☑Sensor: Optical
	☑DPI: 1600
	☑Work method: Wired
	☑Buttons: Left button, middle button, right button
	☑Scroll wheel direction: Two way
	☑Design highlights: Easy installation. 1600 DPI high-definition tracking engine. Anti-slip scroll wheel. Full-size, ambidextrous design
24	Flash Drive, at least 32GB USB 3.0
25	PVC Plastic Cover 100pcs per Pack A4 size 0.2mm
26	CCTV IP Camera
	☑2MP WDR, with Built-in Mic
	☑12v, DC
	☑30m IR range,
	☑1920x1080 Max. Resolution
	☑Dome Type
	☑2.8/4mm fixed lens
27	UTP Cable Wire, CAT5E, 4 pairs
	☑305M UTP Cable (Unshielded Twisted Pairs) CAT5E
	☑Category: Cat5E
	☑4Pairs 24AWG
	☑Insulation Thickness: 0.2mmJacket
	☑Thickness: 0.92-0.95mm
	☑Stretching Resistance: (max)250N
	☑Impedance : 100Ω±15%① at 1~100MHz
	☑DC Resistance Imbalance : 2.50%
	☑Working Capacitance(Max.) :5.4nF/100m
	☑Inner Conductor Thickness:0.4mm 8CCA
	☑Inside Material: CCA (Copper Clad Aluminum)
	☑Outside Material: PVC Jacket
28	Hard Disk Drive, 2.5", 1TB, for laptop
29	SD Card, 128 GB
	☑Memory SD Card- 128 GB UHS-I SDXC
	☑Card Type: SDXC
	☑Storage Capacity: 128GB
	☑Bus type: UHS-1
	☑Data Transfer Read Speed: 170 MB/s Maximum (Burst)
	☑Write speed: 90 MB/s maximum (Burst)
	☑Write speed: 30 MB/s Minimum
	☑Built-in Write Protect Switch

	<ul style="list-style-type: none"> ☑Durability: Shockproof, Temperature Extremes, waterproof, X-ray Proof 	
	<ul style="list-style-type: none"> ☑Opening Temperature: -25 to 85C 	
30	Computer Printer, All-in-One / Multifunction Colored-Ink Tank	
	<ul style="list-style-type: none"> ☑Ultra-low-cost printing: Print up to 8,100 pages in black and 6,500 in colour 	
	<ul style="list-style-type: none"> ☑Next generation ink filling system: Enjoy hassle and mess-free refills with the enhanced ink bottles 	
	<ul style="list-style-type: none"> ☑Wi-Fi, Wi-Fi Direct & apps: Print from mobile devices 	
	<ul style="list-style-type: none"> ☑3-in-1: Print, copy & scan and borderless photo printing 	
	<ul style="list-style-type: none"> ☑Nozzle Configuration: 180 Nozzles Black, 59 Nozzles per Color 	
	<ul style="list-style-type: none"> ☑Minimum Droplet Size: 3 pl, With Variable-Sized Droplet Technology 	
	<ul style="list-style-type: none"> ☑Ink Technology: Dye Ink 	
	<ul style="list-style-type: none"> ☑Printing Resolution: 5,760 x 1,440 DPI 	
31	Tablet, 7.9 Inch (Wifi only)	
	<ul style="list-style-type: none"> ☑7.9-inch (diagonal) LED-backlit Multi-Touch display 	
	<ul style="list-style-type: none"> ☑2048-by-1536 resolution at 326 pixels per inch (ppi) 	
	<ul style="list-style-type: none"> ☑Wide color display (P3) 	
	<ul style="list-style-type: none"> ☑True Tone display 	
	<ul style="list-style-type: none"> ☑Fingerprint-resistant oleophobic coating 	
	<ul style="list-style-type: none"> ☑Fully laminated display 	
	<ul style="list-style-type: none"> ☑Antireflective coating 	
	<ul style="list-style-type: none"> ☑500 nits brightness 	
	<ul style="list-style-type: none"> ☑8MP camera 	
	<ul style="list-style-type: none"> ☑f/2.4 aperture 	
	<ul style="list-style-type: none"> ☑Five-element lens 	
	<ul style="list-style-type: none"> ☑Hybrid IR filter 	
	<ul style="list-style-type: none"> ☑Backside illumination 	
	<ul style="list-style-type: none"> ☑7MP photos 	
	<ul style="list-style-type: none"> ☑f/2.2 aperture 	
	<ul style="list-style-type: none"> ☑1080p HD video recording at 30 fps 	
	<ul style="list-style-type: none"> ☑Retina Flash 	
	<ul style="list-style-type: none"> ☑Wi-Fi (802.11a/b/g/n/ac); simultaneous dual band (2.4GHz and 5GHz); HT80 with MIMO 	
	<ul style="list-style-type: none"> ☑Bluetooth 5.0 technology 	
32	Antivirus Software 3 Device, 1+1 Year Licence include VPN (enrolled auto-renewal)	
	<ul style="list-style-type: none"> ☑Antivirus Software keeps your PC/Laptop/Mobile device safe from Trojans, viruses, spyware, rootkits, and more, with state-of-the-art anti-malware protection 	
	<ul style="list-style-type: none"> ☑Detects, quarantines, and blocks viruses and malware to prevent damage to your PC/Laptop 	
	<ul style="list-style-type: none"> ☑Keep zero-day threats and botnets at bay - McAfee Active Protection and Global Threat Intelligence technology have you covered 	
	<ul style="list-style-type: none"> ☑Block inappropriate sites 	
	<ul style="list-style-type: none"> ☑Two-Way Firewall system monitors and stops traffic in and out of your PC 	
	<ul style="list-style-type: none"> ☑Keep sensitive files private by storing them on your PC with 128-bit encryption 	

	<ul style="list-style-type: none"> Eliminate the hassle of passwords with the password manager app 	
33	External Hard Disk Drive (Portable, 1TB), USB 3.1	
	<ul style="list-style-type: none"> Shock-absorbing silicon casing 	
	<ul style="list-style-type: none"> Interface: USB 3.1 (Max.5Gb/s) 	
	<ul style="list-style-type: none"> Capacity: 1TB 	
	<ul style="list-style-type: none"> Texture: Plastic/Rubber 	
	<ul style="list-style-type: none"> Operating Voltage: DC 5V, 900mA 	
	<ul style="list-style-type: none"> System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later 	
34	SD Card, 64GB	
	<ul style="list-style-type: none"> 64GB SD Card 	
	<ul style="list-style-type: none"> SDHC UHS-1 Class 10 80MB/s 	
35	Printer All-in-One System With Wi-fi, ADF and Ink Tank System	
	<ul style="list-style-type: none"> PRINTER TYPE: 	
	<ul style="list-style-type: none"> Print, Scan, Copy, Fax with ADF 	
	<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR): 	
	<ul style="list-style-type: none"> Up to 10 ipm / 5.0 ipm 	
	<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR): 	
	<ul style="list-style-type: none"> Up to 7.7 ipm / 3.8 ipm 	
	<ul style="list-style-type: none"> MAXIMUM COPY SIZE: Legal 	
	<ul style="list-style-type: none"> SCAN SPEED (FLATBED / ADF): 	
	<ul style="list-style-type: none"> 12 sec / 4.5 ipm (black), 29 sec / 4.5 ipm (colour) 	
	<ul style="list-style-type: none"> TYPE OF FAX: 	
	<ul style="list-style-type: none"> Walk-up Black and white and colour fax capability 	
	<ul style="list-style-type: none"> SUPPORTED OS & APPLICATIONS: 	
	<ul style="list-style-type: none"> Windows XP / Vista / 7 / 8 / 8.1 / 10 	
	<ul style="list-style-type: none"> Windows Server 2003/ 2008 / 2012 / 201 	
	<ul style="list-style-type: none"> Mac OS X 10.6.8 or later 	
	<ul style="list-style-type: none"> INTERFACE: 	
	<ul style="list-style-type: none"> USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct 	
36	Heavy Duty Combo Binding Machine	
	<ul style="list-style-type: none"> Specs: 	
	<ul style="list-style-type: none"> Maximum Punching Sheets: 25 	
	<ul style="list-style-type: none"> Max Size: LS, F4, A4, Extra Long 	
	<ul style="list-style-type: none"> Selectable Punching Pins: 24 slots 	
	<ul style="list-style-type: none"> Net Weight: 12.5kgs 	
37	Paper Shredder Machine, Heavy Duty	
	<ul style="list-style-type: none"> Shred Type: Cross Cut 	
	<ul style="list-style-type: none"> Maximum Sheet capacity(70gsm) : 10 Sheets 	
	<ul style="list-style-type: none"> Waste Container capacity: 21 Liters 	
	<ul style="list-style-type: none"> Power Source: 220 - 240 VAC 	
38	All-in-One Printer with ADF	
	<ul style="list-style-type: none"> PRINTER TYPE: 	
	<ul style="list-style-type: none"> Print, Scan, Copy, Fax with ADF 	
	<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR): 	
	<ul style="list-style-type: none"> Up to 10 ipm / 5.0 ipm 	
	<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR): 	
	<ul style="list-style-type: none"> Up to 7.7 ipm / 3.8 ipm 	
	<ul style="list-style-type: none"> MAXIMUM COPY SIZE: Legal 	
	<ul style="list-style-type: none"> SCAN SPEED (FLATBED / ADF): 	

	◀12 sec / 4.5 ipm (black), 29 sec / 4.5 ipm (colour)	
	☑TYPE OF FAX:	
	◀Walk-up Black and white and colour fax capability	
	☑SUPPORTED OS & APPLICATIONS:	
	◀Windows XP / Vista / 7 / 8 / 8.1 / 10	
	◀Windows Server 2003/ 2008 / 2012 / 201	
	◀Mac OS X 10.6.8 or later	
	☑INTERFACE:	
	◀USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct	
39	LAPTOP	
	Type: Notebook	
	Intel Core i5-7200U	
	2.5GHz	
	NVIDIA GeForce MX150 up to 2GB GDDRS Dedicated Graphics Memory	
	Memory Storage:	
	RAM: 4GB	
	DDR4	
	HDD+ssd/eMMC	
	1 TB HDD	
	128GB SSD/eMMC	
	15.6 inches display	
	Full HD 1920 x 1080	
	Comfy View	
	RJ45 Gigabit LAN	
	Wifi 802 11ac	
	Windows 10 Home	
40	Desktop Microphone	
	☑Compatible with: Desktop/Notebook/PC, Windows 7-10	
	☑Pickup: 6mm Condenser Mic	
	☑Microphone Directivity: Omnidirectional	
	☑Sensitivity: -58db±3db	
	☑Signal-to-noise Ratio: ≤50dB	
	☑Cable Length: 2.5m	
	☑Type: 3.5mm Plug	
41	External Hard Disk Drive (Portable, 2TB), USB 3.1	
	☑Shock-absorbing silicon casing	
	☑Interface: USB 3.1 (Max.5Gb/s)	
	☑Capacity: 2TB	
	☑Texture: Plastic/Rubber	
	☑Operating Voltage: DC 5V, 900mA	
	☑System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later	
	Rebidding (from GOODS-21-12)	
42	Dual Vocal Wireless System	
	with Dual Channel Diversity Receiver:	
	Transmission: Analog	
	Number of compatible systems per frequency band: Up to 4	
	Receiver type: Dual	
	Image Rejection: 50 dB, typical	
	RF Sensitivity: -105 dBm, for 12dB SINAD, typical	
	with at least 2 Microphone wireless handheld transmitter	

	Battery life alkaline: 10 hours	
	Form Factor: handheld	
	Transmitter housings: Molded ABS	
43	Projector, Ultra-portable Wireless Full HD	
	Projection Technology: RGB liquid crystal shutter projection system	
	Auto Iris:10,000:1	
	White Light Output (Normal): at least 3,200lm	
	Colour Light Output:(Normal / Eco): at least 3,200lm / 1,900lm	
	Network:Wireless LAN; In-built	
	Analog Input:D-Sub 15 pin; 1(Blue);Composite; RCA x 1	
	Digital Input:HDMI; 1(MHL)	
	Audio Input:Stereo Mini Jack: 1	
	Others:USB Type A: 1 (for USB Memory, USB Document Camera, Firmware Update)	
	USB Type B: 1 (for USB Display, mouse, K/B/, Control, Firmware Update)	
	Supported Speed for Each Mode:IEEE 802.11b: 11 Mbps	
	IEEE 802.11g: 54 Mbps	
	IEEE 802.11n: 130.0 Mbps	
	Wireless LAN Security:Quick Mode: WPA2-PSK	
	Advanced Mode: WPA2-PSK, WPA/WPA2-PSK, WPA2-EAP	
	Supported EAP type:PEAP, PEAP-TLS, EAP-TLS, EAP-Fast, LEAP	
	Supported Connection Mode:Infrastructure, Access Point	
	Operating Temperature:5°C - 40°C < 41°F - 104°F> (0 m / 0 ft to 2,286m / 7,500ft)	
	5°C - 35°C < 41°F - 95°F> (over 2,286m / 7,500ft) (20% - 80% humidity, No condensation)	
	Operating Altitude:0m - 3,000m (0ft - 9,843 ft) (over 1,500m / 4,921ft: with high altitude mode)	
	Start-Up Period:About 7.2 seconds, Warm-up period: 30 seconds	
	Cool Down Period:Instant off	
	Sound Output:Monaural: 1W X 1	
	Direct Power On/Off:Yes/Yes	
	Dimension Excluding Feet (W x H x D):292mm x 44mm x 213mm	
	Fan Noise (Normal / Eco):39 dB / 30dB	
	Supported Speed for Each Mode:IEEE 802.11g (2.4GHz): 54Mbps	
	IEEE 802.11n (2.4GHz): 130.0 Mbps	
	IEEE 802.11a (5GHz): 54 Mbps	
	IEEE 802.11n (5GHz): 270.0 Mbps	
	IEEE 802.11ac (5GHz): 780 Mbps	
44	Microwave Oven	
	Exterior Dimensions: 23-7/8"L x 19-7/16"W x14"H	
	Interior Dimensions: 18-1/2"L x 18-7/16"W x 10-15/16"H	
	Power source: 220- 240V 50/60Hz	
	Inverter Turbo Defrost technology	
	10 Power levels	
	Keep Warm mode	
	Delay Start	
	With Timer	
	Quick Minute	

	16.5" Turntable	
45	Desk Electric Fan	
	16" metal blade	
	three speed controller	
	Rebidding (from GOODS-21-22)	
46	Netbook Laptop, Intel Celeron	
	☑Intel® Celeron® Processor N3350	
	◀up to 2.4GHz	
	☑Intel HD Graphics 500 GPU	
	☑14.1 inch HD resolution	
	☑4GB RAM for Advanced Multitasking	
	☑128GB EMMC Storage Capacity	
	☑38000mWh Large Battery	
	☑Mini-HDMI Output	
	☑&Two standard USB 3.0 Slot	
47	Ink Set for HP Designjet T770	
	☑HP 72 Photo black	
	☑Cyan, Magenta, Gray, Matte Black	
	☑6 colors bundle	
48	Video Card	
	☑CUDA Cores at least 768	
	☑Core Speed: at least 1290 MHz	
	☑Boost Speed: at least 1392 MHz	
	☑Memory Size: at least 4GB GDDR5	
	☑Memory Interface: at least 128-bit	
	☑Memory Frequency: at least 7 Gbps	
	☑TDP: at least 75 Watts	
	☑Multi-Screen Support: Yes	
	☑Resolution:7680X4320@60hz Digital	
	☑Bus Type: PCI Express 3.0 16x	
49	Printer	
	☑Ink Tank System	
	☑Printer Type:	
	◀Print, Scan and Copy	
	☑Scanner Type:	
	◀Flatbed colour image scanner	
	☑Sensor Type: CIS	
	☑Optical Resolution:	
	◀600 x 1200 dpi	
	☑Copy Speed:	
	◀Maximum Copies from Standalone: 20 copies	
	☑Maximum Copy Size: A4, Letter	
	☑ISO 29183	
	◀A4 Simplex Flatbed (Black / Colour):	
	☑Up to 7.0 ipm / 1.7 ipm	
	☑Max Copy Resolution:	
	◀300 x 300 dpi	
	☑Paper Handling:	
	◀Up to 20 sheets-Premium Glossy Photo Paper	
	◀10 sheets-Envelope, 30 sheets-Postcard	
	☑Output Capacity:	
	◀Up to 30 sheets, A4 plain paper	

	◀20 sheets, Premium Glossy Photo Paper	
	☐Maximum Paper Size:	
	◀215.9 x 1200 mm (8.5 x 47.24")	
	☐Paper Size:	
	◀Legal	
	◀Indian-Legal (215 x 345 mm)	
	◀8.5 x 13", Letter, A4, 16K (195 x 270 mm),	
	◀B5, A5, B6, A6, Hagaki (100 x 148 mm)	
	◀5 x 7", 4 x 6", Envelopes: #10, DL, C6	
	☐Print Margin:	
	◀0 mm top, left, right	
	◀bottom via custom settings in printer driver	
	☐Nozzle Configuration:	
	◀180 x 1 nozzles Black	
	◀59 x 1 nozzles per colour (C,Y,M)	
	☐Print Direction: Bi-directional printing	
	☐Maximum Print Resolution:	
	◀5760 x 1440 dpi	
	▶ (with Variable-Sized Droplet Technology)	
	◀5760 x 1440 dpi	
	▶ (with Variable-Sized Droplet Technology)	
	☐Minimum Ink Droplet Size: 3 pl	
	☐Printer Language: ESC / P-R	
50	Computer Printer Ink, HP704 Cartridge, Black	
51	Computer Printer Ink, HP704 Cartridge, Colored	
52	Duplicating Machine	
	☐copy printer	
	☐fully-automatic one-drum stencil system	
	☐300x300 dpi, 60-90 sheets per minute,	
	☐220-240 V, 50-60 Hz, includes ink black	
	☐master and cabinet	

Section VII. Technical Specifications

Technical Specifications

Item No.	Description	STATEMENT OF COMPLIANCE
1	UPS, 1000 VA	<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
	☐1000VA/600W capacity	
	☐Frequency Range: 60 Hz	
	☐Freq. Range (Batt. Mode): 60 Hz ± 1 Hz	
	☐Transfer Time: Typical 4-8 ms	
	☐Waveform (Batt. Mode): Simulated Sine Wave	
	☐Back-up Runtime: 10-15 mins	
	☐Voltage: 220 VAC	
	☐Voltage Range: 162-270 VAC	
2	Ink Cartridge, HP680, black	
3	Ink Cartridge, HP680, tri color	
4	Ink Cartridge, HP704, black	
5	Ink Cartridge, HP704, tri color	
6	Computer Printer 3-in-1 with CIS Filled with Inks	
	☐with CIS Filled with Inks	
	☐Compact integrated tank design	
	☐High yield ink bottles	
	☐Spill-free, error-free refilling	
	☐Wi-Fi, Wi-Fi Direct	
	☐Borderless printing up to 4R	
7	Ink, Epson 003,Genuine Black 65mL	
8	Ink, EPSON 003,Genuine Cyan 65mL	
9	Ink, EPSON 003,Genuine Magenta 65mL	
10	Ink, EPSON 003,Genuine Yellow 65mL	
11	Desktop Computer (i7 Branded)	
	☐CPU: 9th Gen Intel Core i7-9700 (8-Core, 12MB Cache, up to 4.7GHz with Intel Turbo Boost Technology) or higher	
	☐HDD: 256GB M.2 PCIe NVMe Solid State Drive + 1TB 7200 rpm 3.5" SATA Hard Drive	
	☐RAM: 8GB (8GBx1) DDR4 2666MHz	
	☐Graphics: NVIDIA GeForce GTX 1650 4GB GDDR5	
	☐Screen: 23" IPS Monitor FHD	
	☐Optical Drive: No Optical Drive	
	☐OS: Windows 10 Home Single Language (64bit) English	
12	LCD Projector SVGA (800x600)	
	☐Projection System: 3LCD Technology, RGB liquid crystal shutter	
	☐Resolution: SVGA (800x600), 4:3	
	☐Light Output: 3,300 Lumen- 2,050 Lumen (economy)	
	☐Contrast Ratio: 15,000:1	
	☐Lamp: 210 W	
	☐Lamp Hours: 6,000-10,000	
13	External Hard Disk Drive (Portable, 2TB), USB 3.1	
	☐Shock-absorbing silicon casing	
	☐Interface: USB 3.1 (Max.5Gb/s)	

	☑Capacity: 2TB
	☑Texture: Plastic/Rubber
	☑Operating Voltage: DC 5V, 900mA
	☑System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later
14	Ink, Epson, genuine (C) T664, 70 ml
15	Ink, Epson, genuine (M) T664, 70 ml
16	Ink, Epson, genuine, (BK) T664, 70 ml
17	Ink, Epson, genuine, (Y) T664, 70 ml
18	Web Camera for PC
	☑Image sensor: 1 / 2.9
	☑Lens: 3.6mm/75.7 °
	☑Effective pixel: 1932 (H) * 1088 (V)
	☑Horizontal resolution: 2MP
	☑SNR: > 50dB
	☑Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360
	☑Video Frame rate: 25FPS / 30FPS
	☑Electronic shutter: Auto
	☑Protocol: UVC / UVA
	☑Video output: USB video stream
	☑Working voltage: DC5V / 160mA ± 6mA
	☑Working environment: -20 °C to 60 °C
19	Projector Screen
	☑manual pull-down with a speed control mechanism
	☑Ceiling/Wall Mount
	☑Aspect Ratio 16:9
	☑Screen Height at least 2030mm
	☑Screen at least Width 1145mm
	☑Metal casing
20	Flash Drive, 128GB, USB 3.0
	☑Capacity:128GB
	☑Interface: USB 3.0
	☑Speed: 100MB/s read, 10MB/s write
21	Laptop, 14" (i7)
	☑Processor: Intel Core i7 10th generation or higher
	☑Graphics: NVIDIA GeForce MX250 at least 2GB GDDR5
	☑Memory: at least 8GB DDR4-2666
	☑Storage: at least 256GB SSD M.2 + 1TB HDD
	☑Display: 14" FHD (1920x1080) IPS 250nits Anti-glare
	☑Touchscreen: None
	☑Optical: None
	☑Media Reader: 4-in-1 Card Reader
	☑Ethernet: None
	☑WLAN + Bluetooth
	☑Camera: at least 720p
	☑Microphone: at least 2x, Array
	☑Operating System: licensed Windows 10 Home or Pro
	☑Bundled Software: Microsoft Office Perpetual License
	☑Repair and replacement should be at most 3 month from returning the unit

	at least 3 years Warranty
	FREE: Backpack
22	DSLR Camera (24.2 MP, APS-C with 18-55mm lens)
	24.2MP APS-C CMOS Sensor
	3.0" 1.04m-Dot Vari-Angle Touchscreen
	Full HD 1080p Video Recording at 60 fps
	45-Point All Cross-Type AF System
	Dual Pixel CMOS AF
	Expanded ISO 25600, Up to 7 fps Shooting
	Built-In Wi-Fi with NFC/Bluetooth 4.0
23	Mouse, Wired, Optical, USB
	USB Port Connectivity
	Sensor: Optical
	DPI: 1600
	Work method: Wired
	Buttons: Left button, middle button, right button
	Scroll wheel direction: Two way
	Design highlights: Easy installation. 1600 DPI high-definition tracking engine. Anti-slip scroll wheel. Full-size, ambidextrous design
24	Flash Drive, at least 32GB USB 3.0
25	PVC Plastic Cover 100pcs per Pack A4 size 0.2mm
26	CCTV IP Camera
	2MP WDR, with Built-in Mic
	12v, DC
	30m IR range,
	1920x1080 Max. Resolution
	Dome Type
	2.8/4mm fixed lens
27	UTP Cable Wire, CAT5E, 4 pairs
	305M UTP Cable (Unshielded Twisted Pairs) CAT5E
	Category: Cat5E
	4Pairs 24AWG
	Insulation Thickness: 0.2mmJacket
	Thickness: 0.92-0.95mm
	Stretching Resistance: (max)250N
	Impedance : $100\pm 15\% \Omega$ at 1~100MHz
	DC Resistance Imbalance : 2.50%
	Working Capacitance(Max.) : 5.4nF/100m
	Inner Conductor Thickness:0.4mm 8CCA
	Inside Material: CCA (Copper Clad Aluminum)
	Outside Material: PVC Jacket
28	Hard Disk Drive, 2.5", 1TB, for laptop
29	SD Card, 128 GB
	Memory SD Card- 128 GB UHS-I SDXC
	Card Type: SDXC
	Storage Capacity: 128GB
	Bus type: UHS-1
	Data Transfer Read Speed: 170 MB/s Maximum (Burst)
	Write speed: 90 MB/s maximum (Burst)
	Write speed: 30 MB/s Minimum

	<ul style="list-style-type: none"> ■ Built-in Write Protect Switch 	
	<ul style="list-style-type: none"> ■ Durability: Shockproof, Temperature Extremes, waterproof, X-ray Proof 	
	<ul style="list-style-type: none"> ■ Opening Temperature: -25 to 85C 	
30	Computer Printer, All-in-One / Multifunction Colored-Ink Tank	
	<ul style="list-style-type: none"> ■ Ultra-low-cost printing: Print up to 8,100 pages in black and 6,500 in colour 	
	<ul style="list-style-type: none"> ■ Next generation ink filling system: Enjoy hassle and mess-free refills with the enhanced ink bottles 	
	<ul style="list-style-type: none"> ■ Wi-Fi, Wi-Fi Direct & apps: Print from mobile devices 	
	<ul style="list-style-type: none"> ■ 3-in-1: Print, copy & scan and borderless photo printing 	
	<ul style="list-style-type: none"> ■ Nozzle Configuration: 180 Nozzles Black, 59 Nozzles per Color 	
	<ul style="list-style-type: none"> ■ Minimum Droplet Size: 3 pl, With Variable-Sized Droplet Technology 	
	<ul style="list-style-type: none"> ■ Ink Technology: Dye Ink 	
	<ul style="list-style-type: none"> ■ Printing Resolution: 5,760 x 1,440 DPI 	
31	Tablet, 7.9 Inch (Wifi only)	
	<ul style="list-style-type: none"> ■ 7.9-inch (diagonal) LED-backlit Multi-Touch display 	
	<ul style="list-style-type: none"> ■ 2048-by-1536 resolution at 326 pixels per inch (ppi) 	
	<ul style="list-style-type: none"> ■ Wide color display (P3) 	
	<ul style="list-style-type: none"> ■ True Tone display 	
	<ul style="list-style-type: none"> ■ Fingerprint-resistant oleophobic coating 	
	<ul style="list-style-type: none"> ■ Fully laminated display 	
	<ul style="list-style-type: none"> ■ Antireflective coating 	
	<ul style="list-style-type: none"> ■ 500 nits brightness 	
	<ul style="list-style-type: none"> ■ 8MP camera 	
	<ul style="list-style-type: none"> ■ f/2.4 aperture 	
	<ul style="list-style-type: none"> ■ Five-element lens 	
	<ul style="list-style-type: none"> ■ Hybrid IR filter 	
	<ul style="list-style-type: none"> ■ Backside illumination 	
	<ul style="list-style-type: none"> ■ 7MP photos 	
	<ul style="list-style-type: none"> ■ f/2.2 aperture 	
	<ul style="list-style-type: none"> ■ 1080p HD video recording at 30 fps 	
	<ul style="list-style-type: none"> ■ Retina Flash 	
	<ul style="list-style-type: none"> ■ Wi-Fi (802.11a/b/g/n/ac); simultaneous dual band (2.4GHz and 5GHz); HT80 with MIMO 	
	<ul style="list-style-type: none"> ■ Bluetooth 5.0 technology 	
32	Antivirus Software 3 Device, 1+1 Year Licence include VPN (enrolled auto-renewal)	
	<ul style="list-style-type: none"> ■ Antivirus Software keeps your PC/Laptop/Mobile device safe from Trojans, viruses, spyware, rootkits, and more, with state-of-the-art anti-malware protection 	
	<ul style="list-style-type: none"> ■ Detects, quarantines, and blocks viruses and malware to prevent damage to your PC/Laptop 	
	<ul style="list-style-type: none"> ■ Keep zero-day threats and botnets at bay - McAfee Active Protection and Global Threat Intelligence technology have you covered 	
	<ul style="list-style-type: none"> ■ Block inappropriate sites 	
	<ul style="list-style-type: none"> ■ Two-Way Firewall system monitors and stops traffic in and out of your PC 	

	<ul style="list-style-type: none"> Keep sensitive files private by storing them on your PC with 128-bit encryption
	<ul style="list-style-type: none"> Eliminate the hassle of passwords with the password manager app
33	External Hard Disk Drive (Portable, 1TB), USB 3.1
	<ul style="list-style-type: none"> Shock-absorbing silicon casing
	<ul style="list-style-type: none"> Interface: USB 3.1 (Max.5Gb/s)
	<ul style="list-style-type: none"> Capacity: 1TB
	<ul style="list-style-type: none"> Texture: Plastic/Rubber
	<ul style="list-style-type: none"> Operating Voltage: DC 5V, 900mA
	<ul style="list-style-type: none"> System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later
34	SD Card, 64GB
	<ul style="list-style-type: none"> 64GB SD Card
	<ul style="list-style-type: none"> SDHC UHS-1 Class 10 80MB/s
35	Printer All-in-One System With Wi-fi, ADF and Ink Tank System
	<ul style="list-style-type: none"> PRINTER TYPE:
	<ul style="list-style-type: none"> Print, Scan, Copy, Fax with ADF
	<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR):
	<ul style="list-style-type: none"> Up to 10 ipm / 5.0 ipm
	<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR):
	<ul style="list-style-type: none"> Up to 7.7 ipm / 3.8 ipm
	<ul style="list-style-type: none"> MAXIMUM COPY SIZE: Legal
	<ul style="list-style-type: none"> SCAN SPEED (FLATBED / ADF):
	<ul style="list-style-type: none"> 12 sec / 4.5 ipm (black), 29 sec / 4.5 ipm (colour)
	<ul style="list-style-type: none"> TYPE OF FAX:
	<ul style="list-style-type: none"> Walk-up Black and white and colour fax capability
	<ul style="list-style-type: none"> SUPPORTED OS & APPLICATIONS:
	<ul style="list-style-type: none"> Windows XP / Vista / 7 / 8 / 8.1 / 10
	<ul style="list-style-type: none"> Windows Server 2003/ 2008 / 2012 / 201
	<ul style="list-style-type: none"> Mac OS X 10.6.8 or later
	<ul style="list-style-type: none"> INTERFACE:
	<ul style="list-style-type: none"> USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct
36	Heavy Duty Combo Binding Machine
	<ul style="list-style-type: none"> Specs:
	<ul style="list-style-type: none"> Maximum Punching Sheets: 25
	<ul style="list-style-type: none"> Max Size: LS, F4, A4, Extra Long
	<ul style="list-style-type: none"> Selectable Punching Pins: 24 slots
	<ul style="list-style-type: none"> Net Weight: 12.5kgs
37	Paper Shredder Machine, Heavy Duty
	<ul style="list-style-type: none"> Shred Type: Cross Cut
	<ul style="list-style-type: none"> Maximum Sheet capacity(70gsm) : 10 Sheets
	<ul style="list-style-type: none"> Waste Container capacity: 21 Liters
	<ul style="list-style-type: none"> Power Source: 220 - 240 VAC
38	All-in-One Printer with ADF
	<ul style="list-style-type: none"> PRINTER TYPE:
	<ul style="list-style-type: none"> Print, Scan, Copy, Fax with ADF
	<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR):
	<ul style="list-style-type: none"> Up to 10 ipm / 5.0 ipm
	<ul style="list-style-type: none"> ISO PRINT SPEED (BLACK/COLOUR):
	<ul style="list-style-type: none"> Up to 7.7 ipm / 3.8 ipm

	Image Rejection: 50 dB, typical
	RF Sensitivity: -105 dBm, for 12dB SINAD, typical
	with at least 2 Microphone wireless handheld transmitter
	Battery life alkaline: 10 hours
	Form Factor: handheld
	Transmitter housings: Molded ABS
43	Projector, Ultra portable Wireless Full HD
	Projection Technology: RGB liquid crystal shutter projection system
	Auto Iris:10,000:1
	White Light Output (Normal): at least 3,200lm
	Colour Light Output:(Normal / Eco): at least 3,200lm / 1,900lm
	Network:Wireless LAN; In-built
	Analog Input:D-Sub 15 pin; 1(Blue);Composite; RCA x 1
	Digital Input:HDMI; 1(MHL)
	Audio Input:Stereo Mini Jack: 1
	Others:USB Type A: 1 (for USB Memory, USB Document Camera, Firmware Update)
	USB Type B: 1 (for USB Display, mouse, K/B/, Control, Firmware Update)
	Supported Speed for Each Mode:IEEE 802.11b: 11 Mbps
	IEEE 802.11g: 54 Mbps
	IEEE 802.11n: 130.0 Mbps
	Wireless LAN Security:Quick Mode: WPA2-PSK
	Advanced Mode: WPA2-PSK, WPA/WPA2-PSK, WPA2-EAP
	Supported EAP type:PEAP, PEAP-TLS, EAP-TLS, EAP-Fast, LEAP
	Supported Connection Mode:Infrastructure, Access Point
	Operating Temperature:5°C - 40°C < 41°F - 104°F> (0 m / 0 ft to 2,286m / 7,500ft)
	5°C - 35°C < 41°F - 95°F> (over 2,286m / 7,500ft) (20% - 80% humidity, No condensation)
	Operating Altitude:0m - 3,000m (0ft - 9,843 ft) (over 1,500m / 4,921ft: with high altitude mode)
	Start-Up Period:About 7.2 seconds, Warm-up period: 30 seconds
	Cool Down Period:Instant off
	Sound Output:Monaural: 1W X 1
	Direct Power On/Off:Yes/Yes
	Dimension Excluding Feet (W x H x D):292mm x 44mm x 213mm
	Fan Noise (Normal / Eco):39 dB / 30dB
	Supported Speed for Each Mode:IEEE 802.11g (2.4GHz): 54Mbps
	IEEE 802.11n (2.4GHz): 130.0 Mbps
	IEEE 802.11a (5GHz): 54 Mbps
	IEEE 802.11n (5GHz): 270.0 Mbps
	IEEE 802.11ac (5GHz): 780 Mbps
44	Microwave Oven
	Exterior Dimensions: 23-7/8"L x 19-7/16"W x14"H
	Interior Dimensions: 18-1/2"L x 18-7/16"W x 10-15/16"H

	Power source: 220- 240V 50/60Hz
	Inverter Turbo Defrost technology
	10 Power levels
	Keep Warm mode
	Delay Start
	With Timer
	Quick Minute
	16.5" Turntable
45	Desk Electric Fan
	16" metal blade
	three speed controller
	Rebidding (from GOODS-21-22)
46	Netbook Laptop, Intel Celeron
	■Intel® Celeron® Processor N3350
	◀up to 2.4GHz
	■Intel HD Graphics 500 GPU
	■14.1 inch HD resolution
	■4GB RAM for Advanced Multitasking
	■128GB EMMC Storage Capacity
	■38000mWh Large Battery
	■Mini-HDMI Output
	■&Two standard USB 3.0 Slot
47	Ink Set for HP Designjet T770
	■HP 72 Photo black
	■Cyan, Magenta, Gray, Matte Black
	■6 colors bundle
48	Video Card
	■CUDA Cores at least 768
	■Core Speed: at least 1290 MHz
	■Boost Speed: at least 1392 MHz
	■Memory Size: at least 4GB GDDR5
	■Memory Interface: at least 128-bit
	■Memory Frequency: at least 7 Gbps
	■TDP: at least 75 Watts
	■Multi-Screen Support: Yes
	■Resolution:7680X4320@60hz Digital
	■Bus Type: PCI Express 3.0 16x
49	Printer
	■Ink Tank System
	■Printer Type:
	◀Print, Scan and Copy
	■Scanner Type:
	◀Flatbed colour image scanner
	■Sensor Type: CIS
	■Optical Resolution:
	◀600 x 1200 dpi
	■Copy Speed:
	◀Maximum Copies from Standalone: 20 copies
	■Maximum Copy Size: A4, Letter
	■ISO 29183
	◀A4 Simplex Flatbed (Black / Colour):
	■Up to 7.0 ipm / 1.7 ipm

	■Max Copy Resolution:
	◀300 x 300 dpi
	■Paper Handling:
	◀Up to 20 sheets-Premium Glossy Photo Paper
	◀10 sheets-Envelope, 30 sheets-Postcard
	■Output Capacity:
	◀Up to 30 sheets, A4 plain paper
	◀20 sheets, Premium Glossy Photo Paper
	■Maximum Paper Size:
	◀215.9 x 1200 mm (8.5 x 47.24")
	■Paper Size:
	◀Legal
	◀Indian-Legal (215 x 345 mm)
	◀8.5 x 13", Letter, A4, 16K (195 x 270 mm),
	◀B5, A5, B6, A6, Hagaki (100 x 148 mm)
	◀5 x 7", 4 x 6", Envelopes: #10, DL, C6
	■Print Margin:
	◀0 mm top, left, right
	◀bottom via custom settings in printer driver
	■Nozzle Configuration:
	◀180 x 1 nozzles Black
	◀59 x 1 nozzles per colour (C,Y,M)
	■Print Direction: Bi-directional printing
	■Maximum Print Resolution:
	◀5760 x 1440 dpi
	► (with Variable-Sized Droplet Technology)
	◀5760 x 1440 dpi
	► (with Variable-Sized Droplet Technology)
	■Minimum Ink Droplet Size: 3 pl
	■Printer Language: ESC / P-R
50	Computer Printer Ink, HP704 Cartridge, Black
51	Computer Printer Ink, HP704 Cartridge, Colored
52	Duplicating Machine
	■copy printer
	■fully-automatic one-drum stencil system
	■300x300 dpi, 60-90 sheets per minute,
	■220-240 V, 50-60 Hz, includes ink black
	■master and cabinet

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
or
- ☐ (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
and
- ☐ (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
and
- ☐ (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Note: If the bidder submits item (a), bidder may not submit requirements (b), (c) & (d).

Technical Documents

- ☐ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid in the amount of *at least 50% of the ABC or at least Six Hundred Forty-Two Thousand Three Hundred Eighty-Two and 50/100 Pesos (PhP 642,382.50)*;
or
Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to *at least 50% of the ABC or at least Six Hundred Forty-Two Thousand Three Hundred Eighty-Two and 50/100 Pesos (PhP 642,382.50)* and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or *at least Three Hundred Twenty-One Thousand One Hundred Ninety-One and 25/100 Pesos (PhP 321,191.25)*; **and**
- ☐ (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (i) Conformity with the Technical Specifications; **and**
- ☐ (j) Production/delivery schedule; **and**
- ☐ (k) Manpower requirements; **and**
- ☐ (l) After-sales/parts, if applicable; **and**
- ☐ (m) Original duly signed Omnibus Sworn Statement (OSS);

and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (n) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- ☐ (o) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) – at least equal to ABC (**PhP 1,284,765.00**);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation (at least 10% of ABC or **PhP 128,476.50**).

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (a) Original of duly signed and accomplished Financial Bid Form; **and**
- ☐ (b) Original of duly signed and accomplished Price Schedule(s).

Guidelines on the Preparation of Electronic Bid (e-Bid)
(for bidders who prefer electronic bid submission)

1. Scan all documents and save as Portable Document Format (PDF) files.
2. Properly label each document for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Registration Certificate (SEC/DTI)	Registration Certificate
3. Mayor's/Business Permit	Mayor's-Business Permit
4. Tax Clearance	Tax Clearance
5. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
6. Statement of Bidder's Single Largest Completed Contract	SLCC
7. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
8. Bid Security	Bid Security
9. Technical Specifications	Technical Specifications
10. SCHEDULE of Requirements/Production and delivery schedule	Schedule of Requirements
11. Manpower Requirements	Manpower Requirements
12. After Sales service/parts	After Sales
13. Omnibus Sworn Statement	Omnibus Sworn Statement
14. Audited Financial Statements	Audited Financial Statements
15. Net Financial Contracting Capacity	NFCC
16. Committed Line of Credit	CLC
17. Bid Form	Bid Form
18. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII. The second folder should contain all requirements under Financial Component checklist.
4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at jessamine.ecleo@vsu.edu.ph before the deadline (June 14, 2021; 8:30 AM).



VISAYAS
STATE UNIVERSITY