

## PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# Procurement of Equipment for Smart Campus (GOODS-22-18)

Government of the Republic of the Philippines

March 21, 2022; 9:00 AM PPO Conference, Lower Campus, VSU, Visca, Baybay City, Levte

> Sixth Edition July 2020

### **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	3
Sectio	on I. Invitation to Bid	6
Sectio	on II. Instructions to Bidders	17
1.	Scope of Bid	
2.	Funding Information	
3.	Bidding Requirements	18
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	18
5.	Eligible Bidders	18
6.	Origin of Goods	19
7.	Subcontracts	19
8.	Pre-Bid Conference	19
9.	Clarification and Amendment of Bidding Documents	19
10.	Documents comprising the Bid: Eligibility and Technical Components	19
11.	Documents comprising the Bid: Financial Component	20
12.	Bid Prices	20
13.	Bid and Payment Currencies	21
14.	Bid Security	21
15.	Sealing and Marking of Bids	21
16.	Deadline for Submission of Bids	21
17.	Opening and Preliminary Examination of Bids	22
18.	Domestic Preference	22
19.	Detailed Evaluation and Comparison of Bids	22
20.	Post-Qualification	23
21.	Signing of the Contract	23
Sectio	on III. Bid Data Sheet	24
Sectio	on IV. General Conditions of Contract	26
1.	Scope of Contract	27
2.	Advance Payment and Terms of Payment	27
3.	Performance Security	27
4.	Inspection and Tests	27
5.	Warranty	28
6.	Liability of the Supplier	28
Sectio	on V. Special Conditions of Contract	29
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	
	41 - V 1114 - VIIVUIXIIJU VI - I VUIIIIUUI GIIU - I'IIGIIU/AI I/VUIIIIV/III	

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

EXW - Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid



# INVITATION TO BID FOR PROCUREMENT OF EQUIPMENT FOR SMART CAMPUS

1. The Visayas State University through the Trust Funds intends to apply the sum of Seven Million Nine Hundred Fifty-Five Thousand Five Hundred Seventy-One and 43/100 Pesos (PhP 7,955,571.43) being the ABC to payments under the contract for Procurement of Equipment for Smart Campus (GOODS-22-18). Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University*, through the *Trust Funds* intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item No.	Description	Unit	Qty	ABC/Unit	Total ABC
1	1 Lot Containerized Data Center	lot	1	5,000,000.00	5,000,000.00
	UPS				
	15kvA/15kW Rack-mountable Online UPS,				
	230V (1)				
	Rack-mount kit (1)				
	24 x 7 Power Up Service (1)				
	External Battery Pack, Rack-mounted, 192V with rail kit (1)				
	Start-up service, 24x7 (1)				
	Data Cabinet and Accessories				
	42U Server Rack Enclosure 600mm x 1070mm w/ Sides, Black Color (2)				
	42U 750mm Wide x 1070mm Deep Enclosure with Sides, Black Color (1)				
	Vertical Cable Manager for 750mm Wide 42U (2 units)				
	Hinged Covers 750mm Wide 42U Vertical Cable Manager (2 units)				
	Vertical Cable Manager for 600mm Wide 42U (2 units)				
	1U 19-inch Black Modular Toolless Blanking Panel (10 units) (5)				
	Basic Rack PDU, Zero U, 16A, 230V, (20)C13 & (4)C19, IEC C20 (3)				
	Power Cord, C19 to C20, 2.0m (3)				
	Assembly service (1)				
	PACU				
	In-row PACU 300mm up to 30kW with humidifier (230V/1ph/60hz) (1)				
	30kW Condensing Unit, (400V/3ph/60Hz), Single feed (1)				
	Ball Valve & Union (1)	-			
	Start-up and assembly service, 24x7 (1)				
	Semi-annual PM, 24x7 (1)				

	Risk contingency (1)				
	Container Van (1)				
	20 Footer Container Van w/				
	Steel door with hinges and stainless steel door				
	knob				
	Insulation				
	Cable entry/feed through provision				
	Electrical outlet provisions and lighting				
	Hauling and positioning				
	Engineering Services (1)				
	Design, installation, configuration and project				
	management				
2	Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction - Audio Component -	lot	1	130,000.00	130,000.00
	Audio mixer (1 pc)				
	4 mic XLR/line 1/4 inch jack inputs, 2 with Class				
	A FET high impedance inputs				
	3 band EQ				
	1 pre-fade Aux send				
	1 FX send				
	Sound image pan				
	Stereo returns & playback				
	All inputs with level control				
	Responsive 3-band, swept mid EQ with MusiQ				
	2 stereo sources with MP3 player compatibility				
	Separate 2-track record outputs				
	Stereo playback input for 2-track replay				
	XLR main stereo outputs with inserts				
	Configurable USB stereo audio in/out				
	Stereo monitor outs				
	48V microphone phantom power				
	Lavalier Microphone and Receiver (1 set)				
	2.4GHz ISM Band Operation				
	1 x Body Pack Transmitter				
	1 x Headset Mic				
	1 x Lavalier Mic				
	1 x Half-Rack Receiver				
	Built-In 5-Band Graphic EQ				
	24-Bit Linear PCM Digital Audio				
	Intelligent Feedback Reducer				
	Includes Body Pack Belt Clip & Tie Clip				
	Includes 2 Windscreens & 2 Antennas				
	2-pc Wireless Microphone Set (1 set)				
	2 x PG58 Cardioid Microphone with				
<u> </u>	Transmitters				
<u> </u>	Dual-Channel Tabletop Receiver				
	3-prong cables (5 pcs)				
	1 meter male-to-male XLR connector				
	USB Cable (2pcs)				
	2 meters Male Type A to Male Type B USB				
	Connector Active Speakers (2 sets)		1		
	Active Speakers (2 sets)		l		

	COO Mayo Lavel Care dearwith Claud		1	Ī	
	600 Watts Loud Speaker with Stand				
	12-inch (305 mm) LF driver, 2-inch (50.8 mm)				
	voice coil				
	1-inch (25.4 mm) neodymium HF compression				
	driver				
	Standard speaker pole socket				
	Balanced XLR/TRS with selectable Mic/Line				
	input. XLR Link Output, Contour EQ switch and Ground-Lift switch				
	Microphone Stand (2 pcs)				
	Tripod Floor Stand With Telescopic Boom Arm				
	2 Microphone Holder Adoptors				
	Interactive Smart Classroom Setup for Mixed	_	_	<b>-</b>	
	Virtual and Face-to-Face Instruction - Video	lot	1	940,571.43	940,571.43
3	Component				
	PTZ Camera - With Auto-Tracking Software				
	(1 set)				
	1/2,3-Type MOS		ļ		
	30 x optical zoom (10x digital zoom + Digital				
	Extender)				
	PoE+ Support				
	Audio input function				
	Night Mode*1 - Supports automatic switching				
	High Dynamic Range (HDR) mode				
	Video Output: HDMI				
	HDMI Video Output Format: 1080/50p,				
	1080/59,94p, 1080/50i, 1080/59.94i, 1080/25ü,				
	1080/29.97p, 1080/25psF, 1080/29.97psF,				
	720/50p, 720/59.94p				
	Freeze During Preset Function				
	IP connection allows control of up to 100 AW-				
	HE40H/S units by using AW-RP50E				
	IP Image output function allows Image				
	monitoring by IP connection with a PC				
	RS422, RS232C In/Out				
	With Compatible Auto-Tracking Software				
	PTZ Camera (2 sets)				
	1/2,3-Type MOS				
	30 x optical zoom (10x digital zoom + Digital				
	Extender)		1		
	PoE+ Support				
	Audio input function				
	Night Mode*1 - Supports automatic switching				
	High Dynamic Range (HDR) mode				
	Video Output: HDMI				
	HDMI Video Output Format: 1080/50p,				
	1080/59,94p, 1080/50i, 1080/59.94i, 1080/25ü,				
	1080/29.97p, 1080/25psF, 1080/29.97psF,				
	720/50p, 720/59.94p				
	Freeze During Preset Function				
	IP connection allows control of up to 100 AW-				
	HE40H/S units by using AW-RP50E				
	IP Image output function allow				
	PTZ Camera Controller (1 pc)				
	Compatible to PTZ Camera		1		
	Companible to FTZ Calliela		l		

	1	T 1	
	Large touch-panel LCD screen for monitoring and menu setting		
	Joystick for one-handed operation		
	Simplified PTZ camera presets and tracing		
	memory		
	Intuitive design elements based on direct		
	feedback from everyday robotic camera		
	operators		
	3G-SDI Active Through Output, 5 x RS-422,		
	LAN PoE+, 2 x GPIOs		
	Video Mixer (1 pc)		
	8-Channel HDMI Live Streaming Switcher		
	Supports up to 1080p60		
	RTMP Streaming via Ethernet or USB-C		
	Record Program Out and Individual Inputs		
	11-Input, 2-Channel Audio Mixer		
	Input Frame Rate and Format Converter		
	Re-Sync on All HDMI Inputs		
	HD Multiview Output with up to 16 Views		
	Local and Software Switching		
	4 x Upstream, 2 x Downstream Keyers		
	CAT6 Cables for PTZ (1 spool)		
	CAT 6 UTP		
	CAT 6 Cable, 4 Pair, 24 AWG, Solid Bare		
	Copper Conductor, U/UTP, PO Insulation, PVC		
	Jacket, Indoor		
	PVC - Polyvinyl Chloride		
	ISO/IEC 11801		
	TIA 568.2-D Category 6		
	NEMA WC-63.1 Category 6, UL verified to		
	Category 6		
	Premise Horizontal Cable, Gigabit Ethernet,		
	100BaseTX, 100BaseVG ANYLAN, 155ATM,		
	622ATM, NTSC/PAL Component or Composite		
	Video, AES/EBU, Digital		
	Video, RS-422, 250MHz Category 6		
	Backup HD Cameras (3 sets)		
-	1080p Video at 60 fps		
	1/5.8" BSI MOS Sensor		
	50x Optical Zoom & 90x Intelligent Zoom		
	5-Axis HYBRID O.I.S.+ and Level Shot		
	2.7" Touchscreen LCD		
	HDMI Cables (6 pcs)		
	3 meters		
	HDMI-over-IP Extenders (6 sets)		
	120m Over Cat5/5e/6		
	IP/TCP Support 1080P		
	Tripods (6 pcs)		
	Slim-Profile Tripod		
	Folded Width: 3.2", Folded Length: 20.1"		
	Load Capacity: 8.8 lb		
	Max Height: 57.6", Min Height: 15.7"		
	Leg Sections: 4, Weight: 2.2 lb		
	Reversible, Rapid Column		
	, ,	1	 

	eractive Smart Classroom Setup for Mixed tual and Face-to-Face Instruction	lot	1	550,000.00	550,000.00
	tallation, Testing, & Commissioning	-			
	neters				
	MI Cables (2 pcs)				
	rts: Ethernet/LAN, USB, HDMI				
	th Smart functionalities				
	ernet over WiFi or LAN				
	th Airplay 2				
	tive aspect ratio: 16:9				
	nart HD TV measuring 40" diagonally				
	' Television (2 units)				
	rts: Ethernet/LAN, USB, HDMI				
	th Smart functionalities				
	ernet over WiFi or LAN				
	th Airplay 2				
	tive aspect ratio: 16:9				
	to 4K Ultra HD resolution				
	t screen measuring from 75 to 90" diagonally				
	nart OLED/QLED TV at least 85" (1 unit)				
	avy duty for 40" televisions				
	lling TV cart with wheels (2 pcs)				
Wit	th mounts attached to the room ceiling and				
	n be retractable for non-green screen uses				
	mond room including the floor				
	vers half of a 10m W x 10m L x 4 m H				
	een Screen Setup (1 set)				
	the end-user				
	nts, and Green Screen in venue as designed				
	install LED soft panel lights, Fresnel spot				
(1 9	set)				
	wer Cord included Inting brackets, clamps, and accessories				
	wer-Link up to 26 Offits at 230V wer Cord Included				
	wer-Link up to 26 Units at 230V				
<del></del>	rndoors and Gel Frame Included				
	to 50W / 3500K LED Source				
	D Fresnel Spot lights (8 sets)				
	ludes 4-Leaf Barndoor, Soft Diffuser				
	00% Dimming, Flicker-Free				
	o to 240 VAC Adapter, Battery Option				
	lor Temperature: 3200-5600K, CRI: 95				
_	am Angle: 120°				
	asures: 8.5 x 10 x 2.5"				
roc	om and Studio Component  D Soft panel lights (8 sets)	lot	1	615,000.00	615,000.0
	eractive Smart Classroom Setup for Mixed tual and Face-to-Face Instruction Class	lat	4	645 000 00	645 000 0
	tallation, Testing, & Commissioning				
	0° Pan, Arca-Type Compatible Clamp				
Ма	gnesium-Alloy Ball Head, 90° Tilt				
1/2	-Turn Twist Locks, Bubble Level				

Class Laptop Computer (1 unit)		
Integrated 8-core CPU, 8-core GPU, and 16-		
core Neural Engine		
16GB unified memory		
512GB SSD storage		
13.3-inch (diagonal) LED-backlit display with		
IPS technology; 2560-by-1600 native resolution		
at 227 pixels per inch with support for millions of		
colors		
Backlit Keyboard - US English		
Two Thunderbolt / USB 4 ports		
Production Laptop Computer (1 unit)		
Integrated 10-core CPU, 32-core GPU, and 16-core Neural Engine		
64GB unified memory		
1TB SSD storage		
16.2-inch (diagonal) XDR display; 3456-by-2234		
native resolution at 254 pixels per inch		
Three Thunderbolt 4 ports, HDMI port, SDXC		
card slot		
140W USB-C Power Adapter		
Backlit Keyboard		
Technical Desktop Computer (1 set)		
AMD Ryzen 7 high end processor 8 Core		
Processor upto 3.7Ghz clock speed		
16GB DDR4 3200MHz RGB RAM		
B450 feature-rich motherboard		
Dedicated NVIDIA graphics card, VR-ready		
500GB high speed NVMe SSD storage		
1TB HDD 7200rpm		
750W 80+ gold rated power supply		
Windowed case, tempered glass side panel		
Genuine Windows 10 Pro.		
With Pre installed Declink 4k SDI Capture Card		
used for livestream and video capture		
28" 4K UHD Monitor		
Optical Mouse		
USB keyboard with backlight		
Tablet Set (1 set)		
Multi-Touch Tablet		
12.9-inch (diagonal) mini-LED-backlit Multi-		
Touch display with IPS technology		
2732-by-2048-pixel resolution at 264 pixels per		
inch (ppi)		
Integrated Chip with 8-core CPU with 4 performance cores and 4 efficiency cores, 8-		
core GPU and 16-core Neural Engine		
512 GB storage		
WiFi model		
USB-C Charge Cable (1 meter)		
20W USB-C Power Adapter		
Pro camera system: Wide and Ultra Wide		
cameras		
Wide: 12MP, f/1.8 aperture		
 ,	I	

	Litro Mido: 10MP f/2 4 aparture and 125° field	1		
	Ultra Wide: 10MP, f/2.4 aperture, and 125° field of view			
	2x optical zoom out			
	Digital zoom up to 5x  Compatible Stylus through Bluetooth			
	Connection			
	Length: 6.53 inches (166 mm)			
	Diameter: 0.35 inches (100 mm)			
	, ,			
	Weight: 0.73 ounce (20.7 grams)			
	Compatible Keyboard			
	Backlit keys with scissor mechanism			
	Designed for Multi-Touch gestures and the			
	CURSOR			
	USB-C port for charging tablet			
	Foldable into case			
	HDMI Capture Card (2 pcs)			
	Input interface: HDMI input with loop out			
	HDMI input format: comply with HDMI3.1			
	standard.			
	Host interface: USB2.0, *40MB/s transmission bandwidth			
	Input interface: 1 HDMI interface			
	HDMI video input: HDMI video input 1 channel 1080P/60Hz HDMI HD			
	HDMI input format: Comply with HDMI 1.4a			
	standard, support 1080p/60Hz 8-bit, (RGB, YUV)			
	HDMI output interface: 1 HDMI output port,			
	1920x1080 frame, 4K-30FPS			
	USB output format: 640x480-1920x1080.			
	Frame rate: 60 fps			
	Audio input interface: LINE IN3.5MM audio			
	input			
	Video sampling rate: HDMI: 165MHz			
	Audio and video capture: Comply with UVC			
	(USB video class), UAC (USB audio class)			
	specifications			
	Support resolution: 4096*2160p and			
	1920*1080p standard resolution			
	Operating system support: supports x86 and x64 versions of the following operating			
	<u> </u>			+
	Onboard memory: 64MB DDR2, working frequency is 300 MHz, bit width is 16bit			
	Color:Black			+
	Size:6*6*1.3cm			+
-	Compatible development interface: "DirectShow			+
	(Windows), DirectSound (Windows),			
	V4L2 (Linux), ALSA (Linux)"			
	Onboard memory: 64MB DDR2, working			
	frequency is 300 MHz, bit width is 16bit			
	Upgrade: the firmware can be upgraded			
	Power consumption: <= 3.5W			
	HDMI Splitter (2 pcs)			
	DC 5V power supply			
	HDMI Input to 4 HDMI outputs			
	, ,		1	

	UPS (1 unit)				
	Output Power Capacity: 325 Watts/650VA				
	Output Frequency: 50/60 Hz +/-1 Hz				
	Output Connections: (2) Universal Receptacle				
	Nominal Input Voltage: 230V				
	Input Connections: NEMA 5-15P				
	Maximum Input Current: 5A				
	Battery Type: Maintenance-free sealed Lead-				
	Acid battery with suspended electrolyte leakproof				
	Recharging Time				
6	QR Code scanner Android OS	unit	40	18,000.00	720,000.00
	■OS: Android			,	·
	■CPU Speed: 2 GHz				
	■CPU Type: Octa-Core				
	■Display: Resolution (Main Display): 2000 x 1200 (WUXGA+)				
	■Color Depth (Main Display): 16M				
	■Technology (Main Display): TFT				
	■Form Factor: Tablet				
	■Camera: Rear Camera - Resolution: 8.0 MP				
	■Front Camera - Resolution 5.0 MP				
	■Rear Camera - Auto Focus: Yes				
	■Video Recording Resolution:FHD (1920 x				
	1080) @ 30fps,				
	■Memory: RAM: 3GB				
	■External Memory Support: MicroSD (Up to				
	1TB)				
	■ROM Size: 64GB				
	Sensors: Accelerometer, Gyro, Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor				
	■Battery Capacity: mAh, Typical 7040				
	■Network/Bearer: GSMGSM850, GSM900,				
	DCS1800, PCS1900, 3G UMTSB1 (2100), B2 (1900), B4 (AWS), B5 (850), B8 (900), 4G FDD LTEB1 (2100), B2, (1900), B3 (1800), B4 (AWS), B5, (850), B7 (2600), B8 (900), B12,(700), B17 (700), B20 (800), B28, (700), B66 (AWS-3),4G TDD LTEB38 (2600),				
	B40,(2300),				
	■Connectivity: Location Technology GPS, Glonass, Beidou, Galileo USB Version USB 2.0				
	©Earjack3.5mm				
	■Stereo				
	■1Wi-Fi802.11 a / b / g / n / ac				
	■2.4G+5GHz, VHT80				
	■Bluetooth Version Bluetooth v5.0				
	Bluetooth ProfilesA2DP, AVRCP,		+ +		
	■Bluetooth Fromesa2DF, AVRCF,  ■DI, HFP, HID, HOGP, HSP, MAP, OPP, PAN, PBAP				
	■PC Sync. Smart Switch (PC version)				
	` ` ` `				
	■Audio and Video: Video Playing				
	■FormatMP4, M4V, 3GP, 3G2, WMV, ASF, AVI, FLV, MKV, WEBM				

■Audio Playing FormatMP3, M4A,3GA, AAC, OGG, OGA, WAV,WMA, AMR, AWB, FLAC, MID,MIDI, XMF, MXMF, IMY, RTTTL,RTX, OTA			
■Video Playing Resolution FHD(1920 x 1080) @ 60fps			
		TOTAL:	7,955,571.43

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

- 2. The *Visayas State University* now invites bids for the above Procurement Project. Delivery of the Goods is required by *sixty* (60) calendar days upon receipt of Notice to Proceed (NTP). Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays Fridays* (8:00 AM-5:00 PM).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on 28 February 21 March 2022 until 8:30 AM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- 6. The *Visayas State University* will hold a Pre-Bid Conference on *March 7*, 2022; 9:00 AM at the PPO Conference Room, Lower Campus, VSU, Visca, Baybay City, Leyte and/or through video conferencing or webcasting via Zoom, which shall be open to prospective bidders.

Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Zoom Meeting ID and Passcode.

7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before 21 March 2022 until 8:30 AM. Late bids shall not be accepted.

- 8. For bidders who opt to submit their bids electronically, a hardcopy (original, copy 1, and copy 2) of the bid must be sent to the BAC through preferred couriers. A proof (e.g. courier receipt/waybill, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
- 9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 10. Bid opening shall be on 21 March 2022; 9:00 AM at the PPO Conference Room, Lower Campus, VSU, Visca, Baybay City, Leyte and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Zoom Meeting ID and Passcode.

- 11. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

#### Ms. Jessamine C. Ecleo (BAC Secretariat)

Office of the Head for Procurement, VSU-Main, Visca, Baybay City, Leyte

Mobile: 053 565 0600 local 1093 or 0998 555 0106

Email: jessamine.ecleo@vsu.edu.ph

or

#### Mr. Toni Marc L. Dargantes (BAC Secretariat)

Office of the VP for Planning, Resource Generation & Auxiliary Services VSU-Main, Visca, Baybay City, Leyte

Mobile: 0977 7186594

Email: tmdargantes@vsu.edu.ph

13. You may visit the following websites:

For downloading of Bidding Documents: https://www.vsu.edu.ph/philgeps-opportunities

February 25, 2022

<u>DILBERTO O. FERRAREN</u> Chairperson, VSU BAC

Jemas -

# Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, Visayas State University, wishes to receive Bids for the Procurement of Equipment for Smart Campus, with identification number GOODS-22-18.

The Procurement Project (referred to herein as "Project") is composed of 6 items, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2022 in the amount of Seven Million Nine Hundred Fifty-Five Thousand Five Hundred Seventy-One and 43/100 Pesos (PhP 7,955,571.43).
- 2.2. The source of funding is: NGA, the Trust Fund.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed**.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).

- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two** (2 years) prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *July 20, 2022*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

# **Bid Data Sheet**

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	<ul> <li>a. Design, Installation, Configuration of Containerized Data Center (for Lot 1)</li> <li>b. I.T. Equipment, Office Equipment, Communication Equipment, or a combination of the foregoing (for Lot 2-6)</li> </ul>
	c. completed within two (2) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted <i>DDP VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>One Hundred Fifty-Nine Thousand One Hundred Eleven and 43/100 Pesos (PhP 159,111.43) or two percent (2%) of ABC</i> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Three Hundred Ninety-Seven Thousand Seven Hundred Seventy-Eight and 57/100 Pesos (PhP 397,778.57) or five percent (5%) of ABC</i> if bid security is in Surety Bond.
15	Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.
	For filing purposes, the bidders are urged to use <b>Orange</b> envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.
19.3	See Section I. Invitation to Bid (Item 1) for the list of items and their corresponding total Approved Budget for the Contract (ABC).
20.2	In case the PhilGEPS Platinum Certificate of Registration is not available during bid submission, it shall be submitted as a post-qualification requirement, in accordance with Section 34.2 of the 2016 Revised IRR of R.A. 9184.
21.2	Not Applicable.

Section IV.	General	<b>Conditions</b>	of	Contract
-------------	---------	-------------------	----	----------

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## **Special Conditions of Contract**

	Special Conditions of Contract				
GCC Clause					
1	Delivery and Documents –				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	The delivery term applicable to this Contract is delivered VSU Main Campus, Visca, Baybay City, Leyte. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).				
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is:				
	Ms. Alicia M. Flores Head, Supply and Property Management Office, VSU-Main, Visca, Baybay City, Leyte Contact #: 053 565 0600 local 1082 / 0917 6341 430 Email address: alicia.flores@vsu.edu.ph				
	Incidental Services –				
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:  a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;  b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;				
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;				
	<ul> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e. training of the Procuring Entity's personnel, at the Supplier's plant</li> </ul>				
	and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.				
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.

Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier **Contract Description Final Destination** Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. Payment of staggered deliveries shall be allowed. Payment shall be on "as per 2.2 cost of the items delivered" subject to inspection and acceptance. 4 The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU Main to confirm conformity to the contract specifications at no extra cost to VSU.

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Unit	Qty	Description	Delivered, Weeks/Months
1	lot	1	1 Lot Containerized Data Center	
			UPS	All Items Should Be Delivered
			15kvA/15kW Rack-mountable Online UPS, 230V (1)	Within 60 Calendar Days From Receipt Of Notice To Proceed And
			Rack-mount kit (1)	Purchase Order
			24 x 7 Power Up Service (1)	
			External Battery Pack, Rack-mounted, 192V with rail kit (1)	
			Start-up service, 24x7 (1)	
			Data Cabinet and Accessories	
			42U Server Rack Enclosure 600mm x 1070mm w/ Sides, Black Color (2)	
			42U 750mm Wide x 1070mm Deep Enclosure with Sides, Black Color (1)	
			Vertical Cable Manager for 750mm Wide 42U (2 units)	
			Hinged Covers 750mm Wide 42U Vertical Cable Manager (2 units)	
			Vertical Cable Manager for 600mm Wide 42U (2 units)	
			1U 19-inch Black Modular Toolless Blanking Panel (10 units) (5)	
			Basic Rack PDU, Zero U, 16A, 230V, (20)C13 & (4)C19, IEC C20 (3)	
			Power Cord, C19 to C20, 2.0m (3)	
			Assembly service (1)	
			PACU	
			In-row PACU 300mm up to 30kW with humidifier (230V/1ph/60hz) (1)	
			30kW Condensing Unit, (400V/3ph/60Hz), Single feed (1)	
			Ball Valve & Union (1)	
			Start-up and assembly service, 24x7 (1)	
			Semi-annual PM, 24x7 (1)	
			Risk contingency (1)	
			Container Van (1)	
			20 Footer Container Van w/	
			Steel door with hinges and stainless steel door knob	
			Insulation	
			Cable entry/feed through provision	
			Electrical outlet provisions and lighting	
			Hauling and positioning	
			Engineering Services (1)	
			Design, installation, configuration and project management	

2	lot	1	Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction - Audio
			Component -
			Audio mixer (1 pc)
			4 mic XLR/line 1/4 inch jack inputs, 2 with Class
			A FET high impedance inputs
			3 band EQ
			1 pre-fade Aux send
			1 FX send
			Sound image pan
			Stereo returns & playback
			All inputs with level control
			Responsive 3-band, swept mid EQ with MusiQ
			2 stereo sources with MP3 player compatibility
			Separate 2-track record outputs
			Stereo playback input for 2-track replay
			XLR main stereo outputs with inserts
			Configurable USB stereo audio in/out
			Stereo monitor outs
			48V microphone phantom power
			Lavalier Microphone and Receiver (1 set)
			2.4GHz ISM Band Operation
			1 x Body Pack Transmitter
			1 x Headset Mic
			1 x Lavalier Mic
			1 x Half-Rack Receiver
			Built-In 5-Band Graphic EQ
			24-Bit Linear PCM Digital Audio
			Intelligent Feedback Reducer
			Includes Body Pack Belt Clip & Tie Clip
			Includes 2 Windscreens & 2 Antennas
			2-pc Wireless Microphone Set (1 set)
			2 x PG58 Cardioid Microphone with
			Transmitters
			Dual-Channel Tabletop Receiver
			3-prong cables (5 pcs)
			1 meter male-to-male XLR connector
			USB Cable (2pcs)
			2 meters Male Type A to Male Type B USB
			Connector
			Active Speakers (2 sets)
			600 Watts Loud Speaker with Stand
			12-inch (305 mm) LF driver, 2-inch (50.8 mm)
			voice coil
			1-inch (25.4 mm) neodymium HF compression driver
			Standard speaker pole socket
			Balanced XLR/TRS with selectable Mic/Line
			input. XLR Link Output, Contour EQ switch and
			Ground-Lift switch
			Microphone Stand (2 pcs)
			Tripod Floor Stand With Telescopic Boom Arm
			2 Microphone Holder Adoptors

	lot	1	Interactive Smart Classroom Setup for Mixe Virtual and Face-to-Face Instruction - Video
			Component
			PTZ Camera - With Auto-Tracking Software (1 set)
			1/2,3-Type MOS
			30 x optical zoom (10x digital zoom + Digital
			Extender)
			PoE+ Support
			Audio input function
			Night Mode*1 - Supports automatic switching
			High Dynamic Range (HDR) mode
			Video Output: HDMI
			HDMI Video Output Format: 1080/50p, 1080/59,94p, 1080/50i, 1080/59.94i, 1080/25ü 1080/29.97p, 1080/25psF, 1080/29.97psF, 720/50p, 720/59.94p
			Freeze During Preset Function
			IP connection allows control of up to 100 AW- HE40H/S units by using AW-RP50E
			IP Image output function allows Image monitoring by IP connection with a PC
			RS422, RS232C In/Out
			With Compatible Auto-Tracking Software
			PTZ Camera (2 sets)
			1/2,3-Type MOS
			30 x optical zoom (10x digital zoom + Digital Extender)
			PoE+ Support
			Audio input function
			Night Mode*1 - Supports automatic switching
			High Dynamic Range (HDR) mode
			Video Output: HDMI
			HDMI Video Output Format: 1080/50p, 1080/59,94p, 1080/50i, 1080/59.94i, 1080/25ü, 1080/29.97p, 1080/25psF, 1080/29.97psF, 720/50p, 720/59.94p
			Freeze During Preset Function
			IP connection allows control of up to 100 AW- HE40H/S units by using AW-RP50E
			IP Image output function allow
			PTZ Camera Controller (1 pc)
			Compatible to PTZ Camera
			Large touch-panel LCD screen for monitoring and menu setting
			Joystick for one-handed operation
			Simplified PTZ camera presets and tracing memory
			Intuitive design elements based on direct feedback from everyday robotic camera
			operators
			3G-SDI Active Through Output, 5 x RS-422, LAN PoE+, 2 x GPIOs
1			Video Mixer (1 pc)

	_	1	
	1		Supports up to 1080p60
			RTMP Streaming via Ethernet or USB-C
			Record Program Out and Individual Inputs
			11-Input, 2-Channel Audio Mixer
			Input Frame Rate and Format Converter
			Re-Sync on All HDMI Inputs
			HD Multiview Output with up to 16 Views
			Local and Software Switching
			4 x Upstream, 2 x Downstream Keyers
			CAT6 Cables for PTZ (1 spool)
			CAT 6 UTP
			CAT 6 Cable, 4 Pair, 24 AWG, Solid Bare
			Copper Conductor, U/UTP, PO Insulation, PVC
			Jacket, Indoor
			PVC - Polyvinyl Chloride
			ISO/IEC 11801
			TIA 568.2-D Category 6
			NEMA WC-63.1 Category 6, UL verified to
			Category 6
			Premise Horizontal Cable, Gigabit Ethernet,
			100BaseTX, 100BaseVG ANYLAN, 155ATM, 622ATM, NTSC/PAL Component or Composite
			Video, AES/EBU, Digital
			Video, RS-422, 250MHz Category 6
			Backup HD Cameras (3 sets)
			1080p Video at 60 fps
			1/5.8" BSI MOS Sensor
	1	1	50x Optical Zoom & 90x Intelligent Zoom 5-Axis HYBRID O.I.S.+ and Level Shot
	<u> </u>	1	
	<u> </u>	1	2.7" Touchscreen LCD
	<u> </u>	1	HDMI Cables (6 pcs)  3 meters
	<u> </u>	1	HDMI-over-IP Extenders (6 sets)
	<u> </u>	1	120m Over Cat5/5e/6
			1 - 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2
	-	<u> </u>	IP/TCP Support 1080P
		1	Tripods (6 pcs)
	1	1	Slim-Profile Tripod
	+	1	Folded Width: 3.2", Folded Length: 20.1"
	1	1	Load Capacity: 8.8 lb
	-		Max Height: 57.6", Min Height: 15.7"
	+		Leg Sections: 4, Weight: 2.2 lb
	-		Reversible, Rapid Column
	1		Carbon-Fiber Legs, Rubber Feet
	1		1/2-Turn Twist Locks, Bubble Level
			Magnesium-Alloy Ball Head, 90° Tilt
			360° Pan, Arca-Type Compatible Clamp
	1	1	Installation, Testing, & Commissioning
4	lot	4	Interactive Smart Classroom Setup for Mixed
4	lot	1	Virtual and Face-to-Face Instruction Class room and Studio Component
	+		-
	+	1	LED Soft panel lights (8 sets)  Measures: 8.5 x 10 x 2.5"
	+		
	+		Beam Angle: 120°
			Color Temperature: 3200-5600K, CRI: 95

	T	ı	<u>,                                      </u>
			110 to 240 VAC Adapter, Battery Option
			0-100% Dimming, Flicker-Free
			Includes 4-Leaf Barndoor, Soft Diffuser
			LED Fresnel Spot lights (8 sets)
			Up to 50W / 3500K LED Source
			Barndoors and Gel Frame Included
			Power-Link up to 26 Units at 230V
			Power Cord Included
			Lighting brackets, clamps, and accessories (1 set)
			To install LED soft panel lights, Fresnel spot
			lights, and Green Screen in venue as designed
			by the end-user
			Green Screen Setup (1 set)
			Covers half of a 10m W x 10m L x 4 m H diamond room including the floor
			Can be retractable for non-green screen uses
			With mounts attached to the room ceiling and
			walls
			Rolling TV cart with wheels (2 pcs)
			Heavy duty for 40" televisions
			Smart OLED/QLED TV at least 85" (1 unit)
			Flat screen measuring from 75 to 90" diagonally
			Up to 4K Ultra HD resolution
			Native aspect ratio: 16:9
			With Airplay 2
			Internet over WiFi or LAN
			With Smart functionalities
			Ports: Ethernet/LAN, USB, HDMI
			40" Television (2 units)
			Smart HD TV measuring 40" diagonally
			Native aspect ratio: 16:9
			With Airplay 2
			Internet over WiFi or LAN
			With Smart functionalities
			Ports: Ethernet/LAN, USB, HDMI
			HDMI Cables (2 pcs)
			3 meters
			Installation, Testing, & Commissioning
5	lot	1	Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Computer Component
			Class Laptop Computer (1 unit)
			Integrated 8-core CPU, 8-core GPU, and 16-
			core Neural Engine
			16GB unified memory
			512GB SSD storage
			13.3-inch (diagonal) LED-backlit display with
			IPS technology; 2560-by-1600 native resolution
			at 227 pixels per inch with support for millions of
			colors
			Backlit Keyboard - US English
			Two Thunderbolt / USB 4 ports
			Production Laptop Computer (1 unit)

	Integrated 10-core CPU, 32-core GPU, and 16-
	core Neural Engine
	64GB unified memory
	1TB SSD storage
	16.2-inch (diagonal) XDR display; 3456-by-2234 native resolution at 254 pixels per inch
	Three Thunderbolt 4 ports, HDMI port, SDXC
	card slot
	140W USB-C Power Adapter
	Backlit Keyboard
	Technical Desktop Computer (1 set)
	AMD Ryzen 7 high end processor 8 Core
	Processor upto 3.7Ghz clock speed
	16GB DDR4 3200MHz RGB RAM
	B450 feature-rich motherboard
	Dedicated NVIDIA graphics card, VR-ready
	500GB high speed NVMe SSD storage
	1TB HDD 7200rpm
	750W 80+ gold rated power supply
	Windowed case, tempered glass side panel
	Genuine Windows 10 Pro.
	With Pre installed Declink 4k SDI Capture Card
	used for livestream and video capture
	28" 4K UHD Monitor
	Optical Mouse
	·
+	USB keyboard with backlight
	Tablet Set (1 set)
	Multi-Touch Tablet
	12.9-inch (diagonal) mini-LED-backlit Multi-
	Touch display with IPS technology 2732-by-2048-pixel resolution at 264 pixels per
	inch (ppi)
	Integrated Chip with 8-core CPU with 4
	performance cores and 4 efficiency cores, 8-
	core GPU and 16-core Neural Engine
	512 GB storage
	WiFi model
	USB-C Charge Cable (1 meter)
	20W USB-C Power Adapter
	Pro camera system: Wide and Ultra Wide
	cameras
	Wide: 12MP, f/1.8 aperture
	Ultra Wide: 10MP, f/2.4 aperture, and 125° field
	of view
	2x optical zoom out
	Digital zoom up to 5x
	Compatible Stylus through Bluetooth
	Connection
	Length: 6.53 inches (166 mm)
	Diameter: 0.35 inch (8.9 mm)
	Weight: 0.73 ounce (20.7 grams)
	Compatible Keyboard
	Backlit keys with scissor mechanism
	Designed for Multi-Touch gestures and the

			cursor
			USB-C port for charging tablet
			Foldable into case
			HDMI Capture Card (2 pcs)
			Input interface: HDMI input with loop out
			HDMI input format: comply with HDMI3.1 standard.
			Host interface: USB2.0, *40MB/s transmission bandwidth
			Input interface: 1 HDMI interface
			HDMI video input: HDMI video input 1 channel 1080P/60Hz HDMI HD
			HDMI input format: Comply with HDMI 1.4a standard, support 1080p/60Hz 8-bit, (RGB, YUV)
			HDMI output interface: 1 HDMI output port, 1920x1080 frame, 4K-30FPS
			USB output format: 640x480-1920x1080.
			Frame rate: 60 fps
			Audio input interface: LINE IN3.5MM audio input
			Video sampling rate: HDMI: 165MHz
			Audio and video capture: Comply with UVC
			(USB video class), UAC (USB audio class) specifications
			Support resolution: 4096*2160p and 1920*1080p standard resolution
			Operating system support: supports x86 and x64 versions of the following operating
			Onboard memory: 64MB DDR2, working frequency is 300 MHz, bit width is 16bit
			Color:Black
			Size:6*6*1.3cm
			Compatible development interface: "DirectShow
			(Windows), DirectSound (Windows),
			V4L2 (Linux), ALSA (Linux)"
			Onboard memory: 64MB DDR2, working frequency is 300 MHz, bit width is 16bit
			Upgrade: the firmware can be upgraded
			Power consumption: <= 3.5W
			HDMI Splitter (2 pcs)
			DC 5V power supply
			HDMI Input to 4 HDMI outputs
			UPS (1 unit)
			Output Power Capacity: 325 Watts/650VA
			Output Frequency: 50/60 Hz +/-1 Hz
_			Output Connections: (2) Universal Receptacle
			Nominal Input Voltage: 230V
			Input Connections: NEMA 5-15P
			Maximum Input Current: 5A
			Battery Type: Maintenance-free sealed Lead-
			Acid battery with suspended electrolyte leakproof
	_		Recharging Time
6	unit	40	QR Code scanner Android OS

■OS: Android	
■CPU Speed: 2 GHz	
■CPU Type: Octa-Core	
■Display: Resolution (Main Display): 2000 x	
1200 (WUXGA+)	
■Color Depth (Main Display): 16M	
■Technology (Main Display): TFT	
■Form Factor: Tablet	
■Camera: Rear Camera - Resolution: 8.0 MP	
■Front Camera - Resolution 5.0 MP	
■Rear Camera - Auto Focus: Yes	
■Video Recording Resolution:FHD (1920 x	
1080) @ 30fps,	
■Memory: RAM: 3GB	
■External Memory Support: MicroSD (Up to	
1TB)	
■ROM Size: 64GB	
■Sensors: Accelerometer, Gyro, Sensor,	
Geomagnetic Sensor, Hall Sensor, Light Sensor	
■Battery Capacity: mAh, Typical 7040	
■Network/Bearer: GSMGSM850, GSM900,	
DCS1800, PCS1900, 3G UMTSB1 (2100), B2	
(1900), B4 (AWS), B5 (850), B8 (900), 4G FDD	
LTEB1 (2100), B2, (1900), B3 (1800), B4	
(AWS), B5, (850), B7 (2600), B8 (900), B12,(700), B17 (700), B20 (800), B28, (700),	
B66 (AWS-3),4G TDD LTEB38 (2600),	
B40,(2300),	
■Connectivity: Location Technology GPS,	
Glonass, Beidou, Galileo USB Version USB 2.0	
©Earjack3.5mm	
■Stereo	
<b>■</b> 1 <i>Wi-Fi</i> 802.11 a / b / g / n / ac	
<b>■</b> 1W1-1002.11 a7 b7 g7 117 ac <b>■</b> 2.4G+5GHz, VHT80	
■Bluetooth Version Bluetooth v5.0	
Bluetooth ProfilesA2DP, AVRCP,	
■DI, HFP, HID, HOGP, HSP, MAP, OPP, PAN,	
PBAP	
■PC Sync. Smart Switch (PC version)	1
SAudio and Video: Video Playing	
■FormatMP4, M4V, 3GP, 3G2, WMV, ASF, AVI, FLV, MKV, WEBM	
■Audio Playing FormatMP3, M4A,3GA, AAC,	
OGG, OGÁ, WAV,WMA, AMR, AWB, FLAC,	
MID,MIDI, XMF, MXMF, IMY, RTTTL,RTX, OTA	
■Video Playing Resolution FHD(1920 x 1080)	
@ 60fps	

Section VII. Technical Specifications

## **Technical Specifications**

Item No.	Unit	Qty	Description	Statement of Compliance
1	lot	1	1 Lot Containerized Data Center	
			UPS	[Bidders must state here either
			15kvA/15kW Rack-mountable Online UPS,	"Comply" or "Not Comply"
			230V (1)	against each of the individual
			Rack-mount kit (1)	parameters of each
			24 x 7 Power Up Service (1)	Specification stating the
			External Battery Pack, Rack-mounted, 192V with rail kit (1)	corresponding performance
			Start-up service, 24x7 (1)	parameter of the equipment
			Data Cabinet and Accessories	offered. Statements of
			42U Server Rack Enclosure 600mm x 1070mm w/ Sides, Black Color (2)	"Comply" or "Not Comply" must be supported by evidence
			42U 750mm Wide x 1070mm Deep Enclosure with Sides, Black Color (1)	in a Bidders Bid and cross- referenced to that evidence.
			Vertical Cable Manager for 750mm Wide 42U (2 units)	Evidence shall be in the form of manufacturer's un-amended
			Hinged Covers 750mm Wide 42U Vertical Cable Manager (2 units)	sales literature, unconditional statements of specification and
			Vertical Cable Manager for 600mm Wide 42U (2 units)	compliance issued by the
			1U 19-inch Black Modular Toolless Blanking Panel (10 units) (5)	manufacturer, samples, independent test data etc., as
			Basic Rack PDU, Zero U, 16A, 230V, (20)C13 & (4)C19, IEC C20 (3)	appropriate. A statement that is not supported by evidence or is
			Power Cord, C19 to C20, 2.0m (3)	subsequently found to be
			Assembly service (1)	contradicted by the evidence
			PACU	presented will render the Bid
			In-row PACU 300mm up to 30kW with	under evaluation liable for
			humidifier (230V/1ph/60hz) (1)	rejection. A statement either in
			30kW Condensing Unit, (400V/3ph/60Hz),	the Bidder's statement of
			Single feed (1)	compliance or the supporting
			Ball Valve & Union (1)	evidence that is found to be
			Start-up and assembly service, 24x7 (1)	· ·
		1	Semi-annual PM, 24x7 (1)	v
			Risk contingency (1)	evaluation, post-qualification
			Container Van (1)	or the execution of the Contract
			20 Footer Container Van w/	may be regarded as fraudulent
			Steel door with hinges and stainless steel door knob	and render the Bidder or supplier liable for prosecution
			Insulation	subject to the applicable laws
			Cable entry/feed through provision	and issuances.]
			Electrical outlet provisions and lighting	
			Hauling and positioning	
			Engineering Services (1)	
			Design, installation, configuration and project	
		1	Interactive Smart Classroom Setup for Mixed	
2	lot	1	Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction - Audio Component -	

	+		PTZ Camera - With Auto-Tracking Software
3	lot	1	Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction - Video Component
	1		2 Microphone Holder Adoptors
	1		Tripod Floor Stand With Telescopic Boom Arm
	+		Microphone Stand (2 pcs)
	+		Ground-Lift switch
			input. XLR Link Output, Contour EQ switch and
			Balanced XLR/TRS with selectable Mic/Line
			Standard speaker pole socket
	<u> </u>		driver
	1		1-inch (25.4 mm) neodymium HF compression
			voice coil
	1		600 Watts Loud Speaker with Stand 12-inch (305 mm) LF driver, 2-inch (50.8 mm)
	+		
	+		Active Speakers (2 sets)
			2 meters Male Type A to Male Type B USB Connector
	1		USB Cable (2pcs)
	1		1 meter male-to-male XLR connector
	1		3-prong cables (5 pcs)
	1		Dual-Channel Tabletop Receiver
	+		Transmitters  Dual Channel Tableton Pagaiyar
			2 x PG58 Cardioid Microphone with
	1		2-pc Wireless Microphone Set (1 set)
	1		Includes 2 Windscreens & 2 Antennas
	1		Includes Body Pack Belt Clip & Tie Clip
	1		Intelligent Feedback Reducer
	-		24-Bit Linear PCM Digital Audio
	+		Built-In 5-Band Graphic EQ
	1		1 x Half-Rack Receiver
	+		
	+		1 x Lavalier Mic
	1		1 x Headset Mic
	+		1 x Body Pack Transmitter
	+		2.4GHz ISM Band Operation
	1		Lavalier Microphone and Receiver (1 set)
	1		48V microphone phantom power
	1		Stereo monitor outs
	1		Configurable USB stereo audio in/out
	1		XLR main stereo outputs with inserts
			Stereo playback input for 2-track replay
			Separate 2-track record outputs
	1		2 stereo sources with MP3 player compatibility
	1		Responsive 3-band, swept mid EQ with MusiQ
	1		All inputs with level control
	<u> </u>		Stereo returns & playback
	1		Sound image pan
	1		1 FX send
	<u> </u>		1 pre-fade Aux send
			3 band EQ
			A FET high impedance inputs
		l	4 mic XLR/line 1/4 inch jack inputs, 2 with Class

(1 set)
1/2,3-Type MOS
30 x optical zoom (10x digital zoom + Digital
Extender)
PoE+ Support
Audio input function
Night Mode*1 - Supports automatic switching
High Dynamic Range (HDR) mode
Video Output: HDMI
HDMI Video Output Format: 1080/50p,
1080/59,94p, 1080/50i, 1080/59.94i, 1080/25ü,
1080/29.97p, 1080/25psF, 1080/29.97psF,
720/50p, 720/59.94p
Freeze During Preset Function
IP connection allows control of up to 100 AW-
HE40H/S units by using AW-RP50E
IP Image output function allows Image
monitoring by IP connection with a PC
RS422, RS232C In/Out
With Compatible Auto-Tracking Software
PTZ Camera (2 sets)
1/2,3-Type MOS
30 x optical zoom (10x digital zoom + Digital
Extender)
PoE+ Support
Audio input function
Night Mode*1 - Supports automatic switching
High Dynamic Range (HDR) mode
Video Output: HDMI
HDMI Video Output Format: 1080/50p,
1080/59,94p, 1080/50i, 1080/59.94i, 1080/25ü,
1080/29.97p, 1080/25psF, 1080/29.97psF,
720/50p, 720/59.94p
Freeze During Preset Function
IP connection allows control of up to 100 AW-
HE40H/S units by using AW-RP50E
IP Image output function allow
PTZ Camera Controller (1 pc)
Compatible to PTZ Camera
Large touch-panel LCD screen for monitoring
and menu setting
Joystick for one-handed operation
Simplified PTZ camera presets and tracing
memory
Intuitive design elements based on direct
feedback from everyday robotic camera
operators
3G-SDI Active Through Output, 5 x RS-422,
LAN PoE+, 2 x GPIOs
Video Mixer (1 pc)
8-Channel HDMI Live Streaming Switcher
Supports up to 1080p60
RTMP Streaming via Ethernet or USB-C
Record Program Out and Individual Inputs

		I	T
			Input Frame Rate and Format Converter
			Re-Sync on All HDMI Inputs
			HD Multiview Output with up to 16 Views
			Local and Software Switching
			4 x Upstream, 2 x Downstream Keyers
			CAT6 Cables for PTZ (1 spool)
			CAT 6 UTP
			CAT 6 Cable, 4 Pair, 24 AWG, Solid Bare
			Copper Conductor, U/UTP, PO Insulation, PVC
			Jacket, Indoor
			PVC - Polyvinyl Chloride
			ISO/IEC 11801
			TIA 568.2-D Category 6
			NEMA WC-63.1 Category 6, UL verified to
			Category 6 Premise Horizontal Cable, Gigabit Ethernet,
			100BaseTX, 100BaseVG ANYLAN, 155ATM,
			622ATM, NTSC/PAL Component or Composite
			Video, AES/EBU, Digital
			Video, RS-422, 250MHz Category 6
			Backup HD Cameras (3 sets)
			1080p Video at 60 fps
			1/5.8" BSI MOS Sensor
			50x Optical Zoom & 90x Intelligent Zoom
			5-Axis HYBRID O.I.S.+ and Level Shot
			2.7" Touchscreen LCD
			HDMI Cables (6 pcs)
			3 meters
			HDMI-over-IP Extenders (6 sets)
			120m Over Cat5/5e/6
			IP/TCP Support 1080P
			Tripods (6 pcs)
			Slim-Profile Tripod
			Folded Width: 3.2", Folded Length: 20.1"
			Load Capacity: 8.8 lb
			Max Height: 57.6", Min Height: 15.7"
			Leg Sections: 4, Weight: 2.2 lb
			Reversible, Rapid Column
			Carbon-Fiber Legs, Rubber Feet
			1/2-Turn Twist Locks, Bubble Level
			1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt
			1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp
			1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning
4	lot	1	1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Class
4	lot	1	1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Class room and Studio Component
4	lot	1	1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Class room and Studio Component LED Soft panel lights (8 sets)
4	lot	1	1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Class room and Studio Component LED Soft panel lights (8 sets) Measures: 8.5 x 10 x 2.5"
4	lot	1	1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Class room and Studio Component LED Soft panel lights (8 sets) Measures: 8.5 x 10 x 2.5" Beam Angle: 120°
4	lot	1	1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Class room and Studio Component LED Soft panel lights (8 sets) Measures: 8.5 x 10 x 2.5" Beam Angle: 120° Color Temperature: 3200-5600K, CRI: 95
4	lot	1	1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Class room and Studio Component LED Soft panel lights (8 sets) Measures: 8.5 x 10 x 2.5" Beam Angle: 120° Color Temperature: 3200-5600K, CRI: 95 110 to 240 VAC Adapter, Battery Option
4	lot	1	1/2-Turn Twist Locks, Bubble Level Magnesium-Alloy Ball Head, 90° Tilt 360° Pan, Arca-Type Compatible Clamp Installation, Testing, & Commissioning Interactive Smart Classroom Setup for Mixed Virtual and Face-to-Face Instruction Class room and Studio Component LED Soft panel lights (8 sets) Measures: 8.5 x 10 x 2.5" Beam Angle: 120° Color Temperature: 3200-5600K, CRI: 95

		1	T
			Up to 50W / 3500K LED Source
			Barndoors and Gel Frame Included
			Power-Link up to 26 Units at 230V
			Power Cord Included
			Lighting brackets, clamps, and accessories (1 set)
			To install LED soft panel lights, Fresnel spot lights, and Green Screen in venue as designed by the end-user
			Green Screen Setup (1 set)
			Covers half of a 10m W x 10m L x 4 m H diamond room including the floor
			Can be retractable for non-green screen uses With mounts attached to the room ceiling and walls
			Rolling TV cart with wheels (2 pcs)
			Heavy duty for 40" televisions
			Smart OLED/QLED TV at least 85" (1 unit)
			Flat screen measuring from 75 to 90" diagonally
			Up to 4K Ultra HD resolution
			Native aspect ratio: 16:9
			With Airplay 2
			Internet over WiFi or LAN
			With Smart functionalities
			Ports: Ethernet/LAN, USB, HDMI
			40" Television (2 units)
			Smart HD TV measuring 40" diagonally
			Native aspect ratio: 16:9
			With Airplay 2
			Internet over WiFi or LAN
			With Smart functionalities
			Ports: Ethernet/LAN, USB, HDMI
			HDMI Cables (2 pcs)
			3 meters
			Installation, Testing, & Commissioning
			Interactive Smart Classroom Setup for Mixed
5	lot	1	Virtual and Face-to-Face Instruction
			Computer Component
			Class Laptop Computer (1 unit)
			Integrated 8-core CPU, 8-core GPU, and 16-
			core Neural Engine
			16GB unified memory
			512GB SSD storage
			13.3-inch (diagonal) LED-backlit display with
			IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with support for millions of colors
			Booklit Kouhoord IIC English
			Backlit Keyboard - US English
			Two Thunderbolt / USB 4 ports
			Two Thunderbolt / USB 4 ports
			-
			Two Thunderbolt / USB 4 ports  Production Laptop Computer (1 unit)
			Two Thunderbolt / USB 4 ports  Production Laptop Computer (1 unit)  Integrated 10-core CPU, 32-core GPU, and 16-

40.0 instr (dispense) VDD display 2450 by 2004
16.2-inch (diagonal) XDR display; 3456-by-2234
native resolution at 254 pixels per inch Three Thunderbolt 4 ports, HDMI port, SDXC
card slot
140W USB-C Power Adapter
Backlit Keyboard
Technical Desktop Computer (1 set)
AMD Ryzen 7 high end processor 8 Core Processor upto 3.7Ghz clock speed
16GB DDR4 3200MHz RGB RAM
B450 feature-rich motherboard
Dedicated NVIDIA graphics card, VR-ready
<del>                                     </del>
500GB high speed NVMe SSD storage
1TB HDD 7200rpm
750W 80+ gold rated power supply
Windowed case, tempered glass side panel
Genuine Windows 10 Pro.
With Pre installed Declink 4k SDI Capture Card
used for livestream and video capture
28" 4K UHD Monitor
Optical Mouse
USB keyboard with backlight
Tablet Set (1 set)
Multi-Touch Tablet
12.9-inch (diagonal) mini-LED-backlit Multi-
Touch display with IPS technology
2732-by-2048-pixel resolution at 264 pixels per
inch (ppi) Integrated Chip with 8-core CPU with 4
performance cores and 4 efficiency cores, 8-
core GPU and 16-core Neural Engine
512 GB storage
WiFi model
USB-C Charge Cable (1 meter)
20W USB-C Power Adapter
Pro camera system: Wide and Ultra Wide
cameras
Wide: 12MP, f/1.8 aperture
Ultra Wide: 10MP, f/2.4 aperture, and 125° field
of view
2x optical zoom out
Digital zoom up to 5x
Compatible Stylus through Bluetooth
Connection
Length: 6.53 inches (166 mm)
Diameter: 0.35 inch (8.9 mm)
Weight: 0.73 ounce (20.7 grams)
Compatible Keyboard
Backlit keys with scissor mechanism
Designed for Multi-Touch gestures and the
cursor
USB-C port for charging tablet
 Foldable into case

	1	i	■CPU Type: Octa-Core
			■CPU Speed: 2 GHz
			■OS: Android
6	unit	40	QR Code scanner Android OS
			Recharging Time
			Acid battery with suspended electrolyte leakproof
			Battery Type: Maintenance-free sealed Lead-
			Maximum Input Current: 5A
			Input Connections: NEMA 5-15P
			Nominal Input Voltage: 230V
			Output Connections: (2) Universal Receptacle
			Output Frequency: 50/60 Hz +/-1 Hz
			Output Power Capacity: 325 Watts/650VA
			UPS (1 unit)
			DC 5V power supply HDMI Input to 4 HDMI outputs
			HDMI Splitter (2 pcs)
			Power consumption: <= 3.5W
			Upgrade: the firmware can be upgraded
			frequency is 300 MHz, bit width is 16bit
			Onboard memory: 64MB DDR2, working
			V4L2 (Linux), ALSA (Linux)"
			(Windows), DirectSound (Windows),
			Compatible development interface: "DirectShow
			Size:6*6*1.3cm
			Color:Black
			Onboard memory: 64MB DDR2, working frequency is 300 MHz, bit width is 16bit
			x64 versions of the following operating
			Operating system support: supports x86 and
			1920*1080p standard resolution
			Support resolution: 4096*2160p and
			specifications
			Audio and video capture: Comply with UVC (USB video class), UAC (USB audio class)
			Video sampling rate: HDMI: 165MHz
			input
			Audio input interface: LINE IN3.5MM audio
			Frame rate: 60 fps
			USB output format: 640x480-1920x1080.
			1920x1080 frame, 4K-30FPS
			HDMI output interface: 1 HDMI output port,
			standard, support 1080p/60Hz 8-bit, (RGB, YUV)
			HDMI input format: Comply with HDMI 1.4a
			1080P/60Hz HDMI HD
			HDMI video input: HDMI video input 1 channel
			Input interface: 1 HDMI interface
			Host interface: USB2.0, *40MB/s transmission bandwidth
			standard.
			HDMI input format: comply with HDMI3.1

1200 (WUXGA+)
■Color Depth (Main Display): 16M
■Color Depth (Main Display): Tolii ■Technology (Main Display): TFT
Form Factor: Tablet
■ Camera: Rear Camera - Resolution: 8.0 MP
■Front Camera - Resolution 5.0 MP
■Rear Camera - Auto Focus: Yes
■ Video Recording Resolution: FHD (1920 x
1080) @ 30fps,
■Memory: RAM: 3GB
■External Memory Support: MicroSD (Up to 1TB)
■ROM Size: 64GB
■Sensors: Accelerometer, Gyro, Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
■Battery Capacity: mAh, Typical 7040
■Network/Bearer: GSMGSM850, GSM900, DCS1800, PCS1900, 3G UMTSB1 (2100), B2 (1900), B4 (AWS), B5 (850), B8 (900), 4G FDD LTEB1 (2100), B2, (1900), B3 (1800), B4 (AWS), B5, (850), B7 (2600), B8 (900), B12,(700), B17 (700), B20 (800), B28, (700), B66 (AWS-3),4G TDD LTEB38 (2600), B40,(2300),
■Connectivity: Location Technology GPS, Glonass, Beidou, Galileo USB Version USB 2.0
⊚Earjack3.5mm
<b>⊚</b> Stereo
<b>■</b> 1Wi-Fi802.11 a / b / g / n / ac
<b>■</b> 2.4G+5GHz, VHT80
■Bluetooth Version Bluetooth v5.0
Bluetooth ProfilesA2DP, AVRCP,
■DI, HFP, HID, HOGP, HSP, MAP,OPP, PAN, PBAP
■PC Sync. Smart Switch (PC version)
■Audio and Video: Video Playing
■FormatMP4, M4V, 3GP, 3G2, WMV, ASF, AVI, FLV, MKV,WEBM
■Audio Playing FormatMP3, M4A,3GA, AAC, OGG, OGA, WAV,WMA, AMR, AWB, FLAC, MID,MIDI, XMF, MXMF, IMY, RTTL,RTX, OTA
■Video Playing Resolution FHD(1920 x 1080) @ 60fps

# Section VIII. Checklist of Technical and Financial Documents

### **Checklist of Technical and Financial Documents**

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

Leg	al Do	cuments	
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);	
	(b)	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and	
	(c)	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and	
	(d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).	
	Note & (d)	: If the bidder submits item (a), bidder may not submit requirements (b), (c)	
Tec	hnica	l Documents	
	(f)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be	
	bid; and  Statement of the bidder's Single Largest Completed Contract (Singler to the contract to be bid in the amount of at least 50% of the All at least Three Million Nine Hundred Seventy-Seven Thousand Standard Eighty-Five and 72/100 Pesos (PhP 3,977,785.72);		
		Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to <u>at least 50% of the ABC</u> or <b>at least</b> Three Million Nine Hundred Seventy-Seven Thousand Seven Hundred Eighty-Five and 72/100 Pesos (PhP 3,977,785.72) and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or at least One Million Nine Hundred Eighty-Eight Thousand Eight Hundred Ninety-Two and 86/100 Pesos (PhP 1,988,892.86); and	
	(h)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  or	
	(i) (j) (k) (l)	Original copy of Notarized Bid Securing Declaration; <a href="mailto:and">and</a> Conformity with the Technical Specifications; <a href="mailto:and">and</a> Schedule of Requirements/production and delivery schedule; <a href="mailto:and">and</a> Manpower requirements; <a href="mailto:and">and</a> After-sales service/parts; <a href="mailto:and">and</a>	

Original duly signed Omnibus Sworn Statement (OSS);		
and if applicable, Original Notarized Secretary's Certificate in case of a		
corporation, partnership, or cooperative; or Original Special Power of		
Attorney of all members of the joint venture giving full power and authority		
to its officer to sign the OSS and do acts to represent the Bidder.		
to its officer to sign the OBS and do acts to represent the Bidder.		
d Documents		
The Supplier's audited financial statements, showing, among others, the		
Supplier's total and current assets and liabilities, stamped "received" by the		
BIR or its duly accredited and authorized institutions, for the preceding		
calendar year which should not be earlier than two (2) years from the date of		
· · · · · · · · · · · · · · · · · · ·		
bid submission; and		
The prospective bidder's computation of Net Financial Contracting		
Capacity (NFCC) – at least equal to ABC ( <b>PhP 7,955,571.43</b> );		
<u>or</u>		
A committed Line of Credit from a Universal or Commercial Bank in lieu		
of its NFCC computation (at least 10% of ABC or <b>PhP 795,557.14</b> ).		
IAL COMPONENT ENVELOPE		
Original of duly signed and accomplished Financial Bid Form; and		
Original of duly signed and accomplished Price Schedule(s).		

## Guidelines on the Preparation of Electronic Bid (e-Bid) (for bidders who prefer electronic bid submission)

- 1. Convert all documents into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration	PhilGEPS
	(Platinum)	
2.	Registration Certificate (SEC/DTI)	Registration Certificate
3.	Mayor's/Business Permit	Mayor's-Business Permit
4.	Tax Clearance	Tax Clearance
5.	Statement of On-Going Government	Statement of On-Going
	& Private Contracts	Contracts
6.	Statement of Bidder's Single Largest	SLCC
	Completed Contract	
7.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
8.	Bid Security	Bid Security
9.	Technical Specifications	Technical Specifications
10.	SCHEDULE of	Schedule of Requirements
	Requirements/Production and	
	delivery schedule	
11.	Manpower Requirements	Manpower Requirements
12.	After Sales service/parts	After Sales
13.	Omnibus Sworn Statement	Omnibus Sworn Statement
14.	Audited Financial Statements	Audited Financial Statements
15.	Net Financial Contracting Capacity	NFCC
16.	Committed Line of Credit	CLC
17.	Bid Form	Bid Form
18.	Price Schedule	Price Schedule

- 3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII. The second folder should contain all requirements under Financial Component checklist.
- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at **jessamine.ecleo@vsu.edu.ph** before the deadline (March 21, 2022; 8:30 AM).



