



**VISAYAS**  
STATE UNIVERSITY

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

## **Supply and Delivery of Hardware and Construction Supplies (GOODS-22-31)**

**Government of the Republic of the Philippines**

**June 20, 2022; 9:00 AM  
PPO Conference, Lower Campus, VSU, Visca, Baybay City,  
Leyte and via Zoom**

**Sixth Edition  
July 2020**

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>3</b>
<b>Section I. Invitation to Bid.....</b>	<b>6</b>
<b>Section II. Instructions to Bidders.....</b>	<b>20</b>
1. Scope of Bid .....	21
2. Funding Information.....	21
3. Bidding Requirements .....	21
4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....	21
5. Eligible Bidders.....	21
6. Origin of Goods .....	22
7. Subcontracts .....	22
8. Pre-Bid Conference .....	22
9. Clarification and Amendment of Bidding Documents .....	22
10. Documents comprising the Bid: Eligibility and Technical Components .....	22
11. Documents comprising the Bid: Financial Component .....	23
12. Bid Prices .....	23
13. Bid and Payment Currencies .....	24
14. Bid Security .....	24
15. Sealing and Marking of Bids .....	24
16. Deadline for Submission of Bids .....	24
17. Opening and Preliminary Examination of Bids .....	25
18. Domestic Preference .....	25
19. Detailed Evaluation and Comparison of Bids .....	25
20. Post-Qualification .....	26
21. Signing of the Contract .....	26
<b>Section III. Bid Data Sheet .....</b>	<b>27</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>29</b>
1. Scope of Contract .....	30
2. Advance Payment and Terms of Payment .....	30
3. Performance Security .....	30
4. Inspection and Tests .....	30
5. Warranty .....	31
6. Liability of the Supplier .....	31
<b>Section V. Special Conditions of Contract .....</b>	<b>32</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>37</b>
<b>Section VII. Technical Specifications .....</b>	<b>47</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>58</b>

# ***Glossary of Acronyms, Terms, and Abbreviations***

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***



## INVITATION TO BID FOR SUPPLY AND DELIVERY OF HARDWARE AND CONSTRUCTION SUPPLIES

- The *Visayas State University* through the *GF, STF, TF* intends to apply the sum of *Four Million Thirty-Nine Thousand Two Hundred Fifty and 50/100 Pesos (PhP 4,039,250.50)* being the ABC to payments under the contract for *Supply and Delivery of Hardware and Construction Supplies (GOODS-22-31)*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University*, through the *GF, STF, TF* intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item No.	Description	Unit	Qty	ABC/Unit (Pesos)	Total ABC (Pesos)
1	<b>Abrasive Paper, Sand Paper Grit #120, 9" x 11"</b>	sheet	370	30.00	11,100.00
	■ <i>Fine Sanding, Waterproof, Good Quality;</i>				
2	<b>Abrasive Paper, Sandpaper, #1000</b>	sheet	10	40.00	400.00
	<i>Super Fine, Premium Grade, Waterproof</i>				
3	<b>Abrasive Paper, Sandpaper, #120</b>	meter	10	200.00	2,000.00
	■ <i>Fine, Premium Grade, Waterproof;</i>				
4	<b>Acrytex Cast</b>	gal	2	600.00	1,200.00
5	<b>Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard</b>	length	220	1,000.00	220,000.00
	<i>Premium Grade</i>				
6	<b>Blind Rivets, 5/32" x 1/2" at least 2000 pcs. per box</b>	box of 50's	18	1,082.25	19,480.50
7	<b>Brush/Grass Cutter TD40 2 Stroke</b>	unit	4	14,000.00	56,000.00
	<i>Technical Details</i>				
	<i>Displacement: 40.2cc</i>				
	<i>Match Engine: 1E40F-7</i>				
	<i>Rated Power: 1.4kw</i>				
	<i>Idle Speed: 2800-3200r/min</i>				
	<i>Mix Ratio: 25:1 (Gas/2T Oil)</i>				
	<i>Tank Capacity: 1200ml</i>				
	<i>Net Weight: 9kg</i>				
	<i>Shaft Diameter: 28mm</i>				
	<i>Shaft Length: 160cm</i>				
	<i>Freebies</i>				
	<i>Functional and good quality</i>				
	<i>1x Metal Blade</i>				
	<i>1x (FREE) Nylon/Tansi</i>				
	<i>1x Shoulder Strap</i>				
	<i>1x Gas/2T Oil Container</i>				
	<i>1x Tools Set</i>				
8	<b>Bulb, LED, 7W</b>	pcs	100	120.00	12,000.00

9	Cabinet Hinges, 1" x 2"	pairs	120	100.00	12,000.00
10	Carrying Channel, 12mm x 38mm x 5mm, 1.0mm(thickness), 5 Meters long	pcs	1,900	200.00	380,000.00
11	Ceiling Socket, 4" x 4"	pcs	170	60.00	10,200.00
12	Cut off Blade, 14" x 1/8" x 1", good quality	piece	5	360.00	1,800.00
13	Cutting Disc for Steel/Stainless, 4"	piece	10	100.00	1,000.00
14	Door Knob	piece	76	1,000.00	76,000.00
	■Interior Type Cylindrical Door Knob Lockset				
	■Good Quality				
15	Double Furring, 19mm x 25mm x 5mm, 0.40mm (thickness)	pcs	2,800	150.00	420,000.00
16	Drill Bit (Metal), 5/32"	pcs	4	60.00	240.00
17	Electric Drill Bit Set for metal	sets	4	2,000.00	8,000.00
	■Titanium bits for High-Speed Steel				
	■Drill size: 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2				
18	Electric Hand Drill	unit	3	10,000.00	30,000.00
	Specifications:				
	Heavy Duty 1/2" Hammer Drill (Black/Blue)				
	Continuous rating input: 430W				
	Capacity on concrete: 13mm (1/2")				
	Capacity on steel: 13mm (1/2")				
	Capacity on wood : 18mm (11/16")				
	No load speed : 0-2,700rpm				
	Blows per minute: 0-29,700bpm				
	Overall Length: 278mm (10-7/8")				
	Double insulated				
	Made in Japan				
	Net weight: 1.7 kg (3.7lbs)				
	Power supply cord: 2 meters (6.6feet)				
19	Electrical Outlet, Convenience 2 gang with ground, (Flush type)	set	15	350.00	5,250.00
20	Electrical Panel Board, 9 holes (Rail Type)	sets	20	7,700.00	154,000.00
	MAIN:				
	60AT/200AF, 2P, 10KAIC, at 240V MCB				
	Branches:				
	1 - 15AT, 6KAIC, 2P, RC80				
	5 - 20AT, 6KAIC, 2P, RC80				
21	Electrical Square Box (PVC), 6" x 6"	pcs	6	160.00	960.00
22	Electrical Switch, 2-gang, Flush type	pcs	46	200.00	9,200.00
23	Electrical Switch, 3 gang, Flush type	set	5	250.00	1,250.00
24	Electrical Switch, Single (Flush type)	set	5	150.00	750.00
25	Electrical Switch,1 Gang, Surface Type	pcs	60	115.00	6,900.00
26	Electrical Wire, THHN / THWN, AWG 10 (5.5mm <sup>2</sup> ), Stranded, 150 meters/box	box of 50's	5	6,200.00	31,000.00
	■Building Wire				
	■Stranded with Nylon Insulation				
	■Gauge 10				
	■UL listed				
27	Electrical Wire, THHN / THWN, AWG 12 (3.5mm <sup>2</sup> ), Stranded, 150 meters/box	box of 50's	9	6,000.00	54,000.00
	■Building Wire				



	■Stranded with Nylon Insulation				
	■Gauge 12				
	■UL listed				
28	Electrical, (PVC) Clip 1/2", (100pieces/1pack)	pack	3	200.00	600.00
29	Electrical, ACCU Outlet, Three prongs (Flush type)	set	20	300.00	6,000.00
30	Electrical, Duplex Convenience Outlet (GFCI)	pcs	40	265.00	10,600.00
31	Electrical, Duplex Convenience Outlet with Ground Prong	pcs	120	160.00	19,200.00
32	Electrical, Junction box with cover, 4" x 4"	pcs	110	50.00	5,500.00
	Material: Electrical PVC Orange Color				
	Heat resistant				
	■Waterproof				
	■UL certified				
33	Electrical, Pipe, (PVC) Orange, 1/2" x 3m	length	100	100.00	10,000.00
34	Electrical, Single Phase KW Hr Meter (Circular with Base)	sets	20	3,500.00	70,000.00
35	Electrical, THHN/THWN, AWG 14 (2.0mm <sup>2</sup> ), Stranded, 150m/box	box	4	4,000.00	16,000.00
36	Electrical, Utility Box, 2" x 4"(Surface Type)	pcs	10	35.00	350.00
37	Electrical, Utility Box, 2" x 4", Orange, PVC	piece	70	30.00	2,100.00
38	Epoxy, A & B (Liter/set)	set	2	500.00	1,000.00
	■All Purpose Structural Adhesive				
	■Premium Grade				
39	Faucet, (PVC) Ball Valve	piece	10	60.00	600.00
	Durable, Good Quality				
40	Faucet, Brass (Ordinary)	piece	20	400.00	8,000.00
41	Fiber Reinforced Cement Board, 1/4" (thickness) x 4' x 8'	sheets	55	760.00	41,800.00
42	FiCem Screw Flat head, 1-1/2"	pcs	4,300	1.00	4,300.00
43	Flat Bar, 1/4"(thickness) x 1 -1/2" x 6 meter	length	3	600.00	1,800.00
44	Flat Bar, 1/4"(thickness) x 1" x 6 meter	pcs	2	500.00	1,000.00
45	Floor Drain Strainer, (SS) 6" x 6"	pcs	40	450.00	18,000.00
46	G.I. Tie Wire #16	kl	175	90.00	15,750.00
	Good Quality				
47	Grass/Brush cutter (Four Stroke Engine)	unit	1	25,000.00	25,000.00
	■Engine: 4 stroke engine				
	■Handle type: both hands				
	■Power transmission method: automatic centrifugal clutch, spiral gear				
	■Displacement Volume (cc): 41.5				
	■Carburetor: Float, piston valve				
	■Starting Method: Recoil starter				
	■Stopping Method: Sparking Circuit Primary Short				
	■Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)				
	■Lubricating Oil Used: 2-cycle engine oil				

	■Fuel Tank Capacity (L): 1				
48	<b>Grasscutter Blade (305mm x 1.6mm x 25.4mm x 2T)</b>	pieces	30	650.00	19,500.00
	<i>For Kawasaki Grasscutter unit, functional &amp; good quality</i>				
49	<b>Hacksaw Blade, 14 TPI x 12"</b>	piece	10	75.00	750.00
	<i>Bi-metal, High-Speed, Durable, Premium Quality</i>				
50	<b>Hinges, Loose Pin, 4"x4"</b>	piece	129	250.00	32,250.00
	<i>Heavy Duty, Good Quality</i>				
51	<b>LED Bulb, 5 watts</b>	pcs	60	130.00	7,800.00
52	<b>LED Mini Downlight - 8 Watts (Swivel, Circle, Daylight)</b>	set	110	500.00	55,000.00
	<i>Technical Specifications:</i>				
	<i>Model: LLRC-60RM-8WDL</i>				
	<i>Rated Life: 20,000hrs.</i>				
	<i>Wattage: 8W</i>				
	<i>CRI: ≥80</i>				
	<i>Color Temp: 6500K Daylight</i>				
	<i>Luminous Flux: 600lm</i>				
	<i>Beam Angle: 60°</i>				
	<i>Voltage: 220-240V~50/60Hz</i>				
53	<b>Metal furring, 1" x 2" x 6m</b>	length	40	400.00	16,000.00
54	<b>Metal Furring, 2" x 3" x 6m</b>	length	75	700.00	52,500.00
55	<b>Mild Steel Plate, 1/4"(thickness) x 4' x 8'</b>	piece	2	6,500.00	13,000.00
	<i>Steel Plate, (4' x 8' x 1/4" size);</i>				
56	<b>Nails, Common Wire, 1"</b>	kl	107	80.00	8,560.00
	<i>Smooth Shank</i>				
57	<b>Nails, Common Wire, 1-1/2"</b>	kl	105	75.00	7,875.00
58	<b>Nails, Common Wire, 2"</b>	kl	160	75.00	12,000.00
	<i>Smooth Shank</i>				
59	<b>Nails, Common Wire, 2-1/2"</b>	kilos	5	75.00	375.00
60	<b>Nails, Common Wire, 4"</b>	kl	190	70.00	13,300.00
	<i>Smooth Shank</i>				
61	<b>Nails, Concrete, 1-1/2"</b>	kl	10	400.00	4,000.00
62	<b>Nails, Roofing (Umbrella), 2"</b>	kl	20	130.00	2,600.00
	<i>Twist Shank</i>				
63	<b>Nylon Line (Monoline) #300</b>	kl	6	600.00	3,600.00
	<i>Good Quality</i>				
64	<b>Padlock, 60mm</b>	piece	10	350.00	3,500.00
	<i>Heavy Duty, Durable, Good Quality</i>				
65	<b>Paint Brush, 2"</b>	pcs	2	80.00	160.00
	■Durable bristles				
	■Heavy duty metal ferrules				
66	<b>Paint Brush, 3"</b>	pc	40	95.00	3,800.00
67	<b>Paint Brush, Roller with handle, 7"</b>	piece	4	100.00	400.00
	<i>Durable, Good Quality</i>				
68	<b>Paint Flat Latex, Good Quality</b>	gal	6	750.00	4,500.00
69	<b>Paint Roller with handle, 9"</b>	pcs	50	190.00	9,500.00
70	<b>Paint Thinner</b>	gallon	23	450.00	10,350.00
	<i>Premium Quality</i>				
71	<b>Paint, Flat Latex, Chocolate Brown</b>	gallons	10	750.00	7,500.00

72	<b>Paint, Flat wall Enamel, White</b>	gallon	27	750.00	20,250.00
	<i>Premium Quality Paint</i>				
73	<b>Paint, Latex Flat, White</b>	gallon	156	690.00	107,640.00
	<i>Premium Quality Paint</i>				
74	<b>Paint, Latex, Semi Gloss, White</b>	gallon	312	780.00	243,360.00
	<i>Premium Quality Paint</i>				
75	<b>Paint, QDE, Maple</b>	gal	8	695.00	5,560.00
	<i>Premium Quality Paint</i>				
76	<b>Paint, QDE, White</b>	gallon	24	720.00	17,280.00
	<i>Premium Quality Paint</i>				
77	<b>Paint, Semi Glass Latex, Good Quality</b>	gal	12	680.00	8,160.00
78	<b>Paint, TTC, Raw Sienna, Latex</b>	L	19	150.00	2,850.00
	<i>Premium Quality</i>				
79	<b>Paint, TTC, Raw Sienna, Latex</b>	cans	100	80.00	8,000.00
80	<b>Paint, TTC, Raw Sienna, Oil</b>	cans	20	120.00	2,400.00
81	<b>Paint, TTC, Thalo Blue, Latex</b>	cans	10	80.00	800.00
82	<b>Paint, TTC, Thalo Green, Latex</b>	cans	50	80.00	4,000.00
83	<b>Paints, Acrylic Cast</b>	gallons	40	750.00	30,000.00
	<i>Premium quality</i>				
84	<b>Pipe, (G.I.), 1"Ø x 20'</b>	length	20	1,400.00	28,000.00
	<i>Schedule 40, Good Quality</i>				
85	<b>Pipe, (G.I.), 1-1/2"Ø x 20'</b>	pc	8	2,000.00	16,000.00
	<i>Schedule 40 Good quality</i>				
86	<b>Pipe, (G.I.), 2"Ø x 20'</b>	length	1	2,700.00	2,700.00
	■Schedule 40				
	■Wall thickness: 3.91mm				
87	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>	piece	84	490.00	41,160.00
	<i>Standard, Good Quality</i>				
88	<b>Rainboots, Heavy Duty High Cut Boots, for Men (# 6), White</b>	pair	2	700.00	1,400.00
89	<b>Rainboots, Size: 9 (Men), Black</b>	pair	5	400.00	2,000.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
90	<b>Roof Sealant, All-Purpose, 1L/can</b>	cans	30	540.00	16,200.00
	<i>Premium Quality</i>				
91	<b>Shovel, Square Point</b>	pc	3	1,000.00	3,000.00
	<i>27" SQUARE POINT SHOVEL</i>				
	<i>Blade: Black steel.</i>				
	<i>9-1/2" W x 11-1/2" L. #2 square point hollow back with a rolled step.</i>				
	<i>Heat-treated and tempered to resist wear and breakage.</i>				
	<i>Handle: Heavy-duty fiberglass for safety and durability. Bright yellow.</i>				
	<i>Plastic "D" grip handle for comfort.</i>				
92	<b>Shovel, Tempered steel round pointed end</b>	piece	4	300.00	1,200.00
	■Heavy duty wooden handle				
	■Good quality				
93	<b>Skim Coat, 20kg/bag</b>	bag	304	550.00	167,200.00
	■Good water vapor permeability				
	■Excellent bonding to concrete				

94	<b>Steel Bar, Deformed(Corrugated),10mm x 6m</b>	length	470	250.00	117,500.00
	☐0.616 kg/M PNS 230				
	☐ASTM / Grade 33 Structural				
95	<b>Stone, Sander for 4" angle grinder</b>	piece	10	150.00	1,500.00
	Durable, Good Quality				
96	<b>W Clip for Double Furring, (0.40mm thickness)</b>	pieces	6,000	6.00	36,000.00
97	<b>Water Closet with Lavatory, Big, Good Quality</b>	set	20	15,000.00	300,000.00
98	<b>Welding Rod, E-6013, 3/32"</b>	kl	12	150.00	1,800.00
	Premium Quality				
99	<b>Welding Rod, E-6013, 5/32"</b>	kl	20	150.00	3,000.00
	Premium Quality				
100	<b>Wheelbarrow</b>	unit	1	3,500.00	3,500.00
	Metal Tray, Single;				
101	<b>Wire nuts (for 3.5 mm wires) strip connector 10 pcs. per pack</b>	pack	40	170.00	6,800.00
102	<b>Faucet, Brass Plated</b>	pcs	10	300.00	3,000.00
	☐Sturdy and Durable				
	☐Heavy Duty Hose bib: 1/2" Hose end: 3/4"				
103	<b>Bulb, LED, 9W</b>	pcs	10	150.00	1,500.00
104	<b>Cement, Portland</b>	bags	405	260.00	105,300.00
	☐Type 1P, Premium Quality				
	☐ASTM C150				
105	<b>Electrical, 2 gang convenience outlet with ground (flush type)</b>	sets	19	200.00	3,800.00
	☐Good Quality, Durable				
106	<b>Fiber Reinforced Cement Board, Lightweight, 4' x 8'</b>	sheets	160	450.00	72,000.00
	☐Premium Quality				
107	<b>Grinding Stone 4"</b>	pcs	5	300.00	1,500.00
108	<b>Paint Brush, Roller with handle and PVC Tray, 9"</b>	pcs	5	350.00	1,750.00
	☐Durable, Good Quality				
109	<b>Paint, Acrylic Base Latex, White Flat</b>	gallons	6	700.00	4,200.00
	☐Premium Quality Paint				
110	<b>Paint, Metal Primer, Red Oxide</b>	gallons	10	450.00	4,500.00
	☐Premium Quality				
111	<b>Paint, TTC, Thalo Blue, Latex</b>	ltrs	15	500.00	7,500.00
	☐Premium Quality				
112	<b>Paint, TTC, Thalo Green, Latex</b>	ltrs	15	500.00	7,500.00
	☐Premium Quality				
113	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>	pcs	40	450.00	18,000.00
	☐Standard, Good Quality				
114	<b>Plywood, Marine, 3/4"(thickness) x 4' x 8'</b>	pcs	41	1,300.00	53,300.00
	☐Standard, Good Quality				
115	<b>Stainless Steel Sink</b>	pcs	3	500.00	1,500.00
	sizes				
	56 cm x 37 cm				
	79 cm x 42 cm (2 pieces)				

116	<b>Steel Bar, Deformed(Corrugated),12mm x 6m</b>	length	310	330.00	102,300.00
	▣ASTM/Grade 33 Structural				
117	<b>Steel bar, Round (plain), 16mm x 6m</b>	length	50	300.00	15,000.00
	▣Standard Grade				
118	<b>Turn Buckles, 5/8"(16mm), Hook and Eye,</b>	pcs	50	200.00	10,000.00
	▣Working Load Limit: 2,250 lbs.				
	▣Body Length : 12"				
	▣Material and Finished: Galvanized Steel				
	▣Length Closed: 21.47"				
	▣Length Open: 34.72"				
	▣Turnbuckle Size: 5/8"				
119	<b>Welding Rod, E-6010, 1/8"</b>	kl	10	200.00	2,000.00
	▣Premium Quality				
120	<b>Windows, 2.13m x 3.6m Fixed slide aluminum with bronze glass, white, including installation</b>	set	1	4,500.00	4,500.00
121	<b>Electrical Panel Board Dead Front 2 poles, (bolt on type)</b>	set	1	20,000.00	20,000.00
	1. 100 amperes 2 poles 240 volts, molded, center main				
	2. 8 pcs 30 amperes 2 poles 240 volts, bolt on type, molded				
122	<b>Electrical Tape, Vinyl</b>	rolls	10	70.00	700.00
	▣Flame retardant and compatible with plastic cable and wire harness insulations				
	▣Flexible PVC with aggressive rubber adhesive				
	▣Primary electrical insulation for all wire and cable splices rated up to 600 volts.				
	▣19mm x 16mm x 0.155mm				
	▣Heavy Duty				
	▣ASTM approved				
123	<b>Electrical Wire, THHN/THWN AWG 8(8.0 mm2), Stranded copper wire 600 volts</b>	box	1	9,000.00	9,000.00
124	<b>Electrical Switch, 3 gang, Flush type</b>	sets	4	250.00	1,000.00
125	<b>Electrical, 2 gang convenience outlet with ground (flush type)</b>	sets	16	300.00	4,800.00
126	<b>Fire Extinguisher, Dry Chemical (ABC), 10lbs</b>	unit	1	3,000.00	3,000.00
	ISO Certified				
	Dry Chemical recommended for all classes of fires				
	Non Toxic				
	Non Conducting and Non Corrosive Chemical				
127	<b>LED Bulb, 15 watts</b>	pcs	15	300.00	4,500.00
128	<b>LED Bulb, 9 watts</b>	pcs	10	150.00	1,500.00
129	<b>LED Tube with housing (T8), 18 watts, 4ft (Daylight)</b>	set	10	500.00	5,000.00
130	<b>Sand, Washed</b>	cu.m	55	1,500.00	82,500.00
131	<b>Slotted Angle Bar</b>	length	10	750.00	7,500.00

	1 ½" X 1 ½" X 3 m , 2mm thk, including bolts and accessories, metal powder coated – Off white				
132	<b>Solderless Connector, (Split Type), 30mm</b>	rolls	5	500.00	2,500.00
133	<b>Rope, Nylon, #56 (28mm)</b>	meters	4	25.00	100.00
	Specifications:				
	Twisted 3 strand, Good Quality				
134	<b>Varnish, Clear Gloss</b>	gallons	2	450.00	900.00
	■Premium Quality				
135	<b>Paint, TTC, Raw Sienna, Latex</b>	cans	8	90.00	720.00
136	<b>Paint, TTC, Toluidine Red, Latex, 1/4L</b>	cans	2	90.00	180.00
137	<b>Nails, Finishing 1-1/2"</b>	kgs	2	90.00	180.00
138	<b>Nails, Finishing 2-1/2"</b>	kgs	5	100.00	500.00
139	<b>Abrasive Paper, Sandpaper, #180</b>	sheets	10	80.00	800.00
	■Fine, Premium Grade, Waterproof;				
140	<b>Nails, Finishing, 2"</b>	kgs	3	80.00	240.00
	Smooth Shank				
141	<b>Paint Thinner, Lacquer</b>	gallons	1	500.00	500.00
	■Premium Quality				
142	<b>Paint, Latex, Burnt Umber, 1/4 liter per can</b>	cans	2	80.00	160.00
143	<b>Polyurethane Top coat</b>	gallons	1	1,900.00	1,900.00
144	<b>Wood Glue</b>	quarts	2	180.00	360.00
	■Premium Quality				
145	<b>Bidet spray toilet bidet rinse set, Heavy Duty</b>	pcs	4	2,000.00	8,000.00
146	<b>Fluorescent Tube, 32 watts, (Circular)</b>	pcs	8	400.00	3,200.00
	Durable, Good Quality				
147	<b>Garden Hose, 1/2"Ø, at least 50 meters per roll</b>	rolls	1	2,050.00	2,050.00
148	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 12'</b>	sheets	15	990.00	14,850.00
	Standard width, Good Quality				
149	<b>Cement, Portland</b>	bags	100	280.00	28,000.00
	■Type 1P, Premium Quality				
	■ASTM C150				
150	<b>Screened Sand</b>	cu.m	4	1,500.00	6,000.00
151	<b>Gravel, 3/4" size</b>	cu.m	14	1,500.00	21,000.00
152	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 4' x 14'</b>	sheets	20	650.00	13,000.00
	Standard, Good Quality				
153	<b>Extension wire with 4 gang Universal Convenience Outlet, at least 10m long</b>	pcs	3	500.00	1,500.00
	at least 10 amperes wire capacity				
154	<b>Galvanized Wire Mesh (interlink)</b>	unit	2	1,000.00	2,000.00
	■Wire Mesh: 2" x 2"				
	■Height: 8 feet				
	■Length: 6m				
155	<b>Garden Hose, 1/2" diameter</b>	meters	15	50.00	750.00
156	<b>Nylon Line (monoline) #40</b>	kg	1	180.00	180.00
	Nylon Material				
157	<b>Super Thin Cutting Disc</b>	pcs	10	50.00	500.00
	Dimension: 105 x 1 x 1 x 16mm				

158	Angle Bar, 1/4"(thickness) x 1" x 1" x 20', standard	pcs	2	650.00	1,300.00
	Premium Grade				
159	Inverter Type Portable Welding Machine	sets	2	15,000.00	30,000.00
	Inverter, IGBT, DC, 300A				
160	Carpentry Complete Tool Box Set, Heavy Duty	unit	1	3,000.00	3,000.00
	<b>Heavy Duty Tools in Case with handle</b>				
	<b>Tools inside the case:</b>				
	6pcs precision screwdrivers				
	2pcs Magnetic screwdrivers 6x100				
	2pcs Magnetic screwdrivers 3x100				
	1pc 6" combination pliers				
	1pc 8" adjustable wrench				
	1pc Digital electric tester				
	1pc 6" long nose pliers				
	1pc Claw hammer (at least 8oz)				
	1pc Tape measurer (at least 6meters)				
	1pc Utility knife				
	1pc PVC tape				
	5pcs Hex key				
	1pc Scissors				
	1pc Torch				
	1pc Files				
	1pc Saw				
161	Multi-Purpose Ladder	pc	1	8,000.00	8,000.00
	☑Load Capacity: 225 lbs Capable of 4 Positions A-Frame				
	☑Stairway Ladder				
	☑Scaffold and Straight Extension Reaches from 4 ft to 8 ft to an extendable length of 16 ft				
	☑Aluminum Alloy Steps Main Material Aluminum Dimension: 125 x 40 x 26, cm Weight: 15 kg Model • R1R14204				
162	P.E. Foam Insulator heat reject, Aluminum (1 sided)	rolls	2	4,000.00	8,000.00
163	Platform Trolley Cart	unit	1	10,000.00	10,000.00
	☑Heavy Duty High carbon steel				
	☑7.5 kg				
	☑Max capacity 150 kg				
	☑At least 785mm x 475mm x 643 mm				
	☑Silent wheels				
164	Bulb, LED, 15W	pcs	5	300.00	1,500.00
	☑Wattage: 15 Watts				
	☑Lumens: 1521				
	☑Color Temp. : Daylight				
	☑Beam Angle: 200 degrees				
	☑Voltage: 170-240 V AC 50/60Hz				
	☑Bulb Holder: E27				
	☑Life Hours: 15,000 hrs.				
	☑Material: PC cover & Aluminum PCB				
165	Plywood, Marine, 1/2" (thickness) x 4' x 8'	pc	1	900.00	900.00

166	LED bulb, 20 watts, at least 2000 Lumens (daylight)	pcs	10	600.00	6,000.00
167	Electric Water Pump with Presure Tank and Extra Storage Tank				
	Sets of Electric Water Pump with Pressure Tank and Extra Storage Tank				
	<i>Includes the following:</i>				
	<b>A. One (1) set of Water Pump with Pressure Tank</b>				
	Voltage: 220-240V~60Hz Input power: 750W(1HP)				
	Max.head: 45M Max.flow: 60L/min				
	Max.suction: 9M diameter: 1"x1"				
	Copper wire motor Brass impeller				
	Copper impeller 0.3m length cable				
	1pc 60L cylindrical tank				
	1pc pressure switch				
	1pc stainless steel hose				
	1pc pressure guage				
	1pc brass 3-way				
	<b>B. One (1) set of Water Storage Tank - 1000 liter capacity</b>				
	Horizontay type with complete accessories				
	1000 liter capacity				
	(1) Nylon Coupling 3/4" INLET				
	(1) S/S Coupling 3/4" OUTLET				
	(1) S/S Coupling 3/4" DRAIN				
	(1) Nylon Coupling 3/4" AIRVENT				
168	Pipe Fitting, (G.I.) Cup plug, 1/2" Sch. 40	pcs	2	50.00	100.00
169	Pipe Fittings (Brass) Ball Valve, 1/2"	pcs	2	450.00	900.00
170	Pipe Fittings (Brass) Ball Valve, 1"	pc	1	800.00	800.00
171	Pipe, (G.I.), 1"Ø x 20'	length	2	1,400.00	2,800.00
	Schedule 60, Good Quality				
172	Pipe, (G.I.), 1/2"Ø x 20'	length	1	680.00	680.00
	Schedule 40, Good Quality				
173	Round File, 3/16" x 7-7/8" for Chainsaw	pcs	10	200.00	2,000.00
174	16mm EC0116 Elbow Barb Connector	piece	4	25.00	100.00
	☑good quality				
175	16mm Jain LLDPE Yellow Twinline	meter	40	15.00	600.00
176	16mm MV0116 Maxi Line Valve Barb both side	piece	2	30.00	60.00
	☑good quality				
177	16mm OP0116 Offtake for PE Pipe 16mm	piece	2	25.00	50.00
	☑good quality				
178	16mm TC0116 Tee Barb Connector	piece	1	25.00	25.00
	☑good quality				
179	2.5mm Simple Hose Punch	piece	1	600.00	600.00
	☑good quality				
180	2mm Black Plastic Wire	kgs	1	680.00	680.00
	☑good quality				
181	3/4 HP Electric Driven Motor Pump w/ Pressure Tank	lot	1	17,896.00	17,896.00



	☑good quality				
182	<b>3/4" Compression Fittings Male Elbow</b>	piece	1	65.00	65.00
	☑good quality				
183	<b>3/4" Jain LLDPE Pipe Yellow Twinline</b>	meter	20	37.00	740.00
	☑good quality				
184	<b>4-way Fogger Violet Nozzle 4.5 - 5.3 liters per hour per nozzle @4 bars, droplet average size for 55</b>	piece	5	230.00	1,150.00
	☑good quality				
185	<b>Fittings and Accessories for Pump and Pressure Tank</b>	lot	1	1,500.00	1,500.00
	☑good quality				
186	<b>Modular Sprinkler Green Nozzle with Misting Spread 8mm female 104 liters per hour @28 psi</b>	piece	8	68.00	544.00
	☑Functional and Good Quality				
187	<b>Poly Take-off Detachable Male</b>	piece	13	10.00	130.00
				<b>TOTAL:</b>	<b>4,039,250.50</b>

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

- The *Visayas State University* now invites bids for the above Procurement Project. Delivery of the Goods is required by *forty-five (45) calendar days upon receipt of Notice to Proceed (NTP)*. Bidders should have completed, within *two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays - Fridays (8:00 AM-5:00 PM)*.
- A complete set of Bidding Documents may be acquired by interested Bidders on *30 May – 20 June 2022 until 8:30 AM* from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

6. The *Visayas State University* will hold a Pre-Bid Conference on *June 6, 2022; 9:00 AM* at the *PPO Conference Room, Lower Campus, VSU, Visca, Baybay City, Leyte* and/or through video conferencing or webcasting *via Zoom*, which shall be open to prospective bidders.

Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Zoom Meeting ID and Passcode.

7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before *20 June 2022 until 8:30 AM*. Late bids shall not be accepted.
8. For bidders who opt to submit their bids electronically, a hardcopy (original, copy 1, and copy 2) of the bid must be sent to the BAC through preferred couriers. A proof (e.g. courier receipt/waybill, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
10. Bid opening shall be on *20 June 2022; 9:00 AM* at the *PPO Conference Room, Lower Campus, VSU, Visca, Baybay City, Leyte* and *via Zoom*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Zoom Meeting ID and Passcode.

11. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

***Ms. Jessamine C. Ecleo (BAC Secretariat)***

*Office of the Head for Procurement,*

*VSU-Main, Visca, Baybay City, Leyte*

*Mobile: 053 565 0600 local 1093 or 0998 555 0106*

*Email: [jessamine.ecleo@vsu.edu.ph](mailto:jessamine.ecleo@vsu.edu.ph)*

***or***

***Mr. Toni Marc L. Dargantes (BAC Secretariat)***

*Office of the VP for Planning, Resource Generation & Auxiliary Services*

*VSU-Main, Visca, Baybay City, Leyte*

*Mobile: 0977 7186594*

*Email: [tmdargantes@vsu.edu.ph](mailto:tmdargantes@vsu.edu.ph)*

13. You may visit the following websites:

For downloading of Bidding Documents: <https://www.vsu.edu.ph/philgeps-opportunities>

May 27, 2022



**DILBERTO O. FERRAREN**  
*Chairperson, VSU BAC*

## ***Section II. Instructions to Bidders***

## **1. Scope of Bid**

The Procuring Entity, *Visayas State University*, wishes to receive Bids for the *Supply and Delivery of Hardware and Construction Supplies*, with identification number *GOODS-22-31*.

The Procurement Project (referred to herein as “Project”) is composed of *187 items*, the details of which are described in Section VII (Technical Specifications).

## **2. Funding Information**

2.1. The GOP through the source of funding as indicated below for 2022 in the amount of *Four Million Thirty-Nine Thousand Two Hundred Fifty and 50/100 Pesos (PhP 4,039,250.50)*.

2.2. The source of funding is: NGA, the General Appropriations Act, Special Trust Fund, and Trust Fund.

## **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## **5. Eligible Bidders**

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *twenty-five percent (25%)* of the ABC for this Project; and
  - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## **7. Subcontracts**

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed.**

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two (2 years)** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

### **14. Bid Security**

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *October 19, 2022*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### **16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.



## **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

### ***Section III. Bid Data Sheet***

# Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ul style="list-style-type: none"> <li>a. <i>Construction Supplies, Hardware, Plumbing Supplies, Electrical Supplies, or a combination of the foregoing</i></li> <li>b. completed within two (2) years prior to the deadline for the submission and receipt of bids.</li> </ul>
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted <i>DDP VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ul style="list-style-type: none"> <li>a. The amount of not less than <i>Eighty Thousand Seven Hundred Eighty-Five and 01/100 Pesos (PhP 80,785.01)</i> or two percent (2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <i>Two Hundred One Thousand Nine Hundred Sixty-Two and 53/100 Pesos (PhP 201,962.53)</i> or five percent (5%) of ABC if bid security is in Surety Bond.</li> </ul>
15	<p>Bidders are requested to submit three (3) copies of its bid – 1 Original, Copy 1, and Copy 2.</p> <p>For filing purposes, the bidders are urged to use <b>Light Blue</b> envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>
19.3	<i>See Section I. Invitation to Bid (Item 1) for the list of items and their corresponding total Approved Budget for the Contract (ABC).</i>
20.2	In case the PhilGEPS Platinum Certificate of Registration is not available during bid submission, it shall be submitted as a post-qualification requirement, in accordance with Section 34.2 of the 2016 Revised IRR of R.A. 9184.
21.2	<i>Not Applicable.</i>

## ***Section IV. General Conditions of Contract***

## **1. Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## **2. Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## **3. Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## **4. Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***



## Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery term applicable to this Contract is delivered <i>VSU Main Campus, Visca, Baybay City, Leyte</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is:</p> <p style="text-align: center;"><b><i>Ms. Alicia M. Flores</i></b>  <i>Head, Supply and Property Management Office,</i>  <i>VSU-Main, Visca, Baybay City, Leyte</i>  <i>Contact #: 053 565 0600 local 1082 / 0917 6341 430</i>  <i>Email address: alicia.flores@vsu.edu.ph</i></p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ol>
	<p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>

	<p><b>Spare Parts –</b></p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <ul style="list-style-type: none"> <li>a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>b. in the event of termination of production of the spare parts: <ul style="list-style-type: none"> <li>i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and</li> <li>ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.</li> </ul> </li> </ul> <p>The spare parts and other components required are listed in <b>Section VI (Schedule of Requirements)</b> and the costs thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.</p>
	<p><b>Packaging –</b></p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p>

	Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p>

	<b>Intellectual Property Rights –</b>  The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	Payment of staggered deliveries shall be allowed. Payment shall be on “as per cost of the items delivered” subject to inspection and acceptance.
4	The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU to confirm conformity to the contract specifications at no extra cost to VSU.

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Unit	Qty	Description	Delivered, Weeks/Months
1	sheet	370	<b>Abrasive Paper, Sand Paper Grit #120, 9" x 11"</b>	All Items Should Be Delivered Within <b>45 Calendar Days</b> From Receipt Of Notice To Proceed And Purchase Order
			☐ <i>Fine Sanding, Waterproof, Good Quality;</i>	
2	sheet	10	<b>Abrasive Paper, Sandpaper, #1000</b>	
			<i>Super Fine, Premium Grade, Waterproof</i>	
3	meter	10	<b>Abrasive Paper, Sandpaper, #120</b>	
			☐ <i>Fine, Premium Grade, Waterproof;</i>	
4	gal	2	<b>Acrytex Cast</b>	
5	length	220	<b>Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard</b>	
			<i>Premium Grade</i>	
6	box of 50's	18	<b>Blind Rivets, 5/32" x 1/2" at least 2000 pcs. per box</b>	
7	unit	4	<b>Brush/Grass Cutter TD40 2 Stroke</b>	
			<i>Technical Details</i>	
			<i>Displacement: 40.2cc</i>	
			<i>Match Engine: 1E40F-7</i>	
			<i>Rated Power: 1.4kw</i>	
			<i>Idle Speed: 2800-3200r/min</i>	
			<i>Mix Ratio: 25:1 (Gas/2T Oil)</i>	
			<i>Tank Capacity: 1200ml</i>	
			<i>Net Weight: 9kg</i>	
			<i>Shaft Diameter: 28mm</i>	
			<i>Shaft Length: 160cm</i>	
			<i>Freebies</i>	
			<i>Functional and good quality</i>	
			<i>1x Metal Blade</i>	
			<i>1x (FREE) Nylon/Tansi</i>	
			<i>1x Shoulder Strap</i>	
			<i>1x Gas/2T Oil Container</i>	
			<i>1x Tools Set</i>	
8	pcs	100	<b>Bulb, LED, 7W</b>	
9	pairs	120	<b>Cabinet Hinges, 1" x 2"</b>	
10	pcs	1,900	<b>Carrying Channel, 12mm x 38mm x 5mm, 1.0mm(thickness), 5 Meters long</b>	
11	pcs	170	<b>Ceiling Socket, 4" x 4"</b>	
12	piece	5	<b>Cut off Blade, 14" x 1/8" x 1", good quality</b>	
13	piece	10	<b>Cutting Disc for Steel/Stainless, 4"</b>	
14	piece	76	<b>Door Knob</b>	
			☐ <i>Interior Type Cylindrical Door Knob Lockset</i>	
			☐ <i>Good Quality</i>	
15	pcs	2,800	<b>Double Furring, 19mm x 25mm x 5mm, 0.40mm (thickness)</b>	
16	pcs	4	<b>Drill Bit (Metal), 5/32"</b>	

17	sets	4	<b>Electric Drill Bit Set for metal</b>
			■Titanium bits for High-Speed Steel
			■Drill size: 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2
18	unit	3	<b>Electric Hand Drill</b>
			Specifications:
			Heavy Duty 1/2" Hammer Drill (Black/Blue)
			Continuous rating input: 430W
			Capacity on concrete: 13mm (1/2")
			Capacity on steel: 13mm (1/2")
			Capacity on wood : 18mm (11/16")
			No load speed : 0-2,700rpm
			Blows per minute: 0-29,700bpm
			Overall Length: 278mm (10-7/8")
			Double insulated
			Made in Japan
			Net weight: 1.7 kg (3.7lbs)
			Power supply cord: 2 meters (6.6feet)
19	set	15	<b>Electrical Outlet, Convenience 2 gang with ground, (Flush type)</b>
20	sets	20	<b>Electrical Panel Board, 9 holes (Rail Type)</b>
			MAIN:
			60AT/200AF, 2P, 10KAIC, at 240V MCB
			Branches:
			1 - 15AT, 6KAIC, 2P, RC80
			5 - 20AT, 6KAIC, 2P, RC80
21	pcs	6	<b>Electrical Square Box (PVC), 6" x 6"</b>
22	pcs	46	<b>Electrical Switch, 2-gang, Flush type</b>
23	set	5	<b>Electrical Switch, 3 gang, Flush type</b>
24	set	5	<b>Electrical Switch, Single (Flush type)</b>
25	pcs	60	<b>Electrical Switch,1 Gang, Surface Type</b>
26	box of 50's	5	<b>Electrical Wire, THHN / THWN, AWG 10 (5.5mm<sup>2</sup>), Stranded, 150 meters/box</b>
			■Building Wire
			■Stranded with Nylon Insulation
			■Gauge 10
			■UL listed
27	box of 50's	9	<b>Electrical Wire, THHN / THWN, AWG 12 (3.5mm<sup>2</sup>), Stranded, 150 meters/box</b>
			■Building Wire
			■Stranded with Nylon Insulation
			■Gauge 12
			■UL listed
28	pack	3	<b>Electrical, (PVC) Clip 1/2", (100pieces/1pack)</b>
29	set	20	<b>Electrical, ACCU Outlet, Three prongs (Flush type)</b>
30	pcs	40	<b>Electrical, Duplex Convenience Outlet (GFCI)</b>
31	pcs	120	<b>Electrical, Duplex Convenience Outlet with Ground Prong</b>
32	pcs	110	<b>Electrical, Junction box with cover, 4" x 4"</b>
			Material: Electrical PVC Orange Color

			<i>Heat resistant</i>	
			☑ <i>Waterproof</i>	
			☑ <i>UL certified</i>	
33	length	100	<b>Electrical, Pipe, (PVC) Orange, 1/2" x 3m</b>	
34	sets	20	<b>Electrical, Single Phase KW Hr Meter (Circular with Base)</b>	
35	box	4	<b>Electrical, THHN/THWN, AWG 14 (2.0mm2), Stranded, 150m/box</b>	
36	pcs	10	<b>Electrical, Utility Box, 2" x 4"(Surface Type)</b>	
37	piece	70	<b>Electrical, Utility Box, 2" x 4", Orange, PVC</b>	
38	set	2	<b>Epoxy, A &amp; B (Liter/set)</b>	
			☑ <i>All Purpose Structural Adhesive</i>	
			☑ <i>Premium Grade</i>	
39	piece	10	<b>Faucet, (PVC) Ball Valve</b>	
			<i>Durable, Good Quality</i>	
40	piece	20	<b>Faucet, Brass (Ordinary)</b>	
41	sheets	55	<b>Fiber Reinforced Cement Board, 1/4" (thickness) x 4' x 8'</b>	
42	pcs	4,300	<b>FiCem Screw Flat head, 1-1/2"</b>	
43	length	3	<b>Flat Bar, 1/4"(thickness) x 1 -1/2" x 6 meter</b>	
44	pcs	2	<b>Flat Bar, 1/4"(thickness) x 1" x 6 meter</b>	
45	pcs	40	<b>Floor Drain Strainer, (SS) 6" x 6"</b>	
46	kl	175	<b>G.I. Tie Wire #16</b>	
			<i>Good Quality</i>	
47	unit	1	<b>Grass/Brush cutter (Four Stroke Engine)</b>	
			☑ <i>Engine: 4 stroke engine</i>	
			☑ <i>Handle type: both hands</i>	
			☑ <i>Power transmission method: automatic centrifugal clutch, spiral gear</i>	
			☑ <i>Displacement Volume (cc): 41.5</i>	
			☑ <i>Carburetor: Float, piston valve</i>	
			☑ <i>Starting Method: Recoil starter</i>	
			☑ <i>Stopping Method: Sparking Circuit Primary Short</i>	
			☑ <i>Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)</i>	
			☑ <i>Lubricating Oil Used: 2-cycle engine oil</i>	
			☑ <i>Fuel Tank Capacity (L): 1</i>	
48	pieces	30	<b>Grasscutter Blade (305mm x 1.6mm x 25.4mm x 2T)</b>	
			<i>For Kawasaki Grasscutter unit, functional &amp; good quality</i>	
49	piece	10	<b>Hacksaw Blade, 14 TPI x 12"</b>	
			<i>Bi-metal, High-Speed, Durable, Premium Quality</i>	
50	piece	129	<b>Hinges, Loose Pin, 4"x4"</b>	
			<i>Heavy Duty, Good Quality</i>	
51	pcs	60	<b>LED Bulb, 5 watts</b>	
52	set	110	<b>LED Mini Downlight - 8 Watts (Swivel, Circle, Daylight)</b>	
			<i>Technical Specifications:</i>	
			<i>Model: LLRC-60RM-8WDL</i>	
			<i>Rated Life: 20,000hrs.</i>	

			Wattage: 8W	
			CRI: ≥80	
			Color Temp: 6500K Daylight	
			Luminous Flux: 600lm	
			Beam Angle: 60°	
			Voltage: 220-240V~ 50/60Hz	
53	length	40	Metal furring, 1" x 2" x 6m	
54	length	75	Metal Furring, 2" x 3" x 6m	
55	piece	2	Mild Steel Plate, 1/4"(thickness) x 4' x 8'	
			Steel Plate, (4' x 8' x 1/4" size);	
56	kl	107	Nails, Common Wire, 1"	
			Smooth Shank	
57	kl	105	Nails, Common Wire, 1-1/2"	
58	kl	160	Nails, Common Wire, 2"	
			Smooth Shank	
59	kilos	5	Nails, Common Wire, 2-1/2"	
60	kl	190	Nails, Common Wire, 4"	
			Smooth Shank	
61	kl	10	Nails, Concrete, 1-1/2"	
62	kl	20	Nails, Roofing (Umbrella), 2"	
			Twist Shank	
63	kl	6	Nylon Line (Monoline) #300	
			Good Quality	
64	piece	10	Padlock, 60mm	
			Heavy Duty, Durable, Good Quality	
65	pcs	2	Paint Brush, 2"	
			■Durable bristles	
			■Heavy duty metal ferrules	
66	pc	40	Paint Brush, 3"	
67	piece	4	Paint Brush, Roller with handle, 7"	
			Durable, Good Quality	
68	gal	6	Paint Flat Latex, Good Quality	
69	pcs	50	Paint Roller with handle, 9"	
70	gallon	23	Paint Thinner	
			Premium Quality	
71	gallons	10	Paint, Flat Latex, Chocolate Brown	
72	gallon	27	Paint, Flat wall Enamel, White	
			Premium Quality Paint	
73	gallon	156	Paint, Latex Flat, White	
			Premium Quality Paint	
74	gallon	312	Paint, Latex, Semi Gloss, White	
			Premium Quality Paint	
75	gal	8	Paint, QDE, Maple	
			Premium Quality Paint	
76	gallon	24	Paint, QDE, White	
			Premium Quality Paint	
77	gal	12	Paint, Semi Glass Latex, Good Quality	
78	L	19	Paint, TTC, Raw Sienna, Latex	
			Premium Quality	
79	cans	100	Paint, TTC, Raw Sienna, Latex	
80	cans	20	Paint, TTC, Raw Sienna, Oil	
81	cans	10	Paint, TTC, Thalo Blue, Latex	



82	cans	50	<b>Paint, TTC, Thalo Green, Latex</b>	
83	gallons	40	<b>Paints, Acrylic Cast</b>	
			<i>Premium quality</i>	
84	length	20	<b>Pipe, (G.I.), 1"Ø x 20'</b>	
			<i>Schedule 40, Good Quality</i>	
85	pc	8	<b>Pipe, (G.I.), 1-1/2"Ø x 20'</b>	
			<i>Schedule 40 Good quality</i>	
86	length	1	<b>Pipe, (G.I.), 2"Ø x 20'</b>	
			■ <i>Schedule 40</i>	
			■ <i>Wall thickness: 3.91mm</i>	
87	piece	84	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>	
			<i>Standard, Good Quality</i>	
88	pair	2	<b>Rainboots, Heavy Duty High Cut Boots, for Men (# 6), White</b>	
89	pair	5	<b>Rainboots, Size: 9 (Men), Black</b>	
			<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>	
90	cans	30	<b>Roof Sealant, All-Purpose, 1L/can</b>	
			<i>Premium Quality</i>	
91	pc	3	<b>Shovel, Square Point</b>	
			<i>27" SQUARE POINT SHOVEL</i>	
			<i>Blade: Black steel.</i>	
			<i>9-1/2" W x 11-1/2" L. #2 square point hollow back with a rolled step.</i>	
			<i>Heat-treated and tempered to resist wear and breakage.</i>	
			<i>Handle: Heavy-duty fiberglass for safety and durability. Bright yellow.</i>	
			<i>Plastic "D" grip handle for comfort.</i>	
92	piece	4	<b>Shovel, Tempered steel round pointed end</b>	
			■ <i>Heavy duty wooden handle</i>	
			■ <i>Good quality</i>	
93	bag	304	<b>Skim Coat, 20kg/bag</b>	
			■ <i>Good water vapor permeability</i>	
			■ <i>Excellent bonding to concrete</i>	
94	length	470	<b>Steel Bar, Deformed(Corrugated),10mm x 6m</b>	
			■ <i>0.616 kg/M PNS 230</i>	
			■ <i>ASTM / Grade 33 Structural</i>	
95	piece	10	<b>Stone, Sander for 4" angle grinder</b>	
			<i>Durable, Good Quality</i>	
96	pieces	6,000	<b>W Clip for Double Furring, (0.40mm thickness)</b>	
97	set	20	<b>Water Closet with Lavatory, Big, Good Quality</b>	
98	kl	12	<b>Welding Rod, E-6013, 3/32"</b>	
			<i>Premium Quality</i>	
99	kl	20	<b>Welding Rod, E-6013, 5/32"</b>	
			<i>Premium Quality</i>	
100	unit	1	<b>Wheelbarrow</b>	
			<i>Metal Tray, Single;</i>	

101	pack	40	Wire nuts (for 3.5 mm wires) strip connector 10 pcs. per pack
102	pcs	10	Faucet, Brass Plated
			☐Sturdy and Durable
			☐Heavy Duty Hose bib: 1/2" Hose end: 3/4"
103	pcs	10	Bulb, LED, 9W
104	bags	405	Cement, Portland
			☐Type 1P, Premium Quality
			☐ASTM C150
105	sets	19	Electrical, 2 gang convenience outlet with ground (flush type)
			☐Good Quality, Durable
106	sheets	160	Fiber Reinforced Cement Board, Lightweight, 4' x 8'
			☐Premium Quality
107	pcs	5	Grinding Stone 4"
108	pcs	5	Paint Brush, Roller with handle and PVC Tray, 9"
			☐Durable, Good Quality
109	gallons	6	Paint, Acrylic Base Latex, White Flat
			☐Premium Quality Paint
110	gallons	10	Paint, Metal Primer, Red Oxide
			☐Premium Quality
111	ltrs	15	Paint, TTC, Thalo Blue, Latex
			☐Premium Quality
112	ltrs	15	Paint, TTC, Thalo Green, Latex
			☐Premium Quality
113	pcs	40	Plywood, Marine, 1/4"(thickness) x 4' x 8'
			☐Standard, Good Quality
114	pcs	41	Plywood, Marine, 3/4"(thickness) x 4' x 8'
			☐Standard, Good Quality
115	pcs	3	Stainless Steel Sink
			sizes
			56 cm x 37 cm
			79 cm x 42 cm (2 pieces)
116	length	310	Steel Bar, Deformed(Corrugated),12mm x 6m
			☐ASTM/Grade 33 Structural
117	length	50	Steel bar, Round (plain), 16mm x 6m
			☐Standard Grade
118	pcs	50	Turn Buckles, 5/8"(16mm), Hook and Eye,
			☐Working Load Limit: 2,250 lbs.
			☐Body Length : 12"
			☐Material and Finished: Galvanized Steel
			☐Length Closed: 21.47"
			☐Length Open: 34.72"
			☐Turnbuckle Size: 5/8"
119	kl	10	Welding Rod, E-6010, 1/8"
			☐Premium Quality
120	set	1	Windows, 2.13m x 3.6m Fixed slide aluminum with bronze glass, white, including installation

121	set	1	<b>Electrical Panel Board Dead Front 2 poles, (bolt on type)</b>
			1. 100 amperes 2 poles 240 volts, molded, center main
			2. 8 pcs 30 amperes 2 poles 240 volts, bolt on type, molded
122	rolls	10	<b>Electrical Tape, Vinyl</b>
			☑Flame retardant and compatible with plastic cable and wire harness insulations
			☑Flexible PVC with aggressive rubber adhesive
			☑Primary electrical insulation for all wire and cable splices rated up to 600 volts.
			☑19mm x 16m x 0.155mm
			☑Heavy Duty
			☑ASTM approved
123	box	1	<b>Electrical Wire, THHN/THWN AWG 8(8.0 mm2), Stranded copper wire 600 volts</b>
124	sets	4	<b>Electrical Switch, 3 gang, Flush type</b>
125	sets	16	<b>Electrical, 2 gang convenience outlet with ground (flush type)</b>
126	unit	1	<b>Fire Extinguisher, Dry Chemical (ABC), 10lbs</b>
			ISO Certified
			Dry Chemical recommended for all classes of fires
			Non Toxic
			Non Conducting and Non Corrosive Chemical
127	pcs	15	<b>LED Bulb, 15 watts</b>
128	pcs	10	<b>LED Bulb, 9 watts</b>
129	set	10	<b>LED Tube with housing (T8), 18 watts, 4ft (Daylight)</b>
130	cu.m	55	<b>Sand, Washed</b>
131	length	10	<b>Slotted Angle Bar</b>
			1 ½" X 1 ½" X 3 m , 2mm thk, including bolts and accessories, metal powder coated – Off white
132	rolls	5	<b>Solderless Connector, (Split Type), 30mm</b>
133	meters	4	<b>Rope, Nylon, #56 (28mm)</b>
			Specifications:
			Twisted 3 strand, Good Quality
134	gallons	2	<b>Varnish, Clear Gloss</b>
			☑Premium Quality
135	cans	8	<b>Paint, TTC, Raw Sienna, Latex</b>
136	cans	2	<b>Paint, TTC, Toluidine Red, Latex, 1/4L</b>
137	kgs	2	<b>Nails, Finishing 1-1/2"</b>
138	kgs	5	<b>Nails, Finishing 2-1/2"</b>
139	sheets	10	<b>Abrasive Paper, Sandpaper, #180</b>
			☑Fine, Premium Grade, Waterproof;
140	kgs	3	<b>Nails, Finishing, 2"</b>
			Smooth Shank
141	gallons	1	<b>Paint Thinner, Lacquer</b>
			☑Premium Quality

142	cans	2	Paint, Latex, Burnt Umber, 1/4 liter per can
143	gallons	1	Polyurethane Top coat
144	quarts	2	Wood Glue
			■Premium Quality
145	pcs	4	Bidet spray toilet bidet rinse set, Heavy Duty
146	pcs	8	Fluorescent Tube, 32 watts, (Circular)
			Durable, Good Quality
147	rolls	1	Garden Hose, 1/2"Ø, at least 50 meters per roll
148	sheets	15	Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 12'
			Standard width, Good Quality
149	bags	100	Cement, Portland
			■Type 1P, Premium Quality
			■ASTM C150
150	cu.m	4	Screened Sand
151	cu.m	14	Gravel, 3/4" size
152	sheets	20	Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 4' x 14'
			Standard, Good Quality
153	pcs	3	Extension wire with 4 gang Universal Convenience Outlet, at least 10m long
			at least 10 amperes wire capacity
154	unit	2	Galvanized Wire Mesh (interlink)
			■Wire Mesh: 2" x 2"
			■Height: 8 feet
			■Length: 6m
155	meters	15	Garden Hose, 1/2" diameter
156	kg	1	Nylon Line (monoline) #40
			Nylon Material
157	pcs	10	Super Thin Cutting Disc
			Dimension: 105 x 1 x 1 x 16mm
158	pcs	2	Angle Bar, 1/4"(thickness) x 1" x 1" x 20', standard
			Premium Grade
159	sets	2	Inverter Type Portable Welding Machine
			Inverter, IGBT, DC, 300A
160	unit	1	Carpentry Complete Tool Box Set, Heavy Duty
			<b>Heavy Duty Tools in Case with handle</b>
			<b>Tools inside the case:</b>
			6pcs precision screwdrivers
			2pcs Magnetic screwdrivers 6x100
			2pcs Magnetic screwdrivers 3x100
			1pc 6" combination pliers
			1pc 8" adjustable wrench
			1pc Digital electric tester
			1pc 6" long nose pliers
			1pc Claw hammer (at least 8oz)
			1pc Tape measurer (at least 6meters)
			1pc Utility knife
			1pc PVC tape

			5pcs Hex key
			1pc Scissors
			1pc Torch
			1pc Files
			1pc Saw
161	pc	1	<b>Multi-Purpose Ladder</b>
			☐Load Capacity: 225 lbs Capable of 4 Positions A-Frame
			☐Stairway Ladder
			☐Scaffold and Straight Extension Reaches from 4 ft to 8 ft to an extendable length of 16 ft
			☐Aluminum Alloy Steps Main Material Aluminum Dimension: 125 x 40 x 26, cm Weight: 15 kg Model • R1R14204
162	rolls	2	<b>P.E. Foam Insulator heat reject, Aluminum (1 sided)</b>
163	unit	1	<b>Platform Trolley Cart</b>
			☐Heavy Duty High carbon steel
			☐7.5 kg
			☐Max capacity 150 kg
			☐At least 785mm x 475mm x 643 mm
			☐Silent wheels
164	pcs	5	<b>Bulb, LED, 15W</b>
			☐Wattage: 15 Watts
			☐Lumens: 1521
			☐Color Temp. : Daylight
			☐Beam Angle: 200 degrees
			☐Voltage: 170-240 V AC 50/60Hz
			☐Bulb Holder: E27
			☐Life Hours: 15,000 hrs.
			☐Material: PC cover & Aluminum PCB
165	pc	1	<b>Plywood, Marine, 1/2" (thickness) x 4' x 8'</b>
166	pcs	10	<b>LED bulb, 20 watts, at least 2000 Lumens (daylight)</b>
167			<b>Electric Water Pump with Pressure Tank and Extra Storage Tank</b>
			<b>Sets of Electric Water Pump with Pressure Tank and Extra Storage Tank</b>
			<b>Includes the following:</b>
			<b>A. One (1) set of Water Pump with Pressure Tank</b>
			Voltage: 220-240V~60Hz Input power: 750W(1HP)
			Max.head: 45M Max.flow: 60L/min
			Max.suction: 9M diameter: 1"x1"
			Copper wire motor Brass impeller
			Copper impeller 0.3m length cable
			1pc 60L cylindrical tank
			1pc pressure switch
			1pc stainless steel hose
			1pc pressure gauge
			1pc brass 3-way

			<b>B. One (1) set of Water Storage Tank - 1000 liter capacity</b>	
			<i>Horizontay type with complete accessories</i>	
			<i>1000 liter capacity</i>	
			<i>(1) Nylon Coupling 3/4" INLET</i>	
			<i>(1) S/S Coupling 3/4" OUTLET</i>	
			<i>(1) S/S Coupling 3/4" DRAIN</i>	
			<i>(1) Nylon Coupling 3/4" AIRVENT</i>	
168	pcs	2	<b>Pipe Fitting, (G.I.) Cup plug, 1/2" Sch. 40</b>	
169	pcs	2	<b>Pipe Fittings (Brass) Ball Valve, 1/2"</b>	
170	pc	1	<b>Pipe Fittings (Brass) Ball Valve, 1"</b>	
171	length	2	<b>Pipe, (G.I.), 1"Ø x 20'</b>	
			<i>Schedule 60, Good Quality</i>	
172	length	1	<b>Pipe, (G.I.), 1/2"Ø x 20'</b>	
			<i>Schedule 40, Good Quality</i>	
173	pcs	10	<b>Round File, 3/16" x 7-7/8" for Chainsaw</b>	
174	piece	4	<b>16mm EC0116 Elbow Barb Connector</b>	
			<i>good quality</i>	
175	meter	40	<b>16mm Jain LLDPE Yellow Twinline</b>	
176	piece	2	<b>16mm MV0116 Maxi Line Valve Barb both side</b>	
			<i>good quality</i>	
177	piece	2	<b>16mm OP0116 Offtake for PE Pipe 16mm</b>	
			<i>good quality</i>	
178	piece	1	<b>16mm TC0116 Tee Barb Connector</b>	
			<i>good quality</i>	
179	piece	1	<b>2.5mm Simple Hose Punch</b>	
			<i>good quality</i>	
180	kgs	1	<b>2mm Black Plastic Wire</b>	
			<i>good quality</i>	
181	lot	1	<b>3/4 HP Electric Driven Motor Pump w/ Pressure Tank</b>	
			<i>good quality</i>	
182	piece	1	<b>3/4" Compression Fittings Male Elbow</b>	
			<i>good quality</i>	
183	meter	20	<b>3/4" Jain LLDPE Pipe Yellow Twinline</b>	
			<i>good quality</i>	
184	piece	5	<b>4-way Fogger Violet Nozzle 4.5 - 5.3 liters per hour per nozzle @4 bars, droplet average size for 55</b>	
			<i>good quality</i>	
185	lot	1	<b>Fittings and Accessories for Pump and Pressure Tank</b>	
			<i>good quality</i>	
186	piece	8	<b>Modular Sprinkler Green Nozzle with Misting Spread 8mm female 104 liters per hour @28 psi</b>	
			<i>Functional and Good Quality</i>	
187	piece	13	<b>Poly Take-off Detachable Male</b>	

## ***Section VII. Technical Specifications***

# Technical Specifications

Item No.	Unit	Qty	Description	Statement of Compliance
1	sheet	370	<b>Abrasive Paper, Sand Paper Grit #120, 9" x 11"</b>	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
			☐Fine Sanding, Waterproof, Good Quality;	
2	sheet	10	<b>Abrasive Paper, Sandpaper, #1000</b>	
			Super Fine, Premium Grade, Waterproof	
3	meter	10	<b>Abrasive Paper, Sandpaper, #120</b>	
			☐Fine, Premium Grade, Waterproof;	
4	gal	2	<b>Acrytex Cast</b>	
5	length	220	<b>Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard</b>	
			Premium Grade	
6	box of 50's	18	<b>Blind Rivets, 5/32" x 1/2" at least 2000 pcs. per box</b>	
7	unit	4	<b>Brush/Grass Cutter TD40 2 Stroke</b>	
			Technical Details	
			Displacement: 40.2cc	
			Match Engine: 1E40F-7	
			Rated Power: 1.4kw	
			Idle Speed: 2800-3200r/min	
			Mix Ratio: 25:1 (Gas/2T Oil)	
			Tank Capacity: 1200ml	
			Net Weight: 9kg	
			Shaft Diameter: 28mm	
			Shaft Length: 160cm	
			Freebies	
			Functional and good quality	
			1x Metal Blade	
			1x (FREE) Nylon/Tansi	
			1x Shoulder Strap	
			1x Gas/2T Oil Container	
			1x Tools Set	
8	pcs	100	<b>Bulb, LED, 7W</b>	
9	pairs	120	<b>Cabinet Hinges, 1" x 2"</b>	
10	pcs	1,900	<b>Carrying Channel, 12mm x 38mm x 5mm, 1.0mm(thickness), 5 Meters long</b>	
11	pcs	170	<b>Ceiling Socket, 4" x 4"</b>	
12	piece	5	<b>Cut off Blade, 14" x 1/8" x 1", good quality</b>	
13	piece	10	<b>Cutting Disc for Steel/Stainless, 4"</b>	
14	piece	76	<b>Door Knob</b>	
			☐Interior Type Cylindrical Door Knob Lockset	
			☐Good Quality	
15	pcs	2,800	<b>Double Furring, 19mm x 25mm x 5mm, 0.40mm (thickness)</b>	
16	pcs	4	<b>Drill Bit (Metal), 5/32"</b>	
17	sets	4	<b>Electric Drill Bit Set for metal</b>	
			☐Titanium bits for High-Speed Steel	



			<ul style="list-style-type: none"> <li>Drill size: 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2</li> </ul>
18	unit	3	<b>Electric Hand Drill</b>
			Specifications:
			Heavy Duty 1/2" Hammer Drill (Black/Blue)
			Continuous rating input: 430W
			Capacity on concrete: 13mm (1/2")
			Capacity on steel: 13mm (1/2")
			Capacity on wood : 18mm (11/16")
			No load speed : 0-2,700rpm
			Blows per minute: 0-29,700bpm
			Overall Length: 278mm (10-7/8")
			Double insulated
			Made in Japan
			Net weight: 1.7 kg (3.7lbs)
			Power supply cord: 2 meters (6.6feet)
19	set	15	<b>Electrical Outlet, Convenience 2 gang with ground, (Flush type)</b>
20	sets	20	<b>Electrical Panel Board, 9 holes (Rail Type)</b>
			MAIN:
			60AT/200AF, 2P, 10KAIC, at 240V MCB
			Branches:
			1 - 15AT, 6KAIC, 2P, RC80
			5 - 20AT, 6KAIC, 2P, RC80
21	pcs	6	<b>Electrical Square Box (PVC), 6" x 6"</b>
22	pcs	46	<b>Electrical Switch, 2-gang, Flush type</b>
23	set	5	<b>Electrical Switch, 3 gang, Flush type</b>
24	set	5	<b>Electrical Switch, Single (Flush type)</b>
25	pcs	60	<b>Electrical Switch, 1 Gang, Surface Type</b>
26	box of 50's	5	<b>Electrical Wire, THHN / THWN, AWG 10 (5.5mm<sup>2</sup>), Stranded, 150 meters/box</b>
			<ul style="list-style-type: none"> <li>Building Wire</li> <li>Stranded with Nylon Insulation</li> <li>Gauge 10</li> <li>UL listed</li> </ul>
27	box of 50's	9	<b>Electrical Wire, THHN / THWN, AWG 12 (3.5mm<sup>2</sup>), Stranded, 150 meters/box</b>
			<ul style="list-style-type: none"> <li>Building Wire</li> <li>Stranded with Nylon Insulation</li> <li>Gauge 12</li> <li>UL listed</li> </ul>
28	pack	3	<b>Electrical, (PVC) Clip 1/2", (100pieces/1pack)</b>
29	set	20	<b>Electrical, ACCU Outlet, Three prongs (Flush type)</b>
30	pcs	40	<b>Electrical, Duplex Convenience Outlet (GFCI)</b>
31	pcs	120	<b>Electrical, Duplex Convenience Outlet with Ground Prong</b>
32	pcs	110	<b>Electrical, Junction box with cover, 4" x 4"</b>
			Material: Electrical PVC Orange Color
			Heat resistant
			<ul style="list-style-type: none"> <li>Waterproof</li> </ul>

			■UL certified
33	length	100	Electrical, Pipe, (PVC) Orange, 1/2" x 3m
34	sets	20	Electrical, Single Phase KW Hr Meter (Circular with Base)
35	box	4	Electrical, THHN/THWN, AWG 14 (2.0mm2), Stranded, 150m/box
36	pcs	10	Electrical, Utility Box, 2" x 4"(Surface Type)
37	piece	70	Electrical, Utility Box, 2" x 4", Orange, PVC
38	set	2	Epoxy, A & B (Liter/set)
			■All Purpose Structural Adhesive
			■Premium Grade
39	piece	10	Faucet, (PVC) Ball Valve
			Durable, Good Quality
40	piece	20	Faucet, Brass (Ordinary)
41	sheets	55	Fiber Reinforced Cement Board, 1/4" (thickness) x 4' x 8'
42	pcs	4,300	FiCem Screw Flat head, 1-1/2"
43	length	3	Flat Bar, 1/4"(thickness) x 1 -1/2" x 6 meter
44	pcs	2	Flat Bar, 1/4"(thickness) x 1" x 6 meter
45	pcs	40	Floor Drain Strainer, (SS) 6" x 6"
46	kl	175	G.I. Tie Wire #16
			Good Quality
47	unit	1	Grass/Brush cutter (Four Stroke Engine)
			■Engine: 4 stroke engine
			■Handle type: both hands
			■Power transmission method: automatic centrifugal clutch, spiral gear
			■Displacement Volume (cc): 41.5
			■Carburetor: Float, piston valve
			■Starting Method: Recoil starter
			■Stopping Method: Sparking Circuit Primary Short
			■Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)
			■Lubricating Oil Used: 2-cycle engine oil
			■Fuel Tank Capacity (L): 1
48	pieces	30	Grasscutter Blade (305mm x 1.6mm x 25.4mm x 2T)
			For Kawasaki Grasscutter unit, functional & good quality
49	piece	10	Hacksaw Blade, 14 TPI x 12"
			Bi-metal, High-Speed, Durable, Premium Quality
50	piece	129	Hinges, Loose Pin, 4"x4"
			Heavy Duty, Good Quality
51	pcs	60	LED Bulb, 5 watts
52	set	110	LED Mini Downlight - 8 Watts (Swivel, Circle, Daylight)
			Technical Specifications:
			Model: LLRC-60RM-8WDL
			Rated Life: 20,000hrs.
			Wattage: 8W
			CRI: ≥80

			<i>Color Temp: 6500K Daylight</i>
			<i>Luminous Flux: 600lm</i>
			<i>Beam Angle: 60°</i>
			<i>Voltage: 220-240V~50/60Hz</i>
53	length	40	<b>Metal furring, 1" x 2" x 6m</b>
54	length	75	<b>Metal Furring, 2" x 3" x 6m</b>
55	piece	2	<b>Mild Steel Plate, 1/4"(thickness) x 4' x 8'</b>
			<i>Steel Plate, (4' x 8' x 1/4" size);</i>
56	kl	107	<b>Nails, Common Wire, 1"</b>
			<i>Smooth Shank</i>
57	kl	105	<b>Nails, Common Wire, 1-1/2"</b>
58	kl	160	<b>Nails, Common Wire, 2"</b>
			<i>Smooth Shank</i>
59	kilos	5	<b>Nails, Common Wire, 2-1/2"</b>
60	kl	190	<b>Nails, Common Wire, 4"</b>
			<i>Smooth Shank</i>
61	kl	10	<b>Nails, Concrete, 1-1/2"</b>
62	kl	20	<b>Nails, Roofing (Umbrella), 2"</b>
			<i>Twist Shank</i>
63	kl	6	<b>Nylon Line (Monoline) #300</b>
			<i>Good Quality</i>
64	piece	10	<b>Padlock, 60mm</b>
			<i>Heavy Duty, Durable, Good Quality</i>
65	pcs	2	<b>Paint Brush, 2"</b>
			■ <i>Durable bristles</i>
			■ <i>Heavy duty metal ferrules</i>
66	pc	40	<b>Paint Brush, 3"</b>
67	piece	4	<b>Paint Brush, Roller with handle, 7"</b>
			<i>Durable, Good Quality</i>
68	gal	6	<b>Paint Flat Latex, Good Quality</b>
69	pcs	50	<b>Paint Roller with handle, 9"</b>
70	gallon	23	<b>Paint Thinner</b>
			<i>Premium Quality</i>
71	gallons	10	<b>Paint, Flat Latex, Chocolate Brown</b>
72	gallon	27	<b>Paint, Flat wall Enamel, White</b>
			<i>Premium Quality Paint</i>
73	gallon	156	<b>Paint, Latex Flat, White</b>
			<i>Premium Quality Paint</i>
74	gallon	312	<b>Paint, Latex, Semi Gloss, White</b>
			<i>Premium Quality Paint</i>
75	gal	8	<b>Paint, QDE, Maple</b>
			<i>Premium Quality Paint</i>
76	gallon	24	<b>Paint, QDE, White</b>
			<i>Premium Quality Paint</i>
77	gal	12	<b>Paint, Semi Glass Latex, Good Quality</b>
78	L	19	<b>Paint, TTC, Raw Sienna, Latex</b>
			<i>Premium Quality</i>
79	cans	100	<b>Paint, TTC, Raw Sienna, Latex</b>
80	cans	20	<b>Paint, TTC, Raw Sienna, Oil</b>
81	cans	10	<b>Paint, TTC, Thalo Blue, Latex</b>
82	cans	50	<b>Paint, TTC, Thalo Green, Latex</b>
83	gallons	40	<b>Paints, Acrylic Cast</b>

			Premium quality
84	length	20	<b>Pipe, (G.I.), 1"Ø x 20'</b>
			<i>Schedule 40, Good Quality</i>
85	pc	8	<b>Pipe, (G.I.), 1-1/2"Ø x 20'</b>
			<i>Schedule 40 Good quality</i>
86	length	1	<b>Pipe, (G.I.), 2"Ø x 20'</b>
			☐Schedule 40
			☐Wall thickness: 3.91mm
87	piece	84	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>
			<i>Standard, Good Quality</i>
88	pair	2	<b>Rainboots, Heavy Duty High Cut Boots, for Men (# 6), White</b>
89	pair	5	<b>Rainboots, Size: 9 (Men), Black</b>
			<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>
90	cans	30	<b>Roof Sealant, All-Purpose, 1L/can</b>
			<i>Premium Quality</i>
91	pc	3	<b>Shovel, Square Point</b>
			<i>27" SQUARE POINT SHOVEL</i>
			<i>Blade: Black steel.</i>
			<i>9-1/2" W x 11-1/2" L. #2 square point hollow back with a rolled step.</i>
			<i>Heat-treated and tempered to resist wear and breakage.</i>
			<i>Handle: Heavy-duty fiberglass for safety and durability. Bright yellow.</i>
			<i>Plastic "D" grip handle for comfort.</i>
92	piece	4	<b>Shovel, Tempered steel round pointed end</b>
			☐Heavy duty wooden handle
			☐Good quality
93	bag	304	<b>Skim Coat, 20kg/bag</b>
			☐Good water vapor permeability
			☐Excellent bonding to concrete
94	length	470	<b>Steel Bar, Deformed(Corrugated),10mm x 6m</b>
			☐0.616 kg/M PNS 230
			☐ASTM / Grade 33 Structural
95	piece	10	<b>Stone, Sander for 4" angle grinder</b>
			<i>Durable, Good Quality</i>
96	pieces	6,000	<b>W Clip for Double Furring, (0.40mm thickness)</b>
97	set	20	<b>Water Closet with Lavatory, Big, Good Quality</b>
98	kl	12	<b>Welding Rod, E-6013, 3/32"</b>
			<i>Premium Quality</i>
99	kl	20	<b>Welding Rod, E-6013, 5/32"</b>
			<i>Premium Quality</i>
100	unit	1	<b>Wheelbarrow</b>
			<i>Metal Tray, Single;</i>
101	pack	40	<b>Wire nuts (for 3.5 mm wires) strip connector 10 pcs. per pack</b>
102	pcs	10	<b>Faucet, Brass Plated</b>

			☐Sturdy and Durable
			☐Heavy Duty Hose bib: 1/2" Hose end: 3/4"
103	pcs	10	<b>Bulb, LED, 9W</b>
104	bags	405	<b>Cement, Portland</b>
			☐Type 1P, Premium Quality
			☐ASTM C150
105	sets	19	<b>Electrical, 2 gang convenience outlet with ground (flush type)</b>
			☐Good Quality, Durable
106	sheets	160	<b>Fiber Reinforced Cement Board, Lightweight, 4' x 8'</b>
			☐Premium Quality
107	pcs	5	<b>Grinding Stone 4"</b>
108	pcs	5	<b>Paint Brush, Roller with handle and PVC Tray, 9"</b>
			☐Durable, Good Quality
109	gallons	6	<b>Paint, Acrylic Base Latex, White Flat</b>
			☐Premium Quality Paint
110	gallons	10	<b>Paint, Metal Primer, Red Oxide</b>
			☐Premium Quality
111	ltrs	15	<b>Paint, TTC, Thalo Blue, Latex</b>
			☐Premium Quality
112	ltrs	15	<b>Paint, TTC, Thalo Green, Latex</b>
			☐Premium Quality
113	pcs	40	<b>Plywood, Marine, 1/4"(thickness) x 4' x 8'</b>
			☐Standard, Good Quality
114	pcs	41	<b>Plywood, Marine, 3/4"(thickness) x 4' x 8'</b>
			☐Standard, Good Quality
115	pcs	3	<b>Stainless Steel Sink</b>
			sizes
			56 cm x 37 cm
			79 cm x 42 cm (2 pieces)
116	length	310	<b>Steel Bar, Deformed(Corrugated),12mm x 6m</b>
			☐ASTM/Grade 33 Structural
117	length	50	<b>Steel bar, Round (plain), 16mm x 6m</b>
			☐Standard Grade
118	pcs	50	<b>Turn Buckles, 5/8"(16mm), Hook and Eye,</b>
			☐Working Load Limit: 2,250 lbs.
			☐Body Length : 12"
			☐Material and Finished: Galvanized Steel
			☐Length Closed: 21.47"
			☐Length Open: 34.72"
			☐Turnbuckle Size: 5/8"
119	kl	10	<b>Welding Rod, E-6010, 1/8"</b>
			☐Premium Quality
120	set	1	<b>Windows, 2.13m x 3.6m Fixed slide aluminum with bronze glass, white, including installation</b>
121	set	1	<b>Electrical Panel Board Dead Front 2 poles, (bolt on type)</b>

			1. 100 amperes 2 poles 240 volts, molded, center main	
			2. 8 pcs 30 amperes 2 poles 240 volts, bolt on type, molded	
122	rolls	10	<b>Electrical Tape, Vinyl</b>	
			☐Flame retardant and compatible with plastic cable and wire harness insulations	
			☐Flexible PVC with aggressive rubber adhesive	
			☐Primary electrical insulation for all wire and cable splices rated up to 600 volts.	
			☐19mm x 16m x 0.155mm	
			☐Heavy Duty	
			☐ASTM approved	
123	box	1	<b>Electrical Wire, THHN/THWN AWG 8(8.0 mm2), Stranded copper wire 600 volts</b>	
124	sets	4	<b>Electrical Switch, 3 gang, Flush type</b>	
125	sets	16	<b>Electrical, 2 gang convenience outlet with ground (flush type)</b>	
126	unit	1	<b>Fire Extinguisher, Dry Chemical (ABC), 10lbs</b>	
			ISO Certified	
			Dry Chemical recommended for all classes of fires	
			Non Toxic	
			Non Conducting and Non Corrosive Chemical	
127	pcs	15	<b>LED Bulb, 15 watts</b>	
128	pcs	10	<b>LED Bulb, 9 watts</b>	
129	set	10	<b>LED Tube with housing (T8), 18 watts, 4ft (Daylight)</b>	
130	cu.m	55	<b>Sand, Washed</b>	
131	length	10	<b>Slotted Angle Bar</b>	
			1 ½" X 1 ½" X 3 m , 2mm thk, including bolts and accessories, metal powder coated – Off white	
132	rolls	5	<b>Solderless Connector, (Split Type), 30mm</b>	
133	meters	4	<b>Rope, Nylon, #56 (28mm)</b>	
			Specifications:	
			Twisted 3 strand, Good Quality	
134	gallons	2	<b>Varnish, Clear Gloss</b>	
			☐Premium Quality	
135	cans	8	<b>Paint, TTC, Raw Sienna, Latex</b>	
136	cans	2	<b>Paint, TTC, Toluidine Red, Latex, 1/4L</b>	
137	kgs	2	<b>Nails, Finishing 1-1/2"</b>	
138	kgs	5	<b>Nails, Finishing 2-1/2"</b>	
139	sheets	10	<b>Abrasive Paper, Sandpaper, #180</b>	
			☐Fine, Premium Grade, Waterproof;	
140	kgs	3	<b>Nails, Finishing, 2"</b>	
			Smooth Shank	
141	gallons	1	<b>Paint Thinner, Lacquer</b>	
			☐Premium Quality	
142	cans	2	<b>Paint, Latex, Burnt Umber, 1/4 liter per can</b>	
143	gallons	1	<b>Polyurethane Top coat</b>	

144	quarts	2	<b>Wood Glue</b>
			■Premium Quality
145	pcs	4	<b>Bidet spray toilet bidet rinse set, Heavy Duty</b>
146	pcs	8	<b>Fluorescent Tube, 32 watts, (Circular)</b>
			Durable, Good Quality
147	rolls	1	<b>Garden Hose, 1/2"Ø, at least 50 meters per roll</b>
148	sheets	15	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 12'</b>
			Standard width, Good Quality
149	bags	100	<b>Cement, Portland</b>
			■Type 1P, Premium Quality
			■ASTM C150
150	cu.m	4	<b>Screened Sand</b>
151	cu.m	14	<b>Gravel, 3/4" size</b>
152	sheets	20	<b>Sheets, (G.I.) Corrugated, Gauge 26 (0.40mm) 4' x 14'</b>
			Standard, Good Quality
153	pcs	3	<b>Extension wire with 4 gang Universal Convenience Outlet, at least 10m long</b>
			at least 10 amperes wire capacity
154	unit	2	<b>Galvanized Wire Mesh (interlink)</b>
			■Wire Mesh: 2" x 2"
			■Height: 8 feet
			■Length: 6m
155	meters	15	<b>Garden Hose, 1/2" diameter</b>
156	kg	1	<b>Nylon Line (monoline) #40</b>
			Nylon Material
157	pcs	10	<b>Super Thin Cutting Disc</b>
			Dimension: 105 x 1 x 1 x 16mm
158	pcs	2	<b>Angle Bar, 1/4"(thickness) x 1" x 1" x 20', standard</b>
			Premium Grade
159	sets	2	<b>Inverter Type Portable Welding Machine</b>
			Inverter, IGBT, DC, 300A
160	unit	1	<b>Carpentry Complete Tool Box Set, Heavy Duty</b>
			<b>Heavy Duty Tools in Case with handle</b>
			<b>Tools inside the case:</b>
			6pcs precision screwdrivers
			2pcs Magnetic screwdrivers 6x100
			2pcs Magnetic screwdrivers 3x100
			1pc 6" combination pliers
			1pc 8" adjustable wrench
			1pc Digital electric tester
			1pc 6" long nose pliers
			1pc Claw hammer (at least 8oz)
			1pc Tape measurer (at least 6meters)
			1pc Utility knife
			1pc PVC tape
			5pcs Hex key
			1pc Scissors

			1pc Torch
			1pc Files
			1pc Saw
161	pc	1	<b>Multi-Purpose Ladder</b>
			▣Load Capacity: 225 lbs Capable of 4 Positions A-Frame
			▣Stairway Ladder
			▣Scaffold and Straight Extension Reaches from 4 ft to 8 ft to an extendable length of 16 ft
			▣Aluminum Alloy Steps Main Material Aluminum Dimension: 125 x 40 x 26, cm Weight: 15 kg Model • R1R14204
162	rolls	2	<b>P.E. Foam Insulator heat reject, Aluminum (1 sided)</b>
163	unit	1	<b>Platform Trolley Cart</b>
			▣Heavy Duty High carbon steel
			▣7.5 kg
			▣Max capacity 150 kg
			▣At least 785mm x 475mm x 643 mm
			▣Silent wheels
164	pcs	5	<b>Bulb, LED, 15W</b>
			▣Wattage: 15 Watts
			▣Lumens: 1521
			▣Color Temp. : Daylight
			▣Beam Angle: 200 degrees
			▣Voltage: 170-240 V AC 50/60Hz
			▣Bulb Holder: E27
			▣Life Hours: 15,000 hrs.
			▣Material: PC cover & Aluminum PCB
165	pc	1	<b>Plywood, Marine, 1/2" (thickness) x 4' x 8'</b>
166	pcs	10	<b>LED bulb, 20 watts, at least 2000 Lumens (daylight)</b>
167			<b>Electric Water Pump with Presure Tank and Extra Storage Tank</b>
			<b>Sets of Electric Water Pump with Pressure Tank and Extra Storage Tank</b>
			<b><i>Includes the following:</i></b>
			<b>A. One (1) set of Water Pump with Pressure Tank</b>
			Voltage: 220-240V~60Hz Input power: 750W(1HP)
			Max.head: 45M Max.flow: 60L/min
			Max.suction: 9M diameter: 1"x1"
			Copper wire motor Brass impeller
			Copper impeller 0.3m length cable
			1pc 60L cylindrical tank
			1pc pressure switch
			1pc stainless steel hose
			1pc pressure guage
			1pc brass 3-way
			<b>B. One (1) set of Water Storage Tank - 1000 liter capacity</b>
			Horizontay type with complete accessories



			1000 liter capacity	
			(1) Nylon Coupling 3/4" INLET	
			(1) S/S Coupling 3/4" OUTLET	
			(1) S/S Coupling 3/4" DRAIN	
			(1) Nylon Coupling 3/4" AIRVENT	
168	pcs	2	Pipe Fitting, (G.I.) Cup plug, 1/2" Sch. 40	
169	pcs	2	Pipe Fittings (Brass) Ball Valve, 1/2"	
170	pc	1	Pipe Fittings (Brass) Ball Valve, 1"	
171	length	2	Pipe, (G.I.), 1"Ø x 20'	
			Schedule 60, Good Quality	
172	length	1	Pipe, (G.I.), 1/2"Ø x 20'	
			Schedule 40, Good Quality	
173	pcs	10	Round File, 3/16" x 7-7/8" for Chainsaw	
174	piece	4	16mm EC0116 Elbow Barb Connector	
			☑good quality	
175	meter	40	16mm Jain LLDPE Yellow Twinline	
176	piece	2	16mm MV0116 Maxi Line Valve Barb both side	
			☑good quality	
177	piece	2	16mm OP0116 Offtake for PE Pipe 16mm	
			☑good quality	
178	piece	1	16mm TC0116 Tee Barb Connector	
			☑good quality	
179	piece	1	2.5mm Simple Hose Punch	
			☑good quality	
180	kgs	1	2mm Black Plastic Wire	
			☑good quality	
181	lot	1	3/4 HP Electric Driven Motor Pump w/ Pressure Tank	
			☑good quality	
182	piece	1	3/4" Compression Fittings Male Elbow	
			☑good quality	
183	meter	20	3/4" Jain LLDPE Pipe Yellow Twinline	
			☑good quality	
184	piece	5	4-way Fogger Violet Nozzle 4.5 - 5.3 liters per hour per nozzle @4 bars, droplet average size for 55	
			☑good quality	
185	lot	1	Fittings and Accessories for Pump and Pressure Tank	
			☑good quality	
186	piece	8	Modular Sprinkler Green Nozzle with Misting Spread 8mm female 104 liters per hour @28 psi	
			☑Functional and Good Quality	
187	piece	13	Poly Take-off Detachable Male	

## ***Section VIII. Checklist of Technical and Financial Documents***

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class “A” Documents*

#### Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);  
**or**
- ☐ (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,  
**and**
- ☐ (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;  
**and**
- ☐ (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Note: If the bidder submits item (a), bidder may not submit requirements (b), (c) & (d).

#### Technical Documents

- ☐ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid in the amount of *at least 25% of the ABC or at least One Million Nine Thousand Eight Hundred Twelve and 63/100 Pesos (PhP 1,009,812.63)*;  
**or**  
Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to *at least 25% of the ABC or at least One Million Nine Thousand Eight Hundred Twelve and 63/100 Pesos (PhP 1,009,812.63)* and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or *at least Five Hundred Four Thousand Nine Hundred Six and 31/100 Pesos (PhP 504,906.31)*; **and**
- ☐ (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  
**or**  
Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (i) Conformity with the Technical Specifications; **and**
- ☐ (j) Schedule of Requirements/production and delivery schedule; **and**
- ☐ (k) Manpower requirements; **and**
- ☐ (l) After-sales service/parts; **and**
- ☐ (m) Original duly signed Omnibus Sworn Statement (OSS);

**and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (n) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- ☐ (o) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) – at least equal to ABC (**PhP 4,039,250.50**);  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation (at least 10% of ABC or **PhP 403,925.05**).

**II. FINANCIAL COMPONENT ENVELOPE**

- ☐ (a) Original of duly signed and accomplished Financial Bid Form; **and**
- ☐ (b) Original of duly signed and accomplished Price Schedule(s).

**Guidelines on the Preparation of Electronic Bid (e-Bid)**  
**(for bidders who prefer electronic bid submission)**

1. Convert all documents into Portable Document Format (PDF) and should be printable.
2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

<b>Document</b>	<b>Filename (in PDF form)</b>
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Registration Certificate (SEC/DTI)	Registration Certificate
3. Mayor's/Business Permit	Mayor's-Business Permit
4. Tax Clearance	Tax Clearance
5. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
6. Statement of Bidder's Single Largest Completed Contract	SLCC
7. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
8. Bid Security	Bid Security
9. Technical Specifications	Technical Specifications
10. SCHEDULE of Requirements/Production and delivery schedule	Schedule of Requirements
11. Manpower Requirements	Manpower Requirements
12. After Sales service/parts	After Sales
13. Omnibus Sworn Statement	Omnibus Sworn Statement
14. Audited Financial Statements	Audited Financial Statements
15. Net Financial Contracting Capacity	NFCC
16. Committed Line of Credit	CLC
17. Bid Form	Bid Form
18. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII. The second folder should contain all requirements under Financial Component checklist.
4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at [jessamine.ecleo@vsu.edu.ph](mailto:jessamine.ecleo@vsu.edu.ph) before the deadline (June 20, 2022; 8:30 AM).



**VISAYAS**  
STATE UNIVERSITY



## **Bid Securing Declaration Form**

*[shall be submitted with the Bid if bidder opts to provide this form of bid security]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_) S.S.

### **BID SECURING DECLARATION** **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED  
REPRESENTATIVE]*

*[Insert signatory's legal capacity]*  
Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

## Omnibus Sworn Statement (Revised)

*[shall be submitted with the Bid]*

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical



Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*  
Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

## Bid Form for the Procurement of Goods

*[shall be submitted with the Bid]*

### BID FORM

Date : \_\_\_\_\_

Project Identification No. : \_\_\_\_\_

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

*[Insert this paragraph if Foreign-Assisted Project with the Development Partner:*

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount	Purpose of Commission or gratuity
---------------------------	--------	-----------------------------------


(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

**Price Schedule for Goods Offered from Abroad**  
*[shall be submitted with the Bid if bidder is offering goods from Abroad]*

---

**For Goods Offered from Abroad**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_\_ of \_\_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place  (specify border point or place of destination)	Total CIF or CIP price per item  (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

**Price Schedule for Goods Offered from Within the Philippines**  
*[shall be submitted with the Bid if bidder is offering goods from within the Philippines]*

---

**For Goods Offered from Within the Philippines**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_\_ of \_\_\_\_

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit  (col 5+6+7+8)	Total Price delivered Final Destination  (col 9) x (col 4)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## Performance Securing Declaration (Revised)

*[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_ ) S.S.

### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS  
AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

# Contract Agreement Form for the Procurement of Goods (Revised)

*[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]*

---

## CONTRACT AGREEMENT

THIS AGREEMENT made the \_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_ between [name of PROCURING ENTITY] of the Philippines (hereinafter called “the Entity”) of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called “the Supplier”) of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *[contract price in words and figures in specified currency]* (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
  - i. Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements;
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;  
  
Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;
  - iii. Performance Security;
  - iv. Notice of Award of Contract; and the Bidder’s conforme thereto; and
  - v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**

3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

*[Insert Name and Signature]*

*[Insert Name and Signature]*

*[Insert Signatory's Legal Capacity]*

*[Insert Signatory's Legal Capacity]*

for:

for:

*[Insert Procuring Entity]*

*[Insert Name of Supplier]*

#### **Acknowledgment**

*[Format shall be based on the latest Rules on Notarial Practice]*