

## PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# Supply and Delivery of I.T. Equipment and Supplies and Office Equipment (GOODS-22-44)

Government of the Republic of the Philippines

September 2, 2022; 2:00 PM PPO Conference, Lower Campus, VSU, Visca, Baybay City, Leyte and via Zoom

> Sixth Edition July 2020

### **Table of Contents**

Glossa	ry of Acronyms, Terms, and Abbreviations	3
Section	n I. Invitation to Bid	6
Section	n II. Instructions to Bidders	21
1.	Scope of Bid	22
2.	Funding Information	22
3.	Bidding Requirements	22
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	22
5.	Eligible Bidders	22
6.	Origin of Goods	23
7.	Subcontracts	23
8.	Pre-Bid Conference	23
9.	Clarification and Amendment of Bidding Documents	23
10.	Documents comprising the Bid: Eligibility and Technical Components	23
11.	Documents comprising the Bid: Financial Component	24
12.	Bid Prices	24
13.	Bid and Payment Currencies	25
14.	Bid Security	25
15.	Sealing and Marking of Bids	25
16.	Deadline for Submission of Bids	25
17.	Opening and Preliminary Examination of Bids	26
18.	Domestic Preference	26
19.	Detailed Evaluation and Comparison of Bids	26
20.	Post-Qualification	27
21.	Signing of the Contract	27
Section	n III. Bid Data Sheet	28
Section	n IV. General Conditions of Contract	30
1.	Scope of Contract	31
2.	Advance Payment and Terms of Payment	31
3.	Performance Security	31
4.	Inspection and Tests	31
5.	Warranty	32
6.	Liability of the Supplier	32
Section	n V. Special Conditions of Contract	33
Section	n VI. Schedule of Requirements	37
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS -** Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid



# INVITATION TO BID FOR SUPPLY AND DELIVERY OF I.T. EQUIPMENT AND SUPPLIES AND OFFICE EQUIPMENT

1. The *Visayas State University* through the *GF*, *STF*, *TF* intends to apply the sum of *One Million Eight Hundred Sixty-Two Thousand Two Hundred Forty Pesos (PhP 1,862,240.00)* being the ABC to payments under the contract for *Supply and Delivery of I.T. Equipment and Supplies and Office Equipment (GOODS-22-44)*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University*, through the *GF*, *STF*, *TF* intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item No.	Description	Unit	Qty	ABC/Unit (Pesos)	Total ABC (Pesos)
1	1/4" Male Phone Str Mono Plug	pcs	20	400.00	8,000.00
	■Male 1/4" Phone Str Mono Nickel	-			
	■Number of positions (w/o PE): 2				
	■Rated current (40 °C) (A): 75				
	■Rated voltage (V): 25				
2	2 BURNER GAS STOVE	рс	6	1,200.00	7,200.00
	■Heavy duty gas stove				
	■High quality fuel-efficient burner				
	■Durable metal gas ignition controls				
	■Stainless metal gasket and body				
	■Auto-ignition burner				
	■# of burners: 2				
	<b>■</b> Dimensions: (W x L X D ) 71 x 35.5 x				
	8.5cm   28 x 14 x 3.3 inches				
	■Burner diameter: 9cm   3.5 inches   Outer				
	ring diameter: 22.5cm   8.9 inches				
	■Space in between outer rings: 20cm   7.9				
	inches				
	<b>©</b> Color: silver				
	<b>◙</b> Warranty: 1 year				
3	3.5 mm 2-Pole Mono Phone Plug	pcs	20	200.00	4,000.00
,	Connector	ρυσ	20	200.00	4,000.00
	■Diecast Shell				
	■For Cables 2.5 to 5mm Diameter				
	■Precision-Machined Contacts				
	■Quick Assembly 3 Piece Design				
4	3HP Wall Mounted Split Type Inverter	unit	1	80,000.00	80,000.00
7	Aircon	unit	'	00,000.00	00,000.00
	<b>©</b> Cooling Capacity: at least 28,000 kJ/h				
	■Power Consumption: 2,000 Watts				
	⊚EER: 14				
	■Air Conditioner Features:				
	■ Air Direction Control, Fast Cooling, Silent				
	Mode				
	■Room Size:				
	■ at least36sqm				

	Air Conditioner Rated Capacity (BTUs):				
	✓at least 28,000				
	Type Air Conditioner:				
	Single Split System				
	with free installation				
	Warranty: at least 1 year				
	Adjustable Professional Tripod Lighting				
5	Stand	unit	4	7,000.00	28,000.00
	Adjustable Professional Tripod Stand (				
	black)				
	■Heavy Duty, Stable and sturdy				
	■Light can stand can easily assembled				
	■Can attach up to 4 lighting fixtures				
	■Tripod legs can be adjusted				
	■Tripod light stand height: approx. 122 cm				
	with 2 more poles to extend height of the				
	light stand				
	■Light stand height can be extended to up				
	approx. 210 cm				
	■For lighting setups for any events				
	All-In-One (AlO) Desktop Computer,				
6	Core i5 11th Gen, 8GB RAM, 1TB SSD	рс	1	70,000.00	70,000.00
	■Intel® Core™ i5-11500T (1.5 GHz base				
	frequency, up to 3.9 GHz Max Turbo				
	Frequency, 12 MB L3 cache, 6 cores)				
	■Intel® H470 Chipset				
	■8 GB DDR4-2933 SDRAM (1 x 8 GB)				
	■1 TB PCIe® NVMe™ M.2 SSD				
	■Expansion Slot: 2 x M.2 Expansion Slots				
	Socket 1 2230 type for WLAN Socket 3 Key				
	M type 2280 for SSD (PCIe x4)				
	■23.8" LED FHD BV TOUCH				
	■Graphics: NVIDIA® GeForce® MX350 (4				
	GB GDDR5 dedicated)				
	■Power Supply: 150 W Smart AC power				
	adapter				
	■Keyboard: USB white wireless keyboard				
	and mouse combo				
	■LAN: Integrated 10/100/1000 GbE LAN				
	■WLAN: Realtek RTL8822CE				
	802.11a/b/g/n/ac (2x2) Wi-Fi® and				
	Bluetooth® 5 combo MU-MIMO supported				
	Bluetooth: YES				
	■Ports: "Side: 1 SuperSpeed USB Type-A				
	5Gbps signaling rate (Battery Charging 1.2)				
	Rear: 3 SuperSpeed USB Type-A 5Gbps				
	signaling rate 1 SuperSpeed USB Type-C®				
	5 bps signaling rate"				
	■Card Reader: 3-in-1 memory card reader				
	■Audio: Audio by B&O				
	■Genuine Windows 11				
	■Special Features: EPEAT® Bronze				
	registered; ENERGY STAR® certified;		<u> </u>		
	■Microsoft Office Home & Student 2019				
	Preinstalled				
7	All-in-One Ink Tank Printer Wi-Fi Duplex	unit	2	21,000.00	42,000.00
,	with ADF	anit		21,000.00	12,000.00
	■Compact integrated tank design				
	■Print speeds up to 15ipm for black and				

	8.0ipm for colour				
	■Auto-duplex printing Fax and ADF				
	capability / Ethernet &				
	■Wi-Fi Direct				
	■Borderless Printing up to A4 size				
	Spill-free ink refilling				
	©Control Panel: 2.4 " Colour LCD Touch				
	Panel				
8	AVR and UPS for Rootcrop Genomics	lot	1	168,000.00	168,000.00
	Automatic Voltage Regulator 6000VA (4				, , , , , , , , , , , , , , , , , , , ,
	units)				
	Uninterruptible power supply 3000VA (4				
	units)				
	UPS Battery Backup, 1500VA (4 units)				
	Battery Charger for AA and AAA with 4				
9	AA NiMH rechargeable batteries included	unit	2	2,500.00	5,000.00
	■Overcharge Protection: Limits damage to batteries from overcharge				
	■Safety Shut Off: Safety timer ensures				
	charger is not active for extended periods of time				
	■Bad Battery Detection: LED light will flash				
	red when bad battery or non-rechargeable				
	battery place in the charger.				
	■Easy-to-read LED displays charging status				
	■Red = Charging, Green = Good to Go!				
	■"Bad battery" indicator light				
	■Recharges 2 or 4 AA or AAA NiMH				
	rechargeable batteries in 5 hours				
	■With 4 AA NiMH Batteries included				
10	Canon cartridge 318 Black	рс	3	6,000.00	18,000.00
11	Computer HD Webcam	pieces	1	4,000.00	4,000.00
	■1080P Full HD Webcam				
	■Lens: HD lens				
	■Sensor Type: CMOS				
	■Video Format: AVI				
	■Frame Rate: at least 30FPS				
	■Drive Type: free drive. Plug and play				
	■Photo Format: BMP JPG				
	■Resolution: 1920 * 1080 P				
	■Output Format: M-JPEG				
	■Interface Type: USB2.0				
	■Microphone: Built-in microphone				
40	©Focusing Range: 20mm	200	4	400.00	400.00
12	Computer Keyboard USB	pcs	1	400.00	400.00
	■Standard Keyboard with 104 Keys				
	■USB Connection				
	■Low Profile Key Caps				
	Minimum Key Noise  State Printing for Key Layout	+		+	
	■Laser Printing for Key Layout ■Spill Resistant Design			+	
13	Computer Monitor 24", IPS	cot	1	10,000.00	10,000.00
13	■Panel Size: Wide Screen 23.8"(60.5cm)	set	ı	10,000.00	10,000.00
	16:9				
	■Color Saturation : 72%(NTSC)			+	
	■Panel Type: In-Plane Switching				

	■True Resolution : 1920x1080				
	■ Brightness(Max): 250 cd/m				
	©Contrast Ratio (Max) : 1000:1				
	1 /				
	■Response Time : 5ms (Gray to Gray)				
	■Display Colors: 16.7M				
	©Flicker free				
14	Computer Printer, All-in-	unit	2	14,000.00	28,000.00
	One/Multifunction Colored-Ink Tank			,	,
	■Ultra-low-cost printing: Print up to 4,500				
	pages in black and 7,500 in colour				
	■Next generation ink filling system: Enjoy				
	hassle and mess-free refills with the				
	enhanced ink bottles				
	■Wi-Fi, Wi-Fi Direct & apps: Print from				
	mobile devices				
	■3-in-1: Print, copy & scan and borderless				
	photo printing				
	■Nozzle Configuration: 180 Nozzles Black,  ■ Nozzles Black,				
	59 Nozzles per Color				
	Minimum Droplet Size: 3 pl, With Variable-				
	Sized Droplet Technology				
	■Ink Technology: Dye Ink				
	■Printing Resolution: 5,760 x 1,440 DPI				
15	CPU (Central Processing Unit)	рс	2	15,000.00	30,000.00
	■AMD A10-8770 Processor				
	■Motherboard compatible with the				
	processor				
	■Kingston 4GB DDR4-2666 Memory				
	■CPU Casing w/ PSU				
	■256GB SSD				
16	Crank Up Lighting stand	unit	2	13,000.00	26,000.00
	■Crank Up Lighting Stand				
	■Features the Quick-N-Easy Gear Up for				
	fast and easy adjustment.				
	■All aluminum tubes and steel T-bar with				
	clip for easy mounting construction				
	reinforces and strengthens without excess				
	weight.				
	■Quick-N-Easy Gear Up for fast and				
	simple adjustment square steel T-bar tubing				
	for strength.				
	■Length: 164-350cm(64.6-137.8")				
	■Base diameter: 72.4"				
	■Load capacity: 45 kg folded size				
17	Desktop Computer System Unit only (i7	unit	1	110,000.00	110,000.00
<u> </u>	10th Gen, with RTX 3060 Video Card)	<b></b>		,	,
	■Intel® Core™ i7-10700 Processor, 16M				
	Cache, up to 4.80 GHz, 8 Cores and 16				
	Threads				
1	■mATX motherboard with Intel z490				
	Chipset, ultra durable components				
	■16GB Kit (2 x 8GB) DDR4-3200 Desktop				
	Gaming Memory				
	■1TB 2.5-inch Solid State Drive				
	■GeForce RTX™ 3060 graphics cards 6GB				
	GDDR6				
1	■Blazing Fast Intel® 2.5GbE LAN with				
	cFosSpeed  Built in Intel® WiFi 6 802.11ax + BT 5				
			I	i l	

	Module				
	■mATX Compact Chassis				
	■650W PSU 80 PLUS GOLD				
	■Genuine Windows 10 OS				
	■Genuine Microsoft office 2019 with				
	perpetual license				
	Desktop Computer, Assembled, 12th				
18	Gen Core i5	unit	1	50,000.00	50,000.00
	■Processor: Intel Core i5 12500 with Intel®				
	UHD Graphics 770 processor graphics or				
	higher				
	■Motherboard: Intel® H610 Motherboard				
	with 6+1+1 Hybrid Phases Digital VRM				
	Design, PCIe 4.0* Design, Gen3 x4 M.2,				
	mATX form factor, Anti-Sulfur Resistor or				
	higher				
	■Memory: 16GB (2x8) 3200MHz DDR4 or				
	higher				
	■SSD: 500GB 3D NAND SSD PCIe				
	Gen3x4 or higher				
	■Casing: MATX casing with acrylic side				
	panels				
	■Power Supply: 450Watts 80+ Bronze				
	Certified with 120mm thermally controlled				
	low-noise cooling fan				
	■Monitor: 23" IPS FHD, 72% NSTC color				
	gamut with 75Hz refresh rate				
	■Operating System: Genuine Windows 11				
	Pro				
	■Keyboard and Mouse Combo: Spill-				
	resistant design with up to Up to 5 million				
	keystrokes (excludes number lock key)				
	keyboard and full-sized ambidextrous				
	optical mouse				
	■500W IC controlled AVR				
19	Desktop PC (Core i7 Branded, 10th	set	2	85,000.00	170,000.00
13	Generation)	301		00,000.00	170,000.00
	■CPU: Intel Core i7 10th Generation or				
	higher				
	■Storage: 256GB M.2 2280 PCI-E Solid				
	State drive (SSD) + 1 TB 7200 rpm 3.5"				
	SATA Hard Drive or higher				
	■RAM: 8GB (8GBx1) DDR4 or higher				
	■Graphics: NVIDIA GeForce GTX 1650				
	4GB GDDR5 or higher				
	Monitor: at least 24" IPS Monitor FULL HD  Marian (1999)				
	Monitor (1920x1080)				
	◆Aspect Ratio:16:9,  1. Compared to the c				
	◆Color Gamut: at least 72% NTSC				
	©Connectivity: 1 x HDMI 1.4, 1 x VGA				
	■Wireless: Intel® Wi-Fi 6 2x2 (Gig+) and				
	Bluetooth 5.1				
	■Casing and PSU: Casing with at least 80+				
	Bronze Power supply				
	■Input: Wired Keyboard and Optical Mouse				
	Speakers: 2.1 Multi-media Speakers				
	■ Total watts (RMS): at least 7 W				

	(0.1t A.W. O. (				
	(Subwoofer: 4 W, Satellites: 2 x 1.5				
	W),(THD=10%)				
	<b>◄</b> 3.5 mm input: 1				
	◆Phone jack: 1				
	◆Controls: Power and volume controls on				
	wired control pod				
	■Bass control on back of subwoofer				
	■OS: Licensed Windows 10 Home Single				
	Language (64bit) English or Higher				
	■Uninterruptible Power Supply (UPS): at				
	least 600VA, at most 4 hours charging time				
	■Warranty: 3 Years warranty onsite visit				
20	DMX 512 Intelligent Lighting Controller	unit	1	9,000.00	9,000.00
	■Control up to 192 DMX Channels				
	■30 banks, each composed of 8				
	Programmable scenes.				
	■8 adjustable potentiometer to adjust the				
	output size.				
	Built-in MIC head, and voice features.				
	■Automatically trigger state, the TAP SYNC				
	button or the SPEED potentiometer to				
	determine automatically trigger time.				
	■MIDI interface, may at any time using the				
	MIDI signal control.				
	■4 LED digital display.				
	■The first LED digitshows CHASES, the				
	second digit led shows SCENES				
	■The third and fourth led digit shows				
	BANKS.				
	■The second, third, fourth led digit show				
	steps 0-255 or TIME.				
	■BLACK OUT function can be used				
	manually or MIDI remote control.				
	■CHASES programming and CHASES run				
	function can be used manually or MIDI				
	remote control.				
	■Output delay function, the FADE TIME				
	potentiometer to adjust the delay time.				
	■DMX output polarity selection.				
21	Electric Paper Shredder	unit	1	40,000.00	40,000.00
	■16 sheets shredder Infrared automatic				
	paper feeding				
	■Shredding Capacity: <10 Sheets/Shred				
	■Shredding Medium: Photo				
	■Shredding Medium: Card				
	■Shredding Medium: CD				
	■Shredding Medium: Paper				
	■Capacity: <50L				
	■Power: Electricity				
	■Shredder Type: Cross-Cut				
	■Security grade: s4				
	■Volume: 30L				
	Power: 400w				
<u> </u>	External Hard Disk Drive (Portable, 1TB),		_		
22	USB 3.1	unit	2	3,000.00	6,000.00
	■Shock-absorbing				
	■Interface: USB 3.1 (Max.5Gb/s)				
	■Capacity: 1TB				
		ı	l .	l l	

	■Texture: Plastic/Rubber				
	■Operating Voltage: DC 5V, 900mA				
	■System Requirements: Windows XP /				
	Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or				
- 00	later, Linux Kernel 2.6 or later		0	000.00	4 000 00
23	Flash Drive, at least 32GB USB 3.0	piece	2	800.00	1,600.00
24	Flight Case LED Par 8s	unit	4	8,500.00	34,000.00
	■Fits for 8 pcs LED PAR Lights				
	■Heavy Duty Honeycomb Design				
	■Twist Lock				
	■Heavy Duty Wheels				
	■Aluminum Corners				
25	Headset (Wired), Generic Over the Ear	nec	2	500.00	1,000.00
25	with mic	pcs	2	300.00	1,000.00
	■Line is equipped with a rotary volume				
	controller, one key Mic mute,				
	■Frequency Range:20-20K(Hz)				
	■Sensitivity:-52(dB)				
	■Impedance:32(Ohm)				
	■Speaker Diameter:40(mm)				
	Distortion Rate: 0.8%				
	■Plug Diameter:3.5mm				
26	Ink Cartridge, HP680, black	pcs	2	465.00	930.00
27	Ink, Epson 003,Genuine Black 65mL	btl	37	350.00	12,950.00
28	Ink, EPSON 003,Genuine Black 65mL	btl	14	350.00	4,900.00
29	Ink, EPSON 003,Genuine Cyan 05IIIL	btl	14		•
30	Ink, EPSON 003,Genuine Magenta 65mL			350.00	4,900.00
		btl	14	350.00	4,900.00
31	Ink, Epson, genuine (C) T664, 70 ml	pieces	2	350.00	700.00
32	Ink, Epson, genuine (M) T664, 70 ml	pieces	2	350.00	700.00
33	Ink, Epson, genuine, (BK) T664, 70 ml	pieces	2	350.00	700.00
34	Ink, Epson, genuine, (Y) T664, 70 ml	pieces	2	350.00	700.00
35	Jack Connector 6.35 mm Cable Mount	pcs	20	400.00	8,000.00
	Stereo Plug, 3Pole 10A	Poo		100.00	0,000.00
	■Male, 6.35 mm				
	<b>©</b> Cable Mount				
	■Type: Stereo				
	■Body Orientation: Straight				
	■Termination Method: Solder				
	■Contact Plating: Nickel				
	■Current Rating: 10A				
	■Housing Material: Zinc Alloy				
	■Contact Material: Brass				
	■No of Poles/ Way: 3				
2.5	Laptop 14", Core i5 11th Gen, 8GB RAM,		_	<b>FO</b> 222 22	100 000 00
36	512GB SSD	рс	2	53,000.00	106,000.00
	■Processor: Intel® Core™ i5-1155G7 (up)				
	to 4.5 GHz with Intel® Turbo Boost				
	Technology(2g), 8 MB L3 cache, 4 cores, 8				
	threads) or higher				
	■8 GB DDR4-3200 MHz RAM (2 x 4 GB) or				
	higher				
	■512 GB PCIe® NVMe™ M.2 SSD or				
	higher				
	■14" FHD (1920 x 1080), multitouch-				
	7:				
	enabled, IPS, edge-to-edge glass, micro-				
<u> </u>	edge, 250 nits, 45% NTSC				
	■ Graphics: Intel® Iris® Xe Graphics				
	■Batt: 3-cell, 43 Wh Li-ion polymer				

	-VALLAND De alla LAVIE DE CENTEUR CEN	I	I		
	<b>©</b> WLAN: Realtek Wi-Fi CERTIFIED 6™				
	(1x2) and Bluetooth® 5.2 combo				
	(Supporting Gigabit data rate) MU-MIMO				
	supported "				
	■Bluetooth: YES				
	■Ports: 1 SuperSpeed USB Type-C®				
	10Gbps signaling rate,2 SuperSpeed USB				
	Type-A 5Gbps signaling rate; 1				
	headphone/microphone combo; 1 AC smart				
	pin; 1 HDMI 2.0				
	■Audio: Dual speakers; Audio by B&O				
	■ BAddio: Dual speakers, Addio by B&O  ■ ENERGY STAR® certified; EPEAT®				
	Silver registered;				
	■Genuine Windows 10 Home				
	■Microsoft Office Home & Student				
	Preinstalled				
37	Laptop 14", i5 11th Gen, 8GB RAM	рс	1	48,000.00	48,000.00
	■Intel Core i5-1135G7 or higher				
	■8 GB LPDDR4 SDRAM or higher				
	■14" IPS TFT FHD 1920 x 1080				
	■Intel® Iris® X Graphics				
	■512 GB NVMe SSD				
	©Lithium Ion (Li-Ion) 42WHrs				
	■WLAN: Intel Wireless Wi-Fi 6 AX201				
	■Bluetooth Standard: 5.1				
	■Genuine Windows 10 Operating System				
38	Laptop, 14" (i7)	unit	6	60,000.00	360,000.00
	■Processor: Intel Core i7 10th generation or				
	higher				
	■Graphics: NVIDIA GeForce MX250 at				
	least 2GB GDDR5				
	■Memory: at least 8GB DDR4-2666				
	■Storage: at least 256GB SSD M.2 + 1TB				
	HDD				
	■Display: 14" FHD (1920x1080) IPS				
	250nits Anti-glare				
	■Touchscreen: None				
	Optical: None				
	,				
	■Media Reader: 4-in-1 Card Reader  ■ The state of the s				
	<b>■</b> Ethernet: None				
	■WLAN + Bluetooth				
	■Camera: at least 720p				
	■Microphone: at least 2x, Array				
	■Operating System: licensed Windows 10				
	Home or Pro				
	■Bundled Software: Microsoft Office				
	Perpetual License				
	■Repair and replacement should be at most				
	3 month from returning the unit				
	■at least 3 years Warranty				
- 00	Backpack  Mayor Wind Ontice USB	m!	4	040.00	040.00
39	Mouse, Wired, Optical, USB	pieces	1	210.00	210.00
	■USB Port Connectivity				
	■Sensor: Optical				
	■DPI: 1600				
	■Work method: Wired				
	■Buttons: Left button, middle button, right				
	button				
	•	•	ě.		

	■Scroll wheel direction: Two way				
	©Design highlights: Easy installation. 1600				
	DPI high-definition tracking engine. Anti-slip				
	scroll wheel. Full-size, ambidextrous design				
40	Paper shredder machine, heavy duty	pieces	1	12,000.00	12,000.00
40	Shred Type: Cross Cut	pieces	'	12,000.00	12,000.00
	Maximum Sheet capacity(70gsm): 10				
	Sheets				
	■Waste Container capacity: 21 Liters				
	■Power Source: 220 - 240 VAC				
41	Power Controller 10 Channel Audio	unit	1	3,000.00	3,000.00
41	Power Controller 10 Channel Titanium	unin	'	3,000.00	3,000.00
	audio				
	■10 lighted switches on front panel				
	■15 amps. resettable circuit breaker on				
	front panel				
	■8 grounded AC sockets on rear of the unit ■Maximum load: 15 amps 0r 1800 watts				
42	Stage Light Outdoor RGB 18 x 18 flat Par LED Mini	set	8	7,000.00	56,000.00
	■Stage Light Outdoor RGB 18 x 18 Flat Par				
	LED mini 64 warm White				
	©Color Temperature: 3500k( warm White )				
43	Stage Lights Bar, Yeesite 72W 24LEDs	set	8	5,500.00	44,000.00
	RGB Wash Lights DMX Control LED			,	,
	■Stage Lights Bar, 72W 24LEDs RGB				
	Wash Lights DMX LED Wall Washer Light				
	Uplight				
	■40 inch Long Professional grade indoor				
	linear bar powered 24x3-Watt LEDs				
	■Light Source: 24 TRI LEDs(RGB)				
	■Power Draw: 72 watts				
	■40- degree beam angle provides vibrant				
	and broad light beam to wash stage, wall and dance floor				
	■Power Linking: Max 10 units at 120 Volts				
4.4	or 27 units at 230Volts		0	0.500.00	40.000.00
44	Transmitter Receiver Kit portable (4 pcs)	pcs	2	6,500.00	13,000.00
	■Transmitter Receiver Kit Portable 2.4G				
	ISM Wireless Stage Light lighting fixtures				
	■High effective GFSK module,				
	communication design; 126 channels				
	jumping frequency automatically, high				
	■anti-jamming ability, to ensure that works				
-	reliability Universal HDMI to VGA Adapter Cable,				
45		unit	4	300.00	1,200.00
-	at least 1.8 meters				
40	©Universal HDMI to VGA Adapter Cable	!4		F 000 00	F 000 00
46	UPS 800W (for Computer)	unit	1	5,000.00	5,000.00
47	©Charging time: At most 4 hours	!4		40,000,00	40.000.00
47	Video Camera	unit	1	13,000.00	13,000.00
	■TYPE: Handheld and lightweight				
	©SENSOR TYPE: 1/5.8 type (3.1 mm)				
	(0.12 in) back-illuminated Sensor				
	©EFFECTIVE PIXELS (VIDEO): approx.				
	2.29 Megapixels (16:9)				
	©LENS TYPE: ZEISS				
	■OPTICAL ZOOM: at least 30x				

	■CLEAR IMAGE ZOOM: at least 60x				
	SCREEN TYPE: at least 6.7 cm (2.7 type)				
	Clear Photo LCD display (230 400 dots)				
	Wide (16:9)				
	STORAGE MEDIA: XAVC S HD: Micro				
	SDXC Memory Card (Class 10 or Higher),				
	AVCHD, Still: Memory Stick Micro™ (Mark				
	2), Micro SD/SDHC/SDXC Memory Card				
	(Class 4 or Higher)				
	■AUDIO: Built-in microphone				
	■AUDIO RECORDING FORMAT: Dolby				
	Digital 2ch Stereo, Dolby Digital Stereo				
	Creator10, MPEG-4 AAC-LC 2ch11,				
	MPEG-4 Linear PCM 2ch (48 kHz/16 bit),				
	etc.				
	■RECORDING FORMAT (VIDEO): AVCHD				
	format ver. 2.0 compatible: MPEG4-				
	AVC/H.264, MP4: MPEG-4 AVC/H.264,				
	XAVC S format MPEG4-AVC/H264				
	■INCLUSIONS: Storage media card,				
40	battery, connection chords	_		10.000.00	00.000.00
48	Water Dispenser, Cabinet type	рс	2	10,000.00	20,000.00
	■Floor standing				
	■Hot and cold function				
	■plastic body,high efficiency compressor				
	■thermally protected				
49	Waterproof LED Parabolic Aluminized	set	20	3,000.00	60,000.00
	Reflector (PAR) Lights for Stage Events			2,000.00	
	■Light Source:18X18w RGBWA				
	■Beam Angle: 25 Degree				
	■Waterproof: IP65				
	<b>⊚</b> Housing: Aluminum				
	■Style :DMX Stage Light				
	■Power:300W				
	<b>©</b> Color: 6000k(daylight)				
50	Web Camera for Laptop and Desktop	pcs	1	720.00	720.00
	■About 360 degrees, rotate up and down				
	45 degrees, you can adjust the angle.				
	■With clips for laptops and desktops.				
	■Sensor pixels: 2 million				
	■Interface: USB 2.0				
	■Frame rate: 30 FPS				
	■Image sensor: CMOS				
	■Brightness/color: automatically adjusts				
	■Additional features: built-in microphone				
51	Web Camera for PC	unit	3	2,500.00	7,500.00
	■lmage sensor: 1 / 2.9				
	<b>■</b> Lens: 3.6mm/75.7 °				
	■Effective pixel: 1932 (H) * 1088 (V)				
	■Horizontal resolution: 2MP				
	<b>■</b> SNR: > 50dB				
	■Video stream: H.264:1920 * 1080 / 1920 *	-			
	720 / 640 * 360 MJPEG: 1920 * 1080 /				
	1920 * 720 / 640 * 360				
	■Video Frame rate: 25FPS / 30FPS				
	■Electronic shutter: Auto				
	■Protocol: UVC / UVA				
1	■Video output: USB video stream				

	■Working voltage: DC5V / 160mA ± 6mA				
	■Working environment: -20 °C to 60 °C				
52	Windows 10 Operating System	licenses	2	10,000.00	20,000.00
<u> </u>	■Genuine Windows 10 Volume License			10,000.00	20,000.00
	Wireless Microphone Mic System, 2.4G,			4.7.000.00	
53	6 channels	unit	2	15,000.00	30,000.00
	■2.4G wireless Microphone Mic System 6				
	channels XLR Connection Built-in				
	Rechargeable Lithium Battery				
	■Compact size 2.4G wireless microphone				
	system, XLR connection, easy to use				
	■less than 4ms ultra-low latency, clear and				
	stable signal transmission				
	■32bit/48Khz high resolution audio quality				
	■Built -in rechargeable lithium battery				
54	Wireless N Router (300Mbps) with 4-LAN	nc	1	900.00	900.00
54	Port	рс	ı	900.00	900.00
	■300Mbps wireless transmission rate ideal				
	for both bandwidth sensitive tasks and				
	basic work				
	■Easy wireless security encryption at a				
	push of WPS button				
	■IP based bandwidth control allows				
	administrators to determine how much				
	bandwidth is allotted to each PC				
	WDS wireless bridge provides seamless     bridging to expend your wireless naturals.				
	bridging to expand your wireless network				
	■Interface: 4 10/100Mbps LAN PORTS				
-	■1 10/100Mbps WAN PORT ■Button: WPS/RESET Button				
	©External Power Supply: 9VDC / 0.6A				
	■Wireless Standards: IEEE 802.11n, IEEE				
	802.11g, IEEE 802.11b				
	XLR 3 Pole Female, Stamped Contacts,				
55	Nickel Finish	pcs	60	300.00	18,000.00
	■XLR 3 pole female, stamped contacts,				
	nickel finish.				
	■Ergonomic stylish sleeve design for				
	improved grip.				
	■Oversized latch lever preserves your				
	thumb. Leading first mate last break pin 1				
	on socket connectors.				
	■Chuck style cable clamp to suit 3mm -				
	8mm (0.118" - 0.314") cable.				
	Overmolded cable support boot				
	■Precision machined pin contacts				
	©Compact 2.5mm (14AWG) solder buckets				
	■Zinc diecast shell housing with Satin nickel finish.				
56	XLR male connector	pcs	60	500.00	30,000.00
	■Standard XLR Male 3pin				
	■Nickel Contact Plating				
	■Mating Cycles: 1000 Cycle				
	Rebidding (from GOODS-22-37)				
57	Canon PIXMA, 830 (Black Ink)	рс	5	900.00	4,500.00
58	Cover for CPU (Mini Tower) (package)	set	3	60.00	180.00
59	Cover for keyboard	рс	3	50.00	150.00
60	Ink Cartridge Canon G2010	pcs	4	1,000.00	4,000.00

61	Megaphone	unit	2	1,500.00	3,000.00
	Bullhorn				
	1000 yard range				
	For indoor and outdoor use				
	Built-in siren				
	40 W amplifier				
	Built-in mic				
	10 seconds recording function				
	Portable Trolley 15" Speaker with			40.000.00	40.000.00
62	wireless microphone	unit	1	10,000.00	10,000.00
	■15" 2 Way 480 Watts Powered Portable				
	Sound System				
	■Plastic Cabinet				
	■AC220V or DC12V (With built-in				
	Rechargeable Batteries)				
	■With 2 Wireless Microphone				
	■With 2 Mic Input (1 XLR, 1 PL55)				
	■With FM Radio, Bluetooth, Guitar Input				
	(Shared with Mic 2 input), USB & SD Port				
	■With 5 Band Equalizer and LCD Display				
	■With Aux / Line In and Line Out				
	■With Remote Control, Handle and Wheel				
	Bluetooth Wireless Speakers, 20W RMS,			4.500.00	4 500 00
63	IPX7 waterproof	рс	1	1,500.00	1,500.00
	Bluetooth version: 5.0				
	Supported formats: mp3,ape,FLAC,wav				
	Output Power: 20W RMS				
	Frequency response: 80hz-18kHZ				
	Signal-to-noise ratio: 80±2db				
	Battery type: 3.7V/5200mAh				
	Battery charge time: ≤3 hours				
	Power supply: Type-c 5V/1A				
	Music playing time: up to 8 hours(varies by				
	volume level and audio content)				
	Waterproof: IPX7				
	Support Voice Assistant				
	Support 3 music mode				
	Support TWS function (connect 2 speakers)				
	3 Playing Mode: Bluetooth/TF card/AUX in				
64	Lapel Voice Amplifier	unit	1	800.00	800.00
	■Compact, portable and lightweight	-			
	■Lithium-ion power body-pack amplifier				
	■Power Output: 30W				
	■Mode: USB/MP3/FM				
	■Charger Voltage: 10V 450mA				
	■Frequency response: 100Hz-10KHz±3dB				
	Set of: 1 Voice Amplifier, 1 Power				
	Adaptor, 1 Headset Microphone, 1 Body-				
	pack case, 1 Belt Strap, 1 User Manual				
				TOTAL:	1,862,240.00
				IOIAL.	1,002,240.00

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

- 2. The *Visayas State University* now invites bids for the above Procurement Project. Delivery of the Goods is required by *sixty* (60) calendar days upon receipt of Notice to Proceed (NTP). Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays Fridays* (8:00 AM-5:00 PM).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on 02 August 02 September 2022 until 1:30 PM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- 6. The Visayas State University will hold a Pre-Bid Conference on August 17, 2022; 2:00 PM at the PPO Conference Room, Lower Campus, VSU, Visca, Baybay City, Leyte and via Zoom, which shall be open to prospective bidders.
  - Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Zoom Meeting ID and Passcode.
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before 02 September 2022 until 1:30 PM. Late bids shall not be accepted.
- 8. For bidders who opt to submit their bids electronically, a hardcopy (original, copy 1, and copy 2) of the bid must be sent to the BAC through preferred couriers. A proof (e.g. courier receipt/waybill, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
- 9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

- 10. Bid opening shall be on 02 September 2022; 2:00 PM at the PPO Conference Room, Lower Campus, VSU, Visca, Baybay City, Leyte and via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
  - Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Zoom Meeting ID and Passcode.
- 11. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

#### Ms. Jessamine C. Ecleo (BAC Secretariat)

Office of the Head for Procurement, VSU-Main, Visca, Baybay City, Leyte

Mobile: 053 565 0600 local 1093 or 0998 555 0106

Email: jessamine.ecleo@vsu.edu.ph

or

#### Mr. Toni Marc L. Dargantes (BAC Secretariat)

Office of the VP for Planning, Resource Generation & Auxiliary Services VSU-Main, Visca, Baybay City, Leyte

Mobile: 0977 7186594

Email: tmdargantes@vsu.edu.ph

13. You may visit the following websites:

For downloading of Bidding Documents: https://www.vsu.edu.ph/philgeps-opportunities

August 1, 2022

<u>DILBERTO O. FERRAREN</u> Chairperson, VSU BAC

# Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, Visayas State University, wishes to receive Bids for the Supply and Delivery of I.T. Equipment and Supplies and Office Equipment, with identification number GOODS-22-44.

The Procurement Project (referred to herein as "Project") is composed of *64 items*, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2022 in the amount of *One Million Eight Hundred Sixty-Two Thousand Two Hundred Forty Pesos (PhP 1,862,240.00)*.
- 2.2. The source of funding is: NGA, the General Appropriations Act, Special Trust Fund, and Trust Fund.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed**.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two** (2 years) prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.

#### b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *January* 2, 2022. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

# **Bid Data Sheet**

TIES		
ITB		
Clause		
5.3	For this purpose, contracts similar to the Project shall be:	
	a. I.T. Equipment, I.T. Supplies, Office Equipment, or a combination of the foregoing	
	b. completed within two (2) years prior to the deadline for the submission and receipt of bids.	
7.1	Subcontracting is not allowed.	
12	The price of the Goods shall be quoted <i>DDP VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.	
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:	
	a. The amount of not less than <i>Thirty-Seven Thousand Two Hundred Forty-Four and 80/100 Pesos (PhP 37,244.80) or two percent (2%) of ABC</i> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or	
	b. The amount of not less than <i>Ninety-Three Thousand One Hundred Twelve Pesos (PhP 93,112.00) or five percent (5%) of ABC</i> if bid security is in Surety Bond.	
15	Bidders are requested to submit three (3) copies of its bid $-1$ Original, Copy 1, and Copy 2.	
	For filing purposes, the bidders are urged to use <b>Orange</b> envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.	
19.3	See Section I. Invitation to Bid (Item 1) for the list of items and their corresponding total Approved Budget for the Contract (ABC).	
20.2	In case the PhilGEPS Platinum Certificate of Registration is not available during bid submission, it shall be submitted as a post-qualification requirement, in accordance with Section 34.2 of the 2016 Revised IRR of R.A. 9184.	
21.2	Not Applicable.	

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## **Special Conditions of Contract**

	Special Conditions of Contract		
GCC Clause			
1	Delivery and Documents –		
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:		
	The delivery term applicable to this Contract is delivered <i>VSU Main Campus</i> , <i>Visca, Baybay City, Leyte</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.  Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).		
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is:		
	Ms. Alicia M. Flores Head, Supply and Property Management Office, VSU-Main, Visca, Baybay City, Leyte Contact #: 053 565 0600 local 1082 / 0917 6341 430 Email address: alicia.flores@vsu.edu.ph		
	Incidental Services –		
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:  a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;  b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;		
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;		
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and		
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.		
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.		

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.

Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier **Contract Description Final Destination** Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. Payment of staggered deliveries shall be allowed. Payment shall be on "as per 2.2 cost of the items delivered" subject to inspection and acceptance. 4 The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU Main to confirm conformity to the contract specifications at no extra cost to VSU.

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Unit	Qty	Description	Delivered, Weeks/Months
1	pcs	20	1/4" Male Phone Str Mono Plug	
			■Male 1/4" Phone Str Mono Nickel	All Items Should Be
			■Number of positions (w/o PE): 2	Delivered Within <b>60</b>
			■Rated current (40 °C) (A): 75	Calendar Days From
			■Rated voltage (V): 25	Receipt Of Notice To
2	рс	6	2 BURNER GAS STOVE	Proceed And Purchase Order
			■Heavy duty gas stove	Treesed / mar drendes Graer
			■High quality fuel-efficient burner	
			■Durable metal gas ignition controls	
			■Stainless metal gasket and body	
			■Auto-ignition burner	
			■# of burners: 2	
			<b>■</b> Dimensions: (W x L X D ) 71 x 35.5 x	
			8.5cm   28 x 14 x 3.3 inches	
			■Burner diameter: 9cm   3.5 inches   Outer	
			ring diameter: 22.5cm   8.9 inches	
			■Space in between outer rings: 20cm   7.9	
			inches	
			■Color: silver	
			<b>■</b> Warranty: 1 year	
3	pcs	20	3.5 mm 2-Pole Mono Phone Plug	
3	pcs	20	Connector	
			■Diecast Shell	
			■For Cables 2.5 to 5mm Diameter	
			■Precision-Machined Contacts	
			■Quick Assembly 3 Piece Design	
4	unit	1	3HP Wall Mounted Split Type Inverter	
	- CITIC		Aircon	
			■Cooling Capacity: at least 28,000 kJ/h	
			■Power Consumption: 2,000 Watts	
			<b>⊚</b> EER: 14	
			■Air Conditioner Features:	
			■ Air Direction Control, Fast Cooling, Silent	
			Mode	
			■Room Size:	
			at least36sqm	
			Air Conditioner Rated Capacity (BTUs):	
			◀at least 28,000	_
			Type Air Conditioner:	
			with free installation	
			Warranty: at least 1 year	
5	unit	4	Adjustable Professional Tripod Lighting Stand	
			■Adjustable Professional Tripod Stand (	]
			black)	
			■Heavy Duty, Stable and sturdy	
			■Light can stand can easily assembled	
			■Can attach up to 4 lighting fixtures	

			■Tripod legs can be adjusted
			■Tripod light stand height: approx. 122 cm
			with 2 more poles to extend height of the
			light stand
			■Light stand height can be extended to up
			approx. 210 cm
			■For lighting setups for any events
_		4	All-In-One (AIO) Desktop Computer,
6	рс	1	Core i5 11th Gen, 8GB RAM, 1TB SSD
			■Intel® Core™ i5-11500T (1.5 GHz base
			frequency, up to 3.9 GHz Max Turbo
			Frequency, 12 MB L3 cache, 6 cores)
			■Intel® H470 Chipset
			■8 GB DDR4-2933 SDRAM (1 x 8 GB)
			■1 TB PCIe® NVMe™ M.2 SSD
			■Expansion Slot: 2 x M.2 Expansion Slots
			Socket 1 2230 type for WLAN Socket 3 Key
			M type 2280 for SSD (PCIe x4)
	1		■23.8" LED FHD BV TOUCH
	1		■Graphics: NVIDIA® GeForce® MX350 (4
			GB GDDR5 dedicated)
			■Power Supply: 150 W Smart AC power
			adapter
			Keyboard: USB white wireless keyboard
			and mouse combo
			■LAN: Integrated 10/100/1000 GbE LAN
			■WLAN: Realtek RTL8822CE
			802.11a/b/g/n/ac (2x2) Wi-Fi® and
			Bluetooth® 5 combo MU-MIMO supported
			Bluetooth: YES
			■Ports: "Side: 1 SuperSpeed USB Type-A
			5Gbps signaling rate (Battery Charging 1.2)
			Rear: 3 SuperSpeed USB Type-A 5Gbps
			signaling rate 1 SuperSpeed USB Type-C®
			5 bps signaling rate"
			■Card Reader: 3-in-1 memory card reader
			■Audio: Audio by B&O
			■Genuine Windows 11
			■Special Features: EPEAT® Bronze
			registered; ENERGY STAR® certified;
	1		■Microsoft Office Home & Student 2019
			Preinstalled
_	<u> </u>	_	All-in-One Ink Tank Printer Wi-Fi Duplex
7	unit	2	with ADF
	1		■Compact integrated tank design
	1		■Print speeds up to 15ipm for black and
			8.0ipm for colour
	1		■Auto-duplex printing Fax and ADF
			capability / Ethernet &
	1		■Wi-Fi Direct
	†		Borderless Printing up to A4 size
	+		Spill-free ink refilling
	+		■Control Panel: 2.4 " Colour LCD Touch
			Panel
8	lot	1	AVR and UPS for Rootcrop Genomics
J	101	'	Automatic Voltage Regulator 6000VA (4
			units)
	+		Uninterruptible power supply 3000VA (4
			units)
		<u> </u>	unio)

			UPS Battery Backup, 1500VA (4 units)
0	1.0014	2	Battery Charger for AA and AAA with 4 AA NiMH rechargeable batteries
9	unit	2	included
			Overcharge Protection: Limits damage to
			batteries from overcharge
			■Safety Shut Off: Safety timer ensures
			charger is not active for extended periods of
			time
			■Bad Battery Detection: LED light will flash
			red when bad battery or non-rechargeable
			battery place in the charger.
			■Easy-to-read LED displays charging
			status
			■Red = Charging, Green = Good to Go! ■ "Bad battery" indicator light
			■ Bad battery Indicator light ■Recharges 2 or 4 AA or AAA NiMH
			rechargeable batteries in 5 hours
			■With 4 AA NiMH Batteries included
10	nc	3	Canon cartridge 318 Black
	pc piece	J	Canon cartinge 510 black
11	s	1	Computer HD Webcam
			■1080P Full HD Webcam
			©Lens: HD lens
			■Sensor Type: CMOS
			■Video Format: AVI
	1		■Frame Rate: at least 30FPS
			■Drive Type: free drive. Plug and play
			■Photo Format: BMP JPG
			■Resolution: 1920 * 1080 P
			<b>©</b> Output Format: M-JPEG
-			■Interface Type: USB2.0
			■Microphone: Built-in microphone
			■Focusing Range: 20mm
12	pcs	1	Computer Keyboard USB
			■Standard Keyboard with 104 Keys
			<b>■</b> USB Connection
			■Low Profile Key Caps
			Minimum Key Noise
			■Laser Printing for Key Layout
10			Spill Resistant Design
13	set	1	Computer Monitor 24", IPS
			■Panel Size: Wide Screen 23.8"(60.5cm) 16:9
			■Color Saturation : 72%(NTSC)
			■Panel Type : In-Plane Switching
			■True Resolution : 1920x1080
			■Brightness(Max) : 250 cd/m
	1		©Contrast Ratio (Max): 1000:1
			■Response Time : 5ms (Gray to Gray)
			Display Colors: 16.7M
			■Flicker free
4.4			Computer Printer, All-in-
14	unit	2	One/Multifunction Colored-Ink Tank
			■Ultra-low-cost printing: Print up to 4,500
			pages in black and 7,500 in colour
			Next generation ink filling system: Enjoy  I all the system and the system are system.
			hassle and mess-free refills with the

	1	T	
			enhanced ink bottles
			■Wi-Fi, Wi-Fi Direct & apps: Print from
			mobile devices
			■3-in-1: Print, copy & scan and borderless
			photo printing
			■Nozzle Configuration: 180 Nozzles Black,
			59 Nozzles per Color
			■Minimum Droplet Size: 3 pl, With Variable-
			Sized Droplet Technology
			■Ink Technology: Dye Ink
1.5			■Printing Resolution: 5,760 x 1,440 DPI
15	рс	2	CPU (Central Processing Unit)
			AMD A10-8770 Processor      Motherhead compatible with the
			■Motherboard compatible with the
			processor  ©Kingston 4GB DDR4-2666 Memory
			■CPU Casing w/ PSU
			■256GB SSD
16	unit	2	Crank Up Lighting stand
10	unit		■Crank Up Lighting Stand
			■Features the Quick-N-Easy Gear Up for
			fast and easy adjustment.
			■All aluminum tubes and steel T-bar with
			clip for easy mounting construction
			reinforces and strengthens without excess
			weight.
			■Quick-N-Easy Gear Up for fast and
			simple adjustment square steel T-bar tubing
			for strength.
			■Length: 164-350cm(64.6-137.8")
			■Base diameter: 72.4"
			■Load capacity: 45 kg folded size
17	unit	1	Desktop Computer System Unit only (i7
''	dille	'	10th Gen, with RTX 3060 Video Card)
			■Intel® Core™ i7-10700 Processor, 16M
			Cache, up to 4.80 GHz, 8 Cores and 16
			Threads
			■mATX motherboard with Intel z490
			Chipset, ultra durable components
			■16GB Kit (2 x 8GB) DDR4-3200 Desktop
			Gaming Memory
			■1TB 2.5-inch Solid State Drive
			■GeForce RTX <sup>™</sup> 3060 graphics cards 6GB GDDR6
	-		■Blazing Fast Intel® 2.5GbE LAN with
			©Blazing Fast Intel® 2.5GbE LAN With cFosSpeed
			Built in Intel® WiFi 6 802.11ax + BT 5
			Module
			■ MOUTILE ■ MATX Compact Chassis
			■650W PSU 80 PLUS GOLD
			■Genuine Windows 10 OS
			■Genuine Windows 10 OS ■Genuine Microsoft office 2019 with
			perpetual license
			Desktop Computer, Assembled, 12th
18	unit	1	Gen Core i5
			■Processor: Intel Core i5 12500 with Intel®
	1	1	
			I OHD GIADHICS FFO DIOCESSOI GIADHICS OF
			UHD Graphics 770 processor graphics or higher

			with 6+1+1 Hybrid Phases Digital VRM
			Design, PCIe 4.0* Design, Gen3 x4 M.2,
			mATX form factor , Anti-Sulfur Resistor or
			higher
			■Memory: 16GB (2x8) 3200MHz DDR4 or
			higher
			■SSD: 500GB 3D NAND SSD PCIe
			Gen3x4 or higher
			■Casing: MATX casing with acrylic side
			panels
			■Power Supply: 450Watts 80+ Bronze
			Certified with 120mm thermally controlled
			low-noise cooling fan
			■Monitor: 23" IPS FHD, 72% NSTC color
			gamut with 75Hz refresh rate
			■Operating System: Genuine Windows 11
			Pro
			Keyboard and Mouse Combo: Spill- registrant design with up to Up to 5 million
			resistant design with up to Up to 5 million keystrokes (excludes number lock key)
			keyboard and full-sized ambidextrous
			optical mouse
			■500W IC controlled AVR
			Desktop PC (Core i7 Branded, 10th
19	set	2	Generation)
			■CPU: Intel Core i7 10th Generation or
			higher
			■Storage: 256GB M.2 2280 PCI-E Solid
			State drive (SSD) + 1 TB 7200 rpm 3.5"
			SATA Hard Drive or higher
			■RAM: 8GB (8GBx1) DDR4 or higher
			■Graphics: NVIDIA GeForce GTX 1650
			4GB GDDR5 or higher
			■Monitor: at least 24" IPS Monitor FULL HD
			Monitor (1920x1080)
			◆Aspect Ratio:16:9,
			■Response Time: at least 6ms GTG,
			■Refresh rate: at least 60Hz
			<b>◄</b> Color Gamut: at least 72% NTSC
			■Connectivity: 1 x HDMI 1.4, 1 x VGA
			■Wireless: Intel® Wi-Fi 6 2x2 (Gig+) and
			Bluetooth 5.1
			■Casing and PSU: Casing with at least 80+
	[		Bronze Power supply
			■Input: Wired Keyboard and Optical Mouse
			■Speakers: 2.1 Multi-media Speakers
			▼Total watts (RMS): at least 7 W
			(Subwoofer: 4 W, Satellites: 2 x 1.5
			W),(THD=10%)
			<b>◄</b> 3.5 mm input: 1
			◆Phone jack: 1
			<b>◆</b> Controls: Power and volume controls on
			wired control pod
			■Bass control on back of subwoofer
			■OS: Licensed Windows 10 Home Single
			Language (64bit) English or Higher
			Language (64bit) English or Higher  ©Uninterruptible Power Supply (UPS): at
			Language (64bit) English or Higher  ©Uninterruptible Power Supply (UPS): at least 600VA, at most 4 hours charging time

20	!		DMV E40 Intelligent Linkting Occurry
20	unit	1	DMX 512 Intelligent Lighting Controller
			©Control up to 192 DMX Channels
			■30 banks, each composed of 8
			Programmable scenes.
			■8 adjustable potentiometer to adjust the
			output size.
			■Built-in MIC head, and voice features.
			■Automatically trigger state, the TAP SYNC
			button or the SPEED potentiometer to
			determine automatically trigger time.
			■MIDI interface, may at any time using the
			MIDI signal control.
			■4 LED digital display.
			■The first LED digitshows CHASES, the
			second digit led shows SCENES
			■The third and fourth led digit shows
			BANKS.
			■The second, third, fourth led digit show
			steps 0-255 or TIME.
			■BLACK OUT function can be used
			manually or MIDI remote control.
			■CHASES programming and CHASES run
			function can be used manually or MIDI
			remote control.
			■Output delay function, the FADE TIME
			potentiometer to adjust the delay time.
			■DMX output polarity selection.
21	unit	1	Electric Paper Shredder
			■16 sheets shredder Infrared automatic
			paper feeding
			■Shredding Capacity: <10 Sheets/Shred
			■Shredding Medium: Photo
			■Shredding Medium: Card
			■Shredding Medium: CD
			■Shredding Medium: Paper
			■Capacity: <50L
			■Power: Electricity
			■Shredder Type: Cross-Cut
			■Security grade: s4
			■Volume: 30L
			■Power: 400w
22	unit	2	External Hard Disk Drive (Portable, 1TB),
<b></b>	uiiit		USB 3.1
			■Shock-absorbing
			■Interface: USB 3.1 (Max.5Gb/s)
			■Capacity: 1TB
			■Texture: Plastic/Rubber
			■Operating Voltage: DC 5V, 900mA
			■System Requirements: Windows XP /
			Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or
			later, Linux Kernel 2.6 or later
23	piece	2	Flash Drive, at least 32GB USB 3.0
24	unit	4	Flight Case LED Par 8s
			■Fits for 8 pcs LED PAR Lights
			■Heavy Duty Honeycomb Design
			■Twist Lock
	1		27 17/01 20011
			■Heavy Duty Wheels

	1		
25	pcs	2	Headset (Wired), Generic Over the Ear with mic
			■Line is equipped with a rotary volume controller, one key Mic mute,
			■Frequency Range:20-20K(Hz)
			■Sensitivity:-52(dB)
			■Impedance:32(Ohm)
			■Speaker Diameter:40(mm)
			■Distortion Rate:0.8%
			■Plug Diameter:3.5mm
26	pcs	2	Ink Cartridge, HP680, black
27	btl	37	Ink, Epson 003,Genuine Black 65mL
28	btl	14	Ink, EPSON 003, Genuine Cyan 65mL
29	btl	14	Ink, EPSON 003, Genuine Magenta 65mL
30	btl	14	Ink, EPSON 003, Genuine Yellow 65mL
	piece		
31	s	2	Ink, Epson, genuine (C) T664, 70 ml
32	piece s	2	Ink, Epson, genuine (M) T664, 70 ml
33	piece s	2	Ink, Epson, genuine, (BK) T664, 70 ml
	piece		, , , , , , , , , , , , , , , , , , , ,
34	S	2	Ink, Epson, genuine, (Y) T664, 70 ml
٥.		00	Jack Connector 6.35 mm Cable Mount
35	pcs	20	Stereo Plug, 3Pole 10A
			■Male, 6.35 mm
			■Cable Mount
			■Type: Stereo
			■Body Orientation: Straight
			■Termination Method: Solder
			■Contact Plating: Nickel
			©Current Rating: 10A
			■Housing Material: Zinc Alloy
			©Contact Material: Brass
			■No of Poles/ Way: 3
36	рс	2	Laptop 14", Core i5 11th Gen, 8GB RAM, 512GB SSD
			■Processor: Intel® Core™ i5-1155G7 (up)
			to 4.5 GHz with Intel® Turbo Boost
			Technology(2g), 8 MB L3 cache, 4 cores, 8
			threads) or higher
			■8 GB DDR4-3200 MHz RAM (2 x 4 GB) or
			higher
			■512 GB PCIe® NVMe™ M.2 SSD or
			higher
			■14" FHD (1920 x 1080), multitouch-
			enabled, IPS, edge-to-edge glass, micro-
			edge, 250 nits, 45% NTSC
			■Graphics: Intel® Iris® Xe Graphics
			Batt: 3-cell, 43 Wh Li-ion polymer
			■WLAN: Realtek Wi-Fi CERTIFIED 6™
			(1x2) and Bluetooth® 5.2 combo
			(Supporting Gigabit data rate) MU-MIMO
			supported "
			Bluetooth: YES
			■Ports: 1 SuperSpeed USB Type-C®
			10Gbps signaling rate,2 SuperSpeed USB
			Type-A 5Gbps signaling rate; 1
	1		1 . Jpo 7. oospo signamig rato, 1

			headphone/microphone combo; 1 AC smart
			pin; 1 HDMI 2.0
			■Audio: Dual speakers; Audio by B&O
			■ENERGY STAR® certified; EPEAT®
			Silver registered;
			■Genuine Windows 10 Home
			■Microsoft Office Home & Student
			Preinstalled
37	рс	1	Laptop 14", i5 11th Gen, 8GB RAM
			■Intel Core i5-1135G7 or higher
			■8 GB LPDDR4 SDRAM or higher
			■14" IPS TFT FHD 1920 x 1080
			■Intel® Iris® X Graphics
			■512 GB NVMe SSD
			■Lithium Ion (Li-Ion) 42WHrs
			■WLAN: Intel Wireless Wi-Fi 6 AX201
			■Bluetooth Standard: 5.1
			■Genuine Windows 10 Operating System
38	unit	6	Laptop, 14" (i7)
			■Processor: Intel Core i7 10th generation or
			higher
			■Graphics: NVIDIA GeForce MX250 at
			least 2GB GDDR5
			■Memory: at least 8GB DDR4-2666
			■Storage: at least 256GB SSD M.2 + 1TB
			HDD
			©Display: 14" FHD (1920x1080) IPS
			250nits Anti-glare
			■Touchscreen: None
			■Optical: None
			■Media Reader: 4-in-1 Card Reader  — Etherwood Alexander
			■Ethernet: None
			■WLAN + Bluetooth
			■Camera: at least 720p
			■Microphone: at least 2x, Array
			■Operating System: licensed Windows 10
			Home or Pro
			Bundled Software: Microsoft Office
			Perpetual License
			Repair and replacement should be at most
			3 month from returning the unit
			■at least 3 years Warranty
	nias-		■FREE: Backpack
39	piece	1	Mouse Wired Ontice USB
	S		Mouse, Wired, Optical, USB
			■USB Port Connectivity
			Sensor: Optical
			©DPI: 1600
			Work method: Wired      Resultance: Left button, middle button, right.
			Buttons: Left button, middle button, right
			button
			Scroll wheel direction: Two way
			Design highlights: Easy installation. 1600
			DPI high-definition tracking engine. Anti-slip
	nicas		scroll wheel. Full-size, ambidextrous design
40	piece	1	Paper shrodder machine beauty duty
	S		Paper shredder machine, heavy duty
			■Shred Type: Cross Cut

		1	<del>_</del>
			■Maximum Sheet capacity(70gsm): 10
			Sheets
			Waste Container capacity: 21 Liters
4.4	•.	_	Power Source: 220 - 240 VAC
41	unit	1	Power Controller 10 Channel Audio
			Power Controller 10 Channel Titanium
			audio
			■10 lighted switches on front panel
			■15 amps. resettable circuit breaker on
			front panel
			■8 grounded AC sockets on rear of the unit ■Maximum load: 15 amps 0r 1800 watts
			Stage Light Outdoor RGB 18 x 18 flat Par
42	set	8	LED Mini
			■Stage Light Outdoor RGB 18 x 18 Flat Par
			LED mini 64 warm White
			■Color Temperature: 3500k( warm White )  ■Color Temperature: 3500k( warm White )
40	1	_	Stage Lights Bar, Yeesite 72W 24LEDs
43	set	8	RGB Wash Lights DMX Control LED
			■Stage Lights Bar, 72W 24LEDs RGB
			Wash Lights DMX LED Wall Washer Light
			Uplight
			■40 inch Long Professional grade indoor
			linear bar powered 24x3-Watt LEDs
			■Light Source: 24 TRI LEDs(RGB)
			■Power Draw: 72 watts
			■40- degree beam angle provides vibrant
			and broad light beam to wash stage, wall
			and dance floor
			■Power Linking: Max 10 units at 120 Volts or 27 units at 230Volts
44	nec	2	Transmitter Receiver Kit portable (4 pcs)
44	pcs		■Transmitter Receiver Kit portable (4 pcs)
			ISM Wireless Stage Light lighting fixtures
			■High effective GFSK module,
			communication design; 126 channels
			jumping frequency automatically, high
			■anti-jamming ability, to ensure that works
			reliability
15	unit	4	Universal HDMI to VGA Adapter Cable,
45	unit	4	at least 1.8 meters
			<b>■</b> Universal HDMI to VGA Adapter Cable
46	unit	1	UPS 800W ( for Computer)
			<b>©</b> Charging time: At most 4 hours
47	unit	1	Video Camera
			■TYPE: Handheld and lightweight
			■SENSOR TYPE: 1/5.8 type (3.1 mm)
			(0.12 in) back-illuminated Sensor
			©EFFECTIVE PIXELS (VIDEO): approx.
			2.29 Megapixels (16:9)
			©LENS TYPE: ZEISS
			©OPTICAL ZOOM: at least 30x
			©CLEAR IMAGE ZOOM: at least 60x
			SCREEN TYPE: at least 6.7 cm (2.7 type)
			Clear Photo LCD display (230 400 dots)
			Wide (16:9)
			STORAGE MEDIA: XAVC S HD: Micro
			SDXC Memory Card (Class 10 or Higher),
			AVCHD, Still: Memory Stick Micro™ (Mark

(Class 4 or Higher)  MAUDIO: Built-in microphone  MAUDIO: Built-in microphone  MAUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc.  MRECORDING FORMAT (VIDEO): AVCHI format ver. 2.0 compatible: MPEG4-AVCH-264, AVCH-264, MP4: MPEG-4 AVCH-264, XAVC S format MPEG4-AVC/H264  MINCLUSIONS: Storage media card, battery, connection chords  B pc 2 Water Dispenser, Cabinet type  MFloor standing  MHot and cold function  Mplastic body, high efficiency compressor  Mthermally protected  Waterproof: LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events  MLight Source: 18X18w RGBWA  MBeam Angle: 25 Degree  MVaterproof: IP65  MHousing: Aluminum  MStyle: DMX Stage Light  MPower: 300W  MColor: 600k(daylight)  MO pcs 1 Web Camera for Laptop and Desktop  MAbout 360 degrees, rotate up and down 45 degrees, you can adjust the angle.  MWith clips for laptops and desktops.  MSensor pixels: 2 million  MInterface: USB 2.0  MFrame rate: 30 FPS  MInage sensor: CMOS  MBrightness/color: automatically adjusts  MAdditional features: built-in microphone  Mehorizontal resolution: 2MP  MSNR: > 50dB  MVeb Camera for PC  MInage sensor: 1 / 2.9  MLens: 3.6mm/75.7°  MEffective pixel: 1932 (H) * 1088 (V)  MHorizontal resolution: 2MP  MSNR: > 50dB  MVideo stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 3		1	1	
### MAUDIO: Built-in microphone ### MAUDIO RECORDING FORMAT: Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc.  ###################################				2), Micro SD/SDHC/SDXC Memory Card
### BAUDIO RECORDING FORMAT: Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc.  ■ ### RECORDING FORMAT (VIDEO): AVCHI format ver. 2.0 compatible: MPEG4-AVC/H.264, MPH: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H.264  ■ ### BINCLUSIONS: Storage media card, battery, connection chords  ■ ### BIOO standing ■ ### BI				
Digital 2ch Stereo, Dolby Digital Stereo Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc.  ■RECORDING FORMAT (VIDEO): AVCHI format ver. 2.0 compatible: MPEG4- AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H.264  ■INCLUSIONS: Storage media card, battery, connection chords  ■ plastic body, high efficiency compressor ■ thermally protected  ■ plastic body, high efficiency compressor ■ thermally protected  Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events ■ Light Source:18X18w RGBWA ■ Beam Angle: 25 Degree ■ Waterproof: IP65 ■ Housing: Aluminum ■ Style: DMX Stage Light ■ Power:300W ■ Color: 6000k(daylight) ■ Power:300W ■ Color: 6000k(daylight) ■ Power:300W ■ Color: 6000k(daylight) ■ Poses you can adjust the angle. ■ With clips for laptops and desktops. ■ Sensor pixels: 2 million ■ Interface: USB 2.0 ■ Frame rate: 30 FPS ■ Image sensor: CMOS ■ Brightness/color: automatically adjusts ■ Additional features: built-in microphone  In unit  Web Camera for PC ■ Image sensor: 1/2.9 ■ Lens: 3.6mm/75.7° ■ Effective pixel: 1932 (H) * 1088 (V) ■ Horizontal resolution: 2MP ■ SNR: > 50dB ■ Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 M				
Creator10, MPEG-4 AAC-LC 2ch11, MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc.  ■RECORDING FORMAT (VIDEO): AVCHI format ver. 2.0 compatible: MPEG4-AVC/H.264, XAVC S format MPEG4-Inga, XAVC S format				
MPEG-4 Linear PCM 2ch (48 kHz/16 bit), etc.  ■RECORDING FORMAT (VIDEO): AVCHI format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4 AVC/H.264 XAVC S format MPEG4-AVC/H.264 BINCLUSIONS: Storage media card, battery, connection chords  ■ pc 2 Water Dispenser, Cabinet type ■Floor standing ■Hot and cold function ■ plastic body, high efficiency compressor ■ thermally protected  Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events ■ Light Source:18X18w RGBWA ■ Beam Angle: 25 Degree ■ Waterproof: IP65 ■ Housing: Aluminum ■ Style: DMX Stage Light ■ Power:300W ■ Color: 6000k(daylight) ■ Color: 6000k(daylight) ■ Description of Laptop and Desktop ■ About 360 degrees, rotate up and down 45 degrees, you can adjust the angle. ■ With clips for laptops and desktops. ■ Sensor pixels: 2 million ■ Interface: USB 2.0 ■ Frame rate: 30 FPS ■ Image sensor: CMOS ■ Brightness/color: automatically adjusts ■ Additional features: built-in microphone  Meb Camera for PC ■ Image sensor: 1 / 2.9 ■ Lens: 3.6mm/75.7° ■ Effective pixel: 1932 (H) * 1088 (V) ■ Horizontal resolution: 2MP ■ SNR: > 50dB ■ Video Stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 ■ Video Frame rate: 25FPS / 30FPS ■ Electronic shutter: Auto ■ Protocol: UVC / UVA ■ Wideo Output: USB video stream ■ Working environment: -20 °C to 60 °C  2 licen ses  Windows 10 Operating System ■ Genuine Windows 10 Volume License Wireless Microphone Mic System, 2.46,				
etc.    BRECORDING FORMAT (VIDEO): AVCHI format ver. 2.0 compatible: MPEG4-AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H.264     BINCLUSIONS: Storage media card, battery, connection chords				
### BRECORDING FORMAT (VIDEO): AVCHI format ver. 2.0 compatible: MPEG4-AVC/H.264, XAVC S format MPEG4-AVC/H.264, XAVC S format MPEG4-AVC/H.264 BINCLUSIONS: Storage media card, battery, connection chords  #### Brook Brillon Standing  #### Brillon Standing  ##### Brillon Standing  #### Brillon Standing  #### Brillon Standing  #### Brillon Standing  ##### Brillon Standing  ###### Brillon Standing  ###### Brillon Standing  ######### Brillon Standing  ###################################				MPEG-4 Linear PCM 2ch (48 kHz/16 bit),
format ver. 2.0 compatible: MPEG4- AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H.264, XAVC S format MPEG4-AVC/H.264  BINCL USIONS: Storage media card, battery, connection chords  Befloor standing				
AVC/H.264, MP4: MPEG-4 AVC/H.264, XAVC S format MPEG4-AVC/H264  BINCLUSIONS: Storage media card, battery, connection chords  By pc 2 Water Dispenser, Cabinet type  By Floor standing  By Hot and cold function  By Bastic body, high efficiency compressor  By set 20 Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events  By Light Source:18X18w RGBWA  By Beam Angle: 25 Degree  By Waterproof: IP65  By Housing: Aluminum  By Style: DMX Stage Light  By Power:300W  By Color: 6000k(daylight)  By Color: 6000k(daylight)  By Beam Angle: 25 million  By Hother Camera for Laptop and Desktop  By Sensor pixels: 2 million  By Interface: USB 2.0  By Frame rate: 30 FPS  By Image sensor: CMOS  By Brightness/color: automatically adjusts  By Additional features: built-in microphone  In unit 3 Web Camera for PC  By By By Shr: > 50dB  By Interizontal resolution: 2MP  By SNR: > 50dB  By Ideo stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360  By Ideo stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360  By Ideo Frame rate: 25FPS / 30FPS  By Ideo output: USB video stream  By Video Frame rate: 25FPS / 30FPS  By Ideo output: USB video stream  By Video output: USB v				■RECORDING FORMAT (VIDEO): AVCHD
XAVC S format MPEG4-AVC/H264   BINCLUSIONS: Storage media card, battery, connection chords   Belloor standing   Belloor stand				
BINCLUSIONS: Storage media card, battery, connection chords  By pc 2 Water Dispenser, Cabinet type  Befloor standing Between Angle: 25 Degree Befloor (PAR) Lights for Stage Events Beam Angle: 25 Degree Befloor standing Befloor st				AVC/H.264, MP4: MPEG-4 AVC/H.264,
battery, connection chords    Bactery   Bacter				
Box   PC   BeFloor standing   BeHot and cold function   Beplastic body, high efficiency compressor   Beflector (PAR) Lights for Stage Events   Belight Source:18X18w RGBWA   Beam Angle: 25 Degree				■INCLUSIONS: Storage media card,
BFloor standing BHot and cold function Bplastic body,high efficiency compressor Bthermally protected Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events BLight Source:18X18w RGBWA BBeam Angle: 25 Degree BWaterproof: IP65 BHousing: Aluminum BStyle: DMX Stage Light Power:300W Color: 6000k(daylight) BColor: 6000k(daylight) BAbout 360 degrees, rotate up and down 45 degrees, you can adjust the angle. BWith clips for laptops and desktops. BSensor pixels: 2 million BInterface: USB 2.0 BFrame rate: 30 FPS BImage sensor: CMOS BBrightness/color: automatically adjusts BAdditional features: built-in microphone Unit 3 Web Camera for PC BImage sensor: 1 / 2.9 BLens: 3.6mm/75.7° BEffective pixel: 1932 (H) * 1088 (V) BHorizontal resolution: 2MP BSNR: > 50dB BVideo stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 BVideo Frame rate: 25FPS / 30FPS BElectronic shutter: Auto BProtocol: UVC / UVA BVideo output: USB video stream BWorking voltage: DC5V / 160mA ± 6mA BWorking environment: -20 °C to 60 °C  Ilicen 2 Ses 2 Windows 10 Operating System BGenuine Windows 10 Volume License Wireless Microphone Mic System, 2.46,				battery, connection chords
BFloor standing BHot and cold function Bplastic body,high efficiency compressor Bthermally protected Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events BLight Source:18X18w RGBWA BBeam Angle: 25 Degree BWaterproof: IP65 BHousing: Aluminum BStyle: DMX Stage Light Power:300W Color: 6000k(daylight) BColor: 6000k(daylight) BAbout 360 degrees, rotate up and down 45 degrees, you can adjust the angle. BWith clips for laptops and desktops. BSensor pixels: 2 million BInterface: USB 2.0 BFrame rate: 30 FPS BImage sensor: CMOS BBrightness/color: automatically adjusts BAdditional features: built-in microphone Unit 3 Web Camera for PC BImage sensor: 1 / 2.9 BLens: 3.6mm/75.7° BEffective pixel: 1932 (H) * 1088 (V) BHorizontal resolution: 2MP BSNR: > 50dB BVideo stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 BVideo Frame rate: 25FPS / 30FPS BElectronic shutter: Auto BProtocol: UVC / UVA BVideo output: USB video stream BWorking voltage: DC5V / 160mA ± 6mA BWorking environment: -20 °C to 60 °C  Ilicen 2 Ses 2 Windows 10 Operating System BGenuine Windows 10 Volume License Wireless Microphone Mic System, 2.46,	48	рс	2	Water Dispenser, Cabinet type
BHot and cold function  Bplastic body, high efficiency compressor  Bthermally protected  Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events  BLight Source:18X18w RGBWA  BBeam Angle: 25 Degree  BWaterproof: IP65  BHousing: Aluminum  Style: DMX Stage Light  BPower:300W  Color: 6000k(daylight)  Web Camera for Laptop and Desktop  BAbout 360 degrees, rotate up and down 45 degrees, you can adjust the angle.  BWith clips for laptops and desktops.  BSensor pixels: 2 million  BInterface: USB 2.0  BFrame rate: 30 FPS  Blimage sensor: CMOS  Brightness/color: automatically adjusts  BAdditional features: built-in microphone  Meb Camera for PC  Blimage sensor: 1 / 2.9  BLens: 3.6mm/75.7°  BEffective pixel: 1932 (H) * 1088 (V)  BHORIZONTAI resolution: 2MP  BSNR: > 50dB  BVideo stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 19				
Set   20   Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events				
Set   20   Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events				
Set   20   Waterproof LED Parabolic Aluminized Reflector (PAR) Lights for Stage Events				
Reflector (PAR) Lights for Stage Events    BLight Source:18X18w RGBWA     BBeam Angle: 25 Degree     BWaterproof: IP65     BHousing: Aluminum     BStyle: DMX Stage Light     BPower:300W     BColor: 6000k(daylight)     BAbout 360 degrees, rotate up and down     45 degrees, you can adjust the angle.     BWith clips for laptops and desktops.     BSensor pixels: 2 million     BInterface: USB 2.0     BFrame rate: 30 FPS     BImage sensor: CMOS     BBrightness/color: automatically adjusts     BAdditional features: built-in microphone     I unit 3 Web Camera for PC     BImage sensor: 1 / 2.9     BLens: 3.6mm/75.7 °     BEffective pixel: 1932 (H) * 1088 (V)     BHORIZONTAL resolution: 2MP     BSNR: > 50dB     BVideo stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 M				
■Light Source:18X18w RGBWA ■Beam Angle: 25 Degree ■Waterproof: IP65 ■Housing: Aluminum ■Style:DMX Stage Light ■Power:300W ■Color: 6000k(daylight) ■Color: 6000k(daylight) ■Color: 6000k(daylight) ■About 360 degrees, rotate up and down 45 degrees, you can adjust the angle. ■With clips for laptops and desktops. ■Sensor pixels: 2 million ■Interface: USB 2.0 ■Frame rate: 30 FPS ■Image sensor: CMOS ■Brightness/color: automatically adjusts ■Additional features: built-in microphone ■Image sensor: 1 / 2.9 ■Lens: 3.6mm/75.7° ■Effective pixel: 1932 (H) * 1088 (V) ■Horizontal resolution: 2MP ■SNR: > 50dB ■Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: DC5V / 160mA ± 6mA ■Working voltage: DC5V / 160mA ± 6mA ■Working environment: -20 °C to 60 °C  Windows 10 Operating System ■Genuine Windows 10 Volume License Wireless Microphone Mic System, 2.4G,	49	set	20	
■Beam Angle: 25 Degree ■Waterproof: IP65 ■Housing: Aluminum ■Style: DMX Stage Light ■Power:300W ■Color: 6000k(daylight) ■Color: 6000k(daylight) ■About 360 degrees, rotate up and down 45 degrees, you can adjust the angle. ■With clips for laptops and desktops. ■Sensor pixels: 2 million ■Interface: USB 2.0 ■Frame rate: 30 FPS ■Image sensor: CMOS ■Brightness/color: automatically adjusts ■Additional features: built-in microphone  In unit 3 Web Camera for PC ■Image sensor: 1 / 2.9 ■Lens: 3.6mm/75.7° ■Effective pixel: 1932 (H) * 1088 (V) ■Horizontal resolution: 2MP ■SNR: > 50dB ■Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■Video Frame rate: 25FPS / 30FPS ■Electronic shutter: Auto ■Protocol: UVC / UVA ■Video output: USB video stream ■Working voltage: DC5V / 160mA ± 6mA ■Working environment: -20 °C to 60 °C  Windows 10 Operating System ■Genuine Windows 10 Volume License ■Genuine Windows 10 Volume License Wireless Microphone Mic System, 2.4G,				
■ Waterproof: IP65 ■ Housing: Aluminum ■ Style: DMX Stage Light ■ Power:300W ■ Color: 6000k(daylight) ■ Web Camera for Laptop and Desktop ■ About 360 degrees, rotate up and down 45 degrees, you can adjust the angle. ■ With clips for laptops and desktops. ■ Sensor pixels: 2 million ■ Interface: USB 2.0 ■ Frame rate: 30 FPS ■ Image sensor: CMOS ■ Brightness/color: automatically adjusts ■ Additional features: built-in microphone  In unit 3 Web Camera for PC ■ Image sensor: 1 / 2.9 ■ Lens: 3.6mm/75.7° ■ Effective pixel: 1932 (H) * 1088 (V) ■ Horizontal resolution: 2MP ■ SNR: > 50dB ■ Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■ Video Frame rate: 25FPS / 30FPS ■ Electronic shutter: Auto ■ Protocol: UVC / UVA ■ Video output: USB video stream ■ Working voltage: DC5V / 160mA ± 6mA ■ Working environment: -20 °C to 60 °C  Vireless Microphone Mic System, 2.4G,  Wireless Microphone Mic System, 2.4G,				
■Housing: Aluminum  Style: DMX Stage Light  Power:300W  Color: 6000k(daylight)  Web Camera for Laptop and Desktop  About 360 degrees, rotate up and down  45 degrees, you can adjust the angle.  With clips for laptops and desktops.  Sensor pixels: 2 million  Interface: USB 2.0  Frame rate: 30 FPS  Image sensor: CMOS  Brightness/color: automatically adjusts  Additional features: built-in microphone  In unit 3 Web Camera for PC  Image sensor: 1 / 2.9  Elens: 3.6mm/75.7°  Effective pixel: 1932 (H) * 1088 (V)  Ehorizontal resolution: 2MP  SNR: > 50dB  Video stream: H.264:1920 * 1080 / 1920 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 72				
■Style :DMX Stage Light ■Power:300W ■Color: 6000k(daylight) ■Color: 6000k(daylight) ■About 360 degrees, rotate up and down 45 degrees, you can adjust the angle. ■With clips for laptops and desktops. ■Sensor pixels: 2 million ■Interface: USB 2.0 ■Frame rate: 30 FPS ■Image sensor: CMOS ■Brightness/color: automatically adjusts ■Additional features: built-in microphone  I unit 3 Web Camera for PC ■Image sensor: 1 / 2.9 ■Lens: 3.6mm/75.7° ■Leffective pixel: 1932 (H) * 1088 (V) ■Horizontal resolution: 2MP ■SNR: > 50dB ■Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■Video Frame rate: 25FPS / 30FPS ■Lectronic shutter: Auto ■Protocol: UVC / UVA ■Video output: USB video stream ■Working voltage: DC5V / 160mA ± 6mA ■Working environment: -20 °C to 60 °C  Wireless Microphone Mic System, 2.4G,				•
■Power:300W ■Color: 6000k(daylight) ■Color: 6000k(daylight) ■About 360 degrees, rotate up and down 45 degrees, you can adjust the angle. ■With clips for laptops and desktops. ■Sensor pixels: 2 million ■Interface: USB 2.0 ■Frame rate: 30 FPS ■Image sensor: CMOS ■Brightness/color: automatically adjusts ■Additional features: built-in microphone  I unit 3 Web Camera for PC ■Image sensor: 1 / 2.9 ■Lens: 3.6mm/75.7° ■Lens: 3.6mm/75.7° ■Effective pixel: 1932 (H) * 1088 (V) ■Horizontal resolution: 2MP ■SNR: > 50dB ■Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■Video Frame rate: 25FPS / 30FPS ■Electronic shutter: Auto ■Protocol: UVC / UVA ■Video output: USB video stream ■Working voltage: DC5V / 160mA ± 6mA ■Working environment: -20 °C to 60 °C  Ice ses  Windows 10 Operating System ■Genuine Windows 10 Volume License  Wireless Microphone Mic System, 2.4G,				
©Color: 6000k(daylight)  Web Camera for Laptop and Desktop  @About 360 degrees, rotate up and down 45 degrees, you can adjust the angle.  @With clips for laptops and desktops.  @Sensor pixels: 2 million  @Interface: USB 2.0  @Frame rate: 30 FPS  @Image sensor: CMOS  @Brightness/color: automatically adjusts  @Additional features: built-in microphone  In unit 3 Web Camera for PC  @Image sensor: 1 / 2.9  @Lens: 3.6mm/75.7°  @Effective pixel: 1932 (H) * 1088 (V)  @Horizontal resolution: 2MP  @SNR: > 50dB  @Video stream: H.264:1920 * 1080 / 1920 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360  @Video Frame rate: 25FPS / 30FPS  @Electronic shutter: Auto  @Protocol: UVC / UVA  @Video output: USB video stream  @Working voltage: DC5V / 160mA ± 6mA  @Working environment: -20 °C to 60 °C  Ica licen ses  @Genuine Windows 10 Volume License  @Genuine Windows 10 Volume License  Wireless Microphone Mic System, 2.4G,				
Web Camera for Laptop and Desktop				
■About 360 degrees, rotate up and down 45 degrees, you can adjust the angle.  ■With clips for laptops and desktops.  ■Sensor pixels: 2 million  ■Interface: USB 2.0  ■Frame rate: 30 FPS  ■Image sensor: CMOS  ■Brightness/color: automatically adjusts  ■Additional features: built-in microphone  In unit 3 Web Camera for PC  ■Image sensor: 1 / 2.9  ■Lens: 3.6mm/75.7°  ■Lens: 3.6mm/75.7°  ■Effective pixel: 1932 (H) * 1088 (V)  ■Horizontal resolution: 2MP  ■SNR: > 50dB  ■Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 720 / 640 * 720 / 640 * 720 / 640 * 720 / 640 * 720 / 640 * 720 / 640 * 720 / 640 * 720 / 640 * 720 / 640 * 720 / 64	ΕO	200	4	Web Comers for Lenton and Deckton
### ### ### ### ### ### ### ### ### ##	50	pcs	1	— About 200 downs a gratefacture and downs
■ With clips for laptops and desktops. ■ Sensor pixels: 2 million ■ Interface: USB 2.0 ■ Frame rate: 30 FPS ■ Image sensor: CMOS ■ Brightness/color: automatically adjusts ■ Additional features: built-in microphone  I unit 3 Web Camera for PC ■ Image sensor: 1 / 2.9 ■ Lens: 3.6mm/75.7° ■ Effective pixel: 1932 (H) * 1088 (V) ■ Horizontal resolution: 2MP ■ SNR: > 50dB ■ Video stream: H.264:1920 * 1080 / 1920 ■ 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■ Video Frame rate: 25FPS / 30FPS ■ Electronic shutter: Auto ■ Protocol: UVC / UVA ■ Video output: USB video stream ■ Working voltage: DC5V / 160mA ± 6mA ■ Working environment: -20 °C to 60 °C  Ica Ses  2 Windows 10 Operating System ■ Genuine Windows 10 Volume License ■ Genuine Windows 10 Volume License ■ Wireless Microphone Mic System, 2.4G,				
■Sensor pixels: 2 million ■Interface: USB 2.0 ■Frame rate: 30 FPS ■Image sensor: CMOS ■Brightness/color: automatically adjusts ■Additional features: built-in microphone  Web Camera for PC ■Image sensor: 1 / 2.9 ■Lens: 3.6mm/75.7° ■Effective pixel: 1932 (H) * 1088 (V) ■Horizontal resolution: 2MP ■SNR: > 50dB ■Video stream: H.264:1920 * 1080 / 1920 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■Video Frame rate: 25FPS / 30FPS ■Electronic shutter: Auto ■Protocol: UVC / UVA ■Video output: USB video stream ■Working voltage: DC5V / 160mA ± 6mA ■Working environment: -20 ℃ to 60 ℃  Ilicen ses  Windows 10 Operating System ■Genuine Windows 10 Volume License ■Genuine Windows 10 Volume License ■Wireless Microphone Mic System, 2.4G,				
■Interface: USB 2.0 ■Frame rate: 30 FPS ■Image sensor: CMOS ■Brightness/color: automatically adjusts ■Additional features: built-in microphone  In unit 3 Web Camera for PC ■Image sensor: 1 / 2.9 ■Lens: 3.6mm/75.7° ■Effective pixel: 1932 (H) * 1088 (V) ■Horizontal resolution: 2MP ■SNR: > 50dB ■Video stream: H.264:1920 * 1080 / 1920 * 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■Video Frame rate: 25FPS / 30FPS ■Electronic shutter: Auto ■Protocol: UVC / UVA ■Video output: USB video stream ■Working voltage: DC5V / 160mA ± 6mA ■Working environment: -20 ℃ to 60 ℃  Ilicen ses  Windows 10 Operating System ■Genuine Windows 10 Volume License ■Genuine Windows 10 Volume License ■Genuine Wirophone Mic System, 2.4G,				
■ Frame rate: 30 FPS ■ Image sensor: CMOS ■ Brightness/color: automatically adjusts ■ Additional features: built-in microphone  In unit 3 Web Camera for PC ■ Image sensor: 1 / 2.9 ■ Lens: 3.6mm/75.7° ■ Effective pixel: 1932 (H) * 1088 (V) ■ Horizontal resolution: 2MP ■ SNR: > 50dB ■ Video stream: H.264:1920 * 1080 / 1920 ■ 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■ Video Frame rate: 25FPS / 30FPS ■ Electronic shutter: Auto ■ Protocol: UVC / UVA ■ Video output: USB video stream ■ Working voltage: DC5V / 160mA ± 6mA ■ Working environment: -20 °C to 60 °C  Icen ses 2 Windows 10 Operating System ■ Genuine Windows 10 Volume License ■ Wireless Microphone Mic System, 2.4G,				
■ Ilmage sensor: CMOS ■ Brightness/color: automatically adjusts ■ Additional features: built-in microphone  I unit 3 Web Camera for PC ■ Ilmage sensor: 1 / 2.9 ■ Lens: 3.6mm/75.7° ■ Effective pixel: 1932 (H) * 1088 (V) ■ Horizontal resolution: 2MP ■ SNR: > 50dB ■ Video stream: H.264:1920 * 1080 / 1920 ■ 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■ Video Frame rate: 25FPS / 30FPS ■ Electronic shutter: Auto ■ Protocol: UVC / UVA ■ Video output: USB video stream ■ Working voltage: DC5V / 160mA ± 6mA ■ Working environment: -20 °C to 60 °C  Ica ses    Windows 10 Operating System ■ Genuine Windows 10 Volume License   Wireless Microphone Mic System, 2.4G,				
Brightness/color: automatically adjusts  BAdditional features: built-in microphone  Web Camera for PC  BImage sensor: 1 / 2.9  BLens: 3.6mm/75.7°  BEffective pixel: 1932 (H) * 1088 (V)  BHorizontal resolution: 2MP  BSNR: > 50dB  Video stream: H.264:1920 * 1080 / 1920  720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360  BVideo Frame rate: 25FPS / 30FPS  BElectronic shutter: Auto  Protocol: UVC / UVA  BVideo output: USB video stream  BWorking voltage: DC5V / 160mA ± 6mA  BWorking environment: -20 °C to 60 °C  Windows 10 Operating System  BGenuine Windows 10 Volume License  Wireless Microphone Mic System, 2.4G,				
■ Modditional features: built-in microphone    Signature   Summar   Summar				
Web Camera for PC				
■ Image sensor: 1 / 2.9  ■ Lens: 3.6mm/75.7°  ■ Effective pixel: 1932 (H) * 1088 (V)  ■ Horizontal resolution: 2MP  ■ SNR: > 50dB  ■ Video stream: H.264:1920 * 1080 / 1920 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360  ■ Video Frame rate: 25FPS / 30FPS  ■ Electronic shutter: Auto ■ Protocol: UVC / UVA ■ Video output: USB video stream ■ Working voltage: DC5V / 160mA ± 6mA ■ Working environment: -20 °C to 60 °C    Comparison of the stream of the s				
■ BLens: 3.6mm/75.7 ° ■ Effective pixel: 1932 (H) * 1088 (V) ■ Horizontal resolution: 2MP ■ SNR: > 50dB ■ Video stream: H.264:1920 * 1080 / 1920 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ■ Video Frame rate: 25FPS / 30FPS ■ Electronic shutter: Auto ■ Protocol: UVC / UVA ■ Video output: USB video stream ■ Working voltage: DC5V / 160mA ± 6mA ■ Working environment: -20 °C to 60 °C    Comparison of the pixel of the p	51	unit	3	
■ Effective pixel: 1932 (H) * 1088 (V) ■ Horizontal resolution: 2MP ■ SNR: > 50dB ■ Video stream: H.264:1920 * 1080 / 1920				
■ BHorizontal resolution: 2MP  ■ SNR: > 50dB  ■ Video stream: H.264:1920 * 1080 / 1920 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360  ■ Video Frame rate: 25FPS / 30FPS  ■ Electronic shutter: Auto ■ Protocol: UVC / UVA ■ Video output: USB video stream ■ Working voltage: DC5V / 160mA ± 6mA ■ Working environment: -20 °C to 60 °C    Column   Ses   2   Windows 10 Operating System ■ Genuine Windows 10 Volume License ■ Wireless Microphone Mic System, 2.4G,				<b>■</b> Lens: 3.6mm/75.7 °
■SNR: > 50dB  ■Video stream: H.264:1920 * 1080 / 1920 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360  ■Video Frame rate: 25FPS / 30FPS  ■Electronic shutter: Auto ■Protocol: UVC / UVA ■Video output: USB video stream ■Working voltage: DC5V / 160mA ± 6mA ■Working environment: -20 °C to 60 °C    Column   Co				■Effective pixel: 1932 (H) * 1088 (V)
©Video stream: H.264:1920 * 1080 / 1920 720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360 ©Video Frame rate: 25FPS / 30FPS ©Electronic shutter: Auto ©Protocol: UVC / UVA ©Video output: USB video stream ©Working voltage: DC5V / 160mA ± 6mA ©Working environment: -20 °C to 60 °C  12				■Horizontal resolution: 2MP
720 / 640 * 360 MJPEG: 1920 * 1080 / 1920 * 720 / 640 * 360  © Video Frame rate: 25FPS / 30FPS  © Electronic shutter: Auto  © Protocol: UVC / UVA  © Video output: USB video stream  © Working voltage: DC5V / 160mA ± 6mA  © Working environment: -20 °C to 60 °C  12    licen   ses   2	_			■SNR: > 50dB
1920 * 720 / 640 * 360  Solution of Prame rate: 25FPS / 30FPS  Solution of Protocol: UVC / UVA  Solution output: USB video stream  Solution output: USB vide				■Video stream: H.264:1920 * 1080 / 1920 *
© Video Frame rate: 25FPS / 30FPS © Electronic shutter: Auto © Protocol: UVC / UVA © Video output: USB video stream © Working voltage: DC5V / 160mA ± 6mA © Working environment: -20 °C to 60 °C    Column   Colu				720 / 640 * 360 MJPEG: 1920 * 1080 /
© Video Frame rate: 25FPS / 30FPS © Electronic shutter: Auto © Protocol: UVC / UVA © Video output: USB video stream © Working voltage: DC5V / 160mA ± 6mA © Working environment: -20 °C to 60 °C    Column   Colu				1920 * 720 / 640 * 360
© Electronic shutter: Auto © Protocol: UVC / UVA © Video output: USB video stream © Working voltage: DC5V / 160mA ± 6mA © Working environment: -20 °C to 60 °C    Column   Co				
© Protocol: UVC / UVA © Video output: USB video stream © Working voltage: DC5V / 160mA ± 6mA © Working environment: -20 °C to 60 °C    Column   Co				
© Video output: USB video stream © Working voltage: DC5V / 160mA ± 6mA © Working environment: -20 °C to 60 °C  Ses   2   Windows 10 Operating System © Genuine Windows 10 Volume License Wireless Microphone Mic System, 2.4G,				
© Working voltage: DC5V / 160mA ± 6mA © Working environment: -20 °C to 60 °C    Ses   2				
Ses   2				•
Windows 10 Operating System  Genuine Windows 10 Volume License  Wireless Microphone Mic System, 2.4G,				
ses  Windows 10 Operating System  Genuine Windows 10 Volume License  Wireless Microphone Mic System, 2.4G,		lia		■vvorking environment: -20 °C to 60 °C
■ Ses Windows 10 Operating System ■ Genuine Windows 10 Volume License Wireless Microphone Mic System, 2.4G,	52		2	Windows 10 Onereting System
Wireless Microphone Mic System, 2.4G,		ses		
-   6 channels	53	unit	2	
o onamicio	55	Gill	_	6 channels

			For indoor and outdoor use Built-in siren 40 W amplifier
			For indoor and outdoor use
			I UNIU VAID IADDA
	+	<del>                                     </del>	1000 yard range
<u> </u>	dill		Bullhorn
61	unit	2	Megaphone
60	pcs	4	Ink Cartridge Canon G2010
59	рс	3	Cover for keyboard
58	set	3	Cover for CPU (Mini Tower) (package)
57	рс	5	Canon PIXMA, 830 (Black Ink)
		<u> </u>	Rebidding (from GOODS-22-37)
			Mating Cycles: 1000 Cycle
			Nickel Contact Plating
<u> </u>	pos	- 50	■Standard XLR Male 3pin
56	pcs	60	XLR male connector
			nickel finish.
		<u> </u>	■Zinc diecast shell housing with Satin
			©Compact 2.5mm (14AWG) solder buckets
			■Precision machined pin contacts
		1	Overmolded cable support boot
			8mm (0.118" - 0.314") cable.
			■Chuck style cable clamp to suit 3mm -
			on socket connectors.
			thumb. Leading first mate last break pin 1
		<u> </u>	©Oversized latch lever preserves your
			improved grip.
		<u> </u>	■Ergonomic stylish sleeve design for
			nickel finish.
			■XLR 3 pole female, stamped contacts,
55	pcs	60	Nickel Finish
			XLR 3 Pole Female, Stamped Contacts,
			802.11g, IEEE 802.11b
			■Wireless Standards: IEEE 802.11n, IEEE
			■External Power Supply: 9VDC / 0.6A
		1	Button: WPS/RESET Button
		1	■1 10/100Mbps WAN PORT
			■Interface: 4 10/100Mbps LAN PORTS
			bridging to expand your wireless network
			■WDS wireless bridge provides seamless
			bandwidth is allotted to each PC
			administrators to determine how much
			■IP based bandwidth control allows
			push of WPS button
			■Easy wireless security encryption at a
			basic work
			for both bandwidth sensitive tasks and
			■300Mbps wireless transmission rate ideal
J <del>4</del>	рс	_ '	Port
54	20	1	Wireless N Router (300Mbps) with 4-LAI
			■Built -in rechargeable lithium battery
			■32bit/48Khz high resolution audio quality
			stable signal transmission
			eless than 4ms ultra-low latency, clear and
			system, XLR connection, easy to use
			■Compact size 2.4G wireless microphone
			Rechargeable Lithium Battery
			channels XLR Connection Built-in
			■2.4G wireless Microphone Mic System 6

			Built-in mic
			10 seconds recording function
			Portable Trolley 15" Speaker with
62	unit	1	wireless microphone
			■15" 2 Way 480 Watts Powered Portable
			Sound System
			■Plastic Cabinet
			■AC220V or DC12V (With built-in
			Rechargeable Batteries)
			With 2 Wireless Microphone
			■With 2 Mic Input (1 XLR, 1 PL55)
			With FM Radio, Bluetooth, Guitar Input
			(Shared with Mic 2 input), USB & SD Port
			■With 5 Band Equalizer and LCD Display
			With Aux / Line In and Line Out
			With Remote Control, Handle and Wheel
			Bluetooth Wireless Speakers, 20W RMS,
63	рс	1	IPX7 waterproof
			Bluetooth version: 5.0
			Supported formats: mp3,ape,FLAC,wav
			Output Power: 20W RMS
			Frequency response: 80hz-18kHZ
			Signal-to-noise ratio: 80±2db
			Battery type: 3.7V/5200mAh
			Battery charge time: ≤3 hours
			Power supply: Type-c 5V/1A
			Music playing time: up to 8 hours(varies by
			volume level and audio content)
			Waterproof: IPX7
			Support Voice Assistant
			Support 3 music mode
			Support TWS function (connect 2 speakers)
			3 Playing Mode: Bluetooth/TF card/AUX in
64	unit	1	Lapel Voice Amplifier
			■Compact, portable and lightweight
			■Lithium-ion power body-pack amplifier
			■Power Output: 30W
			■Mode: USB/MP3/FM
			<b>⊚</b> Charger Voltage: 10V 450mA
			■Frequency response: 100Hz-10KHz±3dB
			■Set of: 1 Voice Amplifier, 1 Power
			Adaptor, 1 Headset Microphone, 1 Body-
			pack case, 1 Belt Strap, 1 User Manual

Section VII. Technical Specifications

## **Technical Specifications**

Item No.	Unit	Qty	Description	Statement of Compliance
1	pcs	20	1/4" Male Phone Str Mono Plug	
			■Male 1/4" Phone Str Mono Nickel	Bidders must state here
			■Number of positions (w/o PE): 2	either "Comply" or "Not
			■Rated current (40 °C) (A): 75	
			■Rated voltage (V): 25	Comply" against each of the
2	рс	6	2 BURNER GAS STOVE	individual parameters of each
			■Heavy duty gas stove	Specification stating the
			■High quality fuel-efficient burner	corresponding performance
			■Durable metal gas ignition controls	parameter of the equipment
			■Stainless metal gasket and body	offered. Statements of
			■Auto-ignition burner	"Comply" or "Not Comply"
			■# of burners: 2	
			■Dimensions: (W x L X D ) 71 x 35.5 x	must be supported by
			8.5cm   28 x 14 x 3.3 inches	evidence in a Bidders Bid and
			■Burner diameter: 9cm   3.5 inches   Outer	cross-referenced to that
			ring diameter: 22.5cm   8.9 inches	evidence. Evidence shall be
			■Space in between outer rings: 20cm   7.9	in the form of manufacturer's
			inches	- un-amended sales literature,
			■Color: silver  ■ Color: silver	
			■Warranty: 1 year	unconditional statements of
			3.5 mm 2-Pole Mono Phone Plug	specification and compliance
3	pcs	20	Connector	issued by the manufacturer,
			■Diecast Shell	samples, independent test
			■For Cables 2.5 to 5mm Diameter	7
			■Precision-Machined Contacts	data etc., as appropriate. A
			■Quick Assembly 3 Piece Design	statement that is not
			3HP Wall Mounted Split Type Inverter	supported by evidence or is
4	unit	1	Aircon	subsequently found to be
			■Cooling Capacity: at least 28,000 kJ/h	contradicted by the evidence
			■Power Consumption: 2,000 Watts	presented will render the Bid
			©EER: 14	under evaluation liable for
			■Air Conditioner Features:	· ·
			■ Air Direction Control, Fast Cooling, Silent	rejection. A statement either
			Mode	in the Bidder's statement of
			■Room Size:	compliance or the supporting
			■ at least36sqm	evidence that is found to be
		<del>                                     </del>	Air Conditioner Rated Capacity (BTUs):	false either during Bid
		<u> </u>	◆at least 28,000	
		<del>                                     </del>	Type Air Conditioner:	evaluation, post-qualification
		<del>                                     </del>	Single Split System	or the execution of the
		-	with free installation	- Contract may be regarded as
				fraudulent and render the
		1	Warranty: at least 1 year	Bidder or supplier liable for
5	unit	4	Adjustable Professional Tripod Lighting Stand	prosecution subject to the
			■Adjustable Professional Tripod Stand ( black)	applicable laws and issuances.]
			■Heavy Duty, Stable and sturdy	
			■Light can stand can easily assembled	7
			■Can attach up to 4 lighting fixtures	1
			■Tripod legs can be adjusted	1
			■Tripod light stand height: approx. 122 cm	1
		1	with 2 more poles to extend height of the	

	,		
			light stand
			■Light stand height can be extended to up
			approx. 210 cm
			■For lighting setups for any events
6	рс	1	All-In-One (AIO) Desktop Computer,
	Po		Core i5 11th Gen, 8GB RAM, 1TB SSD
			■Intel® Core™ i5-11500T (1.5 GHz base
			frequency, up to 3.9 GHz Max Turbo
			Frequency, 12 MB L3 cache, 6 cores)
			■Intel® H470 Chipset
			■8 GB DDR4-2933 SDRAM (1 x 8 GB)
			■1 TB PCle® NVMe™ M.2 SSD
			■Expansion Slot: 2 x M.2 Expansion Slots
			Socket 1 2230 type for WLAN Socket 3 Key
			M type 2280 for SSD (PCIe x4)
			■23.8" LED FHD BV TOUCH
			■Graphics: NVIDIA® GeForce® MX350 (4
			GB GDDR5 dedicated)
			■Power Supply: 150 W Smart AC power
			adapter
			■Keyboard: USB white wireless keyboard
			and mouse combo
			■LAN: Integrated 10/100/1000 GbE LAN
			■WLAN: Realtek RTL8822CE
			802.11a/b/g/n/ac (2x2) Wi-Fi® and
			Bluetooth® 5 combo MU-MIMO supported
			■Bluetooth: YES
			■Ports: "Side: 1 SuperSpeed USB Type-A
			5Gbps signaling rate (Battery Charging 1.2)
			Rear: 3 SuperSpeed USB Type-A 5Gbps
			signaling rate 1 SuperSpeed USB Type-C®
			5 bps signaling rate"
			■Card Reader: 3-in-1 memory card reader
			■Audio: Audio by B&O
			■Genuine Windows 11
			■Special Features: EPEAT® Bronze
			registered; ENERGY STAR® certified;
			Microsoft Office Home & Student 2019     Projected and American Student 2019
			Preinstalled All-in-One Ink Tank Printer Wi-Fi Duplex
7	unit	2	with ADF
			©Compact integrated tank design
			■Print speeds up to 15ipm for black and
			8.0ipm for colour  Balance Auto-duplex printing Fax and ADF
			, , ,
			capability / Ethernet &
			BPorderless Printing up to A4 size
			Borderless Printing up to A4 size      Spill from ink refilling
			■Spill-free ink refilling ■Control Panel: 2.4 " Colour LCD Touch
Ω	lot	1	Panel   AVR and UPS for Rootcrop Genomics
8	lot	ı	
			Automatic Voltage Regulator 6000VA (4
			Units)
			Uninterruptible power supply 3000VA (4
			units) UPS Battery Backup, 1500VA (4 units)
			Battery Charger for AA and AAA with 4
9	unit	2	I Dattery Criaryer for AA allu AAA Willi 4

			included
			■Overcharge Protection: Limits damage to
			batteries from overcharge
			■Safety Shut Off: Safety timer ensures
			charger is not active for extended periods of
			time
			■Bad Battery Detection: LED light will flash
			red when bad battery or non-rechargeable
			battery place in the charger.
			■Easy-to-read LED displays charging
			status
			■Red = Charging, Green = Good to Go!
			■"Bad battery" indicator light
			■Recharges 2 or 4 AA or AAA NiMH
			rechargeable batteries in 5 hours
			■With 4 AA NiMH Batteries included
10	рс	3	Canon cartridge 318 Black
	piece		•
11	S	1	Computer HD Webcam
			■1080P Full HD Webcam
			⊚Lens: HD lens
			Sensor Type: CMOS
			■Video Format: AVI
			■Frame Rate: at least 30FPS
			■Drive Type: free drive. Plug and play
			■Photo Format: BMP JPG
			■Resolution: 1920 * 1080 P
			■Output Format: M-JPEG
			■Interface Type: USB2.0
			■Microphone: Built-in microphone
			■Focusing Range: 20mm
12	pcs	1	Computer Keyboard USB
	P00		Standard Keyboard with 104 Keys
			Solution
			■Low Profile Key Caps
	+		Minimum Key Noise
			■ Laser Printing for Key Layout
			Spill Resistant Design
13	set	1	Computer Monitor 24", IPS
13	ડહા	ı	■Panel Size: Wide Screen 23.8"(60.5cm)
			16:9
			©Color Saturation : 72%(NTSC)
			■Panel Type : In-Plane Switching  ■True Resolution : 1920x1080
			Brightness(Max): 250 cd/m      Contract Patia (Max): 1000:1
			©Contrast Ratio (Max): 1000:1
			Response Time : 5ms (Gray to Gray)
			Display Colors: 16.7M  Display Colors: 16.7M
			Flicker free
14	unit	2	Computer Printer, All-in-
		<b>-</b>	One/Multifunction Colored-Ink Tank
			■Ultra-low-cost printing: Print up to 4,500
			pages in black and 7,500 in colour
			■Next generation ink filling system: Enjoy
			hassle and mess-free refills with the
			enhanced ink bottles
			■Wi-Fi, Wi-Fi Direct & apps: Print from
			mobile devices

	ı		
			■3-in-1: Print, copy & scan and borderless
			photo printing
			<ul><li>Nozzle Configuration: 180 Nozzles Black,</li><li>59 Nozzles per Color</li></ul>
			■Minimum Droplet Size: 3 pl, With Variable-
			Sized Droplet Technology
			■Ink Technology: Dye Ink
			■Printing Resolution: 5,760 x 1,440 DPI
15	рс	2	CPU (Central Processing Unit)
			■AMD A10-8770 Processor
			Motherboard compatible with the processor
			■Kingston 4GB DDR4-2666 Memory
			©CPU Casing w/ PSU
			■256GB SSD
16	unit	2	Crank Up Lighting stand
-10	dille		©Crank Up Lighting Stand
			■Features the Quick-N-Easy Gear Up for
			fast and easy adjustment.
			■All aluminum tubes and steel T-bar with
			clip for easy mounting construction
			reinforces and strengthens without excess
			weight.
			■Quick-N-Easy Gear Up for fast and
			simple adjustment square steel T-bar tubing
			for strength.
			■Length: 164-350cm(64.6-137.8")
			Base diameter: 72.4"
			■Load capacity: 45 kg folded size
			Desktop Computer System Unit only (i7
17	unit	1	10th Gen, with RTX 3060 Video Card)
			■Intel® Core™ i7-10700 Processor, 16M
			Cache, up to 4.80 GHz, 8 Cores and 16
			Threads
			■mATX motherboard with Intel z490
			Chipset, ultra durable components
			■16GB Kit (2 x 8GB) DDR4-3200 Desktop
			Gaming Memory
			■1TB 2.5-inch Solid State Drive
			■GeForce RTX™ 3060 graphics cards 6GB
			GDDR6
			■Blazing Fast Intel® 2.5GbE LAN with
			cFosSpeed
			■Built in Intel® WiFi 6 802.11ax + BT 5
			Module
			■mATX Compact Chassis
			■650W PSU 80 PLUS GOLD
			■Genuine Windows 10 OS
			■Genuine Microsoft office 2019 with
			perpetual license
40		4	Desktop Computer, Assembled, 12th
18	unit	1	Gen Core i5
			■Processor: Intel Core i5 12500 with Intel®
			UHD Graphics 770 processor graphics or
			higher
			■Motherboard: Intel® H610 Motherboard
			with 6+1+1 Hybrid Phases Digital VRM
			Design, PCIe 4.0* Design, Gen3 x4 M.2,
			mATX form factor, Anti-Sulfur Resistor or
	l		The contractor , And Canal Resistor Of

		1	
		1	higher ■Memory: 16GB (2x8) 3200MHz DDR4 or
			Memory: 16GB (2x8) 3200MHz DDR4 or   higher
			■SSD: 500GB 3D NAND SSD PCIe
			Gen3x4 or higher
			■Casing: MATX casing with acrylic side
			panels
			■Power Supply: 450Watts 80+ Bronze
			Certified with 120mm thermally controlled
			low-noise cooling fan
			■Monitor: 23" IPS FHD, 72% NSTC color
			gamut with 75Hz refresh rate
			■Operating System: Genuine Windows 11 ■ Continuous 11
			Pro
			Skeyboard and Mouse Combo: Spill-     Presistant design with up to Up to 5 million
			resistant design with up to Up to 5 million keystrokes (excludes number lock key)
			keyboard and full-sized ambidextrous
			optical mouse
			■500W IC controlled AVR
40			Desktop PC (Core i7 Branded, 10th
19	set	2	Generation)
			■CPU: Intel Core i7 10th Generation or
			higher
			■Storage: 256GB M.2 2280 PCI-E Solid
			State drive (SSD) + 1 TB 7200 rpm 3.5"
		ļ	SATA Hard Drive or higher
			■RAM: 8GB (8GBx1) DDR4 or higher
			■Graphics: NVIDIA GeForce GTX 1650
			4GB GDDR5 or higher  Monitor: at least 24" IPS Monitor FULL HD
			Monitor (1920x1080)
		1	■Aspect Ratio:16:9,
			■Response Time: at least 6ms GTG,
			■Refresh rate: at least 60Hz
			<b>◄</b> Color Gamut: at least 72% NTSC
			■Connectivity: 1 x HDMI 1.4, 1 x VGA
			■Wireless: Intel® Wi-Fi 6 2x2 (Gig+) and
			Bluetooth 5.1
		]	■Casing and PSU: Casing with at least 80+
			Bronze Power supply
			■Input: Wired Keyboard and Optical Mouse
			Speakers: 2.1 Multi-media Speakers
			■Total watts (RMS): at least 7 W
			(Subwoofer: 4 W, Satellites: 2 x 1.5
			W),(THD=10%)
			■3.5 mm input: 1
			◆Phone jack: 1 ◆Controls: Power and volume controls on
			wired control pod
		<del>                                     </del>	■ Bass control on back of subwoofer
			■OS: Licensed Windows 10 Home Single
			Language (64bit) English or Higher
	1		■Uninterruptible Power Supply (UPS): at
			least 600VA, at most 4 hours charging time
			least 600VA, at most 4 hours charging time  •Warranty: 3 Years warranty onsite visit
20	unit	1	
20	unit	1	■Warranty: 3 Years warranty onsite visit

			Programmable scenes.
			■8 adjustable potentiometer to adjust the
			output size.
			Built-in MIC head, and voice features.
			aAutomatically trigger state, the TAP SYNC
			button or the SPEED potentiometer to
			determine automatically trigger time.
			■MIDI interface, may at any time using the
			MIDI signal control.
			■4 LED digital display.
			■The first LED digitshows CHASES, the
			second digit led shows SCENES
			■The third and fourth led digit shows
			BANKS.
			■The second, third, fourth led digit show
			steps 0-255 or TIME.
			■BLACK OUT function can be used
			manually or MIDI remote control.
			■CHASES programming and CHASES run
			function can be used manually or MIDI
			remote control.
			Output delay function, the FADE TIME
			potentiometer to adjust the delay time.
0.4			DMX output polarity selection.
21	unit	1	Electric Paper Shredder
			■16 sheets shredder Infrared automatic
			paper feeding
			■Shredding Capacity: <10 Sheets/Shred
			■Shredding Medium: Photo
			■Shredding Medium: Card
			■Shredding Medium: CD
			■Shredding Medium: Paper
			<b>©</b> Capacity: <50L
			■Power: Electricity
			■Shredder Type: Cross-Cut
			■Security grade: s4
			■Volume: 30L
			■Power: 400w
			External Hard Disk Drive (Portable, 1TB),
22	unit	2	USB 3.1
			■Shock-absorbing
			■Snock-absorbing ■Interface: USB 3.1 (Max.5Gb/s)
			©Capacity: 1TB
			Texture: Plastic/Rubber
			■Operating Voltage: DC 5V, 900mA
			■System Requirements: Windows XP /
			Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or
	ļ., l		later, Linux Kernel 2.6 or later
23	piece	2	Flash Drive, at least 32GB USB 3.0
24	unit	4	Flight Case LED Par 8s
			■Fits for 8 pcs LED PAR Lights
			■Heavy Duty Honeycomb Design
			■Twist Lock
			■Heavy Duty Wheels
			■Aluminum Corners
_			Headset (Wired), Generic Over the Far
25	pcs	2	Headset (Wired), Generic Over the Ear with mic

	<del>, , ,</del>		andrellen and L. M
			controller, one key Mic mute,
			■Frequency Range:20-20K(Hz)
			■Sensitivity:-52(dB)
			■Impedance:32(Ohm)
			■Speaker Diameter:40(mm)
			■Distortion Rate:0.8%
			■Plug Diameter:3.5mm
26	pcs	2	Ink Cartridge, HP680, black
27	btl	37	Ink, Epson 003, Genuine Black 65mL
28	btl	14	Ink, EPSON 003,Genuine Cyan 65mL
29	btl	14	Ink, EPSON 003, Genuine Magenta 65mL
30	btl	14	Ink, EPSON 003, Genuine Yellow 65mL
31	piece s	2	Ink, Epson, genuine (C) T664, 70 ml
32	piece s	2	Ink, Epson, genuine (M) T664, 70 ml
33	piece	2	
33	S		Ink, Epson, genuine, (BK) T664, 70 ml
34	piece s	2	Ink, Epson, genuine, (Y) T664, 70 ml
			Jack Connector 6.35 mm Cable Mount
35	pcs	20	Stereo Plug, 3Pole 10A
			<b>■</b> <i>Male, 6.35 mm</i>
			<b>©</b> Cable Mount
			■Type: Stereo
			■Body Orientation: Straight
			■Termination Method: Solder
			■Contact Plating: Nickel
			■Current Rating: 10A
			■Housing Material: Zinc Alloy
			■Contact Material: Brass
			■No of Poles/ Way: 3
36	рс	2	Laptop 14", Core i5 11th Gen, 8GB RAM, 512GB SSD
			■Processor: Intel® Core™ i5-1155G7 (up
			to 4.5 GHz with Intel® Turbo Boost
			Technology(2g), 8 MB L3 cache, 4 cores, 8
			threads) or higher
			■8 GB DDR4-3200 MHz RAM (2 x 4 GB) or
			higher
			■512 GB PCIe® NVMe™ M.2 SSD or
			higher
			■14" FHD (1920 x 1080), multitouch-
			enabled, IPS, edge-to-edge glass, micro-
			edge, 250 nits, 45% NTSC
			■Graphics: Intel® Iris® Xe Graphics
			Batt: 3-cell, 43 Wh Li-ion polymer
			©WLAN: Realtek Wi-Fi CERTIFIED 6™
			(1x2) and Bluetooth® 5.2 combo
			(Supporting Gigabit data rate) MU-MIMO
			supported "
			■Bluetooth: YES
			■Ports: 1 SuperSpeed USB Type-C®
			10Gbps signaling rate,2 SuperSpeed USB
			Type-A 5Gbps signaling rate; 1
			headphone/microphone combo; 1 AC smart
			pin; 1 HDMI 2.0
			■Audio: Dual speakers; Audio by B&O

	1		I == =
			■ENERGY STAR® certified; EPEAT®
			Silver registered;
			■Genuine Windows 10 Home
			■Microsoft Office Home & Student
			Preinstalled
37	рс	1	Laptop 14", i5 11th Gen, 8GB RAM
			■Intel Core i5-1135G7 or higher
			■8 GB LPDDR4 SDRAM or higher
			■14" IPS TFT FHD 1920 x 1080
			■Intel® Iris® X Graphics
			■512 GB NVMe SSD
			■Lithium Ion (Li-Ion) 42WHrs
			■WLAN: Intel Wireless Wi-Fi 6 AX201
			■Bluetooth Standard: 5.1
			■Genuine Windows 10 Operating System
38	unit	6	Laptop, 14" (i7)
			■Processor: Intel Core i7 10th generation or
			higher
			■Graphics: NVIDIA GeForce MX250 at
			least 2GB GDDR5
			■Memory: at least 8GB DDR4-2666
			■Storage: at least 256GB SSD M.2 + 1TB
			HDD
			■Display: 14" FHD (1920x1080) IPS
			250nits Anti-glare
			■Touchscreen: None
			■Optical: None
			■Media Reader: 4-in-1 Card Reader
			<b>■</b> Ethernet: None
			■WLAN + Bluetooth
			<b>©</b> Camera: at least 720p
			■Microphone: at least 2x, Array
			■Operating System: licensed Windows 10
			Home or Pro
			■Bundled Software: Microsoft Office
			Perpetual License
			■Repair and replacement should be at most
			3 month from returning the unit
			■at least 3 years Warranty
			■FREE: Backpack
39	piece	1	
00	S		Mouse, Wired, Optical, USB
			■USB Port Connectivity
			■Sensor: Optical
		_	■DPI: 1600
			■Work method: Wired
	]		■Buttons: Left button, middle button, right
			button
			■Scroll wheel direction: Two way
-			■Design highlights: Easy installation. 1600
			DPI high-definition tracking engine. Anti-slip
			scroll wheel. Full-size, ambidextrous design
40	piece	1	
+0	S	ı	Paper shredder machine, heavy duty
			■Shred Type: Cross Cut
			■Maximum Sheet capacity(70gsm) : 10
			Sheets
			■Waste Container capacity: 21 Liters

		ı	
			■Power Source: 220 - 240 VAC
41	unit	1	Power Controller 10 Channel Audio
			■Power Controller 10 Channel Titanium
			audio
			■10 lighted switches on front panel
			■15 amps. resettable circuit breaker on
			front panel
			■8 grounded AC sockets on rear of the unit
			■Maximum load: 15 amps 0r 1800 watts
42	set	8	Stage Light Outdoor RGB 18 x 18 flat Par LED Mini
			■Stage Light Outdoor RGB 18 x 18 Flat Par
			LED mini 64 warm White
			■Color Temperature: 3500k( warm White )
43	set	8	Stage Lights Bar, Yeesite 72W 24LEDs RGB Wash Lights DMX Control LED
			■Stage Lights Bar, 72W 24LEDs RGB
			Wash Lights DMX LED Wall Washer Light
			Uplight
			■40 inch Long Professional grade indoor
			linear bar powered 24x3-Watt LEDs
			■Light Source: 24 TRI LEDs(RGB)
			■Power Draw: 72 watts
			■40- degree beam angle provides vibrant
			and broad light beam to wash stage, wall
			and dance floor
			■Power Linking: Max 10 units at 120 Volts
			or 27 units at 230Volts
44	pcs	2	Transmitter Receiver Kit portable (4 pcs)
			■Transmitter Receiver Kit Portable 2.4G
	1		ISM Wireless Stage Light lighting fixtures
			■High effective GFSK module,
			communication design; 126 channels
	-		jumping frequency automatically, high
			■anti-jamming ability, to ensure that works reliability
45	unit	4	Universal HDMI to VGA Adapter Cable,
70	unit	_	at least 1.8 meters
			■Universal HDMI to VGA Adapter Cable
46	unit	1	UPS 800W ( for Computer)
			■Charging time: At most 4 hours
47	unit	1	Video Camera
			■TYPE: Handheld and lightweight
			■SENSOR TYPE: 1/5.8 type (3.1 mm)
			(0.12 in) back-illuminated Sensor
			■EFFECTIVE PIXELS (VIDEO): approx.
			2.29 Megapixels (16:9)
			©LENS TYPE: ZEISS
	1		■OPTICAL ZOOM: at least 30x
			■CLEAR IMAGE ZOOM: at least 60x
			■SCREEN TYPE: at least 6.7 cm (2.7 type)
			Clear Photo LCD display (230 400 dots)
			Wide (16:9)
			■STORAGE MEDIA: XAVC S HD: Micro
			SDXC Memory Card (Class 10 or Higher),
			AVCHD, Still: Memory Stick Micro™ (Mark
			2), Micro SD/SDHC/SDXC Memory Card
	-		(Class 4 or Higher)
	Ì	Ī	■AUDIO: Built-in microphone

			■AUDIO RECORDING FORMAT: Dolby	
			Digital 2ch Stereo, Dolby Digital Stereo	
			Creator10, MPEG-4 AAC-LC 2ch11,	
			MPEG-4 Linear PCM 2ch (48 kHz/16 bit),	
			etc.	
			■RECORDING FORMAT (VIDEO): AVCHD	
			format ver. 2.0 compatible: MPEG4-	
			AVC/H.264, MP4: MPEG-4 AVC/H.264,	
			XAVC S format MPEG4-AVC/H264	
			■INCLUSIONS: Storage media card,	
			battery, connection chords	
48	no	2	Water Dispenser, Cabinet type	
40	рс			
			■Floor standing	
			■Hot and cold function	
			■plastic body,high efficiency compressor	
			■thermally protected	
49	set	20	Waterproof LED Parabolic Aluminized	
70	301	20	Reflector (PAR) Lights for Stage Events	
			■Light Source:18X18w RGBWA	
			■Beam Angle: 25 Degree	
			■Waterproof: IP65	
			■Housing: Aluminum	
			■Style :DMX Stage Light	
			■Power:300W	
			■Color: 6000k(daylight)	
50	pcs	1	Web Camera for Laptop and Desktop	
	Poo	•	■About 360 degrees, rotate up and down	
			45 degrees, you can adjust the angle.	
			With clips for laptops and desktops.	
			Sensor pixels: 2 million	
	1		■Serisor pixeis. 2 million ■Interface: USB 2.0	
	-		©Frame rate: 30 FPS	
			■Image sensor: CMOS	
			■Brightness/color: automatically adjusts	
		_	Additional features: built-in microphone	
51	unit	3	Web Camera for PC	
	<u> </u>		■Image sensor: 1 / 2.9	
	ļ		<b>©</b> Lens: 3.6mm/75.7 °	
			■Effective pixel: 1932 (H) * 1088 (V)	
			■Horizontal resolution: 2MP	
			■SNR: > 50dB	
			■Video stream: H.264:1920 * 1080 / 1920 *	
			720 / 640 * 360 MJPEG: 1920 * 1080 /	
			1920 * 720 / 640 * 360	
			■Video Frame rate: 25FPS / 30FPS	
			©Electronic shutter: Auto	
			©Protocol: UVC / UVA	
			■ Video output: USB video stream	
			■Working voltage: DC5V / 160mA ± 6mA	
	1:		<b>■</b> Working environment: -20 °C to 60 °C	
52	licen	2	W	
	ses		Windows 10 Operating System	
	ļ		■Genuine Windows 10 Volume License	
53	unit	2	Wireless Microphone Mic System, 2.4G,	
55	uriit		6 channels	
			=2 4C windless Misron bans Mis System 6	
			■2.4G wireless Microphone Mic System 6	
			channels XLR Connection Built-in	

	1	1	
			■Compact size 2.4G wireless microphone
			system, XLR connection, easy to use
			■less than 4ms ultra-low latency, clear and
			stable signal transmission
			■32bit/48Khz high resolution audio quality
			■Built -in rechargeable lithium battery
54	рс	1	Wireless N Router (300Mbps) with 4-LAN
			Port
			■300Mbps wireless transmission rate ideal
			for both bandwidth sensitive tasks and
			basic work
			■Easy wireless security encryption at a
			push of WPS button
			■IP based bandwidth control allows
			administrators to determine how much
			bandwidth is allotted to each PC
			■WDS wireless bridge provides seamless
		ļ	bridging to expand your wireless network
		ļ	■Interface: 4 10/100Mbps LAN PORTS
		ļ	■1 10/100Mbps WAN PORT
		ļ	Button: WPS/RESET Button
		ļ	■External Power Supply: 9VDC / 0.6A
		1	Wireless Standards: IEEE 802.11n, IEEE
			802.11g, IEEE 802.11b
55	pcs	60	XLR 3 Pole Female, Stamped Contacts,
	F		Nickel Finish
			■XLR 3 pole female, stamped contacts,
			nickel finish.
			■Ergonomic stylish sleeve design for
			improved grip.
			Oversized latch lever preserves your  Output  Description for the lead to be a lea
			thumb. Leading first mate last break pin 1
			on socket connectors.
			©Chuck style cable clamp to suit 3mm -
			8mm (0.118" - 0.314") cable.  ©Overmolded cable support boot
			©Precision machined pin contacts
			©Compact 2.5mm (14AWG) solder buckets
			■Zinc diecast shell housing with Satin nickel finish.
56	ncc	60	XLR male connector
50	pcs	00	
		<del>                                     </del>	■Standard XLR Male 3pin ■Nickel Contact Plating
		<del>                                     </del>	Mating Cycles: 1000 Cycle
		<del>                                     </del>	Rebidding (from GOODS-22-37)
57	200	5	Canon PIXMA, 830 (Black Ink)
5 <i>1</i>	pc	3	Cover for CPU (Mini Tower) (package)
50 59	set	3	Cover for keyboard
60	pc	4	Ink Cartridge Canon G2010
61	pcs	2	
וט	unit		Megaphone   Bullhorn
		-	
			1000 yard range
			For indoor and outdoor use
			Built-in siren
			Built-in siren 40 W amplifier
			Built-in siren 40 W amplifier Built-in mic
62	unit	1	Built-in siren 40 W amplifier

			Turingle on milene ule and
			wireless microphone
			■15" 2 Way 480 Watts Powered Portable
			Sound System
			■Plastic Cabinet
			■AC220V or DC12V (With built-in
			Rechargeable Batteries)
			■With 2 Wireless Microphone
			■With 2 Mic Input (1 XLR, 1 PL55)
			■With FM Radio, Bluetooth, Guitar Input
			(Shared with Mic 2 input), USB & SD Port
			■With 5 Band Equalizer and LCD Display
			■With Aux / Line In and Line Out
			■With Remote Control, Handle and Wheel
63	рс	1	Bluetooth Wireless Speakers, 20W RMS,
	РО	· ·	IPX7 waterproof
			Bluetooth version: 5.0
			Supported formats: mp3,ape,FLAC,wav
			Output Power: 20W RMS
			Frequency response: 80hz-18kHZ
			Signal-to-noise ratio: 80±2db
			Battery type: 3.7V/5200mAh
			Battery charge time: ≤3 hours
			Power supply: Type-c 5V/1A
			Music playing time: up to 8 hours(varies by
			volume level and audio content)
			Waterproof: IPX7
			Support Voice Assistant
			Support 3 music mode
			Support TWS function (connect 2 speakers)
			3 Playing Mode: Bluetooth/TF card/AUX in
64	unit	1	Lapel Voice Amplifier
<u> </u>	Gint		■Compact, portable and lightweight
			■ Lithium-ion power body-pack amplifier
			■Power Output: 30W
			■Mode: USB/MP3/FM
			©Charger Voltage: 10V 450mA
			©Frequency response: 100Hz-10KHz±3dB
			Set of: 1 Voice Amplifier, 1 Power
			Adaptor, 1 Headset Microphone, 1 Body-
		L	pack case, 1 Belt Strap, 1 User Manual

# Section VIII. Checklist of Technical and Financial Documents

## **Checklist of Technical and Financial Documents**

### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

Leg	al Do	cuments
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	or Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and
	(c)	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and
	(d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
	Note & (d)	: If the bidder submits item (a), bidder may not submit requirements (b), (c)
Tec	hnica	l Documents
	(f) (g)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; <b>and</b> Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid in the amount of <u>at least 50% of the ABC</u> or
		at least Nine Hundred Thirty-One Thousand One Hundred Twenty Pesos (PhP 931,120.00);
		Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to <u>at least 50% of the ABC</u> or <b>at least Nine Hundred Thirty-One Thousand One Hundred Twenty Pesos (PhP 931,120.00)</b> and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or <b>at least Four Hundred Sixty-Five Thousand Five Hundred Sixty Pesos (PhP 465,560.00)</b> ; and
	(h)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  or
	(i) (j) (k) (l)	Original copy of Notarized Bid Securing Declaration; <a href="mailto:and">and</a> Conformity with the Technical Specifications; <a href="mailto:and">and</a> Schedule of Requirements/production and delivery schedule; <a href="mailto:and">and</a> Manpower requirements; <a href="mailto:and">and</a> After-sales service/parts; <a href="mailto:and">and</a>

$\square$ (m)	Original duly signed Omnibus Sworn Statement (OSS);		
_	and if applicable, Original Notarized Secretary's Certificate in case of a		
	corporation, partnership, or cooperative; or Original Special Power of		
	Attorney of all members of the joint venture giving full power and authority		
	to its officer to sign the OSS and do acts to represent the Bidder.		
	to its officer to sign the OBS and do acts to represent the Bidder.		
Financia	l Documents		
(n)	The Supplier's audited financial statements, showing, among others, the		
	Supplier's total and current assets and liabilities, stamped "received" by the		
	BIR or its duly accredited and authorized institutions, for the preceding		
	calendar year which should not be earlier than two (2) years from the date of		
	bid submission; and		
$\square$ (a)	The prospective bidder's computation of Net Financial Contracting		
(o)	Capacity (NFCC) – at least equal to ABC ( <b>PhP 1,862,240.00</b> );		
	or		
	A committed Line of Credit from a Universal or Commercial Bank in lieu		
	of its NFCC computation (at least 10% of ABC or <b>PhP 186,224.00</b> ).		
II. FINANC	IAL COMPONENT ENVELOPE		
(a)	Original of duly signed and accomplished Financial Bid Form; and		
(b)	Original of duly signed and accomplished Price Schedule(s).		

# Guidelines on the Preparation of Electronic Bid (e-Bid) (for bidders who prefer electronic bid submission)

- 1. Convert all documents into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration	PhilGEPS
	(Platinum)	
2.	Registration Certificate (SEC/DTI)	Registration Certificate
3.	Mayor's/Business Permit	Mayor's-Business Permit
4.	Tax Clearance	Tax Clearance
5.	Statement of On-Going Government	Statement of On-Going
	& Private Contracts	Contracts
6.	Statement of Bidder's Single Largest	SLCC
	Completed Contract	
7.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
8.	Bid Security	Bid Security
9.	Technical Specifications	Technical Specifications
10.	SCHEDULE of	Schedule of Requirements
	Requirements/Production and	
	delivery schedule	
11.	Manpower Requirements	Manpower Requirements
12.	After Sales service/parts	After Sales
13.	Omnibus Sworn Statement	Omnibus Sworn Statement
14.	Audited Financial Statements	Audited Financial Statements
15.	Net Financial Contracting Capacity	NFCC
16.	Committed Line of Credit	CLC
17.	Bid Form	Bid Form
18.	Price Schedule	Price Schedule

- 3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII. The second folder should contain all requirements under Financial Component checklist.
- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Ms. Jessamine C. Ecleo at **jessamine.ecleo@vsu.edu.ph** before the deadline (September 2, 2022; 1:30 PM).



