



VISAYAS
STATE UNIVERSITY

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Supply and Delivery of Electrical and Construction Supplies (VSU-GOODS-23-47)

Government of the Republic of the Philippines

November 22, 2023; 9:00 AM
BAC Conference Room, VSU Market, Visca, Baybay City, Leyte
City, Leyte and via Zoom

Sixth Edition
July 2020

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	3
Section I. Invitation to Bid.....	6
Section II. Instructions to Bidders.....	29
1. Scope of Bid	30
2. Funding Information.....	30
3. Bidding Requirements	30
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	30
5. Eligible Bidders.....	30
6. Origin of Goods	31
7. Subcontracts	31
8. Pre-Bid Conference	31
9. Clarification and Amendment of Bidding Documents	31
10. Documents comprising the Bid: Eligibility and Technical Components	31
11. Documents comprising the Bid: Financial Component	32
12. Bid Prices	32
13. Bid and Payment Currencies	33
14. Bid Security	33
15. Sealing and Marking of Bids	33
16. Deadline for Submission of Bids	33
17. Opening and Preliminary Examination of Bids	34
18. Domestic Preference	34
19. Detailed Evaluation and Comparison of Bids	34
20. Post-Qualification	35
21. Signing of the Contract	35
Section III. Bid Data Sheet	36
Section IV. General Conditions of Contract	37
1. Scope of Contract	38
2. Advance Payment and Terms of Payment	38
3. Performance Security	38
4. Inspection and Tests	38
5. Warranty	39
6. Liability of the Supplier	39
Section V. Special Conditions of Contract	40
Section VI. Schedule of Requirements	46
Section VII. Technical Specifications	66

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])
LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



INVITATION TO BID FOR SUPPLY AND DELIVERY OF HARDWARE AND CONSTRUCTION SUPPLIES

1. The *Visayas State University* through the *GF, STF, and TF* intends to apply the sum of *Eight Million Seven Hundred Thirteen Thousand Nine Hundred Thirty-Two Pesos (PhP 8,713,932.00)* being the ABC to payments under the contract for *Supply and Delivery of Electrical and Construction Supplies (VSU-GOODS-23-47)*). Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University*, through the *GF, STF, and TF* intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item #	Description	Unit	Qty	Unit Price	Total Price
1	24V Cordless Grass Cutter 2 Lithium battery Electric Brush trimmer 650W power outdoor telescopic Lawn mower	pc	1	2,000.00	2,000.00
2	50 watts LED spotlight RGB flood light multicolor	set	3	2,000.00	6,000.00
	<i>LED spotlight RGB flood light</i>				
	<i>Multicolor with changing color dimming lights outdoor</i>				
	<i>Round type</i>				
	<i>230V AC supply</i>				
3	AC Water Pump with Pressure Switch	pc	1	15,000.00	15,000.00
	<i>Fitted with an electronic pressure switch that starts and stops the pump as required when a tap is turned on or off. The pump is also protected against dry running.</i>				
	<i>Motor connection: SINGLE PHASE</i>				
	<i>Motor power (HP): 0.75</i>				
	<i>Absorption at 230V (A)": 3.9</i>				
	<i>Suction mouth: 1 "</i>				
	<i>Delivery port: 1 "</i>				
	<i>Body Pump</i>				
	<i>Flow rate min. (l./min.): 5</i>				
	<i>Max flow (l./min.): 60</i>				
	<i>Min head (m.): 17</i>				
	<i>Max head (m.): 48</i>				
4	Acrytex Cast	gal	4	750.00	3,000.00
5	Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" X 20 ', Standard	L	20	1,000.00	20,000.00
6	Angle Bar, 1/4"(thickness) x 2" x 2" x 20', standard	length	40	1,300.00	52,000.00
	<i>Premium Grade</i>				
7	Angle Grinder 4"Ø, Cordless, (Rechargeable)	set	1	10,500.00	10,500.00
	<i>Rechargeable Lithium-Ion Battery</i>				
	<i>Heavy Duty and Durable Brushless DC motor</i>				
	<i>Wheel Diameter: 100mm (4")</i>				
	<i>No speed load: at least 8,500 rpm</i>				

	<i>Dimension (mm): at least 362 x 117 x 146</i>				
8	Anti UV 85% Sun Shade Net black Outdoor Garden Net Farm Net Greenhouse Net Sunscreen	roll	2	1,800.00	3,600.00
	<i>Sun shade net</i>				
	<i>Color: Black</i>				
	<i>Dimension (LXW): 1x50M</i>				
	<i>Function: Shading heat insulation, humidity reduction</i>				
	<i>Applicable scene: Garden, Plants shade, Greenhouse</i>				
	<i>For additional details see/click this: https://shopee.ph/Anti-UV-85-Sun-Shade-Net-black-Outdoor-Garden-Net-Farm-Net-Greenhouse-Net-Sunscreen-i.629186964.19606640846?sp_atk=d9f0aff-2ed2-4996-8a76-7634647af143&xptdk=d9f0aff-2ed2-4996-8a76-7634647af143</i>				
9	Blind Rivets, 5/32" x 1/2" at least 1000 pcs. per box	boxes	2	1,100.00	2,200.00
10	Bulb Socket, PVC	pc	20	50.00	1,000.00
	☑Standard size,				
	☑round,				
	☑ISO Certified and Good Quality				
11	Bulb, LED, 15W	pc	20	300.00	6,000.00
	☑Wattage: 15 Watts				
	☑Lumens: 1521				
	☑Color Temp. : Daylight				
	☑Beam Angle: 200 degrees				
	☑Voltage: 170-240 V AC 50/60Hz				
	☑Bulb Holder: E27				
	☑Life Hours: 15,000 hrs.				
	☑Material: PC cover & Aluminum PCB				
12	Bulb, LED, 9W	pc	60	150.00	9,000.00
13	Cabinet Door Catches	pc	54	250.00	13,500.00
	<i>Magnetic Push to Open Catches, Good Quality</i>				
14	Cabinet handle, 3" (Plastic)	pc	100	50.00	5,000.00
	<i>Pull in Type, Good Quality</i>				
15	Cabinet Hinges, 1" x 2"	pair	100	100.00	10,000.00
16	Carrying Channel, 12mm x 38mm x 5mm, 1.0mm(thickness), 5 Meters long	pc	35	280.00	9,800.00
17	Cement Waterproofing Compound, 1kg/pack	pack	12	200.00	2,400.00
	<i>Good Quality</i>				
18	Cement, (PVC) Solvent, 400cc/can	can	5	250.00	1,250.00
	<i>Premium Quality</i>				
20	Cement, Portland	bag	197	330.00	65,010.00
	☑Type 1P, Premium Quality☑ASTM C150;				
21	Cement, Rubber, Contact adhesive	btl	12	95.00	1,140.00
	<i>Premium Quality, at least 300ml per bottle;</i>				
22	Circuit breaker box type 30 amperes (Single Phase)	set	1	650.00	650.00
23	Coco Lumber, 2" x 4" x 12'	pc	20	240.00	4,800.00
	<i>Good quality;</i>				
24	Copper Wire Fairy String Lights 200 bulbs waterproof (COOL WHITE)	pc	10	360.00	3,600.00
25	C-Purlins 2" x 3" x 1.20 mm	pc	50	850.00	42,500.00
26	Crimping Terminal Lug for cable insulated fork type 100 amperes capacity heavy duty	pc	50	90.00	4,500.00
27	Crimping Terminal Lug for cable insulated fork type	pc	50	150.00	7,500.00

	125 amperes capacity heavy duty				
28	Crimping Terminal Lug for cable insulated fork type 15 amperes capacity heavy duty	pc	200	10.00	2,000.00
29	Crimping Terminal Lug for cable insulated fork type 150 amperes capacity heavy duty	pc	50	200.00	10,000.00
30	Crimping Terminal Lug for cable insulated fork type 175 amperes capacity heavy duty	pc	50	200.00	10,000.00
31	Crimping Terminal Lug for cable insulated fork type 20 amperes capacity heavy duty	pc	200	10.00	2,000.00
32	Crimping Terminal Lug for cable insulated fork type 200 amperes capacity heavy duty	pc	50	200.00	10,000.00
33	Crimping Terminal Lug for cable insulated fork type 30 amperes capacity heavy duty	pc	200	30.00	6,000.00
34	Crimping Terminal Lug for cable insulated fork type 300 amperes capacity heavy duty	pc	50	300.00	15,000.00
35	Crimping Terminal Lug for cable insulated fork type 350 amperes capacity heavy duty	pc	50	300.00	15,000.00
36	Crimping Terminal Lug for cable insulated fork type 40 amperes capacity heavy duty	pc	200	30.00	6,000.00
37	Crimping Terminal Lug for cable insulated fork type 400 amperes capacity heavy duty	pc	50	350.00	17,500.00
38	Crimping Terminal Lug for cable insulated fork type 60 amperes capacity heavy duty	pc	200	50.00	10,000.00
39	Crimping Terminal Lug for cable insulated fork type 70 amperes capacity heavy duty	pc	50	50.00	2,500.00
40	Crimping Terminal Lug for cable insulated fork type 80 amperes capacity heavy duty	pc	50	90.00	4,500.00
41	Door Knob	pc	25	1,000.00	25,000.00
	■Interior Type Cylindrical Door Knob Lockset				
	■Good Quality				
42	Electric Hand Drill, (Cordless)	unit	1	10,000.00	10,000.00
	Heavy Duty 1/2" Hammer Drill (Black/Blue)				
	Continuous rating input: 430W				
	Capacity on concrete: 13mm (1/2")				
	Capacity on steel: 13mm (1/2")				
	Capacity on wood : 18mm (11/16")				
	No load speed : 0-2,700rpm				
	Blows per minute: 0-29,700bpm				
	Overall Length: 278mm (10-7/8")				
	Double insulated				
	Made in Japan				
	Net weight: 1.7 kg (3.7lbs)				
	Power supply cord: 2 meters (6.6feet)				
43	Electrical (PVC) Long Sweep Elbow, 3/4" x 90deg	pc	100	75.00	7,500.00
44	Electrical (PVC), Long Sweep Elbow, 1/2" x 90deg	pc	100	50.00	5,000.00
45	Electrical (PVC), Long Sweep Elbow, 2" x 90deg	pc	20	160.00	3,200.00
46	Electrical Aircon Outlet, 1 gang (flush type)	set	10	250.00	2,500.00
47	Electrical Conduit (PVC) Orange, 1"(32mm) x 3m	length	200	250.00	50,000.00
	Sched 40, Durable, Good Quality				
48	Electrical Conduit (PVC) Orange, 2"(63mm) x 3m	length	110	300.00	33,000.00
	Sched 40, Durable, Good Quality				
49	Electrical Conduit, (PVC) Orange, 1/2" x 3m	length	300	100.00	30,000.00
50	Electrical Conduit, (PVC) Orange, 3/4"	length	300	110.00	33,000.00

51	Electrical PVC Clip, 20mm/ 1/2" diameter	pc	600	5.00	3,000.00
52	Electrical PVC Conduit 20 mm diameter	length	30	90.00	2,700.00
53	Electrical PVC elbow 2"	pc	5	200.00	1,000.00
54	Electrical Square Box (PVC), 4" x 4"	pc	100	100.00	10,000.00
55	Electrical Switch, 2-gang, Flush type	pc	50	200.00	10,000.00
56	Electrical Switch, 3 Gang (Flush type)	set	50	250.00	12,500.00
57	Electrical Switch, Single (Flush type)	set	50	150.00	7,500.00
58	Electrical Tape, Vinyl	roll	16	75.00	1,200.00
	☑Flame retardant and compatible with plastic cable and wire harness insulations				
	☑Flexible PVC with aggressive rubber adhesive				
	☑Primary electrical insulation for all wire and cable splices rated up to 600 volts.				
	☑19mm x 16m x 0.155mm				
	☑Heavy Duty				
	☑ASTM approved				
59	Electrical Wire, AWG 1/0 (50 mm ²) THHN/THWN, 150 meters per roll	roll	1	60,000.00	60,000.00
60	Electrical Wire, THHN / THWN, AWG 10 (5.5mm ²), Stranded, 150 meters/box	boxes	20	8,500.00	170,000.00
	☑Building Wire				
	☑Stranded with Nylon Insulation				
	☑Gauge 10				
	☑UL listed				
61	Electrical Wire, THHN / THWN, AWG 12 (3.5mm ²), Stranded, 150 meters/box	boxes	20	6,300.00	126,000.00
	☑Building Wire				
	☑Stranded with Nylon Insulation				
	☑Gauge 12				
	☑UL listed				
62	Electrical Wire, THHN / THWN, AWG 14 (2.0mm ²), Stranded, 150 meters/box	boxes	10	4,500.00	45,000.00
	Building Wire (Green Color)				
	Stranded with Nylon Insulation				
	Gauge 14				
	UL listed				
63	Electrical Wire, THHN/THW AWG 1 (38 mm ²), Stranded wire	meter	200	400.00	80,000.00
64	Electrical Wire, THHN/THW AWG 4/0(100 mm ²), Stranded wire	meter	300	850.00	255,000.00
65	Electrical wire, THHN/THWN 250 MCM/150MM ² 600 Volts, Stranded Wire	meter	500	1,900.00	950,000.00
66	Electrical Wire, THHN/THWN, AWG 8 (8mm ²), Stranded, 150 meters/box	boxes	6	9,750.00	58,500.00
	☑Building Wire				
	☑Stranded with Nylon Insulation				
	☑Gauge 8				
	☑UL listed				
67	Electrical, 2 gang convenience outlet with ground (flush type)	set	200	300.00	60,000.00
68	Electrical, Junction Box (Octagonal) with cover, PVC	pc	200	45.00	9,000.00
69	Electrical, Utility Box, 2" x 4"(Surface Type)	pc	300	35.00	10,500.00
70	Emergency Light, 2 x 3 Watts	pc	87	2,500.00	217,500.00

	Good quality				
	Durable				
	Dome reflector for wider light distribution				
	Automatic Operation (turns on instantly when power is cut-off)				
	Equipped with Overcharging protection				
	Fuse protected				
	Illuminates areas more than 1 lux				
	Light Source: 2x1W High Power SMT LED				
	Battery: 4V 4.0Ah - 6V 4.5Ah Sealed Lead Acid				
	Charging Time: <20 hours				
	Performance Time:≤6 hours (at full charge)				
71	Faucet, (PVC) Ball Valve	pc	10	60.00	600.00
	Durable, Good Quality				
72	FiCem Screw Flat head, 1-1/2"	pc	4500	1.00	4,500.00
73	Formica sheets, (White), 4' x 8', Plain White	sheet	5	1,500.00	7,500.00
	Good Quality				
74	G.I. Tie Wire #14	kl	5	140.00	700.00
	Good Quality				
75	G.I. Tie Wire #16	kl	10	90.00	900.00
	Good Quality				
76	Galvanized welded wire mesh, gauge 16, 1 inch hole size, 4ftx30meters	roll	2	7,000.00	14,000.00
77	Garden Hose Nozzle Spray	pc	1	200.00	200.00
	Heavy Duty, Good Quality				
78	Garden Hose, 1/2"Ø, at least 50 meters per roll	roll	1	2,050.00	2,050.00
79	Good Lumber Wood 2x2x12 (s4s)	pc	10	500.00	5,000.00
	2x2x12 (s4s)				
80	Good lumber, 2" x 3" x 10'	length	5	600.00	3,000.00
81	Good Lumber, 2" x 6" x 12'	pc	208	1,500.00	312,000.00
	Good Lumber;				
82	GRASS CUTTER, 4 stroke	unit	3	23,000.00	69,000.00
83	Grass/Brush cutter (Four Stroke Engine)	unit	5	25,000.00	125,000.00
	☑Engine: 4 stroke engine				
	☑Handle type: both hands				
	☑Power transmission method: automatic centrifugal clutch, spiral gear				
	☑Displacement Volume (cc): 41.5				
	☑Carburetor: Float, piston valve				
	☑Starting Method: Recoil starter				
	☑Stopping Method: Sparking Circuit Primary Short				
	☑Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)				
	☑Lubricating Oil Used: 2-cycle engine oil				
	☑Fuel Tank Capacity (L): 1				
84	Gravel, 3/4" size	cu.m.	1	1,500.00	1,500.00
85	Hinges, Loose Pin, 4"x4"	pc	25	250.00	6,250.00
	Heavy Duty, Good Quality				
86	Inverter Type Portable Welding Machine	set	1	15,000.00	15,000.00
	Inverter, IGBT, DC, 300A;				
87	Ladder, Extension, Aluminum, Sliding, 16' extension	unit	1	16,800.00	16,800.00
88	LED bulb ,11 watts, At least 1050 Lumens, Warm white	pc	30	350.00	10,500.00
89	LED Bulb, 11 watts (Daylight)	pc	230	300.00	69,000.00

90	LED Bulb, 9 watts	pc	200	150.00	30,000.00
91	LED Fluorescent tube (Single) with housing (T8), 18 watts, 4ft (daylight)	set	200	600.00	120,000.00
92	Good Lumber, 1" x 2" x 10'	pc	10	200.00	2,000.00
93	Metal Furring, 1" x 2" x 6m	length	80	400.00	32,000.00
94	Metal pull box for electrical gauge with cover 4" x 10" x 10"	assy	20	800.00	16,000.00
95	Metal pull box for electrical gauge with cover 6" x 12" x 12"	assy	20	1,300.00	26,000.00
96	Metal pull box for electrical gauge with cover 6" x 8" x 8"	assy	20	700.00	14,000.00
97	Mosquito Net for Windows, Aluminum/Stainless, 3'	meter	20	80.00	1,600.00
98	Mounting Screw and Nut, set (arduino) M3	set	6	250.00	1,500.00
	Hex Screw Nut Assortment Kit in box				
	Hex Spacers/ Screws/ Nuts Assorted Kit				
	M3 - 0.5				
	Good quality				
99	Nails, Common Wire, 1"	kl	20	90.00	1,800.00
	Smooth Shank				
100	Nails, Common Wire, 2"	kl	5	90.00	450.00
	Smooth Shank				
101	Nails, Common Wire, 2-1/2"	kl	5	90.00	450.00
102	Nails, Common Wire, 3"	kl	10	90.00	900.00
	Smooth Shank				
103	Nails, Common Wire, 4"	kl	5	90.00	450.00
	Smooth Shank				
104	Nails, Concrete, 2-1/2"	kl	1	90.00	90.00
	Fluted Shank				
105	Nails, Finishing 1-1/2"	kl	2	90.00	180.00
106	Nails, Finishing, 1"	kl	500	90.00	45,000.00
	Smooth Shank				
107	Nails, Finishing, 2"	kl	4	90.00	360.00
	Smooth Shank				
108	Nails, Roofing (Umbrella), 2 1/2"	kl	15	130.00	1,950.00
	Twist Shank				
109	NEMA 1, customized surface-mounted panel board, 100AT/100AF	assy	2	60,000.00	120,000.00
	NEMA 1, customized surface-mounted panel board, metal enclosure, G.I. #16, powder coated wrinkle gray color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus.				
	Main:				
	1 - 100AT/100AF, 3 P, 240 volts, 18 kAIC, MCCB				
	Branches:				
	8 - 15AT, 10 kAIC, 240 Volts, 2 P 60 Hz MCB				
	12 - 20AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB				
	4 - 30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB				
110	NEMA 1, customized surface-mounted panel board, 200AT	assy	1	100,000.00	100,000.00
	NEMA 1, customized surface-mounted panel, metal enclosure, G.I. sheet # 16, powder coated wrinkle gray color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus:				

	<i>Main:</i>				
	1 - 200AT/200AF, 3 p, 240 volts, 18 kAIC MCCB				
	<i>Branches:</i>				
	2 - 20AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB				
	28 -30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB				
	6 -40AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB				
111	NEMA 1, customized surface-mounted panel board, 200AT/200AF	assy	1	100,000.00	100,000.00
	<i>NEMA 1, customized surface-mounted panel, metal enclosure, G.I. sheet # 16 powder coated wrinkle gray color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus.</i>				
	<i>Main:</i>				
	1 - 200AT/200AF, 3 p, 240 volts, 18 kAIC MCCB				
	<i>Branches:</i>				
	34 - 30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB				
112	Grass/Brush Cutter, four stroke	unit	1	25,000.00	25,000.00
	▣Displacement (cm3) - 40.2				
	▣Power output (kW/hp) - 1.6/2.2				
	▣Revolutions per minute (rpm) MAX - 12, 500				
	▣Revolutions per minute (rpm) idle - 2, 800				
	▣Weight (kg) - 6.3				
	▣Sound pressure Level - 98				
	▣Sound power level - 110				
	▣Vibration Level left/right (m/s2) - 5.9/3.0				
	▣Total Length without cutting tool (cm) - 177				
	▣Standard Cutting tool - Brush knife 250-3				
	▣Tank Volume (L) - 0.64				
	▣Drive shaft in shaft - solid				
112	NEMA 1, customized surface-mounted panel board, 500 AT	assy	1	300,000.00	300,000.00
	<i>Main:</i>				
	1 - 500AT/500AF, 3P, 240 volts, 22 kAIC MCCB				
	<i>Branches:</i>				
	2 - 200AT/200AF, 18 kAIC 240 volts, 3 P 60 Hz MCCB				
	2 - 100AT/100AF, 18 kAIC, 240 volts, 3 P 60 Hz MCCB				
113	NEMA1	assy	1	65,000.00	65,000.00
	<i>customized surface-mounted panel</i>				
	<i>metal enclosure</i>				
	<i>GI sheet #16</i>				
	<i>powder coated wrinkle gray color</i>				
	<i>corrosion resistant</i>				
	<i>pure copper bush bar with grounding terminal lugs</i>				
	<i>Main: 1-150AT/150AF, 2P, 240 volts, 18kAIC MCCB</i>				
	<i>Branches: 4-100AT/100AF, 15 kAIC 240 volts, 2P 60Hz MCCB</i>				
114	Paint Brush, 2"	pc	12	80.00	960.00
	▣Durable bristles				
	▣Heavy duty metal ferrules				
115	Paint Brush, 3"	pc	7	95.00	665.00
116	Paint Brush, Roller with tray, 1-1/4" x 4"	pc	3	100.00	300.00

	<i>Durable, Good Quality</i>				
117	Paint Flat Latex, Good Quality	gal	10	750.00	7,500.00
118	Paint Thinner	gal	3	590.00	1,770.00
	<i>Premium Quality</i>				
119	Paint, Flat Wall Enamel, White	gal	4	820.00	3,280.00
	<i>Premium Quality Paint</i>				
120	Paint, Latex Flat, White	gal	24	900.00	21,600.00
	<i>Premium Quality Paint</i>				
121	Paint, Latex, Chocolate Brown	gal	5	950.00	4,750.00
	<i>Premium Quality Paint</i>				
122	Paint, Latex, Glossy White	gal	60	800.00	48,000.00
	<i>Premium Quality Paint</i>				
123	Paint, Latex, Glossy White	gal	4	900.00	3,600.00
	<i>Premium Quality Paint</i>				
124	Paint, QDE, Chocolate Brown	gal	5	695.00	3,475.00
	<i>Premium Quality Paint</i>				
125	Paint, QDE, Chocolote Brown	liter	5	120.00	600.00
126	Paint, Quick Dry Enamel, White	gal	4	890.00	3,560.00
127	Paint, TTC, Burnt Sienna, Latex	L	7	500.00	3,500.00
	<i>Premium Quality</i>				
128	Paint, TTC, Green, Latex	L	2	500.00	1,000.00
	<i>Premium Quality</i>				
129	Paint, TTC, Hansa Yellow, Oil-Based	L	2	500.00	1,000.00
	<i>Premium Quality</i>				
130	Paint, TTC, Lamp Black, Latex	can	2	120.00	240.00
	<i>Premium Quality, 0.25L per can</i>				
131	Paint, TTC, Lamp Black, Oil-Based	L	2	500.00	1,000.00
	<i>Premium Quality</i>				
132	Paint, TTC, Raw Sienna, Latex	L	9	500.00	4,500.00
	<i>Premium Quality</i>				
133	Paint, TTC, Raw Sienna, Latex	can	6	90.00	540.00
134	Paint, TTC, Raw Sienna, Oil	can	6	120.00	720.00
135	Paint, TTC, Raw Sienna, Oil-Based	liter	9	500.00	4,500.00
	<i>Premium Quality</i>				
136	Paint, TTC, Red Toloudine, Latex	L	2	500.00	1,000.00
	<i>Premium Quality</i>				
137	Paint, TTC, Thalo Blue, Latex	liter	7	500.00	3,500.00
	<i>Premium Quality</i>				
138	Paint, TTC, Thalo Green, Oil-Based	L	5	500.00	2,500.00
	<i>Premium Quality</i>				
139	Paint, TTC, Toloudine Red, Oil-Based	L	5	500.00	2,500.00
	<i>Premium Quality</i>				
140	Patching Compound	kl	20	140.00	2,800.00
141	Pipe Fittings, (G.I.) Elbow, 90 deg x 1"Ø	pc	5	80.00	400.00
	<i>Schedule 40, Good Quality</i>				
142	Pipe Fittings, (G.I.) Elbow, 90 deg x 1/2"Ø	pc	5	35.00	175.00
	<i>Schedule 40, Good Quality</i>				
143	Pipe Fittings, (G.I.) Flange, 1"Ø with bolt and nut	pc	5	150.00	750.00
	<i>Schedule 40, Good Quality</i>				
144	Pipe Fittings, (G.I.), Tee, 2"Ø	pc	5	62.40	312.00
	<i>Schedule 40, Good Quality</i>				
145	Pipe Fittings, (PVC), Elbow, 90 deg x 1"Ø	pc	100	50.00	5,000.00
	<i>Schedule 40, (Blue)</i>				

146	Pipe Fittings, Gate Valve(Great Volume), 1/2"Ø	pc	2	550.00	1,100.00
	<i>Gradual On/Off Valve with Brass Body and Gate, Wheel Handle and Nonrising Stem, Class 125, 1/2" NPT Female, Heavy Duty</i>				
147	Plywood, Marine, 1/2"(thickness) x 4' x 8'	pc	310	1,100.00	341,000.00
	<i>Standard, Good Quality</i>				
148	Plywood, Marine, 1/4"(thickness) x 4' x 8'	pc	59	580.00	34,220.00
	<i>Standard, Good Quality</i>				
149	Plywood, Marine, 3/4"(thickness) x 4' x 8'	pc	390	1,650.00	643,500.00
	<i>Standard, Good Quality</i>				
150	Plywood, Ordinary, 3/4"(thickness) x 4' x 8'	pc	20	880.00	17,600.00
	<i>Standard, Good Quality</i>				
151	Polyurethane Top coat	gal	5	1,900.00	9,500.00
152	PVC Clip 1 heavy duty	pc	500	15.00	7,500.00
153	PVC Clip 3/4 heavy duty	pc	500	5.00	2,500.00
154	PVC male Adaptor with lock nut 1/2"	pc	100	20.00	2,000.00
155	Rainboots, Size: 10 (Men), Black	pair	4	450.00	1,800.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
156	Rainboots, Size: 7 (Women), Black	pair	1	365.00	365.00
	<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>				
157	Raincoat, Jacket and Pants, Large, Transparent	pair	9	500.00	4,500.00
	<i>Heavy Duty, Good Quality</i>				
158	Receptacle Socket, 4" x 4"	pc	100	50.00	5,000.00
159	Roof Sealant, All-Purpose, 1L/can	can	10	540.00	5,400.00
	<i>Premium Quality</i>				
160	Safety Gloves, Cotton knitted with Latex Orange Coated Palm	pair	5	40.00	200.00
	☑Five fingers freedom, can satisfy various movements and comfortable and flexible.				
	☑Anti-skid				
	☑Wear-resistant				
	☑Oil resistant				
	☑Corrosion resistant				
161	Sand, Washed	cu.m.	1	1,500.00	1,500.00
162	Screw, for gypsum, (phillips head), 1"	pc	500	2.00	1,000.00
163	Sheet, Polycarbonate Roofing(Corrugated), 4' x 8'	sheet	5	2,000.00	10,000.00
	<i>Durable, Premium Quality</i>				
164	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 4' x 14'	sheet	56	980.00	54,880.00
	<i>Standard, Good Quality</i>				
165	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'	sheet	70	990.00	69,300.00
	<i>Standard width, Good Quality</i>				
166	Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 12'	sheet	15	750.00	11,250.00
167	Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8'	sheet	35	600.00	21,000.00
168	Shovel, Tempered steel round pointed end	pc	2	370.00	740.00
	☑Heavy duty wooden handle				
	☑Good quality				
169	Single Swing Door, Analok frame with bronze glass, Standard Size with installation	set	1	12,000.00	12,000.00
170	Solar Water Pump, DC 12V	pc	2	2,000.00	4,000.00
	<i>Model:DC-12V/10/120</i>				

	Voltage: 12V				
	Power: 180W				
	Max. flow rate: 1.5M ³ /H				
	Max. head: 15m				
	Outlet Size: 1 Inch				
	Good quality, durable				
171	Steel Bar, Round (plain), 10mm x 6m	length	40	295.00	11,800.00
	Standard Grade				
172	Steel Bar, Round (plain), 12mm x 6m	length	90	410.00	36,900.00
	Standard Grade				
173	Steel Bar, Round (plain), 25mm x 6m	length	10	250.00	2,500.00
	Standard Grade				
174	Steel Conduit saddle clamp/U clamp 2" double hole	pc	200	70.00	14,000.00
175	Stranded Wire # 10	boxes	1	5,900.00	5,900.00
176	Teflon Tape, 1/2"Ø x 10m	roll	10	50.00	500.00
	Good for sealing on pipe thread				
177	Tile Adhesive, 25kg/bag	bag	110	350.00	38,500.00
178	Tiles, Granite 60cm x 60cm	pc	16	240.00	3,840.00
	Biege, Premium grade				
179	UV plastic, (Greenhouse anti UV treated polyethylene)	roll	1	4,500.00	4,500.00
	Thickness: 150 microns - 6 mil				
	Size: 4m x 12m				
180	Varnish, plastic, natural	gal	30	170.00	5,100.00
	Premium Quality				
181	W Clip for Double Furring, (0.40mm thickness)	pc	250	6.00	1,500.00
182	LED Bulb, 13 watts, 87% Energy Saving	pc	10	250.00	2,500.00
183	Tile Grout, White, 2kls/bag	bag	11	250.00	2,750.00
	Premium Quality				
184	Concrete Hollow Blocks (CHB), 4"	pc	120	25.00	3,000.00
	☑Standard Size				
	☑3-Cell Concrete Hollow Block 4"				
	☑At least 350psi				
185	Paint Brush, Lettering, 1"	pc	12	880.00	10,560.00
	Camel's hair, Good Quality				
186	Paint Brush, Roller with handle and PVC Tray, 9"	pc	2	350.00	700.00
	Durable, Good Quality				
187	Paint, Roof, Baguio Green	gal	20	800.00	16,000.00
	Premium Quality Paint				
188	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) standard width x 10'	sheet	30	750.00	22,500.00
	Standard, Good Quality				
189	Fire alarm with Strobe light	unit	3	3,000.00	9,000.00
	Operating voltage Loop: 24V (18.5V ~26V)				
	Standby current Loop: ≤0.4mA				
	Indoor (Non-residential); Temperature: -10°C ~+50°C				
	Relative Humidity: ≤95% (40±2°C)				
	Sound level 75dB ~115dB (A weighte				
	Basic flashing frequency 1Hz ~1.5Hz				
	Certification: ISO9001/CE/ROHS/UL Listed				
190	Carpentry Complete Tool Box Set, Heavy Duty	unit	1	3,000.00	3,000.00
	Heavy Duty Tools in Case with handle				
	Tools inside the case:				

	6pcs precision screwdrivers				
	2pcs Magnetic screwdrivers 6x100				
	2pcs Magnetic screwdrivers 3x100				
	1pc 6" combination pliers				
	1pc 8" adjustable wrench				
	1pc Digital electric tester				
	1pc 6" long nose pliers				
	1pc Claw hammer (at least 8oz)				
	1pc Tape measurer (at least 6meters)				
	1pc Utility knife				
	1pc PVC tape				
	5pcs Hex key				
	1pc Scissors				
	1pc Torch				
	1pc Files				
	1pc Saw				
191	Garden Pruning Shear	pc	2	450.00	900.00
	☑Hardened Stainless Steel blade				
	☑Low-friction				
	☑Heavy Duty, Good Quality				
192	Coco Lumber, 2" x 6" x 12'	pc	300	350.00	105,000.00
193	Ridge Roll, 0.5mm x 16"	pc	30	700.00	21,000.00
194	Valley Gutter, 0.60mm x 2.40mm, Pre-painted	pc	30	1,000.00	30,000.00
195	Capacitive soil moisture sensor, (corrosion resistant)	pc	12	200.00	2,400.00
	Soil moisture sensor capacitive				
	voltage range: 3v-5.5v				
	interface: PH2.0-3P				
196	Long Tape Measure (60M)	unit	2	1,500.00	3,000.00
	☑Blade length: 60m/200'				
	☑Blade width: 1/2"				
	☑Rubber grip for comfort 2-sided blade graphics with fractional inch/decimal foot scales				
	☑Corrosion-resistant Tru-zero folding end hook for accurate measurements				
	☑Polymer-coated blade withstands abrasion				
197	Paint, Latex Flat, White	gal	10	690.00	6,900.00
	Premium Quality Paint				
198	Floor Tiles, (Unskid) Beige, 60cm x 60cm	pc	675	250.00	168,750.00
	GOODS-23-33				
199	Fish Net	roll	1	6,500.00	6,500.00
	Fish Net, (1.5 in by 1.5 in hole, 4 m height by 100 m long per roll)				
200	Float Valve for Water Tank Cistern	pc	1	600.00	600.00
	Good Quality				
201	FM12S KWH electric Meter 200A, 3 phase, 3 wire	unit	20	25,000.00	500,000.00
	120V-480VAC with meter base NEMA 3R Enclosure				
202	garden bolol guna	pc	30	350.00	10,500.00
	weeding knife with a very short and wide dull blade with a perpendicular blunt end. It is an agricultural tool used mainly for digging roots and weeding gardens, approximating				
	the functions of a garden hoe. It is the smallest type of bolo.				

203	Laser Distance Detector	unit	2	5,000.00	10,000.00
	<i>Laser Distance Detector - Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm, <1mW, Class 2 Operating temp:-10°C ~ +50C function:Distance, area,volume, height With power off function With 1pcs canvas bag Packed by color box</i>				-
204	LED Headlamp Rechargeable Head Lamp Zoom Waterproof Headlight Flashlight USB Charging	unit	30	550.00	16,500.00
205	LPG Tank, Approx. Weight 11kg, refill	tank	2	1,500.00	3,000.00
	PETRON GASUL				
206	Metering Current Transformer (ratio: 300/5A, rating2)	unit	40	12,500.00	500,000.00
	<i>Metering Current Transformer (ratio: 300/5A, rating: 2)</i>				
	<i>Split core doughnut type with enclosure</i>				
207	Rebar Scanner (Wall/Floor Scanner)	unit	2	55,000.00	110,000.00
	<i>Radar Technology: yes</i>				
	<i>Detectable objects: magnetic metals (e.g. iron), non- magnetic metals (e.g. copper), live cables, non-live cables, Empty plastic pipes, water-filled</i>				
	<i>plastic pipes, wooden substructures</i>				
	<i>Max. detection depth: 200 mm</i>				
	<i>Detection depth, dry concrete, max.: 200 mm</i>				
	<i>Detection depth, early age concrete, max.: 60 mm</i>				
	<i>Detection depth, other wall types, max.: 80 mm</i>				
	<i>Detection depth, wooden substructures, max.: 38 mm</i>				
	<i>Accuracy: ± 5 mm* (*plus use- dependent deviation)</i>				
	<i>Views: Object view, Spot view, Signal View 2D, Signal View</i>				
	<i>Wall types: Brick/Universal, Concrete, Drywall, Panel Heating, Early age concrete, Horizontal coring</i>				
	<i>brick, Vertical coring brick</i>				
	<i>Dust and splash protection: IP 5X</i>				
	<i>Documentation via: USB-C, SD-Card</i>				
	<i>Updatable: yes</i>				
	<i>Material identification: Live cable, Magnetic metal, Non- magnetic metal, Non-metal material</i>				
	<i>Power supply: 12 V Li-Ion battery, 4 x</i>				
	<i>1.5 V LR6 (AA), 4 x 1.2 V HR06 (AA)</i>				
	<i>Additional function: Leakage detection, distance measurement</i>				-
208	Water hose/pipe, at least 25 meters/roll	roll	3	850.00	2,550.00
	<i>8mm diameter; white/transparent;</i>				
209	High Density Polystyrene Board (Styrofoam) - 1/2" x 2' x 4' sheet	sheet	20	220.00	4,400.00
210	Thick Glass, 4' x 1' - 2 items -5mm	lot	1	10,000.00	10,000.00
	Thick Glass 8' x 1' - 2 items				
211	A4 Size PVC Transparent Book Cover	reams	1	350.00	350.00
212	Air Brush (for Artist) with compressor	lot	1	11,000.00	11,000.00
213	Bristol Board/Fold Coat (6 Ply)	sheet	50	100.00	5,000.00
214	Dried Moss	bag	50	300.00	15,000.00
215	Styrofoam Cutter (Hot Blade) - 4" and 6" blade/rod	lot	1	5,000.00	5,000.00
216	Styrofoam Cutter (Hot wire assembly) - 6 inch max thickness cut	lot	1	7,500.00	7,500.00

217	Flow Acrylic (Canvass Painting) Good Quality	btl	3	100.00	300.00
218	Sheet, Acrylic, 1/8"(thickness) x 4' x 8', Clear Good Quality	sheet	1	2,000.00	2,000.00
219	Solar charge controller 100amps ☑Solar charge controller ☑Charge current: 100amps ☑Battery voltage: 12v/24v auto adapt	unit	1	4,000.00	4,000.00
220	Solar Power Inverter, 12v to 220v (5kw) Input voltage : 12v/24v Peak power : 5000watts Output Voltage: 110v/220v	unit	1	2,500.00	2,500.00
221	Acrylic Paint, White GOODS-23-38	gal	2	2,200.00	4,400.00
222	8 pcs/set flarring tool set for ream copper tube aluminum pipe 3-19mm with tube cutter, air condition	set	1	3,500.00	3,500.00
223	Coco Lumber, 2" x 6" x 12'	pc	50	500.00	25,000.00
224	Electrical Wire, THHN 250 MCM (125mm ²), Stranded Copper for 600Volts	meter	300	1,200.00	360,000.00
225	Heavy Duty Socket Wrench Set (1/4" & 1/2" Drive), 94 pcs ☑13 Pcs. 1/4" Drive Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm ☑8 Pcs. 1/4" Drive Deep Sockets:6,7,8,9,10,11,12,13mm ☑17 Pcs.1/4" Drive Bits Socket: FD4,5.5,7,PH1,2,PZ1,2,HW3,4,5,6,T8,10,15,20,25,30 ☑1 Pc. 1/4" Drive Bit Adaptor ☑1 Pc. 1/4" Drive Universal Joint ☑1 Pc. 1/4" Drive Quick Release Ratchet Handle ☑1 Pc. 1/4" Drive Spinner Handle:6" ☑1 Pc. 1/4" Drive Flexible Extension Bar:6" ☑2Pcs. 1/4" Drive Extension Bars:2",4" ☑1 Pc. 1/4" Drive Sliding T Bar ☑18 Pcs. 1/2" Drive Sockets:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm ☑4Pcs. 1/2" Drive Deep Sockets:14,15,17,19mm ☑2Pcs. 1/2" Drive Spark Plug Sockets:16,21mm ☑1Pc. 1/2" Drive Bit Adaptor ☑2Pcs. 1/2" Drive Extension Bars:5",10" ☑1Pc. 1/2" Drive Universal Joint ☑1Pc. 1/2" Drive Quick Release Ratchet Handle ☑15Pcs. 8mm*30mm Bits:FD8,10,12 T40,45,50,55 PH3,4 PZ3,4 HW8,10,12,14 ☑1Pc. 1/2" Drive 3-Way Adaptor ☑3 Pcs. Hex Keys: 1.5,2,2.5mm	set	1	14,000.00	14,000.00
226	Pipe Fittings, (PVC) Union, 1 1/2"Ø Heavy Duty, Good Quality	pc	3	500.00	1,500.00
227	Pipe Fittings, Shower valve, 1/2" Brass Plated, Good Quality	pc	16	500.00	8,000.00
228	Portalet, good quality Height: 92" Width: 43"	pc	5	145,000.00	725,000.00

	Depth: 47"				
	Weight: 200 lbs.				
	Waste Tank Capacity: 60 gal				
	Lavatory: *Wash basin connected to a clean water tank of at least 50 liters.				
	*The flooring should be made of non-slip material.				
	*Bowl type - 100% closed polyethylene basin with lid and cap for basin				
	*color - blue				
	*Spring locked door showing if the toilet is in use/occupied				
	*Material - high density polyethylene				
229	Sheet, Acrylic, 1/16"(thickness) x 4' x 8', Clear	sheet	10	2,600.00	26,000.00
	<i>Good Quality</i>				
230	Timer time delay, 230 volts	unit	10	1,500.00	15,000.00
	<i>1 year warranty</i>				
231	Transect Line 100M	pc	1	2,000.00	2,000.00
	<i>High Quality</i>				
				TOTAL	8,713,932.00

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

2. The *Visayas State University* now invites bids for the above Procurement Project. Delivery of the Goods is required by *Thirty (30) calendar days upon receipt of Notice to Proceed (NTP)*. Bidders should have completed, within *two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays - Fridays (8:00 AM-5:00 PM)*.
5. A complete set of Bidding Documents may be acquired by interested Bidders on *01 November – 22 November 2023 until 8:30 AM* from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

6. The *Visayas State University* will hold a Pre-Bid Conference on *November 10, 2023; 9:00 AM* at the *BAC Conference Room, VSU Market, Visca, Baybay City, Leyte City, Leyte* and through video conferencing *via Zoom*, which shall be open to prospective bidders.

Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Zoom Meeting ID and Passcode.

7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before *November 22, 2023 until 8:30 AM*. Late bids shall not be accepted.
8. For bidders who opt to submit their bids electronically, a hardcopy (original) of the bid must be sent to the BAC through preferred couriers. A proof (e.g. courier receipt/waybill, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
10. Bid opening shall be on *November 22, 2023; 9:00 AM* at the *BAC Conference Room, VSU Market, Visca, Baybay City, Leyte City, Leyte* and via *Zoom*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Zoom Meeting ID and Passcode.

11. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

Mr. Leopoldo S. Escala Jr. (BAC Secretariat)
Office of the Head for Procurement,
VSU-Main, Visca, Baybay City, Leyte
Mobile: 053 565 0600 local 1093 or 09639629709
Email: leopoldo.escala@vsu.edu.ph

or

Mr. Toni Marc L. Dargantes (BAC Secretariat)
Office of the VP for Planning, Resource Generation & Auxiliary Services
VSU-Main, Visca, Baybay City, Leyte
Mobile: 0977 7186594
Email: tmdargantes@vsu.edu.ph

13. You may visit the following websites:

For downloading of Bidding Documents: <https://www.vsu.edu.ph/philgeps-opportunities>

October 31, 2023



DILBERTO O. FERRAREN
Chairperson, VSU

BAC

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Visayas State University*, wishes to receive Bids for the *Supply and Delivery of Electrical and Construction Supplies*, with identification number *VSU-GOODS-23-47*).

The Procurement Project (referred to herein as “Project”) is composed of *307 items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2023 in the amount of *Eight Million Seven Hundred Thirteen Thousand Nine Hundred Thirty-Two Pesos (PhP 8,713,932.00)*.

2.2. The source of funding is: NGA, the General Appropriations Act, Special Trust Fund, and Trust Fund.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *twenty-five percent (25%)* of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed.**

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two (2 years)** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *December 21, 2023*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ul style="list-style-type: none"> a. <i>Construction Supplies, Hardware, Plumbing Supplies, Electrical Supplies, or a combination of the foregoing</i> b. completed within two (2) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted <i>DDP VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ul style="list-style-type: none"> a. The amount of not less than <i>One Hundred Seventy Four Thousand Two Hundred Seventy Eight and 64/100 Pesos (PhP 174,278.64) or two percent (2%) of ABC</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Four Hundred Thirty Five Thousand Six hundred Ninety Six and 60/100 Pesos (PhP 435,696.60) or five percent (5%) of ABC</i> if bid security is in Surety Bond.
15	<p>Bidders are requested to submit two (2) more copies of its bid (Copy 1 and Copy 2) in addition to the required original hardcopy.</p> <p>For filing purposes, the bidders are urged to use Light Blue envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.</p>
19.3	<i>See Section I. Invitation to Bid (Item 1) for the list of items and their corresponding total Approved Budget for the Contract (ABC) per item.</i>
20.2	Bidders are required to submit its updated Mayor's/Business Permit during post-qualification.
21.2	<i>Not Applicable.</i>

Section IV. General Conditions of Contract

1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. **Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. **Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. **Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery term applicable to this Contract is delivered <i>VSU Main Campus, Visca, Baybay City, Leyte</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is:</p> <p style="text-align: center;"><i>Vivian V. Balbarino</i></p> <p style="text-align: center;"><i>Head, Supply and Property Management Office VSU-Main, Visca, Baybay City, Leyte Contact #: 053 565 0600 local 1082/ 09175518871 Email: sppmo@vsu.edu.ph</i></p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;

- d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.

Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.

	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity</p> <p>Name of the Supplier</p> <p>Contract Description</p> <p>Final Destination</p> <p>Gross weight</p> <p>Any special lifting instructions</p> <p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p>

	<p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p>Payment of staggered deliveries shall be allowed. Payment shall be on “as per cost of the items delivered” subject to inspection and acceptance.</p>
4	<p>The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU to confirm conformity to the contract specifications at no extra cost to VSU.</p>

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item #	Qty	Unit	Description	Delivered, Weeks/Months
1	1	pc	24V Cordless Grass Cutter 2 Lithium battery Electric Brush trimmer 650W power outdoor telescopic Lawn mower	All Items Should Be Delivered to VSU Main Campus, Visca, Baybay City, Leyte within 30 calendar days from receipt of Notice To Proceed (NTP), Purchase Order
2	3	set	50 watts LED spotlight RGB flood light multicolor	
			<i>LED spotlight RGB flood light</i>	
			<i>Multicolor with changing color dimming lights outdoor</i>	
			<i>Round type</i>	
			<i>230V AC supply</i>	
3	1	pc	AC Water Pump with Pressure Switch	
			<i>Fitted with an electronic pressure switch that starts and stops the pump as required when a tap is turned on or off. The pump is also protected against dry running.</i>	
			<i>Motor connection: SINGLE PHASE</i>	
			<i>Motor power (HP): 0.75</i>	
			<i>Absorption at 230V (A)": 3.9</i>	
			<i>Suction mouth: 1 "</i>	
			<i>Delivery port: 1 "</i>	
			<i>Body Pump</i>	
			<i>Flow rate min. (l./min.): 5</i>	
			<i>Max flow (l./min.): 60</i>	
			<i>Min head (m.): 17</i>	
			<i>Max head (m.): 48</i>	
4	4	gal	Acrytex Cast	
5	20	L	Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" X 20 ', Standard	
6	40	length	Angle Bar, 1/4"(thickness) x 2" x 2" x 20', standard Premium Grade	
7	1	set	Angle Grinder 4"Ø, Cordless, (Rechargeable)	
			<i>Rechargeable Lithium-Ion Battery</i>	
			<i>Heavy Duty and Durable Brushless DC motor</i>	
			<i>Wheel Diameter: 100mm (4")</i>	
			<i>No speed load: at least 8,500 rpm</i>	
			<i>Dimension (mm): at least 362 x 117 x 146</i>	
8	2	roll	Anti UV 85% Sun Shade Net black Outdoor Garden Net Farm Net Greenhouse Net Sunscreen	
			<i>Sun shade net</i>	
			<i>Color: Black</i>	
			<i>Dimension (LXW): 1x50M</i>	
			<i>Function: Shading heat insulation, humidity reduction</i>	
			<i>Applicable scene: Garden, Plants shade, Greenhouse</i>	
			<i>For additional details see/click this: https://shopee.ph/Anti-UV-85-Sun-Shade-Net-black-Outdoor-Garden-Net-Farm-Net-Greenhouse-Net-Sunscreen-i.629186964.19606640846?sp_atk=d9f0afff-2ed2-</i>	

			4996-8a76-7634647af143&xptdk=d9f0afff-2ed2-4996-8a76-7634647af143
9	2	boxes	Blind Rivets, 5/32" x 1/2" at least 1000 pcs. per box
10	20	pc	Bulb Socket, PVC
			☑Standard size,
			☑round,
			☑ISO Certified and Good Quality
11	20	pc	Bulb, LED, 15W
			☑Wattage: 15 Watts
			☑Lumens: 1521
			☑Color Temp. : Daylight
			☑Beam Angle: 200 degrees
			☑Voltage: 170-240 V AC 50/60Hz
			☑Bulb Holder: E27
			☑Life Hours: 15,000 hrs.
			☑Material: PC cover & Aluminum PCB
12	60	pc	Bulb, LED, 9W
13	54	pc	Cabinet Door Catches
			<i>Magnetic Push to Open Catches, Good Quality</i>
14	100	pc	Cabinet handle, 3" (Plastic)
			<i>Pull in Type, Good Quality</i>
15	100	pair	Cabinet Hinges, 1" x 2"
16	35	pc	Carrying Channel, 12mm x 38mm x 5mm, 1.0mm(thickness), 5 Meters long
17	12	pack	Cement Waterproofing Compound, 1kg/pack
			<i>Good Quality</i>
18	5	can	Cement, (PVC) Solvent, 400cc/can
			<i>Premium Quality</i>
19		bag	Cement, (White) Portland
			☑Premium Quality, 1kg per bag;
20	197	bag	Cement, Portland
			☑Type 1P, Premium Quality☑ASTM C150;
21	12	btl	Cement, Rubber, Contact adhesive
			<i>Premium Quality, at least 300ml per bottle;</i>
22	1	set	Circuit breaker box type 30 amperes (Single Phase)
23	20	pc	Coco Lumber, 2" x 4" x 12'
			<i>Good quality;</i>
24	10	pc	Copper Wire Fairy String Lights 200 bulbs waterproof (COOL WHITE)
25	50	pc	C-Purlins 2" x 3" x 1.20 mm
26	50	pc	Crimping Terminal Lug for cable insulated fork type 100 amperes capacity heavy duty
27	50	pc	Crimping Terminal Lug for cable insulated fork type 125 amperes capacity heavy duty
28	200	pc	Crimping Terminal Lug for cable insulated fork type 15 amperes capacity heavy duty
29	50	pc	Crimping Terminal Lug for cable insulated fork type 150 amperes capacity heavy duty
30	50	pc	Crimping Terminal Lug for cable insulated fork type 175 amperes capacity heavy duty
31	200	pc	Crimping Terminal Lug for cable insulated fork type 20 amperes capacity heavy duty
32	50	pc	Crimping Terminal Lug for cable insulated fork type

			200 amperes capacity heavy duty
33	200	pc	Crimping Terminal Lug for cable insulated fork type 30 amperes capacity heavy duty
34	50	pc	Crimping Terminal Lug for cable insulated fork type 300 amperes capacity heavy duty
35	50	pc	Crimping Terminal Lug for cable insulated fork type 350 amperes capacity heavy duty
36	200	pc	Crimping Terminal Lug for cable insulated fork type 40 amperes capacity heavy duty
37	50	pc	Crimping Terminal Lug for cable insulated fork type 400 amperes capacity heavy duty
38	200	pc	Crimping Terminal Lug for cable insulated fork type 60 amperes capacity heavy duty
39	50	pc	Crimping Terminal Lug for cable insulated fork type 70 amperes capacity heavy duty
40	50	pc	Crimping Terminal Lug for cable insulated fork type 80 amperes capacity heavy duty
41	25	pc	Door Knob
			☑Interior Type Cylindrical Door Knob Lockset
			☑Good Quality
42	1	unit	Electric Hand Drill, (Cordless)
			Heavy Duty 1/2" Hammer Drill (Black/Blue)
			Continuous rating input: 430W
			Capacity on concrete: 13mm (1/2")
			Capacity on steel: 13mm (1/2")
			Capacity on wood : 18mm (11/16")
			No load speed : 0-2,700rpm
			Blows per minute: 0-29,700bpm
			Overall Length: 278mm (10-7/8")
			Double insulated
			Made in Japan
			Net weight: 1.7 kg (3.7lbs)
			Power supply cord: 2 meters (6.6feet)
43	100	pc	Electrical (PVC) Long Sweep Elbow, 3/4" x 90deg
44	100	pc	Electrical (PVC), Long Sweep Elbow, 1/2" x 90deg
45	20	pc	Electrical (PVC), Long Sweep Elbow, 2" x 90deg
46	10	set	Electrical Aircon Outlet, 1 gang (flush type)
47	200	length	Electrical Conduit (PVC) Orange, 1"(32mm) x 3m
			Sched 40, Durable, Good Quality
48	110	length	Electrical Conduit (PVC) Orange, 2"(63mm) x 3m
			Sched 40, Durable, Good Quality
49	300	length	Electrical Conduit, (PVC) Orange, 1/2" x 3m
50	300	length	Electrical Conduit, (PVC) Orange, 3/4"
51	600	pc	Electrical PVC Clip, 20mm/ 1/2" diameter
52	30	length	Electrical PVC Conduit 20 mm diameter
53	5	pc	Electrical PVC elbow 2"
54	100	pc	Electrical Square Box (PVC), 4" x 4"
55	50	pc	Electrical Switch, 2-gang, Flush type
56	50	set	Electrical Switch, 3 Gang (Flush type)
57	50	set	Electrical Switch, Single (Flush type)
58	16	roll	Electrical Tape, Vinyl
			☑Flame retardant and compatible with plastic cable and wire harness insulations

			☑Flexible PVC with aggressive rubber adhesive
			☑Primary electrical insulation for all wire and cable splices rated up to 600 volts.
			☑19mm x 16m x 0.155mm
			☑Heavy Duty
			☑ASTM approved
59	1	roll	Electrical Wire, AWG 1/0 (50 mm ²) THHN/THWN, 150 meters per roll
60	20	boxes	Electrical Wire, THHN / THWN, AWG 10 (5.5mm ²), Stranded, 150 meters/box
			☑Building Wire
			☑Stranded with Nylon Insulation
			☑Gauge 10
			☑UL listed
61	20	boxes	Electrical Wire, THHN / THWN, AWG 12 (3.5mm ²), Stranded, 150 meters/box
			☑Building Wire
			☑Stranded with Nylon Insulation
			☑Gauge 12
			☑UL listed
62	10	boxes	Electrical Wire, THHN / THWN, AWG 14 (2.0mm ²), Stranded, 150 meters/box
			Building Wire (Green Color)
			Stranded with Nylon Insulation
			Gauge 14
			UL listed
63	200	meter	Electrical Wire, THHN/THW AWG 1 (38 mm ²), Stranded wire
64	300	meter	Electrical Wire, THHN/THW AWG 4/0(100 mm ²), Stranded wire
65	500	meter	Electrical wire, THHN/THWN 250 MCM/150MM ² 600 Volts, Stranded Wire
66	6	boxes	Electrical Wire, THHN/THWN, AWG 8 (8mm ²), Stranded, 150 meters/box
			☑Building Wire
			☑Stranded with Nylon Insulation
			☑Gauge 8
			☑UL listed
67	200	set	Electrical, 2 gang convenience outlet with ground (flush type)
68	200	pc	Electrical, Junction Box (Octagonal) with cover, PVC
69	300	pc	Electrical, Utility Box, 2" x 4"(Surface Type)
70	87	pc	Emergency Light, 2 x 3 Watts
			Good quality
			Durable
			Dome reflector for wider light distribution
			Automatic Operation (turns on instantly when power is cut-off)
			Equipped with Overcharging protection
			Fuse protected
			Illuminates areas more than 1 lux
			Light Source: 2x1W High Power SMT LED

			Battery: 4V 4.0Ah - 6V 4.5Ah Sealed Lead Acid
			Charging Time: <20 hours
			Performance Time: ≤6 hours (at full charge)
71	10	pc	Faucet, (PVC) Ball Valve
			<i>Durable, Good Quality</i>
72	1500	pc	FiCem Screw Flat head, 1-1/2"
73	5	sheet	Formica sheets, (White), 4' x 8', Plain White
			<i>Good Quality</i>
74	5	kl	G.I. Tie Wire #14
			<i>Good Quality</i>
75	10	kl	G.I. Tie Wire #16
			<i>Good Quality</i>
76	2	roll	Galvanized welded wire mesh, gauge 16, 1 inch hole size, 4ftx30meters
77	1	pc	Garden Hose Nozzle Spray
			<i>Heavy Duty, Good Quality</i>
78	1	roll	Garden Hose, 1/2"Ø, at least 50 meters per roll
79	10	pc	Good Lumber Wood 2x2x12 (s4s)
			<i>2x2x12 (s4s)</i>
80	5	length	Good lumber, 2" x 3" x 10'
81	208	pc	Good Lumber, 2" x 6" x 12'
			<i>Good Lumber;</i>
82	3	unit	GRASS CUTTER, 4 stroke
83	5	unit	Grass/Brush cutter (Four Stroke Engine)
			☑Engine: 4 stroke engine
			☑Handle type: both hands
			☑Power transmission method: automatic centrifugal clutch, spiral gear
			☑Displacement Volume (cc): 41.5
			☑Carburetor: Float, piston valve
			☑Starting Method: Recoil starter
			☑Stopping Method: Sparking Circuit Primary Short
			☑Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1)
			☑Lubricating Oil Used: 2-cycle engine oil
			☑Fuel Tank Capacity (L): 1
84	1	cu.m.	Gravel, 3/4" size
85	25	pc	Hinges, Loose Pin, 4"x4"
			<i>Heavy Duty, Good Quality</i>
86	1	set	Inverter Type Portable Welding Machine
			<i>Inverter, IGBT, DC, 300A;</i>
87	1	unit	Ladder, Extension, Aluminum, Sliding, 16' extension
88	30	pc	LED bulb ,11 watts, At least 1050 Lumens, Warm white
89	230	pc	LED Bulb, 11 watts (Daylight)
90	200	pc	LED Bulb, 9 watts
91	200	set	LED Fluorescent tube (Single) with housing (T8), 18 watts, 4ft (daylight)
92	10	pc	Good Lumber, 1" x 2" x 10'
93	80	length	Metal Furring, 1" x 2" x 6m
94	20	assy	Metal pull box for electrical gauge with cover 4" x 10" x 10"

95	20	assy	Metal pull box for electrical gauge with cover 6" x 12" x 12"
96	20	assy	Metal pull box for electrical gauge with cover 6" x 8" x 8"
97	20	meter	Mosquito Net for Windows, Aluminum/Stainless, 3'
98	6	set	Mounting Screw and Nut, set (arduino) M3
			<i>Hex Screw Nut Assortment Kit in box</i>
			<i>Hex Spacers/ Screws/ Nuts Assorted Kit</i>
			<i>M3 - 0.5</i>
			<i>Good quality</i>
99	20	kl	Nails, Common Wire, 1"
			<i>Smooth Shank</i>
100	5	kl	Nails, Common Wire, 2"
			<i>Smooth Shank</i>
101	5	kl	Nails, Common Wire, 2-1/2"
102	10	kl	Nails, Common Wire, 3"
			<i>Smooth Shank</i>
103	5	kl	Nails, Common Wire, 4"
			<i>Smooth Shank</i>
104	1	kl	Nails, Concrete, 2-1/2"
			<i>Fluted Shank</i>
105	2	kl	Nails, Finishing 1-1/2"
106	500	kl	Nails, Finishing, 1"
			<i>Smooth Shank</i>
107	4	kl	Nails, Finishing, 2"
			<i>Smooth Shank</i>
108	15	kl	Nails, Roofing (Umbrella), 2 1/2"
			<i>Twist Shank</i>
109	2	assy	NEMA 1, customized surface-mounted panel board, 100AT/100AF
			<i>NEMA 1, customized surface-mounted panel board, metal enclosure, G.I. #16, powder coated wrinkle gray color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus.</i>
			<i>Main:</i>
			<i>1 - 100AT/100AF, 3 P, 240 volts, 18 kAIC, MCCB</i>
			<i>Branches:</i>
			<i>8 - 15AT, 10 kAIC, 240 Volts, 2 P 60 Hz MCB</i>
			<i>12 - 20AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB</i>
			<i>4 - 30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB</i>
110	1	assy	NEMA 1, customized surface-mounted panel board, 200AT
			<i>NEMA 1, customized surface-mounted panel, metal enclosure, G.I. sheet # 16, powder coated wrinkle gray color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus:</i>
			<i>Main:</i>
			<i>1 - 200AT/200AF, 3 p, 240 volts, 18 kAIC MCCB</i>
			<i>Branches:</i>
			<i>2 - 20AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB</i>
			<i>28 -30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB</i>
			<i>6 -40AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB</i>
111	1	assy	NEMA 1, customized surface-mounted panel board,

			200AT/200AF
			<i>NEMA 1, customized surface-mounted panel, metal enclosure, G.I. sheet # 16 powder coated wrinkle gray color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus.</i>
			<i>Main:</i>
			<i>1 - 200AT/200AF, 3 p, 240 volts, 18 kAIC MCCB</i>
			<i>Branches:</i>
			<i>34 - 30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB</i>
112	1	unit	Grass/Brush Cutter, four stroke
			☐ <i>Displacement (cm3) - 40.2</i>
			☐ <i>Power output (kW/hp) - 1.6/2.2</i>
			☐ <i>Revolutions per minute (rpm) MAX - 12, 500</i>
			☐ <i>Revolutions per minute (rpm) idle - 2, 800</i>
			☐ <i>Weight (kg) - 6.3</i>
			☐ <i>Sound pressure Level - 98</i>
			☐ <i>Sound power level - 110</i>
			☐ <i>Vibration Level left/right (m/s2) - 5.9/3.0</i>
			☐ <i>Total Length without cutting tool (cm) - 177</i>
			☐ <i>Standard Cutting tool - Brush knife 250-3</i>
			☐ <i>Tank Volume (L) - 0.64</i>
			☐ <i>Drive shaft in shaft - solid</i>
112	1	assy	NEMA 1, customized surface-mounted panel board, 500 AT
			<i>Main:</i>
			<i>1 - 500AT/500AF, 3P, 240 volts, 22 kAIC MCCB</i>
			<i>Branches:</i>
			<i>2 - 200AT/200AF, 18 kAIC 240 volts, 3 P 60 Hz MCCB</i>
			<i>2 - 100AT/100AF, 18 kAIC, 240 volts, 3 P 60 Hz MCCB</i>
113	1	assy	NEMA1
			<i>customized surface-mounted panel</i>
			<i>metal enclosure</i>
			<i>GI sheet #16</i>
			<i>powder coated wrinkle gray color</i>
			<i>corrosion resistant</i>
			<i>pure copper bush bar with grounding terminal lugs</i>
			<i>Main: 1-150AT/150AF, 2P, 240 volts, 18kAIC MCCB</i>
			<i>Branches: 4-100AT/100AF, 15 kAIC 240 volts, 2P 60Hz MCCB</i>
114	12	pc	Paint Brush, 2"
			☐ <i>Durable bristles</i>
			☐ <i>Heavy duty metal ferrules</i>
115	7	pc	Paint Brush, 3"
116	3	pc	Paint Brush, Roller with tray, 1-1/4" x 4"
			<i>Durable, Good Quality</i>
117	10	gal	Paint Flat Latex, Good Quality
118	3	gal	Paint Thinner
			<i>Premium Quality</i>
119	4	gal	Paint, Flat Wall Enamel, White
			<i>Premium Quality Paint</i>
120	24	gal	Paint, Latex Flat, White

			<i>Premium Quality Paint</i>
121	5	gal	Paint, Latex, Chocolate Brown
			<i>Premium Quality Paint</i>
122	60	gal	Paint, Latex, Glossy White
			<i>Premium Quality Paint</i>
123	4	gal	Paint, Latex, Glossy White
			<i>Premium Quality Paint</i>
124	5	gal	Paint, QDE, Chocolate Brown
			<i>Premium Quality Paint</i>
125	5	liter	Paint, QDE, Chocolate Brown
126	4	gal	Paint, Quick Dry Enamel, White
127	7	L	Paint, TTC, Burnt Sienna, Latex
			<i>Premium Quality</i>
128	2	L	Paint, TTC, Green, Latex
			<i>Premium Quality</i>
129	2	L	Paint, TTC, Hansa Yellow, Oil-Based
			<i>Premium Quality</i>
130	2	can	Paint, TTC, Lamp Black, Latex
			<i>Premium Quality, 0.25L per can</i>
131	2	L	Paint, TTC, Lamp Black, Oil-Based
			<i>Premium Quality</i>
132	9	L	Paint, TTC, Raw Sienna, Latex
			<i>Premium Quality</i>
133	6	can	Paint, TTC, Raw Sienna, Latex
134	6	can	Paint, TTC, Raw Sienna, Oil
135	9	liter	Paint, TTC, Raw Sienna, Oil-Based
			<i>Premium Quality</i>
136	2	L	Paint, TTC, Red Toloudine, Latex
			<i>Premium Quality</i>
137	7	liter	Paint, TTC, Thalo Blue, Latex
			<i>Premium Quality</i>
138	5	L	Paint, TTC, Thalo Green, Oil-Based
			<i>Premium Quality</i>
139	5	L	Paint, TTC, Toloudine Red, Oil-Based
			<i>Premium Quality</i>
140	20	kl	Patching Compound
141	5	pc	Pipe Fittings, (G.I.) Elbow, 90 deg x 1"Ø
			<i>Schedule 40, Good Quality</i>
142	5	pc	Pipe Fittings, (G.I.) Elbow, 90 deg x 1/2"Ø
			<i>Schedule 40, Good Quality</i>
143	5	pc	Pipe Fittings, (G.I.) Flange, 1"Ø with bolt and nut
			<i>Schedule 40, Good Quality</i>
144	5	pc	Pipe Fittings, (G.I.), Tee, 2"Ø
			<i>Schedule 40, Good Quality</i>
145	100	pc	Pipe Fittings, (PVC), Elbow, 90 deg x 1"Ø
			<i>Schedule 40, (Blue)</i>
146	2	pc	Pipe Fittings, Gate Valve(Great Volume), 1/2"Ø
			<i>Gradual On/Off Valve with Brass Body and Gate, Wheel Handle and Nonrising Stem, Class 125, 1/2" NPT Female, Heavy Duty</i>
147	310	pc	Plywood, Marine, 1/2"(thickness) x 4' x 8'
			<i>Standard, Good Quality</i>
148	59	pc	Plywood, Marine, 1/4"(thickness) x 4' x 8'

			<i>Standard, Good Quality</i>
149	390	pc	Plywood, Marine, 3/4"(thickness) x 4' x 8'
			<i>Standard, Good Quality</i>
150	20	pc	Plywood, Ordinary, 3/4"(thickness) x 4' x 8'
			<i>Standard, Good Quality</i>
151	5	gal	Polyurethane Top coat
152	500	pc	PVC Clip 1 heavy duty
153	500	pc	PVC Clip 3/4 heavy duty
154	100	pc	PVC male Adaptor with lock nut 1/2"
155	4	pair	Rainboots, Size: 10 (Men), Black
			<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>
156	1	pair	Rainboots, Size: 7 (Women), Black
			<i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>
157	9	pair	Raincoat, Jacket and Pants, Large, Transparent
			<i>Heavy Duty, Good Quality</i>
158	100	pc	Receptacle Socket, 4" x 4"
159	10	can	Roof Sealant, All-Purpose, 1L/can
			<i>Premium Quality</i>
160	5	pair	Safety Gloves, Cotton knitted with Latex Orange Coated Palm
			☑Five fingers freedom, can satisfy various movements and comfortable and flexible.
			☑Anti-skid
			☑Wear-resistant
			☑Oil resistant
			☑Corrosion resistant
161	1	cu.m.	Sand, Washed
162	500	pc	Screw, for gypsum, (phillips head), 1"
163	5	sheet	Sheet, Polycarbonate Roofing(Corrugated), 4' x 8'
			<i>Durable, Premium Quality</i>
164	56	sheet	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 4' x 14'
			<i>Standard, Good Quality</i>
165	70	sheet	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12'
			<i>Standard width, Good Quality</i>
166	15	sheet	Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 12'
167	35	sheet	Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8'
168	2	pc	Shovel, Tempered steel round pointed end
			☑Heavy duty wooden handle
			☑Good quality
169	1	set	Single Swing Door, Analok frame with bronze glass, Standard Size with installation
170	2	pc	Solar Water Pump, DC 12V
			<i>Model:DC-12V/10/120</i>
			<i>Voltage: 12V</i>
			<i>Power: 180W</i>
			<i>Max. flow rate: 1.5M³/H</i>
			<i>Max. head: 15m</i>
			<i>Outlet Size: 1 Inch</i>
			<i>Good quality, durable</i>

171	40	length	Steel Bar, Round (plain), 10mm x 6m
			<i>Standard Grade</i>
172	90	length	Steel Bar, Round (plain), 12mm x 6m
			<i>Standard Grade</i>
173	10	length	Steel Bar, Round (plain), 25mm x 6m
			<i>Standard Grade</i>
174	200	pc	Steel Conduit saddle clamp/U clamp 2" double hole
175	1	boxes	Stranded Wire # 10
176	10	roll	Teflon Tape, 1/2"Ø x 10m
			<i>Good for sealing on pipe thread</i>
177	110	bag	Tile Adhesive, 25kg/bag
178	16	pc	Tiles, Granite 60cm x 60cm
			<i>Biege, Premium grade</i>
179	1	roll	UV plastic, (Greenhouse anti UV treated polyethylene)
			<i>Thickness: 150 microns - 6 mil</i>
			<i>Size: 4m x 12m</i>
180	30	gal	Varnish, plastic, natural
			<i>Premium Quality</i>
181	250	pc	W Clip for Double Furring, (0.40mm thickness)
182	10	pc	LED Bulb, 13 watts, 87% Energy Saving
183	11	bag	Tile Grout, White, 2kls/bag
			<i>Premium Quality</i>
184	120	pc	Concrete Hollow Blocks (CHB), 4"
			☑ <i>Standard Size</i>
			☑ <i>3-Cell Concrete Hollow Block 4"</i>
			☑ <i>At least 350psi</i>
185	12	pc	Paint Brush, Lettering, 1"
			<i>Camel's hair, Good Quality</i>
186	2	pc	Paint Brush, Roller with handle and PVC Tray, 9"
			<i>Durable, Good Quality</i>
187	20	gal	Paint, Roof, Baguio Green
			<i>Premium Quality Paint</i>
188	30	sheet	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) standard width x 10'
			<i>Standard, Good Quality</i>
189	3	unit	Fire alarm with Strobe light
			<i>Operating voltage Loop: 24V (18.5V ~26V)</i>
			<i>Standby current Loop: ≤0.4mA</i>
			<i>Indoor (Non-residential); Temperature: -10°C ~+50°C</i>
			<i>Relative Humidity: ≤95% (40±2°C)</i>
			<i>Sound level 75dB ~115dB (A weighte</i>
			<i>Basic flashing frequency 1Hz ~1.5Hz</i>
			<i>Certification: ISO9001/CE/ROHS/UL Listed</i>
190	1	unit	Carpentry Complete Tool Box Set, Heavy Duty
			<i>Heavy Duty Tools in Case with handle</i>
			<i>Tools inside the case:</i>
			<i>6pcs precision screwdrivers</i>
			<i>2pcs Magnetic screwdrivers 6x100</i>
			<i>2pcs Magnetic screwdrivers 3x100</i>
			<i>1pc 6" combination pliers</i>
			<i>1pc 8" adjustable wrench</i>

			1pc Digital electric tester
			1pc 6" long nose pliers
			1pc Claw hammer (at least 8oz)
			1pc Tape measurer (at least 6meters)
			1pc Utility knife
			1pc PVC tape
			5pcs Hex key
			1pc Scissors
			1pc Torch
			1pc Files
			1pc Saw
191	2	pc	Garden Pruning Shear
			☑Hardened Stainless Steel blade
			☑Low-friction
			☑Heavy Duty, Good Quality
192	300	pc	Coco Lumber, 2" x 6" x 12'
193	30	pc	Ridge Roll, 0.5mm x 16"
194	30	pc	Valley Gutter, 0.60mm x 2.40mm, Pre-painted
195	12	pc	Capacitive soil moisture sensor, (corrosion resistant)
			Soil moisture sensor capacitive
			voltage range: 3v-5.5v
			interface: PH2.0-3P
196	2	unit	Long Tape Measure (60M)
			☑Blade length: 60m/200'
			☑Blade width: 1/2"
			☑Rubber grip for comfort 2-sided blade graphics with fractional inch/decimal foot scales
			☑Corrosion-resistant Tru-zero folding end hook for accurate measurements
			☑Polymer-coated blade withstands abrasion
197	10	gal	Paint, Latex Flat, White
			Premium Quality Paint
198	675	pc	Floor Tiles, (Unskid) Beige, 60cm x 60cm
			GOODS-23-33
199	1	roll	Fish Net
			Fish Net, (1.5 in by 1.5 in hole, 4 m height by 100 m long per roll)
200	1	pc	Float Valve for Water Tank Cistern
			Good Quality
201	20	unit	FM12S KWH electric Meter 200A, 3 phase, 3 wire
			120V-480VAC with meter base NEMA 3R Enclosure
202	30	pc	garden bolo/ guna
			weeding knife with a very short and wide dull blade with a perpendicular blunt end. It is an agricultural tool used mainly for digging roots and weeding gardens, approximating
			the functions of a garden hoe. It is the smallest type of bolo.
203	2	unit	Laser Distance Detector
			Laser Distance Detector - Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm Measuring Range:0.05-60m Measuring

			Accuracy:±2.0mm Laser Type:635nm, <1mW, Class 2 Operating temp:-10°C ~ +50C function:Distance, area,volume, height With power off function With 1pcs canvas bag Packed by color box
204	30	unit	LED Headlamp Rechargeable Head Lamp Zoom Waterproof Headlight Flashlight USB Charging
205	2	tank	LPG Tank, Approx. Weight 11kg, refill
			PETRON GASUL
206	40	unit	Metering Current Transformer (ratio: 300/5A, rating2)
			Metering Current Transformer (ratio: 300/5A, rating: 2)
			Split core doughnut type with enclosure
207	2	unit	Rebar Scanner (Wall/Floor Scanner)
			Radar Technology: yes
			Detectable objects: magnetic metals (e.g. iron), non- magnetic metals (e.g. copper), live cables, non-live cables, Empty plastic pipes, water-filled
			plastic pipes, wooden substructures
			Max. detection depth: 200 mm
			Detection depth, dry concrete, max.: 200 mm
			Detection depth, early age concrete, max.: 60 mm
			Detection depth, other wall types, max.: 80 mm
			Detection depth, wooden substructures, max.: 38 mm
			Accuracy: ± 5 mm* (*plus use- dependent deviation)
			Views: Object view, Spot view, Signal View 2D, Signal View
			Wall types: Brick/Universal, Concrete, Drywall, Panel Heating, Early age concrete, Horizontal coring
			brick, Vertical coring brick
			Dust and splash protection: IP 5X
			Documentation via: USB-C, SD-Card
			Updatable: yes
			Material identification: Live cable, Magnetic metal, Non- magnetic metal, Non-metal material
			Power supply: 12 V Li-Ion battery, 4 x 1.5 V LR6 (AA), 4 x 1.2 V HR06 (AA)
			Additional function: Leakage detection, distance measurement
208	3	roll	Water hose/pipe, at least 25 meters/roll
			8mm diameter; white/transparent;
209	20	sheet	High Density Polystyrene Board (Styrofoam) - 1/2" x 2' x 4' sheet
210	1	lot	Thick Glass, 4' x 1' - 2 items -5mm Thick Glass 8' x 1' - 2 items
211	1	reams	A4 Size PVC Transparent Book Cover
212	1	lot	Air Brush (for Artist) with compressor
213	50	sheet	Bristol Board/Fold Coat (6 Ply)
214	50	bag	Dried Moss
215	1	lot	Styrofoam Cutter (Hot Blade) - 4" and 6" blade/rod
216	1	lot	Styrofoam Cutter (Hot wire assembly) - 6 inch max thickness cut
217	3	btl	Flow Acrylic (Canvass Painting)
			Good Quality

218	1	sheet	Sheet, Acrylic, 1/8"(thickness) x 4' x 8', Clear
			Good Quality
219	1	unit	Solar charge controller 100amps
			☑Solar charge controller
			☑Charge current: 100amps
			☑Battery voltage: 12v/24v auto adapt
220	1	unit	Solar Power Inverter, 12v to 220v (5kw)
			Input voltage : 12v/24v
			Peak power : 5000watts
			Output Voltage: 110v/220v
221	2	gal	Acrylic Paint, White
			GOODS-23-38
222	1	set	8 pcs/set flarring tool set for ream copper tube aluminum pipe 3-19mm with tube cutter, air condition
223	50	pc	Coco Lumber, 2" x 6" x 12'
224	300	meter	Electrical Wire, THHN 250 MCM (125mm²), Stranded Copper for 600Volts
225	1	set	Heavy Duty Socket Wrench Set (1/4" & 1/2" Drive), 94 pcs
			☑13 Pcs. 1/4" Drive Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
			☑8 Pcs. 1/4" Drive Deep Sockets:6,7,8,9,10,11,12,13mm
			☑17 Pcs.1/4" Drive Bits Socket: FD4,5.5,7,PH1,2,PZ1,2,HW3,4,5,6,T8,10,15,20,25,30
			☑1 Pc. 1/4" Drive Bit Adaptor
			☑1 Pc. 1/4" Drive Universal Joint
			☑1 Pc. 1/4" Drive Quick Release Ratchet Handle
			☑1 Pc. 1/4" Drive Spinner Handle:6"
			☑1 Pc. 1/4" Drive Flexible Extension Bar:6"
			☑2Pcs. 1/4" Drive Extension Bars:2",4"
			☑1 Pc. 1/4" Drive Sliding T Bar
			☑18 Pcs. 1/2" Drive Sockets:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
			☑4Pcs. 1/2" Drive Deep Sockets:14,15,17,19mm
			☑2Pcs. 1/2" Drive Spark Plug Sockets:16,21mm
			☑1Pc. 1/2" Drive Bit Adaptor
			☑2Pcs. 1/2" Drive Extension Bars:5",10"
			☑1Pc. 1/2" Drive Universal Joint
			☑1Pc. 1/2" Drive Quick Release Ratchet Handle
			☑15Pcs. 8mm*30mm Bits:FD8,10,12 T40,45,50,55 PH3,4 PZ3,4 HW8,10,12,14
			☑1Pc. 1/2" Drive 3-Way Adaptor
			☑3 Pcs. Hex Keys: 1.5,2,2.5mm
226	3	pc	Pipe Fittings, (PVC) Union, 1 1/2"Ø
			Heavy Duty, Good Quality
227	16	pc	Pipe Fittings, Shower valve, 1/2"
			Brass Plated, Good Quality
228	5	pc	Portalet, good quality
			Height: 92"
			Width: 43"

			<i>Depth: 47"</i>
			<i>Weight: 200 lbs.</i>
			<i>Waste Tank Capacity: 60 gal</i>
			Lavatory: *Wash basin connected to a clean water tank of at least 50 liters.
			*The flooring should be made of non-slip material.
			*Bowl type - 100% closed polyethylene basin with lid and cap for basin
			*color - blue
			*Spring locked door showing if the toilet is in use/occupied
			*Material - high density polyethylene
229	10	sheet	Sheet, Acrylic, 1/16"(thickness) x 4' x 8', Clear
			<i>Good Quality</i>
230	10	unit	Timer time delay, 230 volts
			<i>1 year warranty</i>
231	1	pc	Transect Line 100M
			<i>High Quality</i>

Section VII. Technical Specifications

Technical Specifications

Item #	Qty	Unit	Description	Statement of Compliance
1	1	pc	24V Cordless Grass Cutter 2 Lithium battery Electric Brush trimmer 650W power outdoor telescopic Lawn mower	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
2	3	set	50 watts LED spotlight RGB flood light multicolor	
			LED spotlight RGB flood light	
			Multicolor with changing color dimming lights outdoor	
			Round type	
			230V AC supply	
3	1	pc	AC Water Pump with Pressure Switch	
			Fitted with an electronic pressure switch that starts and stops the pump as required when a tap is turned on or off. The pump is also protected against dry running.	
			Motor connection: SINGLE PHASE	
			Motor power (HP): 0.75	
			Absorption at 230V (A)": 3.9	
			Suction mouth: 1 "	
			Delivery port: 1 "	
			Body Pump	
			Flow rate min. (l./min.): 5	
			Max flow (l./min.): 60	
			Min head (m.): 17	
			Max head (m.): 48	
4	4	gal	Acrytex Cast	
5	20	L	Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" X 20', Standard	
6	40	length	Angle Bar, 1/4"(thickness) x 2" x 2" x 20', standard Premium Grade	
7	1	set	Angle Grinder 4"Ø, Cordless, (Rechargeable)	
			Rechargeable Lithium-Ion Battery	
			Heavy Duty and Durable Brushless DC motor	
			Wheel Diameter: 100mm (4")	
			No speed load: at least 8,500 rpm	
			Dimension (mm): at least 362 x 117 x 146	
8	2	roll	Anti UV 85% Sun Shade Net black Outdoor Garden Net Farm Net Greenhouse Net Sunscreen	
			Sun shade net	
			Color: Black	
			Dimension (LXW): 1x50M	
			Function: Shading heat insulation, humidity reduction	
			Applicable scene: Garden, Plants shade, Greenhouse	
			For additional details see/click this: https://shopee.ph/Anti-UV-85-Sun-Shade-Net-black-Outdoor-Garden-Net-Farm-Net-Greenhouse-Net-Sunscreen-i.629186964.19606640846?sp_atk=d9f0afff-2ed2-4996-8a76-7634647af143&xptdk=d9f0afff-2ed2-4996-8a76-7634647af143	
9	2	boxes	Blind Rivets, 5/32" x 1/2" at least 1000 pcs. per box	

10	20	pc	Bulb Socket, PVC
			☐Standard size,
			☐round,
			☐ISO Certified and Good Quality
11	20	pc	Bulb, LED, 15W
			☐Wattage: 15 Watts
			☐Lumens: 1521
			☐Color Temp. : Daylight
			☐Beam Angle: 200 degrees
			☐Voltage: 170-240 V AC 50/60Hz
			☐Bulb Holder: E27
			☐Life Hours: 15,000 hrs.
			☐Material: PC cover & Aluminum PCB
12	60	pc	Bulb, LED, 9W
13	54	pc	Cabinet Door Catches
			Magnetic Push to Open Catches, Good Quality
14	100	pc	Cabinet handle, 3" (Plastic)
			Pull in Type, Good Quality
15	100	pair	Cabinet Hinges, 1" x 2"
16	35	pc	Carrying Channel, 12mm x 38mm x 5mm, 1.0mm(thickness), 5 Meters long
17	12	pack	Cement Waterproofing Compound, 1kg/pack
			Good Quality
18	5	can	Cement, (PVC) Solvent, 400cc/can
			Premium Quality
19		bag	Cement, (White) Portland
			☐Premium Quality, 1kg per bag;
20	197	bag	Cement, Portland
			☐Type 1P, Premium Quality☐ASTM C150;
21	12	btl	Cement, Rubber, Contact adhesive
			Premium Quality, at least 300ml per bottle;
22	1	set	Circuit breaker box type 30 amperes (Single Phase)
23	20	pc	Coco Lumber, 2" x 4" x 12'
			Good quality;
24	10	pc	Copper Wire Fairy String Lights 200 bulbs waterproof (COOL WHITE)
25	50	pc	C-Purlins 2" x 3" x 1.20 mm
26	50	pc	Crimping Terminal Lug for cable insulated fork type 100 amperes capacity heavy duty
27	50	pc	Crimping Terminal Lug for cable insulated fork type 125 amperes capacity heavy duty
28	200	pc	Crimping Terminal Lug for cable insulated fork type 15 amperes capacity heavy duty
29	50	pc	Crimping Terminal Lug for cable insulated fork type 150 amperes capacity heavy duty
30	50	pc	Crimping Terminal Lug for cable insulated fork type 175 amperes capacity heavy duty
31	200	pc	Crimping Terminal Lug for cable insulated fork type 20 amperes capacity heavy duty
32	50	pc	Crimping Terminal Lug for cable insulated fork type 200 amperes capacity heavy duty
33	200	pc	Crimping Terminal Lug for cable insulated fork type 30 amperes capacity heavy duty

34	50	pc	Crimping Terminal Lug for cable insulated fork type 300 amperes capacity heavy duty
35	50	pc	Crimping Terminal Lug for cable insulated fork type 350 amperes capacity heavy duty
36	200	pc	Crimping Terminal Lug for cable insulated fork type 40 amperes capacity heavy duty
37	50	pc	Crimping Terminal Lug for cable insulated fork type 400 amperes capacity heavy duty
38	200	pc	Crimping Terminal Lug for cable insulated fork type 60 amperes capacity heavy duty
39	50	pc	Crimping Terminal Lug for cable insulated fork type 70 amperes capacity heavy duty
40	50	pc	Crimping Terminal Lug for cable insulated fork type 80 amperes capacity heavy duty
41	25	pc	Door Knob
			☐Interior Type Cylindrical Door Knob Lockset
			☐Good Quality
42	1	unit	Electric Hand Drill, (Cordless)
			Heavy Duty 1/2" Hammer Drill (Black/Blue)
			Continuous rating input: 430W
			Capacity on concrete: 13mm (1/2")
			Capacity on steel: 13mm (1/2")
			Capacity on wood : 18mm (11/16")
			No load speed : 0-2,700rpm
			Blows per minute: 0-29,700bpm
			Overall Length: 278mm (10-7/8")
			Double insulated
			Made in Japan
			Net weight: 1.7 kg (3.7lbs)
			Power supply cord: 2 meters (6.6feet)
43	100	pc	Electrical (PVC) Long Sweep Elbow, 3/4" x 90deg
44	100	pc	Electrical (PVC), Long Sweep Elbow, 1/2" x 90deg
45	20	pc	Electrical (PVC), Long Sweep Elbow, 2" x 90deg
46	10	set	Electrical Aircon Outlet, 1 gang (flush type)
47	200	length	Electrical Conduit (PVC) Orange, 1"(32mm) x 3m
			Sched 40, Durable, Good Quality
48	110	length	Electrical Conduit (PVC) Orange, 2"(63mm) x 3m
			Sched 40, Durable, Good Quality
49	300	length	Electrical Conduit, (PVC) Orange, 1/2" x 3m
50	300	length	Electrical Conduit, (PVC) Orange, 3/4"
51	600	pc	Electrical PVC Clip, 20mm/ 1/2" diameter
52	30	length	Electrical PVC Conduit 20 mm diameter
53	5	pc	Electrical PVC elbow 2"
54	100	pc	Electrical Square Box (PVC), 4" x 4"
55	50	pc	Electrical Switch, 2-gang, Flush type
56	50	set	Electrical Switch, 3 Gang (Flush type)
57	50	set	Electrical Switch, Single (Flush type)
58	16	roll	Electrical Tape, Vinyl
			☐Flame retardant and compatible with plastic cable and wire harness insulations
			☐Flexible PVC with aggressive rubber adhesive
			☐Primary electrical insulation for all wire and cable splices rated up to 600 volts.

			☑19mm x 16m x 0.155mm
			☑Heavy Duty
			☑ASTM approved
59	1	roll	Electrical Wire, AWG 1/0 (50 mm ²) THHN/THWN, 150 meters per roll
60	20	boxes	Electrical Wire, THHN / THWN, AWG 10 (5.5mm ²), Stranded, 150 meters/box
			☑Building Wire
			☑Stranded with Nylon Insulation
			☑Gauge 10
			☑UL listed
61	20	boxes	Electrical Wire, THHN / THWN, AWG 12 (3.5mm ²), Stranded, 150 meters/box
			☑Building Wire
			☑Stranded with Nylon Insulation
			☑Gauge 12
			☑UL listed
62	10	boxes	Electrical Wire, THHN / THWN, AWG 14 (2.0mm ²), Stranded, 150 meters/box
			Building Wire (Green Color)
			Stranded with Nylon Insulation
			Gauge 14
			UL listed
63	200	meter	Electrical Wire, THHN/THW AWG 1 (38 mm ²), Stranded wire
64	300	meter	Electrical Wire, THHN/THW AWG 4/0(100 mm ²), Stranded wire
65	500	meter	Electrical wire, THHN/THWN 250 MCM/150MM ² 600 Volts, Stranded Wire
66	6	boxes	Electrical Wire, THHN/THWN, AWG 8 (8mm ²), Stranded, 150 meters/box
			☑Building Wire
			☑Stranded with Nylon Insulation
			☑Gauge 8
			☑UL listed
67	200	set	Electrical, 2 gang convenience outlet with ground (flush type)
68	200	pc	Electrical, Junction Box (Octagonal) with cover, PVC
69	300	pc	Electrical, Utility Box, 2" x 4"(Surface Type)
70	87	pc	Emergency Light, 2 x 3 Watts
			Good quality
			Durable
			Dome reflector for wider light distribution
			Automatic Operation (turns on instantly when power is cut-off)
			Equipped with Overcharging protection
			Fuse protected
			Illuminates areas more than 1 lux
			Light Source: 2x1W High Power SMT LED
			Battery: 4V 4.0Ah - 6V 4.5Ah Sealed Lead Acid
			Charging Time: <20 hours
			Performance Time:≤6 hours (at full charge)

71	10	pc	Faucet, (PVC) Ball Valve <i>Durable, Good Quality</i>
72	4500	pc	FiCem Screw Flat head, 1-1/2"
73	5	sheet	Formica sheets, (White), 4' x 8', Plain White <i>Good Quality</i>
74	5	kl	G.I. Tie Wire #14 <i>Good Quality</i>
75	10	kl	G.I. Tie Wire #16 <i>Good Quality</i>
76	2	roll	Galvanized welded wire mesh, gauge 16, 1 inch hole size, 4ftx30meters
77	1	pc	Garden Hose Nozzle Spray <i>Heavy Duty, Good Quality</i>
78	1	roll	Garden Hose, 1/2"Ø, at least 50 meters per roll
79	10	pc	Good Lumber Wood 2x2x12 (s4s) <i>2x2x12 (s4s)</i>
80	5	length	Good lumber, 2" x 3" x 10'
81	208	pc	Good Lumber, 2" x 6" x 12' <i>Good Lumber;</i>
82	3	unit	GRASS CUTTER, 4 stroke
83	5	unit	Grass/Brush cutter (Four Stroke Engine) <ul style="list-style-type: none"> ☑Engine: 4 stroke engine ☑Handle type: both hands ☑Power transmission method: automatic centrifugal clutch, spiral gear ☑Displacement Volume (cc): 41.5 ☑Carburetor: Float, piston valve ☑Starting Method: Recoil starter ☑Stopping Method: Sparking Circuit Primary Short ☑Fuel Used: Lubricating oil mixed gasoline (mixing rate 25:1) ☑Lubricating Oil Used: 2-cycle engine oil ☑Fuel Tank Capacity (L): 1
84	1	cu.m.	Gravel, 3/4" size
85	25	pc	Hinges, Loose Pin, 4"x4" <i>Heavy Duty, Good Quality</i>
86	1	set	Inverter Type Portable Welding Machine <i>Inverter, IGBT, DC, 300A;</i>
87	1	unit	Ladder, Extension, Aluminum, Sliding, 16' extension
88	30	pc	LED bulb ,11 watts, At least 1050 Lumens, Warm white
89	230	pc	LED Bulb, 11 watts (Daylight)
90	200	pc	LED Bulb, 9 watts
91	200	set	LED Fluorescent tube (Single) with housing (T8), 18 watts, 4ft (daylight)
92	10	pc	Good Lumber, 1" x 2" x 10'
93	80	length	Metal Furring, 1" x 2" x 6m
94	20	assy	Metal pull box for electrical gauge with cover 4" x 10" x 10"
95	20	assy	Metal pull box for electrical gauge with cover 6" x 12" x 12"
96	20	assy	Metal pull box for electrical gauge with cover 6" x

			8" x 8"
97	20	meter	Mosquito Net for Windows, Aluminum/Stainless, 3'
98	6	set	Mounting Screw and Nut, set (arduino) M3
			Hex Screw Nut Assortment Kit in box
			Hex Spacers/ Screws/ Nuts Assorted Kit
			M3 - 0.5
			Good quality
99	20	kl	Nails, Common Wire, 1"
			Smooth Shank
100	5	kl	Nails, Common Wire, 2"
			Smooth Shank
101	5	kl	Nails, Common Wire, 2-1/2"
102	10	kl	Nails, Common Wire, 3"
			Smooth Shank
103	5	kl	Nails, Common Wire, 4"
			Smooth Shank
104	1	kl	Nails, Concrete, 2-1/2"
			Fluted Shank
105	2	kl	Nails, Finishing 1-1/2"
106	500	kl	Nails, Finishing, 1"
			Smooth Shank
107	4	kl	Nails, Finishing, 2"
			Smooth Shank
108	15	kl	Nails, Roofing (Umbrella), 2 1/2"
			Twist Shank
109	2	assy	NEMA 1, customized surface-mounted panel board, 100AT/100AF
			NEMA 1, customized surface-mounted panel board, metal enclosure, G.I. #16, powder coated wrinkle gray color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus.
			Main:
			1 - 100AT/100AF, 3 P, 240 volts, 18 kAIC, MCCB
			Branches:
			8 - 15AT, 10 kAIC, 240 Volts, 2 P 60 Hz MCB
			12 - 20AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB
			4 - 30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB
110	1	assy	NEMA 1, customized surface-mounted panel board, 200AT
			NEMA 1, customized surface-mounted panel, metal enclosure, G.I. sheet # 16, powder coated wrinkle gray color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus:
			Main:
			1 - 200AT/200AF, 3 p, 240 volts, 18 kAIC MCCB
			Branches:
			2 - 20AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB
			28 -30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB
			6 -40AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB
111	1	assy	NEMA 1, customized surface-mounted panel board, 200AT/200AF
			NEMA 1, customized surface-mounted panel, metal enclosure, G.I. sheet # 16 powder coated wrinkle gray

			color, corrosion resistant and pure copper bush bar with grounding terminal lugs and neutral bus.
			Main:
			1 - 200AT/200AF, 3 p, 240 volts, 18 kAIC MCCB
			Branches:
			34 - 30AT, 10 kAIC, 240 volts, 2 P 60 Hz MCB
112	1	unit	Grass/Brush Cutter, four stroke
			☐Displacement (cm ³) - 40.2
			☐Power output (kW/hp) - 1.6/2.2
			☐Revolutions per minute (rpm) MAX - 12, 500
			☐Revolutions per minute (rpm) idle - 2, 800
			☐Weight (kg) - 6.3
			☐Sound pressure Level - 98
			☐Sound power level - 110
			☐Vibration Level left/right (m/s ²) - 5.9/3.0
			☐Total Length without cutting tool (cm) - 177
			☐Standard Cutting tool - Brush knife 250-3
			☐Tank Volume (L) - 0.64
			☐Drive shaft in shaft - solid
112	1	assy	NEMA 1, customized surface-mounted panel board, 500 AT
			Main:
			1 - 500AT/500AF, 3P, 240 volts, 22 kAIC MCCB
			Branches:
			2 - 200AT/200AF, 18 kAIC 240 volts, 3 P 60 Hz MCCB
			2 - 100AT/100AF, 18 kAIC, 240 volts, 3 P 60 Hz MCCB
113	1	assy	NEMA1
			customized surface-mounted panel
			metal enclosure
			GI sheet #16
			powder coated wrinkle gray color
			corrosion resistant
			pure copper bush bar with grounding terminal lugs
			Main: 1-150AT/150AF, 2P, 240 volts, 18kAIC MCCB
			Branches: 4-100AT/100AF, 15 kAIC 240 volts, 2P 60Hz MCCB
114	12	pc	Paint Brush, 2"
			☐Durable bristles
			☐Heavy duty metal ferrules
115	7	pc	Paint Brush, 3"
116	3	pc	Paint Brush, Roller with tray, 1-1/4" x 4"
			Durable, Good Quality
117	10	gal	Paint Flat Latex, Good Quality
118	3	gal	Paint Thinner
			Premium Quality
119	4	gal	Paint, Flat Wall Enamel, White
			Premium Quality Paint
120	24	gal	Paint, Latex Flat, White
			Premium Quality Paint
121	5	gal	Paint, Latex, Chocolate Brown
			Premium Quality Paint

122	60	gal	Paint, Latex, Glossy White <i>Premium Quality Paint</i>
123	4	gal	Paint, Latex, Glossy White <i>Premium Quality Paint</i>
124	5	gal	Paint, QDE, Chocolate Brown <i>Premium Quality Paint</i>
125	5	liter	Paint, QDE, Chocolote Brown
126	4	gal	Paint, Quick Dry Enamel, White
127	7	L	Paint, TTC, Burnt Sienna, Latex <i>Premium Quality</i>
128	2	L	Paint, TTC, Green, Latex <i>Premium Quality</i>
129	2	L	Paint, TTC, Hansa Yellow, Oil-Based <i>Premium Quality</i>
130	2	can	Paint, TTC, Lamp Black, Latex <i>Premium Quality, 0.25L per can</i>
131	2	L	Paint, TTC, Lamp Black, Oil-Based <i>Premium Quality</i>
132	9	L	Paint, TTC, Raw Sienna, Latex <i>Premium Quality</i>
133	6	can	Paint, TTC, Raw Sienna, Latex
134	6	can	Paint, TTC, Raw Sienna, Oil
135	9	liter	Paint, TTC, Raw Sienna, Oil-Based <i>Premium Quality</i>
136	2	L	Paint, TTC, Red Toloudine, Latex <i>Premium Quality</i>
137	7	liter	Paint, TTC, Thalo Blue, Latex <i>Premium Quality</i>
138	5	L	Paint, TTC, Thalo Green, Oil-Based <i>Premium Quality</i>
139	5	L	Paint, TTC, Toloudine Red, Oil-Based <i>Premium Quality</i>
140	20	kl	Patching Compound
141	5	pc	Pipe Fittings, (G.I.) Elbow, 90 deg x 1"Ø <i>Schedule 40, Good Quality</i>
142	5	pc	Pipe Fittings, (G.I.) Elbow, 90 deg x 1/2"Ø <i>Schedule 40, Good Quality</i>
143	5	pc	Pipe Fittings, (G.I.) Flange, 1"Ø with bolt and nut <i>Schedule 40, Good Quality</i>
144	5	pc	Pipe Fittings, (G.I.), Tee, 2"Ø <i>Schedule 40, Good Quality</i>
145	100	pc	Pipe Fittings, (PVC), Elbow, 90 deg x 1"Ø <i>Schedule 40, (Blue)</i>
146	2	pc	Pipe Fittings, Gate Valve(Great Volume), 1/2"Ø <i>Gradual On/Off Valve with Brass Body and Gate, Wheel Handle and Nonrising Stem, Class 125, 1/2" NPT Female, Heavy Duty</i>
147	310	pc	Plywood, Marine, 1/2"(thickness) x 4' x 8' <i>Standard, Good Quality</i>
148	59	pc	Plywood, Marine, 1/4"(thickness) x 4' x 8' <i>Standard, Good Quality</i>
149	390	pc	Plywood, Marine, 3/4"(thickness) x 4' x 8' <i>Standard, Good Quality</i>

150	20	pc	Plywood, Ordinary, 3/4"(thickness) x 4' x 8' <i>Standard, Good Quality</i>
151	5	gal	Polyurethane Top coat
152	500	pc	PVC Clip 1 heavy duty
153	500	pc	PVC Clip 3/4 heavy duty
154	100	pc	PVC male Adaptor with lock nut 1/2"
155	4	pair	Rainboots, Size: 10 (Men), Black <i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>
156	1	pair	Rainboots, Size: 7 (Women), Black <i>Hi-cut, Seamless injection for good waterproofing, Premium Quality</i>
157	9	pair	Raincoat, Jacket and Pants, Large, Transparent <i>Heavy Duty, Good Quality</i>
158	100	pc	Receptacle Socket, 4" x 4"
159	10	can	Roof Sealant, All-Purpose, 1L/can <i>Premium Quality</i>
160	5	pair	Safety Gloves, Cotton knitted with Latex Orange Coated Palm <ul style="list-style-type: none"> ☑Five fingers freedom, can satisfy various movements and comfortable and flexible. ☑Anti-skid ☑Wear-resistant ☑Oil resistant ☑Corrosion resistant
161	1	cu.m.	Sand, Washed
162	500	pc	Screw, for gypsum, (phillips head), 1"
163	5	sheet	Sheet, Polycarbonate Roofing(Corrugated), 4' x 8' <i>Durable, Premium Quality</i>
164	56	sheet	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 4' x 14' <i>Standard, Good Quality</i>
165	70	sheet	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) 12' <i>Standard width, Good Quality</i>
166	15	sheet	Sheets, (G.I.) Corrugated, (0.5mm thickness) 4' x 12'
167	35	sheet	Sheets, (G.I.) Plain ,Gauge 26 (0.551mm) x 8'
168	2	pc	Shovel, Tempered steel round pointed end <ul style="list-style-type: none"> ☑Heavy duty wooden handle ☑Good quality
169	1	set	Single Swing Door, Analok frame with bronze glass, Standard Size with installation
170	2	pc	Solar Water Pump, DC 12V <i>Model:DC-12V/10/120</i> <i>Voltage: 12V</i> <i>Power: 180W</i> <i>Max. flow rate: 1.5M³/H</i> <i>Max. head: 15m</i> <i>Outlet Size: 1 Inch</i> <i>Good quality, durable</i>
171	40	length	Steel Bar, Round (plain), 10mm x 6m <i>Standard Grade</i>
172	90	length	Steel Bar, Round (plain), 12mm x 6m

			<i>Standard Grade</i>
173	10	length	Steel Bar, Round (plain), 25mm x 6m
			<i>Standard Grade</i>
174	200	pc	Steel Conduit saddle clamp/U clamp 2" double hole
175	1	boxes	Stranded Wire # 10
176	10	roll	Teflon Tape, 1/2"Ø x 10m
			<i>Good for sealing on pipe thread</i>
177	110	bag	Tile Adhesive, 25kg/bag
178	16	pc	Tiles, Granite 60cm x 60cm
			<i>Biege, Premium grade</i>
179	1	roll	UV plastic, (Greenhouse anti UV treated polyethylene)
			<i>Thickness: 150 microns - 6 mil</i>
			<i>Size: 4m x 12m</i>
180	30	gal	Varnish, plastic, natural
			<i>Premium Quality</i>
181	250	pc	W Clip for Double Furring, (0.40mm thickness)
182	10	pc	LED Bulb, 13 watts, 87% Energy Saving
183	11	bag	Tile Grout, White, 2kls/bag
			<i>Premium Quality</i>
184	120	pc	Concrete Hollow Blocks (CHB), 4"
			■ <i>Standard Size</i>
			■ <i>3-Cell Concrete Hollow Block 4"</i>
			■ <i>At least 350psi</i>
185	12	pc	Paint Brush, Lettering, 1"
			<i>Camel's hair, Good Quality</i>
186	2	pc	Paint Brush, Roller with handle and PVC Tray, 9"
			<i>Durable, Good Quality</i>
187	20	gal	Paint, Roof, Baguio Green
			<i>Premium Quality Paint</i>
188	30	sheet	Sheets, (G.I.) Corrugated, Gauge 26 (0.551mm) standard width x 10'
			<i>Standard, Good Quality</i>
189	3	unit	Fire alarm with Strobe light
			<i>Operating voltage Loop: 24V (18.5V ~26V)</i>
			<i>Standby current Loop: ≤0.4mA</i>
			<i>Indoor (Non-residential); Temperature: -10°C ~+50°C</i>
			<i>Relative Humidity: ≤95% (40±2°C)</i>
			<i>Sound level 75dB ~115dB (A weighte</i>
			<i>Basic flashing frequency 1Hz ~1.5Hz</i>
			<i>Certification: ISO9001/CE/ROHS/UL Listed</i>
190	1	unit	Carpentry Complete Tool Box Set, Heavy Duty
			<i>Heavy Duty Tools in Case with handle</i>
			<i>Tools inside the case:</i>
			<i>6pcs precision screwdrivers</i>
			<i>2pcs Magnetic screwdrivers 6x100</i>
			<i>2pcs Magnetic screwdrivers 3x100</i>
			<i>1pc 6" combination pliers</i>
			<i>1pc 8" adjustable wrench</i>
			<i>1pc Digital electric tester</i>
			<i>1pc 6" long nose pliers</i>
			<i>1pc Claw hammer (at least 8oz)</i>

			1pc Tape measurer (at least 6meters)
			1pc Utility knife
			1pc PVC tape
			5pcs Hex key
			1pc Scissors
			1pc Torch
			1pc Files
			1pc Saw
191	2	pc	Garden Pruning Shear
			☑Hardened Stainless Steel blade
			☑Low-friction
			☑Heavy Duty, Good Quality
192	300	pc	Coco Lumber, 2" x 6" x 12'
193	30	pc	Ridge Roll, 0.5mm x 16"
194	30	pc	Valley Gutter, 0.60mm x 2.40mm, Pre-painted
195	12	pc	Capacitive soil moisture sensor, (corrosion resistant)
			Soil moisture sensor capacitive
			voltage range: 3v-5.5v
			interface: PH2.0-3P
196	2	unit	Long Tape Measure (60M)
			☑Blade length: 60m/200'
			☑Blade width: 1/2"
			☑Rubber grip for comfort 2-sided blade graphics with fractional inch/decimal foot scales
			☑Corrosion-resistant Tru-zero folding end hook for accurate measurements
			☑Polymer-coated blade withstands abrasion
197	10	gal	Paint, Latex Flat, White
			Premium Quality Paint
198	675	pc	Floor Tiles, (Unskid) Beige, 60cm x 60cm
			GOODS-23-33
199	1	roll	Fish Net
			Fish Net, (1.5 in by 1.5 in hole, 4 m height by 100 m long per roll)
200	1	pc	Float Valve for Water Tank Cistern
			Good Quality
201	20	unit	FM12S KWH electric Meter 200A, 3 phase, 3 wire
			120V-480VAC with meter base NEMA 3R Enclosure
202	30	pc	garden bolo/ guna
			weeding knife with a very short and wide dull blade with a perpendicular blunt end. It is an agricultural tool used mainly for digging roots and weeding gardens, approximating
			the functions of a garden hoe. It is the smallest type of bolo.
203	2	unit	Laser Distance Detector
			Laser Distance Detector - Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm, <1mW, Class 2 Operating temp:-10°C ~ +50C function:Distance, area,volume, height With power off function With 1pcs

			<i>canvas bag Packed by color box</i>
204	30	unit	LED Headlamp Rechargeable Head Lamp Zoom Waterproof Headlight Flashlight USB Charging
205	2	tank	LPG Tank, Approx. Weight 11kg, refill
			PETRON GASUL
206	40	unit	Metering Current Transformer (ratio: 300/5A, rating2)
			<i>Metering Current Transformer (ratio: 300/5A, rating: 2)</i>
			<i>Split core doughnut type with enclosure</i>
207	2	unit	Rebar Scanner (Wall/Floor Scanner)
			<i>Radar Technology: yes</i>
			<i>Detectable objects: magnetic metals (e.g. iron), non-magnetic metals (e.g. copper), live cables, non-live cables, Empty plastic pipes, water-filled</i>
			<i>plastic pipes, wooden substructures</i>
			<i>Max. detection depth: 200 mm</i>
			<i>Detection depth, dry concrete, max.: 200 mm</i>
			<i>Detection depth, early age concrete, max.: 60 mm</i>
			<i>Detection depth, other wall types, max.: 80 mm</i>
			<i>Detection depth, wooden substructures, max.: 38 mm</i>
			<i>Accuracy: ± 5 mm* (*plus use- dependent deviation)</i>
			<i>Views: Object view, Spot view, Signal View 2D, Signal View</i>
			<i>Wall types: Brick/Universal, Concrete, Drywall, Panel Heating, Early age concrete, Horizontal coring</i>
			<i>brick, Vertical coring brick</i>
			<i>Dust and splash protection: IP 5X</i>
			<i>Documentation via: USB-C, SD-Card</i>
			<i>Updatable: yes</i>
			<i>Material identification: Live cable, Magnetic metal, Non-magnetic metal, Non-metal material</i>
			<i>Power supply: 12 V Li-Ion battery, 4 x 1.5 V LIR6 (AA), 4 x 1.2 V HR06 (AA)</i>
			<i>Additional function: Leakage detection, distance measurement</i>
208	3	roll	Water hose/pipe, at least 25 meters/roll
			<i>8mm diameter; white/transparent;</i>
209	20	sheet	High Density Polystyrene Board (Styrofoam) - 1/2" x 2' x 4' sheet
210	1	lot	Thick Glass, 4' x 1' - 2 items -5mm
			Thick Glass 8' x 1' - 2 items
211	1	reams	A4 Size PVC Transparent Book Cover
212	1	lot	Air Brush (for Artist) with compressor
213	50	sheet	Bristol Board/Fold Coat (6 Ply)
214	50	bag	Dried Moss
215	1	lot	Styrofoam Cutter (Hot Blade) - 4" and 6" blade/rod
216	1	lot	Styrofoam Cutter (Hot wire assembly) - 6 inch max thickness cut
217	3	btl	Flow Acrylic (Canvass Painting)
			Good Quality
218	1	sheet	Sheet, Acrylic, 1/8"(thickness) x 4' x 8', Clear
			Good Quality
219	1	unit	Solar charge controller 100amps
			☑Solar charge controller
			☑Charge current: 100amps
			☑Battery voltage: 12v/24v auto adapt

220	1	unit	Solar Power Inverter, 12v to 220v (5kw)
			Input voltage : 12v/24v
			Peak power : 5000watts
			Output Voltage: 110v/220v
221	2	gal	Acrylic Paint, White
			GOODS-23-38
222	1	set	8 pcs/set flaring tool set for ream copper tube aluminum pipe 3-19mm with tube cutter, air condition
223	50	pc	Coco Lumber, 2" x 6" x 12'
224	300	meter	Electrical Wire, THHN 250 MCM (125mm²), Stranded Copper for 600Volts
225	1	set	Heavy Duty Socket Wrench Set (1/4" & 1/2" Drive), 94 pcs
			☐13 Pcs. 1/4" Drive Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
			☐8 Pcs. 1/4" Drive Deep Sockets:6,7,8,9,10,11,12,13mm
			☐17 Pcs. 1/4" Drive Bits Socket: FD4,5.5,7,PH1,2,PZ1,2,HW3,4,5,6,T8,10,15,20,25,30
			☐1 Pc. 1/4" Drive Bit Adaptor
			☐1 Pc. 1/4" Drive Universal Joint
			☐1 Pc. 1/4" Drive Quick Release Ratchet Handle
			☐1 Pc. 1/4" Drive Spinner Handle:6"
			☐1 Pc. 1/4" Drive Flexible Extension Bar:6"
			☐2Pcs. 1/4" Drive Extension Bars:2",4"
			☐1 Pc. 1/4" Drive Sliding T Bar
			☐18 Pcs. 1/2" Drive Sockets:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
			☐4Pcs. 1/2" Drive Deep Sockets:14,15,17,19mm
			☐2Pcs. 1/2" Drive Spark Plug Sockets:16,21mm
			☐1Pc. 1/2" Drive Bit Adaptor
			☐2Pcs. 1/2" Drive Extension Bars:5",10"
			☐1Pc. 1/2" Drive Universal Joint
			☐1Pc. 1/2" Drive Quick Release Ratchet Handle
			☐15Pcs. 8mm*30mm Bits:FD8,10,12 T40,45,50,55 PH3,4 PZ3,4 HW8,10,12,14
			☐1Pc. 1/2" Drive 3-Way Adaptor
			☐3 Pcs. Hex Keys: 1.5,2,2.5mm
226	3	pc	Pipe Fittings, (PVC) Union, 1 1/2"Ø
			Heavy Duty, Good Quality
227	16	pc	Pipe Fittings, Shower valve, 1/2"
			Brass Plated, Good Quality
228	5	pc	Portalet, good quality
			Height: 92"
			Width: 43"
			Depth: 47"
			Weight: 200 lbs.
			Waste Tank Capacity: 60 gal
			Lavatory: *Wash basin connected to a clean water tank of at least 50 liters.
			*The flooring should be made of non-slip material.

			*Bowl type - 100% closed polyethylene basin with lid and cap for basin	
			*color - blue	
			*Spring locked door showing if the toilet is in use/occupied	
			*Material - high density polyethylene	
229	10	sheet	Sheet, Acrylic, 1/16"(thickness) x 4' x 8', Clear	
			<i>Good Quality</i>	
230	10	unit	Timer time delay, 230 volts	
			<i>1 year warranty</i>	
231	1	pc	Transect Line 100M	
			<i>High Quality</i>	

***Section VIII. Checklist of Technical and
Financial Documents***

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid in the amount of *at least 25% of the ABC or at least Two Million One Hundred Seventy Eight Thousand Four hundred Eighty Three Pesos (PhP 2,178,483.00)*;
or
Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to *at least 50% of the ABC or at least Two Million One Hundred Seventy Eight Thousand Four hundred Eighty Three Pesos (PhP 2,178,483.00)* and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or *at least One Million Eighty Nine Thousand Two Hundred Forty One and 50/100 Pesos (PhP 1,089,241.50)*; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications; **and**
- (f) Schedule of Requirements/production and delivery schedule; **and**
- (g) Manpower requirements; **and**
- (h) After-sales service/parts; **and**
- (i) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) – at least equal to ABC (**PhP 8,713,932.00**);
or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation (at least 10% of ABC or **PhP 871,393.20**).

II. FINANCIAL COMPONENT ENVELOPE


- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

Guidelines on the Preparation of Electronic Bid (e-Bid)
(for bidders who prefer electronic bid submission)

1. Scan per file all documents into Portable Document Format (PDF) and should be printable.
2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

Document	Filename (in PDF form)
1. PhilGEPS Certificate of Registration (Platinum)	PhilGEPS
2. Statement of On-Going Government & Private Contracts	Statement of On-Going Contracts
3. Statement of Bidder's Single Largest Completed Contract	SLCC
4. Statement of at least two (2) similar completed contracts	Statement of Completed Contracts
5. Bid Security	Bid Security
6. Technical Specifications	Technical Specifications
7. SCHEDULE of Requirements/ Production and delivery schedule	Schedule of Requirements
8. Manpower Requirements	Manpower Requirements
9. After Sales service/parts	After Sales
10. Omnibus Sworn Statement	Omnibus Sworn Statement
11. Audited Financial Statements	Audited Financial Statements
12. Net Financial Contracting Capacity	NFCC
13. Committed Line of Credit	CLC
14. Bid Form	Bid Form
15. Price Schedule	Price Schedule

3. Create two (2) folders that are password-protected. The first folder should contain all the requirements under the Technical Component checklist as presented under Section VIII. The second folder should contain all the requirements under the Financial Component checklist.
4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
5. Email the 2 compressed folders to Mr. Leopoldo Escala at leopoldo.escala@vsu.edu.ph before the deadline (November 22, 2023; 8:30 AM).



@VSUProcurement



VISAYAS
STATE UNIVERSITY

