

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

# Supply and Delivery of Office Furniture and Fixtures (VSU-GOODS-23-32)

Government of the Republic of the Philippines

November 28, 2023; 9:00 AM BAC Conference Room, VSU Market, Visca, Baybay City, Leyte and via Zoom

> Sixth Edition July 2020

## **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	3
Sectio	on I. Invitation to Bid	6
Sectio	on II. Instructions to Bidders	18
1.	Scope of Bid	
2.	Funding Information	19
3.	Bidding Requirements	19
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	19
5.	Eligible Bidders	19
б.	Origin of Goods	20
7.	Subcontracts	20
8.	Pre-Bid Conference	20
9.	Clarification and Amendment of Bidding Documents	20
10.	Documents comprising the Bid: Eligibility and Technical Components	20
11.	Documents comprising the Bid: Financial Component	21
12.	Bid Prices	21
13.	Bid and Payment Currencies	22
14.	Bid Security	
15.	Sealing and Marking of Bids	22
16.	Deadline for Submission of Bids	22
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	23
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	on III. Bid Data Sheet	25
Sectio	on IV. General Conditions of Contract	27
1.	Scope of Contract	28
2.	Advance Payment and Terms of Payment	28
3.	Performance Security	28
4.	Inspection and Tests	28
5.	Warranty	29
б.	Liability of the Supplier	29
Sectio	on V. Special Conditions of Contract	30
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

## Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA -** Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

Section I. Invitation to Bid



### INVITATION TO BID FOR SUPPLY AND DELIVERY OF OFFICE FURNITURE AND FIXTURES

1. The Visayas State University through the General Fund, Special Trust Fund, and Trust Fund intends to apply the sum of Two Million Six Hundred Fifty Thousand Pesos (PhP **2,650,000.00**) being the ABC to payments under the contract for Supply and Delivery of Office Furniture and Fixtures (VSU-GOODS-23-48). Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University*, through the *GF and STF* intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item #	Description	Unit	Qty	Unit Price	Total Price
1	4-layer Multipurpose Cabinet, Plastic, Transparent door	рс	2	3,600.00	7,200.00
2	Back Ergonomic Comfort conference chair	рс	15	1,500.00	22,500.00
	Split Pull Back Chair Size: 57*24.5*51CM Features: Thickened and reinforced backrest design, sturdy and tear-resistant mesh, widened and enlarged cushions, effectively supporting the armrests, thickened and stable arched feet. stainless steel metal frame				
3	Chair, Conference stacking,	рс	20	3,500.00	70,000.00
	Implies the state of the sta				
4	curtain rod bracket, 3/4" in diameter, silver, with screw and tox	рс	50	80.00	4,000.00
	material: stainless				
	inclusion: with screw and tox				
5	curtain rod, pole, 3/4" x 150", silver, with chrome end caps	рс	30	400.00	12,000.00
	Material: Stainless				
	Color: silver, with chrome end cap				
6	Curtains	рс	50	700.00	35,000.00
	Jacquard, grommet, 58" x 80"				
7	Ergonomic Office Chair	unit	1	14,500.00	14,500.00
	■Features				
	Full Back Reclining with 3 position locking function				

	Height & Angle Adjustable Headrest				
	Height & Angle Adjustable Armrest				
	Height Adjustable Lumbar Support				
	◄ Waterfall Seat				
	Gaslift     Gaslift				
	■Material				
	Seat: Waterfall Seat, Nylon Mesh				
	Caster wheels: 60mm BIFMA PU nylon wheels"				
	■Weight				
	■Box size: 74 x 39 x 64 cm				
	■Headrest				
	◄ Headrest Angle Max Adjustment: 320 degree angles				
	Lumbar Support				
	◄ Height of Lumbar Support: 12.8 cm from bottom of backrest				
	◄Lumbar Support Height Adjustability: 5 cm				
	■Arm Rest				
	▲Arm Rest Height: 20.5-28.5 cm				
	Arm Rest Angle:15 degrees inward and 15 degrees outward				
	■Overall Chair				
	◄ Maximum Recline: 124 degrees				
	✓ Seat Depth: 47 cm				
	■Backrest Load Capacity: 175 kg				
	✓ Seat Load Capacity: 125 kg				
8	Filing cabinets, 2 doors good quality , 5 shelves W-90 CM X D -40 CM X H-185 CM	рс	1	15,000.00	15,000.00
	■Filing cabinets, 2 doors good quality , 5 shelves				
	■W-90 CM X D -40 CM X H-185 CM				
	Material: Metal				

9	Folding Training Table	рс	41	4,500.00	184,500.00
	Metal Frame				
	Table Top Material:High-Density Polyethylene (HDPE)				
	light gray				
	at least 6ft in Length,				
	30 inches width, 29 inches Height				
10	Lounge Sofa set with center table	set	1	16,400.00	16,400.00
	■Seat Material: fabric				
	■Frame Material: Wood				
	Lounge set includes 1 unit 3-seater sofa and 2 units 1-seater sofa				
	■Dimensions - 3-Seater: 175(W) x 76(D) x 82(H) cm				
	■Dimensions - 1-Seater: 74(W) x 76(D) x 82(H) cm				
	■Center Table : wood				
	CAPACITY: Quality Wood and MDF with classic textured the modern stylish table is sturdy can hold up to 200lbs.				
	2-tier table with storage shelf				
	■120 by 60cm				
11	Low Back Office Chair	рс	1	8,512.00	8,512.00
	Dimension, W69 X D66 X H99 - 106cm, Color Black				
12	Mahogany wood Sala Set	set	1	35,000.00	35,000.00
	1 pc 3-seaters, 2 pcs 1-seater with removable foam for sofa set, 1 center table 2ft-3ft , with top glass				
13	Metal Storage Shelves	рс	20	7,500.00	150,000.00
	■Full Steel,				
	■5 layer shelves storage,				
	■boltless,				
	keyhole locking system,				
	■500kg capacity,				
	fully adjustable shelves,				
	■wire/steel shelves,				
	■Plastic floor protectors,				
	■powder coated paint,				
	■1830mm H x 914mm W x 406mm D				
14	Monobloc chairs	рс	530	400.00	212,000.00

15	Monoblock Chair all gray or all white in color	рс	20	500.00	10,000.00
	Durable Quality Monoblock chair				
	Dimensions Seat Width: 375 mm Seat Depth: 330 mm Front Legs Distance: 355 mm Side Legs Distance Left: 378 mm Side Legs Distance Right: 378 mm Back Legs Distance: 210 mm Back Rest Height: 779 mm Seat Back Height: 405 mm Seat Height: 376 mm Gross Weight: 2.25 kgs				
16	Monoblock Study Chairs with writing Tablet White, Material is hard plastic	рс	400	2,500.00	1,000,000.00
	■For classroom use				
	■white color				
17	Office Chair	рс	5	5,000.00	25,000.00
	with arm rest				
	at least (580mmx600mx890-990mm)				
	butterfly mechanism = 360 Degree Swivel Seat				
	backrest: Polypropylene (Pp) Plastic With New Foam Covered With Mesh Fabric				
	seat: Plywood Seatpad With Injection Molded Foam, Covered With Polyester Fabric				
	arm: Polypropylene plastic				
	base: Chrome finish, Adjustable lumbar support, pneumatic seat height adjustment				
18	Office Chair High Back Swivel Mesh Computer Comfort Reclining with Headrest & footrest (Ergonomics)	unit	20	5,000.00	100,000.00
	STABLE & BREATHABLE				
	OMAX high backrest mesh office chair has an integrated contoured backframe with built-in neck support.				
	ERGONOMIC DESIGN				
	The seat height adjust ranges from 16" toa 19.5". Built-in lumbar cushion supportyour lower back and enhances the natural curve of your spine.				
	SOLID & DURABLE				
	Offers nylon five-star heavy-duty base and smooth- rolling silenced casters covered with soft PU				
	OVERALL DIMENSIONS				
	Chair size: 23.6" x 23.6" x 43.7"-47.6" (L x W x H)				
	Seat height adjust: 16"-20"				
	Seat area: 18.5" x 20.5"				
	Backrest area: 15 x 27.5"				

	Assembly required				
19	Office Partition Panel	set	2	30,000.00	60,000.00
	<i>h-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque</i>				
20	Office Steel Rack Shelves, 5 Layers	unit	1	10,000.00	10,000.00
	Boltless warehouse office Steel Rack Shelves				
	with rubber feet tippings				
	■40cm (layer height) x 120cm (length) x 200cm (height)				
	■5 layer steel rack				
21	Office table	unit	1	18,000.00	18,000.00
	■office wooden table				
	with lockable drawers, two sided 3 drawers				
	■Dimension: L 63"x W 30" x H 30"				
	Colors: Mahogany				
22	Office Table	рс	5	4,000.00	20,000.00
	Laminated Wood,				
	One Long Drawer with 3 Side Drawers,				
	■2 Top Drawers with Locks,				
	■color: Gray, Wenge,				
	■Dimension: at least W22.75" x L47.25" x H29.5"				
23	Senior Executive High back chair	рс	1	6,500.00	6,500.00
	■double-layer cushion with leatherette armrest,				
	with back-rest reclining adjustment and knee tilt mechanism				
	Metal frame, color is black				
24	Steel Cabinet with glass Door, sliding door, (Assembled) Adjustable shelves,	рс	12	12,000.00	144,000.00
	Display Cabinet, Filing Cabinet				
	■Dimensions: 900mm x 450mm x 1850mm				
	Powder coated				
	Adjustable shelves				
25	Steel Cabinet, 4 Drawers w/ lock, Vertical, Dirty White	рс	1	11,000.00	11,000.00
	■size of the product is W=46CM,L=62CM,H=133CM(1 inch=2.54CM),				
	37KG Pure steel product.				

	■The steel thickness of the file cabinet is 0.7-1.2mm				
	Ø4 Drawers steel vertical filing cabinet				
26	terracotta pot, Big	рс	30	1,200.00	36,000.00
	15 inches width x 13 inches length				
27	Tv Cabinet	unit	1	10,000.00	10,000.00
	Length 190-200cm height: 450-480cm depth:450- 500 finish:hpl material:wood				
28	Upholstery of Conference Chairs	рс	20	300.00	6,000.00
	Seat Height = 19 inches				
	Seat Width= 16inches				
	Seat Depth= 16 inches				
	Back Height = 15 inches				
	Back Width = 16 inches				
	Seat Material= Leather				
	Back Material = Leather				
	Seat Color = Dark Blue/ Black				
	Back Color = Dark Blue/ Black				
	Frame Color = Black				
	Frame Material= Steel				
29	Venetian Vertical Blinds, pvc W776 x H140cm, beige color with accessories	set	1	15,000.00	15,000.00
	■Good Quality				
30	White Board 4x6 Ft.	unit	3	9,000.00	27,000.00
	■Specification:				
	■Size: 4x6 ft.				
	Magnetic With Stand and Roller Stopper				
	Collapsible stand and rollers				
	With white board eraser holder				
	with aluminum frame and stand				
31	window blinds	рс	3	1,200.00	3,600.00
	120 cm x 160 cm				
	The size is width by length, 160cm is length, you can adjust the length with the roller				
	Width (left to right) by height (top to bottom)				
	Suitable for office				
	Easy to install (include brackets and screws)				

	Color blackout Gray				
32	Window blinds 160x180	рс	8	1,200.00	9,600.00
	180x160				
	The size you can adjust the length with the roller				
	Width (left to right) by height (top to bottom)				
	Suitable for living room bedroom office				
	Easy to install (include brackets and screws)				
33	Steel Cabinet, 4 drawers with lock, vertical, black	unit	1	11,000.00	11,000.00
34	Student Desk (15 units)	lot	1	150,000.00	150,000.00
	1 Lot: 15 units Student Desk				
	Specifications:				
	Width: 150 cm				
	Depth: 60 cm				
	Height: 75 cm				
	Table top: MDF with high gloss white painting				
	Legs: Metal iron in white powder coating				
	Product Weight: 15 kgs				
	Weight Capacity: 20 kgs				
35	Office Chair High Back Swivel Mesh Computer Comfort Reclining with Headrest & footrest, 23 units - Office Chair High Back Swivel Mesh	lot	1	134,000.00	134,000.0
	Computer Comfort Reclining withHeadrest & footrest,				
	STABLE & BREATHABLE				
	ERGONOMIC DESIGN				
	assembly required				
	Rebidding (from VSU-GOODS-23-32)				
36	3-layer magazine tray/storage/desk organizer/holder/rack	pcs	2	300.00	600.0
	Packing: 1 X 1pcs magazine tray				
	Material: stainless steel black paint				
	Color: Black				
	Product Size: 27cm X 30cm				
37	4-layer Multipurpose Cabinet, Plastic, Transparent door	pcs	2	3,600.00	7,200.0

38	Curtain rod, pole, 3/4" x 150", silver, with chrome end caps	pcs	5	400.00	2,000.00
	Material: Stainless				
	Color: silver, with chrome end cap				
39	Dark Green Velvet Curtains Room Darkening Blackout Solid Curtains Thermal Insulated Soundproof Curtain	pairs	2	3,000.00	6,000.00
	■Velvet				
	Size & Material: 2 panels of 52"x108" luxury dark green velvet curtains. The back of the curtain is made of high-quality velvet fabric and black yarn.				
	Function: Blackout curtains can block about 70% of the light (the darker color works better), and can also reduce noise and keep heat down in summers				
	Elegant Design: Ideal home decoration. Dark green velvet curtains d				
	<ul> <li>Fine details: Interior diameter of grommet hole is</li> <li>1.6 inch. Sewn well at each edge of the curtain.</li> </ul>				
	Machine washable in cold water and tumble dry.				
40	Heavy Duty Slotted Angle Rack - 6 layers[micro]	рс	1	5,500.00	5,500.00
	Heavy Duty Slotted Angle Rack 2.0mm Slotted angle bars 10mm 1/2 Plywood boards 100 kilos per layer				
41	heavy duty steel shelves	unit	3	4,900.00	14,700.00
	Heavy Duty Slotted Angle Rack				
	2.0mm Slotted angle bars				
	10mm 1/2 Plywood boards				
	100 kilos per layer				
	Height - 6ft				
	Length - 4ft				
	Width - 18"				
	6 Layers				
42	Slim Drawer (5layers), Material: Plastic	рс	1	3,000.00	3,000.00
43	Whiteboard with stand	unit	3	5,000.00	15,000.00
	Rotatable Back-to-back 4' x 5' Whiteboard with aluminum frame and a movable and adjustable iron stand with a maximum height of 6'.				
44	Center Table, Glass	рс	1	1,000.00	1,000.00

 Feature: Magazine Rack at the side		TOTAL:	2,650,000.00
Materials: Tempered Glass, Wooden Leg, color Brown			
Table Center, Glass, Size 1100*600*450mm			

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

- 2. The Visayas State University now invites bids for the above Procurement Project. Delivery of the Goods is required by Thirty (30) calendar days upon receipt of Notice to Proceed (NTP). Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays Fridays* (8:00 AM-5:00 PM).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on 04 November – 28 November 2023 until 8:30 AM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- 6. The Visayas State University will hold a Pre-Bid Conference on November 13, 2023; 2:00 PM at the BAC Conference Room, VSU Market, Visca, Baybay City, Leyte and through video conferencing via Zoom, which shall be open to prospective bidders.

Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Zoom Meeting ID and Passcode.

7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before 28 November 2023 until 8:30 AM. Late bids shall not be accepted.

- 8. For bidders who opt to submit their bids electronically, a hardcopy (original, copy 1, and copy 2) of the bid must be sent to the BAC through preferred couriers. A proof (e.g. courier receipt/waybill, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
- 9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 10. Bid opening shall be on 28 November 2023; 9:00 AM at the BAC Conference Room, VSU Market, Visca, Baybay City, Leyte and via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Zoom Meeting ID and Passcode.

- 11. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

#### Mr. Leopoldo S. Escala Jr. (BAC Secretariat)

Office of the Head for Procurement, VSU-Main, Visca, Baybay City, Leyte Mobile: 053 565 0600 local 1093 or 09639629709 Email: leopoldo.escala@vsu.edu.ph

or

#### Mr. Toni Marc L. Dargantes (BAC Secretariat)

Office of the VP for Planning, Resource Generation & Auxiliary Services VSU-Main, Visca, Baybay City, Leyte Mobile: 0977 7186594 Email: <u>tmdargantes@vsu.edu.ph</u>

13. You may visit the following websites:

For downloading of Bidding Documents: *https://www.vsu.edu.ph/philgeps-opportunities* 

November03, 2023

2 Jemars

DILBERTO O. FERRAREN Chairperson, VSU BAC

Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, *Visayas State University*, wishes to receive Bids for the *Supply* and *Delivery of Office Furniture and Fixtures*, with identification number *VSU-GOODS-23-48*.

The Procurement Project (referred to herein as "Project") is composed of *41 items*, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of *Two Million Six Hundred Fifty Thousand Pesos (PhP 2,650,000.00)*.
- 2.2. The source of funding is: NGA, the General Appropriations Act, Special Trust Fund, and Trust Fund.

#### **3.** Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%)* of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### **10.** Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two** (*2 years*) prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price,

the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).** 

#### **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *March 28, 2024*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### **16. Deadline for Submission of Bids**

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing,

webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **18. Domestic Preference**

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid

through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### **21.** Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. <i>Office Furniture and/or Fixtures</i>
	b. completed within two (2) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted <i>DDP VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>Fifty Three Thousand Pesos (PhP 53,000.00) or two percent (2%) of ABC</i> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>One hundred Thirty Two Thousand Five Hundred</i> <i>Pesos (PhP 132,500.00) or five percent (5%) of ABC</i> if bid security is in Surety Bond.
15	Bidders are requested to submit two (2) more copies of its bid (Copy 1 and Copy 2) in addition to the required original hardcopy.
	For filing purposes, the bidders are urged to use <b>Brown</b> envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.
19.3	See Section I. Invitation to Bid (Item 1) for the list of items and their corresponding total Approved Budget for the Contract (ABC).
20.2	Bidders are required to submit their updated Mayor's/Business Permit during post- qualification.
21.2	Not Applicable.

## **Bid Data Sheet**

Section IV. General Conditions of Contract

#### **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### **3.** Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	The delivery term applicable to this Contract is delivered VSU Main Campus, Visca, Baybay City, Leyte. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is:
	<i>Vivian V. Balbarino</i> Head, Supply and Property Management Office VSU-Main, Visca, Baybay City, Leyte Contact #: 053 565 0600 local 1082/09175518871 Email: sppmo@vsu.edu.ph
	• Additional Instruction: The Supplier should notify the Head of Supply and Property Management Office atleast 1 week before the scheduled delivery.
	Incidental Services –
	<ul> <li>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</li> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the</li> </ul>
	<ul><li>supplied Goods;</li><li>c. furnishing of a detailed operations and maintenance manual for each</li></ul>
	<ul> <li>appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ul>
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

## **Special Conditions of Contract**

a. such spare parts as the Procuring Entity may elect to purchase from the
Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
b. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in <b>Section VI</b> ( <b>Schedule of Requirements</b> ) and the cost thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.
Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.
 Packaging –
Packaging – The Supplier shall provide such packaging of the Goods as is required to prever their damage or deterioration during transit to their final destination, as indicate in this Contract. The packaging shall be sufficient to withstand, withou limitation, rough handling during transit and exposure to extreme temperatures

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity. The outer packaging must be clearly marked on at least four (4) sides as follows: Name of the Procuring Entity Name of the Supplier Contract Description Final Destination
Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
Transportation –
Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
<b>Intellectual Property Rights</b> – The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2	Payment of staggered deliveries shall be allowed. Payment shall be on "as per cost of the items delivered" subject to inspection and acceptance.
4	The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU Main to confirm conformity to the contract specifications at no extra cost to VSU.

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

ltem #	Unit	Qty	Description	Delivered, Weeks/Months
1	рс	2	4 layer Multipurpose Cabinet, Plastic, Transparent door	All Items Should Be Delivered to VSU Main Campus, Visca,
2	рс	15	Back Ergonomic Comfort conference chair	Baybay City, Leyte within <b>30</b>
			Split Pull Back Chair Size: 57*24.5*51CM Features: Thickened and reinforced backrest design, sturdy and tear-resistant mesh, widened and enlarged cushions, effectively supporting the armrests, thickened and stable arched feet. stainless steel metal frame	<b>calendar days</b> from receipt of Notice To Proceed (NTP), Purchase Order
3	рс	20	Chair, Conference stacking,	
			Image black Steel frame with leatherette foam, for adult size	
4	рс	50	curtain rod bracket, 3/4" in diameter, silver, with screw and tox	
			material: stainless	
			inclusion: with screw and tox	
5	рс	30	curtain rod, pole, 3/4" x 150", silver, with chrome end caps	
			Material: Stainless	
			Color: silver, with chrome end cap	
6	рс	50	Curtains	
			Jacquard, grommet, 58" x 80"	
7	unit	1	Ergonomic Office Chair	
			■Features	
			<ul> <li>Full Back Reclining with 3 position locking function</li> </ul>	
			Height & Angle Adjustable Headrest	
			Height & Angle Adjustable Armrest	
			<ul> <li>Height Adjustable Lumbar Support</li> </ul>	
			■Waterfall Seat	
			Gaslift	
			■Material	
			Seat: Waterfall Seat, Nylon Mesh	
			■Back Seat: nylon Mesh	
			Caster wheels: 60mm BIFMA PU nylon wheels"	
			■Weight	

			■Box size: 74 x 39 x 64 cm
			■Headrest
			◄Headrest Angle Max Adjustment: 320 degree
			angles
			ELumbar Support
			◄ Height of Lumbar Support: 12.8 cm from bottom
			of backrest
			◄Lumbar Support Height Adjustability: 5 cm
			■Arm Rest
			■ Arm Rest Angle:15 degrees inward and 15 degrees outward
			Overall Chair
			▲Maximum Recline: 124 degrees
			■ Reclines at 3 positions: 102, 113, and 124 degrees
		<u> </u>	
			■Seat Depth: 47 cm
		<u> </u>	■Backrest Load Capacity: 175 kg
			✓Seat Load Capacity: 125 kg
8	рс	1	Filing cabinets, 2 doors good quality , 5 shelves W-90 CM X D -40 CM X H-185 CM
			■Filing cabinets, 2 doors good quality , 5 shelves
			■W-90 CM X D -40 CM X H-185 CM
			Material: Metal
9	рс	41	Folding Training Table
	-		Metal Frame
			Table Top Material:High-Density Polyethylene (HDPE)
			light gray
			at least 6ft in Length,
			30 inches width, 29 inches Height
10	set	1	Lounge Sofa set with center table
			Seat Material: fabric
			■Frame Material: Wood
			■Lounge set includes 1 unit 3-seater sofa and 2
			units 1-seater sofa
			■Dimensions - 3-Seater: 175(W) x 76(D) x 82(H) cm
			■Dimensions - 1-Seater: 74(W) x 76(D) x 82(H) cm
			■Center Table : wood
			■CAPACITY: Quality Wood and MDF with classic
			textured the modern stylish table is sturdy can hold
			up to 200lbs. ©2-tier table with storage shelf
			■2-1101 Lavie Willi Stulaye Shell

			■120 by 60cm			
11	рс	1	Low Back Office Chair			
	- r •	-	Dimension, W69 X D66 X H99 - 106cm, Color Black			
12	set	1	Mahogany wood Sala Set			
			1 piece 3-seaters, 2 pieces 1-seater with removable foam for sofa set, 1 center table 2ft-3ft, with top glass			
13	рс	20	Metal Storage Shelves			
			■Full Steel,			
			■5 layer shelves storage,			
			Doltless,			
			keyhole locking system,			
			■500kg capacity,			
			Interpretation of the second secon			
			■wire/steel shelves,			
			Plastic floor protectors,			
			powder coated paint,			
			■1830mm H x 914mm W x 406mm D			
14	рс	530	Monobloc chairs			
15	рс	20	Monoblock Chair all gray or all white in color			
			Durable Quality Monoblock chair			
			■Dimensions Seat Width: 375 mm Seat Depth: 330 mm Front Legs Distance: 355 mm Side Legs Distance Left: 378 mm Side Legs Distance Right: 378 mm Back Legs Distance: 210 mm Back Rest Height: 779 mm Seat Back Height: 405 mm Seat Height: 376 mm Gross Weight: 2.25 kgs			
16	рс	400	Monoblock Study Chairs with writing Tablet White, Material is hard plastic			
			■For classroom use			
			white color			
17	рс	5	Office Chair			
			with arm rest			
			at least (580mmx600mx890-990mm)			
			butterfly mechanism = 360 Degree Swivel Seat			
			backrest: Polypropylene (Pp) Plastic With New Foam Covered With Mesh Fabric			
			seat: Plywood Seatpad With Injection Molded Foam, Covered With Polyester Fabric			
			arm: Polypropylene plastic			
			base: Chrome finish, Adjustable lumbar support, pneumatic seat height adjustment			
STABLE & BREATHABLE         OMAX high backrest mesh office chair has an integrated contoured backframe with built-in neck support.         ERGONOMIC DESIGN         The seat height adjust ranges from 16" toa 19.5".         Built-in lumbar cushion supportyour lower back and enhances the natural curve of your spine.         SOLID & DURABLE         Offers nylon five-star heavy-duty base and smooth-rolling silenced casters covered with soft PU         OVERALL DIMENSIONS         Chair size: 23.6" x 43.7"-47.6" (L x W x H)         Seat neight adjust: 16"-20"         Backrest area: 15.5 x 20.5"         Backrest area: 15.5 x 27.5"         Assembly required         19 set       Office Partition Panel         h-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque         10 unit       Office Steel Rack Shelves         Boltless warehouse office Stee	18	unit	20	Office Chair High Back Swivel Mesh Computer Comfort Reclining with Headrest & footrest (Ergonomics)		
--	----	------	----	---	--	--
integrated contoured backframe with built-in neck support.         ERGONOMIC DESIGN         The seat height adjust ranges from 16" toa 19.5". Built-in lumbar cushion supportyour lower back and enhances the natural curve of your spine.         SOLID & DURABLE         Offers nylon five-star heavy-duty base and smoothrolling silenced casters covered with soft PU         OVERALL DIMENSIONS         Chair size: 23.6" x 23.6" x 43.7"-47.6" (L x W x H)         Seat neight adjust: 16"-20"         Backrest area: 15.x 27.5"         Backrest area: 15.x 27.5"         Assembly required         19       set         2       Office Partition Panel         h-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque         20       unit         1       Office Steel Rack Shelves, 5 Layers         Boltless warehouse office Steel Rack Shelves         Built nubber feet tippings         Built nubber feet rippings         Built nubber feet rippings         Bolflees wooden table         Built nubber feet rippings         Built nubber						
Image: Section of the search of the search height adjust ranges from 16" toa 19.5". Built-in lumbar cushion supportyour lower back and enhances the natural curve of your spine.SOLID & DURABLEOffers nylon five-star heavy-duty base and smooth- rolling silenced casters covered with soft PU OVERALL DIMENSIONSChair size: 23.6" x 23.6" x 43.7"-47.6" (L x W x H)Seat height adjust: 16"-20"Seat area: 18.5" x 20.5"Backrest area: 15 x 27.5"Assembly required19set20Unit1Office Partition Panelh-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 LayersBoltless warehouse office Steel Rack ShelvesSilvith rubber feet tippingsBoffice wooden tableImage: Slayer steel rack21unit1Office tableImage: Slayer steel rack22pc5Office TableImage: Slayer steel rack23pc24properties: Maningany23pc1Senior Executive High back chair				integrated contoured backframe with built-in neck support.		
Built-in lumbar cushion supportyour lower back and enhances the natural curve of your spine.SOLID & DURABLEOffers nylon five-star heavy-duty base and smooth- rolling silenced casters covered with soft PUOVERALL DIMENSIONSChair size: 23.6" x 23.6" x 43.7"-47.6" (L x W x H)Seat height adjust: 16"-20"Seat area: 18.5" x 20.5"Backrest area: 15 x 27.5"Assembly required19set2Office Partition Panelh-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 LayersBoltless warehouse office Steel Rack ShelvesWwith rubber feet tippingsBodter (layer height) x 120cm (length) x 200cm (height)Mit 1Office tableImit 2Dimension: L 63"x W 30" x H 30"Imit 3Imit Bachard Wood,Imit 4Imit Bachard Wood,Imit 5Imit Bachard Wood,Imit 6Imit Bachard Wood,Imit 7Imit Bachard Wood,Imit 8Imit 1Imit 9Imit 1Imit 9 <td< td=""><td></td><td></td><td></td><td colspan="3"></td></td<>						
Image: Constraint of the star heavy-duty base and smooth- rolling silenced casters covered with soft PUOVERALL DIMENSIONSChair size: 23.6" x 23.6" x 43.7"-47.6" (L x W x H)Seat height adjust: 16"-20"Seat area: 18.5" x 20.5"Backrest area: 15 x 27.5"Assembly required19set2Office Partition Panelh-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 LayersBoltless warehouse office Steel Rack ShelvesBoltless warehouse office TableBoltless Boltless warehouse office TableBoltless Bolt				Built-in lumbar cushion supportyour lower back and enhances the natural curve of your spine.		
Image: solution of the solutio						
Chair size: 23.6" x 23.6" x 43.7"-47.6" (L x W x H)Seat height adjust: 16"-20"Seat height adjust: 16"-20"Seat area: 18.5" x 20.5"Backrest area: 15 x 27.5"Assembly required19set2Office Partition Panelh-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 LayersBoltless warehouse office Steel Rack ShelvesWith rubber feet tippingsBoltless warehouse office Steel Rack ShelvesBoltless warehouse office Steel Rack ShelvesBoltles				rolling silenced casters covered with soft PU		
Seat height adjust: 16"-20"Seat area: 18.5" x 20.5"Backrest area: 15 x 27.5"Assembly required19set2Office Partition Panelh-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 LayersBoltless warehouse office Steel Rack Shelveswith rubber feet tippingsadd0cm (layer height) x 120cm (length) x 200cm (height)add0cm (layer height)						
Seat area: 18.5" x 20.5"Backrest area: 15 x 27.5"Assembly required19set2Office Partition Panelh-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 LayersBoltless warehouse office Steel Rack ShelvesWith rubber feet tippingsWith rubber feet tippings40cm (layer height) x 120cm (length) x 200cm (height)1Office table1Office table21unit1Office tableBoltinension: L 63"x W 30" x H 30"Colors: Mahogany22pc5Office TableBolne Long Drawer with 3 Side Drawers, Bolnension: at least W22.75" x L47.25" x H29.5"23pc1Senior Executive High back chair						
Backrest area: 15 x 27.5"Assembly required19set2Office Partition Panelh-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 LayersBoltless warehouse office Steel Rack ShelvesSwith rubber feet tippingsWith rubber feet tippingsWith rubber feet tippingsSet 1Office table1Office table21unit1Office wooden tableSouth lockable drawers, two sided 3 drawersSouth lockable drawers, two sided 3 drawers<						
19set2Office Partition Panel19set2Office Partition Panel10h-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 Layers20unit1Office table feet tippings21unit1Office table21unit1Office table21unit1Office wooden table22pc5Office Table23pc1Senior Executive High back chair						
19set2Office Partition Panel19set2Office Partition Panel10h-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque20unit1Office Steel Rack Shelves, 5 Layers20unit1Office Steel Rack Shelves, 5 Layers20with1Office Steel Rack Shelves, 5 Layers20with1Office Steel Rack Shelves, 5 Layers20with1Office Steel Rack Shelves, 5 Layers20with rubber feet tippingswith rubber feet tippings21with rubber feet lippings940cm (layer height) x 120cm (length) x 200cm (height)21unit1Office table21unit1Office table21unit1Office table23pc5Office Table33pc1Senior Executive High back chair						
20unit1Office Steel Rack Shelves, 5 Layers20unit1Office Steel Rack Shelves, 5 Layers20unit1Office Steel Rack Shelves, 5 Layers20unit1Øbltess warehouse office Steel Rack Shelves20unit1Øbltess warehouse office Steel Rack Shelves21unit1Øffice table21unit1Office table21unit1Office table23pc5Office Table240002500260027pc5Office Table28pc5Office Table291Senior Executive High back chair	40					
20unit1Office Steel Rack Shelves, 5 Layers20unit1Office Steel Rack Shelves, 5 Layers20unit1Boltless warehouse office Steel Rack Shelves21unit1840cm (layer height) x 120cm (length) x 200cm (height)21unit1Office table21unit1Office table21unit1Office table21unit1Office table22pc5Office Table23pc1Senior Executive High back chair	19	set	2			
Image: Construction of the end of the e						
Image: selection of the	20	unit	1	Office Steel Rack Shelves, 5 Layers		
Image: Second systemImage: Second system				Boltless warehouse office Steel Rack Shelves		
(height)Image: Start Steel PriceImage: Steel Price				with rubber feet tippings		
21unit1Office tableImage: Image:						
Image: Second				■5 layer steel rack		
Image: Second	21	unit	1	Office table		
Image: Second systemImage: Second system				■office wooden table		
22pc5Office Table22pc5Office Table24Common Component of the second of				with lockable drawers, two sided 3 drawers		
22pc5Office TableImage: Strain and Str				■Dimension: L 63"x W 30" x H 30"		
Image: Strain of the strain				Colors: Mahogany		
Image: Constraint of the second sec	22	рс	5	Office Table		
Image: Constraint of the second system of				Laminated Wood,		
Image: Constraint of the constr				■One Long Drawer with 3 Side Drawers,		
Image: Construction of the state of the s				■2 Top Drawers with Locks,		
Image: Construction of the state o						
23 pc 1 Senior Executive High back chair						
	23	рс	1			
Image: Construction of the second				<u> </u>		

Image: Second	ee tilt
Metal frame, color is black	
Steel Cabinet with glass Door, sliding	door,
24 pc 12 (Assembled) Adjustable shelves,	
Display Cabinet, Filing Cabinet	
■Dimensions: 900mm x 450mm x 1850mm	
Powder coated	
Adjustable shelves	
25 pc 1 Steel Cabinet, 4 Drawers w/ lock, Vertical, White	Dirty
Size of the product W=46CM,L=62CM,H=133CM(1 inch=2.54CM)	, ,
37KG Pure steel product.	
The steel thickness of the file cabinet is 0.7-1	.2mm
Image: A Drawers steel vertical filing cabinet	
26 pc 30 terracotta pot, Big	
15 inches width x 13 inches length	
27 unit 1 Tv Cabinet	
Length 190-200cm height: 450-480cm depth 500 finish:hpl material:wood	1:450-
28 pc 20 Upholstery of Conference Chairs	
Seat Height = 19 inches	
Seat Width= 16inches	
Seat Depth= 16 inches	
Back Height = 15 inches	
Back Width = 16 inches	
Seat Material= Leather	
Back Material = Leather	
Seat Color = Dark Blue/ Black	
Back Color = Dark Blue/ Black	
Frame Color = Black	
Frame Madterial= Steel	
29set1Venetian Vertical Blinds, pvc W776 x H14 beige color with accessories	0cm,
Good Quality	
30   unit   3   White Board 4x6 Ft.	
Specification:	
■ Size: 4x6 ft.	
■Size: 4x6 ft.	

31	рс	3	window blinds
			120 cm x 160 cm
			The size is width by length, 160cm is length, you can
			adjust the length with the roller
			Width (left to right) by height (top to bottom)
			Suitable for office
			Easy to install (include brackets and screws)
			Color blackout Gray
32	рс	8	window blinds 160x180
			180x160
			The size you can adjust the length with the roller
			Width (left to right) by height (top to bottom)
			Suitable for living room bedroom office
			Easy to install (include brackets and screws)
33	unit	1	Steel Cabinet, 4 drawers with lock, vertical, black
34	lot	1	15 Units: Student Desk
			1 Lot: 15 units Student Desk
			Specifications:
			Width: 150 cm
			Depth: 60 cm
			Height: 75 cm
			Table top: MDF with high gloss white painting
			Legs: Metal iron in white powder coating
			Product Weight: 15 kgs
			Weight Capacity: 20 kgs
35	lot	lot 1	Office Chair High Back Swivel Mesh Computer
55	101		Comfort Reclining with Headrest & footrest,
			23 units - Office Chair High Back Swivel Mesh Computer Comfort Reclining withHeadrest &
			footrest,
			Model: MM-007G
			STABLE & BREATHABLE
			assembly required
			Rebidding (from VSU-GOODS-23-32)
			3 layer magazine tray/storage/desk
36	pcs	2	organizer/holder/rack
			Packing: 1 X 1pcs magazine tray
			Material: stainless steel black paint
			Color: Black
			Product Size: 27cm X 30cm

 I			Design: 3 layer
37	pcs	2	4 layer Multipurpose Cabinet, Plastic, Transparent door
38	pcs	5	Curtain rod, pole, 3/4" x 150", silver, with chrome end caps
			Material: Stainless
			Color: silver, with chrome end cap
39	pairs	2	Dark Green Velvet Curtains Room Darkening Blackout Solid Curtains Thermal Insulated Soundproof Curtain
			■Velvet
			<ul> <li>Size &amp; Material: 2 panels of 52"x108" luxury dark green velvet curtains. The back of the curtain is made of high-quality velvet fabric and black yarn.</li> <li>Function: Blackout curtains can block about 70%</li> </ul>
			of the light (the darker color works better), and can also reduce noise and keep heat down in summers
			Elegant Design: Ideal home decoration. Dark green velvet curtains d
			<ul> <li>Fine details: Interior diameter of grommet hole is</li> <li>1.6 inch. Sewn well at each edge of the curtain.</li> </ul>
			Machine washable in cold water and tumble dry.
40	рс	1	Heavy Duty Slotted Angle Rack - 6 layers[micro]
			Heavy Duty Slotted Angle Rack 2.0mm Slotted angle bars 10mm 1/2 Plywood boards 100 kilos per layer
41	unit	3	heavy duty steel shelves
			Heavy Duty Slotted Angle Rack
			2.0mm Slotted angle bars
			10mm 1/2 Plywood boards
			100 kilos per layer
			Height - 6ft
			Length - 4ft
			Width - 18"
			6 Layers
42	рс	1	Slim Drawer (5layers), Material: Plastic
43	unit	3	Whiteboard with stand

			Rotatable Back-to-back 4' x 5' Whiteboard with aluminum frame and a movable and adjustable iron stand with a maximum height of 6'.	
44	рс	1	Center Table, Glass	1,000.00
			Table Center, Glass, Size 1100*600*450mm	
			Materials: Tempered Glass, Wooden Leg, color Brown	
			Feature: Magazine Rack at the side	
				TOTAL:

Section VII. Technical Specifications

# **Technical Specifications**

Item #	Unit	Qty	Description	STATEMENT OF COMPLIANCE
1	рс	2	4 layer Multipurpose Cabinet, Plastic, Transparent door	[Bidders must state here either "Comply" or "Not Comply"
2	рс	15	Back Ergonomic Comfort conference chair	against each of the individual
			Split Pull Back Chair Size: 57*24.5*51CM Features: Thickened and reinforced backrest design, sturdy and tear-resistant mesh, widened and enlarged cushions, effectively supporting the armrests, thickened and stable arched feet. stainless steel metal frame	parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply"
3	рс	20	Chair, Conference stacking,	must be supported by evidence in a Bidders Bid and cross-
4	рс	50	<ul> <li>Image: Steel frame with leatherette foam, for adult size</li> <li>curtain rod bracket, 3/4" in diameter, silver, with screw and tox</li> </ul>	referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended
			material: stainless	sales literature, unconditional
			inclusion: with screw and tox	statements of specification and compliance issued by the
5	рс	30	curtain rod, pole, 3/4" x 150", silver, with chrome end caps	manufacturer, samples, independent test data etc., as
			Material: Stainless	appropriate. A statement that is
			Color: silver, with chrome end cap	not supported by evidence or is subsequently found to be
6	рс	50	Curtains	contradicted by the evidence
			Jacquard, grommet, 58" x 80"	presented will render the Bid
7	unit	1	Ergonomic Office Chair	under evaluation liable for
			<ul> <li>Features</li> <li>Full Back Reclining with 3 position locking function</li> </ul>	rejection. A statement either in the Bidder's statement of compliance or the supporting
			Height & Angle Adjustable Headrest	evidence that is found to be false either during Bid
			Height & Angle Adjustable Armrest	evaluation, post-qualification
			<ul> <li>Height Adjustable Lumbar Support</li> </ul>	or the execution of the Contract
			✓Waterfall Seat	may be regarded as fraudulent
			Gaslift	and render the Bidder or supplier liable for prosecution
			Anti-skid wheels	subject to the applicable laws
			Material	and issuances.]
			Caster wheels: 60mm BIFMA PU nylon wheels"	
			◄Frame: Nylon Back Frame	
			◙Weight	
			■Box size: 74 x 39 x 64 cm	
			■Headrest	

		1	
			◄ Headrest Angle Max Adjustment: 320 degree angles
			■Lumbar Support
			◄Height of Lumbar Support: 12.8 cm from bottom
			of backrest
			▲Lumbar Support Height Adjustability: 5 cm
			■Arm Rest
			olivaru ■Overall Chair
			■Goveran Chain ■Maximum Recline: 124 degrees
			■ Reclines at 3 positions: 102, 113, and 124
			degrees
			■Seat Depth: 47 cm
			■Backrest Load Capacity: 175 kg
			■Seat Load Capacity: 125 kg
8	рс	1	Filing cabinets, 2 doors good quality , 5 shelves W-90 CM X D -40 CM X H-185 CM
			■Filing cabinets, 2 doors good quality , 5 shelves
			■W-90 CM X D -40 CM X H-185 CM
			Material: Metal
9	рс	41	Folding Training Table
			Metal Frame
			Table Top Material:High-Density Polyethylene (HDPE)
			light gray
			at least 6ft in Length,
			30 inches width, 29 inches Height
10	set	1	Lounge Sofa set with center table
			Seat Material: fabric
			■Frame Material: Wood
			■Lounge set includes 1 unit 3-seater sofa and 2
			units 1-seater sofa
			Dimensions - 3-Seater: 175(W) x 76(D) x 82(H) cm
			■Dimensions - 1-Seater: 74(W) x 76(D) x 82(H) cm
			Center Table : wood
			■CAPACITY: Quality Wood and MDF with classic tortured the modern stylich table is sturing and hold
			textured the modern stylish table is sturdy can hold up to 200lbs.
			■2-tier table with storage shelf
			■120 by 60cm

			Dimension, W69 X D66 X H99 - 106cm, Color Black	
12	set	1	Mahogany wood Sala Set	
			1 piece 3-seaters, 2 pieces 1-seater with removable foam for sofa set, 1 center table 2ft-3ft, with top glass	
13	рс	20	Metal Storage Shelves	
			■Full Steel,	
			■5 layer shelves storage,	
			■boltless,	
			keyhole locking system,	
			■500kg capacity,	
			Interpretation of the second secon	
			■wire/steel shelves,	
			Plastic floor protectors,	
			■powder coated paint,	
			■1830mm H x 914mm W x 406mm D	
14	рс	530	Monobloc chairs	
15	рс	20	Monoblock Chair all gray or all white in color	
			Durable Quality Monoblock chair	
			Dimensions Seat Width: 375 mm Seat Depth: 330	
			mm Front Legs Distance: 355 mm Side Legs	
			Distance Left: 378 mm Side Legs Distance Right: 378 mm Back Legs Distance: 210 mm Back Rest	
			Height: 779 mm Seat Back Height: 405 mm Seat	
			Height: 376 mm Gross Weight: 2.25 kgs	
16	рс	400	Monoblock Study Chairs with writing Tablet White, Material is hard plastic	
			■For classroom use	
			white color	
17	рс	5	Office Chair	
			with arm rest	
			at least (580mmx600mx890-990mm)	
			butterfly mechanism = 360 Degree Swivel Seat	
			backrest: Polypropylene (Pp) Plastic With New Foam Covered With Mesh Fabric	
			seat: Plywood Seatpad With Injection Molded Foam, Covered With Polyester Fabric	
			arm: Polypropylene plastic	
			base: Chrome finish, Adjustable lumbar support,	
			pneumatic seat height adjustment	
10	unit	20	Office Chair High Back Swivel Mesh Computer	
18	unit	20		

		1	
			OMAX high backrest mesh office chair has an
			integrated contoured backframe with built-in neck support.
			ERGONOMIC DESIGN
			The seat height adjust ranges from 16" toa 19.5".
			Built-in lumbar cushion supportyour lower back and
			enhances the natural curve of your spine.
			SOLID & DURABLE
			Offers nylon five-star heavy-duty base and smooth-
			rolling silenced casters covered with soft PU
			OVERALL DIMENSIONS
			Chair size: 23.6" x 23.6" x 43.7"-47.6" (L x W x H)
			Seat height adjust: 16"-20"
			Seat area: 18.5" x 20.5"
			Backrest area: 15 x 27.5"
40			Assembly required
19	set	2	Office Partition Panel
			h-6ft x w-7ft, removable, free-standing wall partition, fiber glass, opaque
20	unit	1	Office Steel Rack Shelves, 5 Layers
			Boltless warehouse office Steel Rack Shelves
			with rubber feet tippings
			■40cm (layer height) x 120cm (length) x 200cm (height)
			■5 layer steel rack
21	unit	1	Office table
			■office wooden table
			with lockable drawers, two sided 3 drawers
			Dimension: L 63"x W 30" x H 30"
			Colors: Mahogany
22	рс	5	Office Table
			Laminated Wood,
			■One Long Drawer with 3 Side Drawers,
			2 Top Drawers with Locks,
			■color: Gray, Wenge,
			Dimension: at least W22.75" x L47.25" x H29.5"
23	рс	1	Senior Executive High back chair
			■double-layer cushion with leatherette armrest,
			with back-rest reclining adjustment and knee tilt mechanism
			Metal frame, color is black
24	рс	12	Steel Cabinet with glass Door, sliding door, (Assembled) Adjustable shelves,

I			Display Cabinet, Filing Cabinet		
			Display Cabinet, 1 mily Cabinet Dimensions: 900mm x 450mm x 1850mm		
			Powder coated		
			<ul> <li>Adjustable shelves</li> <li>Steel Cabinet, 4 Drawers w/ lock, Vertical, Dirty</li> </ul>		
25	рс	1	White		
			■size of the product is W=46CM,L=62CM,H=133CM(1 inch=2.54CM),		
			37KG Pure steel product.		
			The steel thickness of the file cabinet is 0.7-1.2mm		
			■4 Drawers steel vertical filing cabinet		
26	рс	30	terracotta pot, Big		
			15 inches width x 13 inches length		
27	unit	1	Tv Cabinet		
			Length 190-200cm height: 450-480cm depth:450- 500 finish:hpl material:wood		
28	рс	20	Upholstery of Conference Chairs		
			Seat Height = 19 inches		
			Seat Width= 16inches		
			Seat Depth= 16 inches		
			Back Height = 15 inches		
			Back Width = 16 inches		
			Seat Material= Leather		
			Back Material = Leather		
			Seat Color = Dark Blue/ Black		
			Back Color = Dark Blue/ Black		
			Frame Color = Black		
			Frame Madterial= Steel		
29	set	1	Venetian Vertical Blinds, pvc W776 x H140cm, beige color with accessories		
			■Good Quality		
30	unit	3	White Board 4x6 Ft.		
			■Specification:		
			■Size: 4x6 ft.		
			Magnetic With Stand and Roller Stopper		
			Collapsible stand and rollers		
			With white board eraser holder		
			with aluminum frame and stand		
31	рс	3	window blinds		
			120 cm x 160 cm		
			The size is width by length, 160cm is length, you can adjust the length with the roller		

			Width (left to right) by height (top to bottom)		
			Suitable for office		
			Easy to install (include brackets and screws)		
			Color blackout Gray		
32	рс	8	window blinds 160x180		
02	μο	U	180x160		
			The size you can adjust the length with the roller		
			Width (left to right) by height (top to bottom)		
			Suitable for living room bedroom office		
			Easy to install (include brackets and screws)Steel Cabinet, 4 drawers with lock, vertical,		
33	unit	1	black		
34	lot	1	15 Units: Student Desk		
			1 Lot: 15 units Student Desk		
			Specifications:		
			Width: 150 cm		
			Depth: 60 cm		
			Height: 75 cm		
			Table top: MDF with high gloss white painting		
			Legs: Metal iron in white powder coating		
			Product Weight: 15 kgs		
			Weight Capacity: 20 kgs		
35	lot	1	Office Chair High Back Swivel Mesh Computer Comfort Reclining with Headrest & footrest,		
			23 units - Office Chair High Back Swivel Mesh		
			Computer Comfort Reclining withHeadrest &		
			footrest,		
			Model: MM-007G		
			STABLE & BREATHABLE		
			ERGONOMIC DESIGN		
			assembly required		
			Rebidding (from VSU-GOODS-23-32)		
36	pcs	2	3 layer magazine tray/storage/desk organizer/holder/rack		
			Packing: 1 X 1pcs magazine tray		
			Material: stainless steel black paint		
			Color: Black		
			Product Size: 27cm X 30cm		
			Design: 3 layer		
37	pcs	2	4 layer Multipurpose Cabinet, Plastic, Transparent door		

38	pcs	5	Curtain rod, pole, 3/4" x 150", silver, with chrome end caps
			Material: Stainless
			Color: silver, with chrome end cap
39	pairs	2	Dark Green Velvet Curtains Room Darkening Blackout Solid Curtains Thermal Insulated Soundproof Curtain
			■Velvet
			Size & Material: 2 panels of 52"x108" luxury dark green velvet curtains. The back of the curtain is made of high-quality velvet fabric and black yarn.
			<ul> <li>Function: Blackout curtains can block about 70% of the light (the darker color works better), and can</li> </ul>
			also reduce noise and keep heat down in summers■Elegant Design: Ideal home decoration. Dark
			green velvet curtains d Fine details: Interior diameter of grommet hole is
			1.6 inch. Sewn well at each edge of the curtain.
			Machine washable in cold water and tumble dry.
40	рс	1	Heavy Duty Slotted Angle Rack - 6 layers[micro]
10	P0		Heavy Duty Slotted Angle Rack 2.0mm Slotted
			angle bars 10mm 1/2 Plywood boards 100 kilos per layer
41	unit	3	heavy duty steel shelves
			Heavy Duty Slotted Angle Rack
			2.0mm Slotted angle bars
			10mm 1/2 Plywood boards
			100 kilos per layer
			Height - 6ft
			Length - 4ft
			Width - 18"
			6 Layers
42	рс	1	Slim Drawer (5layers), Material: Plastic
42	μc		
43	unit	3	Whiteboard with stand
			Rotatable Back-to-back 4' x 5' Whiteboard with
			aluminum frame and a movable and adjustable iron
			stand with a maximum height of 6'.
44	рс	1	Center Table, Glass

Table Center, Glass, Size 1100*600*450mm	
Materials: Tempered Glass, Wooden Leg, color Brown	
Feature: Magazine Rack at the side	
	TOTAL:

# Section VIII. Checklist of Technical and Financial Documents

## **Checklist of Technical and Financial Documents**

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

#### Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);

#### <u>Technical Documents</u>

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid in the amount of <u>at least 50% of the ABC</u> or at least One Million Two Hundred Eighty Thousand Pesos (PhP 1,280,000.00); or

Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to <u>at least 50% of the ABC</u> or **at least One Million Two Hundred Eighty Thousand Pesos (PhP 1,280,000.00)** and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or **at least Six Hundred Forty Thousand Pesos (PhP 640,000.00)**; and

(d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

#### <u>or</u>

Original copy of Notarized Bid Securing Declaration; and

- (e) Conformity with the Technical Specifications; <u>and</u>
- (f) Schedule of Requirements/production and delivery schedule; <u>and</u>
- (g) Manpower requirements; <u>and</u>
- (h) After-sales service/parts; <u>and</u>
- (i) Original duly signed Omnibus Sworn Statement (OSS);
   and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) at least equal to ABC (PhP 2,650,000.00);

### <u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation (at least 10% of ABC or **PhP 265,000.00**).

## **II. FINANCIAL COMPONENT ENVELOPE**

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).

### Guidelines on the Preparation of Electronic Bid (e-Bid) (for bidders who prefer electronic bid submission)

- 1. Scan per file all documents into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration	PhilGEPS
	(Platinum)	
2.	Statement of On-Going Government	Statement of On-Going
	& Private Contracts	Contracts
3.	Statement of Bidder's Single Largest	SLCC
	Completed Contract	
4.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
5.	Bid Security	Bid Security
6.	Technical Specifications	Technical Specifications
7.	SCHEDULE of	Schedule of Requirements
	Requirements/Production and	
	delivery schedule	
8.	Manpower Requirements	Manpower Requirements
9.	After Sales service/parts	After Sales
10.	Omnibus Sworn Statement	Omnibus Sworn Statement
11.	Audited Financial Statements	Audited Financial Statements
12.	Net Financial Contracting Capacity	NFCC
13.	Committed Line of Credit	CLC
14.	Bid Form	Bid Form
15.	Price Schedule	Price Schedule

- 3. Create two (2) folders that are password-protected. The first folder should contain all the requirements under the Technical Component checklist as presented under Section VIII. The second folder should contain all the requirements under the Financial Component checklist.
- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Mr. Leopoldo S. Escala Jr. at *leopoldo.escala@vsu.edu.ph* before the deadline (November 28, 2023; 8:30 AM).



**@VSUProcurement** 



