

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Supply, Delivery and Installation of LED Wall for VSU Main Campus and Alangalang Campus (VSU-GOODS-24-08)

(early procurement)

Government of the Republic of the Philippines

December 14, 2023; 2:00 PM BAC Conference Room, VSU Market, Visca, Baybay City, Leyte and via Zoom

> Sixth Edition July 2020

Table of Contents

Glossa	ary of Acronyms, Terms, and Abbreviations	3
Sectio	n I. Invitation to Bid	6
Sectio	n II. Instructions to Bidders	13
1.	Scope of Bid	
2.	Funding Information	14
3.	Bidding Requirements	14
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	14
5.	Eligible Bidders	14
6.	Origin of Goods	15
7.	Subcontracts	15
8.	Pre-Bid Conference	15
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components	15
11.	Documents comprising the Bid: Financial Component	16
12.	Bid Prices	16
13.	Bid and Payment Currencies	17
14.	Bid Security	17
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	n III. Bid Data Sheet	20
Sectio	n IV. General Conditions of Contract	22
1.	Scope of Contract	23
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	23
5.	Warranty	24
6.	Liability of the Supplier	24
Sectio	n V. Special Conditions of Contract	25
Sectio	n VI. Schedule of Requirements	30
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN - United Nations.

Section I. Invitation to Bid



INVITATION TO BID FOR SUPPLY, DELIVERY AND INSTALLATION OF LED WALL

1. The *Visayas State University* through the *GF 2024* intends to apply the sum of *Eight Million Five Hundred Thousand Pesos* (*PhP 8,500,000.00*) being the ABC to payments under the contract for *Supply, Delivery and Installation of LED Wall for VSU Main Campus and Alang-Alang Campus*(*VSU-GOODS-24-08*). Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *Visayas State University*, through the *GF 2024* intends to apply the following ABC per item to payments under the contract for each item, to wit:

Item No.	Discription	QTY	Unit	Unit Price	Total Price
1	SUPPLY, DELIVERY AND INSTALLATION OF LED WALL (3 SETS OF 9X12 FT P3 OUTDOOR and INDOOR LED WALL) in VSU Main Campus	1	LOT	7,000,000.00	7,000,000.00
	Hight refresh High resolution				
	1 SET OF 9X12 FT P4 OUTDOOR				
	PIXEL: at least 4.44				
	APPLICATION: OUTDOOR				
	LED TYPE SMD 3N1				
	INSTALLATION: FIXED				
	TECHNICAL SPECIFICATIONS				
	BRIGHTNESS: 5,000 – 7,500				
	SCREEN RESOLUTION: at least 577x865				
	PIXEL DENSITY: at least 50,726 (STANDARD)				
	CABINET MATERIAL: ALUMINUM				
	CABINET WEIGHT: at least 27KG				
	POWER CONSUMPTION: at least 800W				
	INTEGRATED CIRCUIT: ICN2153/MB1512				
	POWER SUPPLY: 5V60A MEGMEET,CE				
	CONTROL SYSTEM: NOVASTAR TECHNOLOGY or				
	Equivalent				
	MENTAINANCE: REAR and FRONT				
	SUPPY AND ISTALLATION OF LED VIDEO WALL				
	PIXEL: at least 4.44				
	MODULE: ALUMINUM				
	TYPE: OUTDOOR FIX SET				
	IED LAMP: P4.44				
	RECEIVING CARD: A55 PLUS (6) or compatible equivalent				
	INCLUSION				
	STEEL FRAME (4 UNITS) FREE				

1 OUTDOOR LED SCREEN 500X500MM ALUMINUM			
PH 4.44mm outdoor, screen 1 sets of 9x12FT	40	PCS	
Driver IC INDCD2153 /MB15124	10	1 00	
Refresh rate at least 3,840hz			
Grey scale 16 bits			
PANEL SIZE			
BRIGHTNES: at least 6000CD			
500X500mm			
Water and heat proof IP65, Rear and front maintenance			
Height 9.5FT	X1		
Width 13.5FT	X1		
CONTROL SYTEM			
PROCESSOR: NOVA STAR VX400 or compatible			
equivalent	1		
RECEIVING CARDS	40		
SENDING CARD: TB30 P4	1		
TRAVEL CASE	4		
RJ45 CONNECTORS	40		
30 METERS SIGNAL CAT 6	2		
POWER DISTRIBUTION			
POWER SUPPLY CHORD	40		
2.5KW,380 VAC INPUT 220 AC OUTPUT	1		
MAIN LINE	2		
SPARE PARTS			
SPARE RECIVING CARDS	9		
SPARE POWER SUPPLY MODULE	9		
SPARE ALUMINUM MODULE (125MM)	10		
WARRANTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING CARDS AND LAMP			
Inclusion: to maximize and fix all concerns for sound system			
and lightings set up that is already installed at the venue:			
LED VIDEO WALL RENTAL TYPE LED SCREEN			
PIXEL: 3.91			
APPLICATION: OUTDOOR AND INDOOR			
LED TYPE SMD 3N1			
TECHNICAL SPECIFICATIONS			
BRIGHTNESS: 5,000 – 7,500			
SCREEN RESOLUTION: 640x102			
PIXEL DENSITY: at least 65,410 (STANDARD)			
CABINET MATERIAL: DIE CASTING MAGNETIC			
CABINET WEIGHT: at least 24 KG			
POWER CONSUMPTION: at most 600W			
INCLUSIVE OF INTEGRATED CIRCUIT, POWER			
SUPPLY AND CONTROL SYSTEM			
CONTROL SYSTEM: NOVASTAR TECHNOLOGY or			
compatible equivalent Equivalent MAINTAINANCE: REAR ONLY			+
IVIAIIVI AIIVAIVUE. REAR UNLT			

SUPPY AND INSTALLATION OF LED VIDEO WALL		
MODULE: MAGNETIC TYPE		
TYPE: INDOOR AND OUTDOOR FIX SET (FINE VIEWING)		
IED LAMP: (200-240) V		
RECIVING CARD: NOVASTAR 208-1 or compatible		
equivalent		
INCLUSION		
STEEL FRAME (4 UNITS)		
SUPPORT AND FULL TESTING WITH TRAINING ON STAFF		
PVC PIPE LAYING AND MOULDING + DATA CABLING		
(OPTIONAL)		
P3.91 OUTDOOR LED SCREEN 500X500MM DIE CASTING MAGNETIC CABINET		
PH.391mm outdoor, screen 3 sets of 9x12FT		
Driver IC INDCD2153		
Refresh rate 3,840hz	80	
Grey scale 16 bits	PCS	
PANEL SIZE: 500X500mm		
Water and heat proof IP65, Rear maintenance		
Height 9.5FT	X2	
Width 13.5FT	X2	
CONTROL SYTEM	7.2	
PROCESSOR: NOVA STAR VX600X or compatible		
equivalent	1	
RECEIVING CARDS	80	
SENDING CARD MSD/MRV 300	1	
TRAVEL CASE	8	
RJ45 CONNECTORS	80	
30 METERS SIGNAL CAT 6	4	
POWER SUPPLY CHORD	80	
2.5KW,380 VAC INPUT 220 AC OUTPUT	1	
MAIN LINE	4	
SPARE RECIVING CARDS	18	
SPARE POWER SUPPLY MODULE	18	
SPARE MAGNETIC MODULE (125MM)	20	
WARRANTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING CARDS AND LAMP		
1 SET WIRLESS COMMUNICATION SET		
single -ear full- Duplex wireless intercom headset system		
400mm 1 master & 4 remote team communication single		
ear headset for communication		
9 chargers		
1 travel case		
1 unit 55 inches tv for live stream monitoring		
Inclusion: to maximize and fix all concerns for sound system		
and lightings set up that is already installed at the venue:		

	Delivered to Alexa Alexa Commun				
	Delivered to Alang-Alang Campus				
	SUPPLY, DELIVERY AND INSTALLATION OF LED				
2	WALL (3 SETS OF 9X12 FT P3 OUTDOOR and INDOOR	1	lot	1,500,000.00	1,500,000.00
	LED WALL) in VSU Alang-Alang Campus				
	LEDWALL INSTALLATION (1 SET) IN TOTAL 9X12 FT				
	P3 Hight refresh High resolution,				
	1 SETS OF 9X12 FT INDOOR-OUTDOOR DESCRIPTION				
	- TECHNICAL RIDER LED VIDEO WALL RENTAL TYPE				
	LED SCREEN, UCT P4.4, PIXEL: 4.44, APPLICATION:				
	OUTDOOR, LED TYPE SMD 3N1, INSTALLATION: FIXED TECHNICAL SPECIFICATIONS, MAX BRIGHTNESS:				
	5,000 – 7,500, SCREEN RESULUTION: 577*865, SUPPY				
	AND ISTALLATION OF LED VIDEO WALL, MODEL:				
	P3.91, MODULE: ALUMINUM, TYPE: INDOOR				
	OUTDOOER, IED LAMP: P3.91, RECIVING CARD:				
	MRV208-1, INCLUSION, STEEL FRAME (4 UNITS)				
	FREE, 1 UTC P4.44 OUTDOOR LED SCREEN				
	5OOX500MM ALUMINUM Driver IC INDCD2153				
	/MB15124, Refresh rate 3,840hz, Grey scale 16 bits,				
	PANEL SIZE, BRIGHTNES: 6000CD 500X500mm, Water				
	and heat proof IP65 (40pcs), Height 9.5FT (X1), Width				
	13.5FT (X1), CONTROL SYSTEM, PROCESSOR: NOVA				
	STAR VX400 (1), RECEIVING CARDS: MRV 208-1 (40),				
	SENDING CARD: MSD-300 NOVA (1), TRAVEL CASE (4),				
	RJ45 CONNECTORS (40), 30 METERS SIGNAL CAT 6				
	(2), POWER DISTRIBUTION (40), POWER SUPPLY CHORD, 2.5KW,380 VAC INPUT 220 AC OUTPUT (1),				
	MAIN LINE (2), SPARE PARTS (2), SPARE RECIVING				
	CARDS (2), SPARE POWER SUPPLY MODULE (4),				
	SPARE ALUMINUM MODULE (125MM) (4), WARRANTY				
	ON PARTS (2 YEARS) INCLUDING RECEIVING CARDS				
	AND LAMP, Inclusion: to maximize and fix all concerns for				
	sound system and lightings set up that is already installed				
	at the venue:				
				TOTAL	8,500,000.00

Bids received in excess of the ABC for each item shall be automatically rejected at bid opening.

- 2. The *Visayas State University* now invites bids for the above Procurement Project. Delivery of the Goods is required by *ninety* (90) calendar days upon receipt of Notice to Proceed (NTP). Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock

belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *Visayas State University* and inspect the Bidding Documents at the address given below during *Mondays Fridays* (8:00 AM-5:00 PM).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on 23 November 14 December 2023 until 1:30 PM from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (PhP 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- 6. The *Visayas State University* will hold a Pre-Bid Conference on *December 01, 2023;* 2:00 PM at the BAC Conference Room, VSU Market, Visca, Baybay City, Leyte and through video conferencing via Zoom, which shall be open to prospective bidders.
 - Bidders are advised to contact the BAC Secretariat before the scheduled Pre-Bid Conference for the Zoom meeting details.
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before *14 December 2023 until 1:30 PM*. Late bids shall not be accepted.
- 8. For bidders who opt to submit their bids electronically, a hardcopy (original) of the bid must be sent to the BAC through preferred couriers. A proof (e.g. courier receipt/waybill, etc.) that a hardcopy of the bid is on transit must be presented upon submission of the electronic bid.
- 9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 10. Bid opening shall be on *November 2December 14 2023 until 2:00 PM* at the *BAC Conference Room*, *VSU Market*, *Visca*, *Baybay City*, *Leyte* and through video conferencing via *Zoom*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
 - Bidders are advised to contact the BAC Secretariat before the scheduled Bid Opening for the Zoom meeting details.
- 11. This procurement project is part of the early procurement activities (EPA) of VSU for 20243 projects. Procurement activities from advertisement until recommendation of award to the HoPE shall be conducted in 2023 but issuance of award to the winning bidders shall be done in 2024 upon the release of 2024 VSU General Appropriations Act from DBM.

- 12. The *Visayas State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 13. For further information, please refer to:

Mr. Leopoldo S. Escala Jr. (BAC Secretariat)

Office of the Head for Procurement, VSU-Main, Visca, Baybay City, Leyte

Mobile: 053 565 0600 local 1093 or 09639629709

Email: <u>leopoldo.escala@vsu.edu.ph</u>

or

Mr. Toni Marc L. Dargantes (BAC Secretariat)

Office of the VP for Planning, Resource Generation & Auxiliary Services VSU-Main, Visca, Baybay City, Leyte

Mobile: 0977 7186594

Email: tmdargantes@vsu.edu.ph

14. You may visit the following websites:

For downloading of Bidding Documents: https://www.vsu.edu.ph/philgeps-

opportunities

November 22, 2023

DILBERTO O. FERRAREN

Chairperson, VSU BAC

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Visayas State University, wishes to receive Bids for the Supply, Delivery and Installation of LED Wall for VSU Main Campus and Alang-Alang Campus, with identification number VSU-GOODS-24-08.

The Procurement Project (referred to herein as "Project") is composed of 52 items, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2024 in the amount of *Eight Million Five Hundred Thousand Pesos (PhP 8,500,000.00)*.
- 2.2. The source of funding is: NGA, the General Appropriations Act 2024.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed**.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).

- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two** (2 *years*) prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price,

the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *April 14, 2024*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing,

webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid

through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. LED Wall
	b. completed within two (2) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>VSU Main, Visca, Baybay City, Leyte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>One Hundred Sixty Eig One Hundred Seventy Thousand Pesos (PhP 170,000.00) or two percent (2%) of ABC</i> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than Four Hundred Twenty Five Thousand Pesos (PhP 425,000.00) or five percent (5%) of ABC if bid security is in Surety Bond.

15	Bidders are requested to submit two (2) more copies of its bid (Copy 1 and Copy 2) in addition to the required original hardcopy. For filing purposes, the bidders are urged to use Orange envelopes for its Technical and Financial Component envelopes, including the Mother (outer) Envelope.
19.3	See Section I. Invitation to Bid (Item 1) for the list of items and their corresponding total Approved Budget for the Contract (ABC) per item.
20.2	Bidders are required to submit its updated Mayor's/Business Permit during post-qualification.
21.2	Not Applicable.

Section IV. Gener	ral Conditio	ons of Con	tract
		, og e e e	

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Co	ontract
-------------------------------------	---------

Special Conditions of Contract

	Special Conditions of Contract			
GCC Clause				
1	Delivery and Documents –			
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:			
	The delivery term applicable to this Contract is delivered VSU Main Campus, Visca, Baybay City, Leyte. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.			
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).			
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is:			
	Vivian V. Balbarino Head, Supply and Property Management Office VSU-Main, Visca, Baybay City, Leyte Contact #: 053 565 0600 local 1082/09175518871 sppmo@vsu.edu.ph			
	 Additional Instruction: The Supplier should notify the Head of Supply and Property Management Office atleast 1 week before the scheduled delivery 			
	Incidental Services –			
	 The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: a. performance r supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. 			

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 3 years.

Spare parts or components shall be supplied as promptly as possible, but in any case, within 1 month of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	Payment of staggered deliveries shall be allowed. Payment shall be on "as per cost of the items delivered" subject to inspection and acceptance.
4	The inspections and tests that will be conducted will be specified by the appropriate technical team of VSU to confirm conformity to the contract specifications at no extra cost to VSU.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

No. ISSUMPLY, DELIVERY AND INSTALLATION OF LED WALL (3 SETS OF 9X12 FT P3 OUTDOOR and INDOOR LED WALL) in VSU Main Campus Hight refresh High resolution 1 SET OF 9X12 FT P4 OUTDOOR PIXEL: at least 4.44 APPLICATION: OUTDOOR LED TYPE SMD 3N1 INSTALLATION: FIXED TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET, CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	s/Months
1 WALL (3 SETS OF 9X12 FT P3 OUTDOOR and INDOOR LED WALL) in VSU Main Campus Hight refresh High resolution 1 SET OF 9X12 FT P4 OUTDOOR PIXEL: at least 4.44 APPLICATION: OUTDOOR LED TYPE SMD 3N1 INSTALLATION: FIXED TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	Be
WALL) in VSU Main Campus Hight refresh High resolution 1 SET OF 9X12 FT P4 OUTDOOR PIXEL: at least 4.44 APPLICATION: OUTDOOR LED TYPE SMD 3N1 INSTALLATION: FIXED TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
Hight refresh High resolution 1 SET OF 9X12 FT P4 OUTDOOR PIXEL: at least 4.44 APPLICATION: OUTDOOR LED TYPE SMD 3N1 INSTALLATION: FIXED TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET, CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	Baybay
TIGHT CONTROL STRIP TO THE PROPERTY OF STRIP T	, ,
PIXEL: at least 4.44 APPLICATION: OUTDOOR LED TYPE SMD 3N1 INSTALLATION: FIXED TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 577x865 PIXEL DENSITY: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
APPLICATION: OUTDOOR LED TYPE SMD 3N1 INSTALLATION: FIXED TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
LED TYPE SMD 3N1 INSTALLATION: FIXED TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	Order
INSTALLATION: FIXED TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
TECHNICAL SPECIFICATIONS BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
SCREEN RESOLUTION: at least 577x865 PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
CABINET MATERIAL: ALUMINUM CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
CABINET WEIGHT: at least 27KG POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
POWER CONSUMPTION: at least 800W INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
INTEGRATED CIRCUIT: ICN2153/MB1512 POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
POWER SUPPLY: 5V60A MEGMEET,CE CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
MENTAINANCE: REAR and FRONT SUPPY AND ISTALLATION OF LED VIDEO WALL PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
PIXEL: at least 4.44 MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
MODULE: ALUMINUM TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
TYPE: OUTDOOR FIX SET IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
IED LAMP: P4.44 RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
RECEIVING CARD: A55 PLUS (6) or compatible equivalent INCLUSION	
INCLUSION	
STEEL FRAME (4 UNITS) FREE	
1 OUTDOOR LED SCREEN 500X500MM ALUMINUM	
PH 4.44mm outdoor, screen 1 sets of 9x12FT	
Driver IC INDCD2153 /MB15124	
Refresh rate at least 3,840hz	
Grey scale 16 bits	
PANEL SIZE	
BRIGHTNES: at least 6000CD	
500X500mm	
Water and heat proof IP65, Rear and front maintenance Height 9.5FT	
Width 13.5FT	
CONTROL SYTEM	
PROCESSOR: NOVA STAR VX400 or compatible equivalent	
RECEIVING CARDS	
SENDING CARD: TB30 P4	
TRAVEL CASE	
RJ45 CONNECTORS	
30 METERS SIGNAL CAT 6	
POWER DISTRIBUTION	
POWER SUPPLY CHORD	

	A SIAN OOO VA O INIDUT OOO A O OUTDUT
	2.5KW,380 VAC INPUT 220 AC OUTPUT
	MAIN LINE
	SPARE PARTS
	SPARE RECIVING CARDS
	SPARE POWER SUPPLY MODULE
	SPARE ALUMINUM MODULE (125MM)
	WARRANTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING
	CARDS AND LAMP
	Inclusion: to maximize and fix all concerns for sound system and lightings
	set up that is already installed at the venue:
	LED VIDEO WALL RENTAL TYPE LED SCREEN
	PIXEL: 3.91
	APPLICATION: OUTDOOR AND INDOOR
	LED TYPE SMD 3N1
	TECHNICAL SPECIFICATIONS
	BRIGHTNESS: 5,000 – 7,500 SCREEN RESOLUTION: 640x102
	PIXEL DENSITY: at least 65,410 (STANDARD) CABINET MATERIAL: DIE CASTING MAGNETIC
	CABINET WEIGHT: at least 24 KG
	POWER CONSUMPTION: at most 600W
	INCLUSIVE OF INTEGRATED CIRCUIT, POWER SUPPLY AND
	CONTROL SYSTEM
	CONTROL SYSTEM: NOVASTAR TECHNOLOGY or its Equivalent
	MAINTAINANCE: REAR ONLY
	SUPPY AND INSTALLATION OF LED VIDEO WALL
	MODULE: MAGNETIC TYPE
	TYPE: INDOOR AND OUTDOOR FIX SET (FINE VIEWING)
	IED LAMP: (200-240) V
	RECIVING CARD: NOVASTAR 208-1 or compatible equivalent
	INCLUSION
	STEEL FRAME (4 UNITS)
	SUPPORT AND FULL TESTING WITH TRAINING ON STAFF
	PVC PIPE LAYING AND MOULDING + DATA CABLING (OPTIONAL)
	P3.91 OUTDOOR LED SCREEN 500X500MM DIE CASTING
	MAGNETIC CABINET
	PH.391mm outdoor, screen 3 sets of 9x12FT
	Driver IC INDCD2153
	Refresh rate 3,840hz
	Grey scale 16 bits
	PANEL SIZE: 500X500mm
	Water and heat proof IP65, Rear maintenance
	Height 9.5FT
	Width 13.5FT
	CONTROL SYTEM
	PROCESSOR: NOVA STAR VX600X or compatible equivalent
	RECEIVING CARDS
	SENDING CARD MSD/MRV 300
	TRAVEL CASE
	RJ45 CONNECTORS
	30 METERS SIGNAL CAT 6
	POWER SUPPLY CHORD
	2.5KW,380 VAC INPUT 220 AC OUTPUT
	MAIN LINE
	SPARE RECIVING CARDS
_	SPARE POWER SUPPLY MODULE
	SPARE MAGNETIC MODULE (125MM)

	WARRANTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING CARDS AND LAMP	
	1 SET WIRLESS COMMUNICATION SET	
	single -ear full- Duplex wireless intercom headset system 400mm 1 master	
	& 4 remote team communication single ear headset for communication	
	9 chargers	
	1 travel case	
-	1 unit 55 inches tv for live stream monitoring	
	Inclusion: to maximize and fix all concerns for sound system and lightings set up that is already installed at the venue:	
	Delivered to Alang-Alang Campus	
2		All Items Should Be Delivered to VSU Alang-
	WALL) in VSU Alang-Alang Campus	Alang Campus, Alang-
	LEDWALL INSTALLATION (1 SET) IN TOTAL 9X12 FT P3 Hight	Alang, Leyte within 90
	refresh High resolution, 1	calendar days from receipt
	SETS OF 9X12 FT INDOOR- OUTDOOR DESCRIPTION -	of Notice To Proceed
	TECHNICAL RIDER LED VIDEO WALL RENTAL TYPE LED	(NTP), Purchase Order
	SCREEN, UCT P4.4, PIXEL: 4.44, APPLICATION: OUTDOOR,	
	LED TYPE SMD 3N1, INSTALLATION: FIXED TECHNICAL	
	SPECIFICATIONS, MAX BRIGHTNESS: 5,000 – 7,500, SCREEN	
	RESULUTION: 577*865, SUPPY AND ISTALLATION OF LED	
	VIDEO WALL, MODEL: P3.91, MODULE: ALUMINUM, TYPE:	
	INDOOR OUTDOOER, IED LAMP: P3.91, RECIVING CARD:	
	MRV208-1, INCLUSION, STEEL FRAME (4 UNITS) FREE, 1 UTC P4.44 OUTDOOR LED SCREEN 500X500MM ALUMINUM Driver	
	IC INDCD2153 /MB15124, Refresh rate 3,840hz, Grey scale 16 bits, PANEL SIZE, BRIGHTNES: 6000CD 500X500mm, Water and	
	heat proof IP65 (40pcs), Height 9.5FT (X1), Width 13.5FT (X1),	
	CONTROL SYSTEM, PROCESSOR: NOVA STAR VX400 (1),	
	RECEIVING CARDS: MRV 208-1 (40), SENDING CARD: MSD-	
	300 NOVA (1), TRAVEL CASE (4), RJ45 CONNECTORS (40), 30	
	METERS SIGNAL CAT 6 (2), POWER DISTRIBUTION (40),	
	POWER SUPPLY CHORD, 2.5KW,380 VAC INPUT 220 AC	
	OUTPUT (1), MAIN LINE (2), SPARE PARTS (2), SPARE	
	RECIVING CARDS (2), SPARE POWER SUPPLY MODULE (4),	
	SPARE ALUMINUM MODULE (125MM) (4), WARRANTY ON	
	PARTS (2 YEARS) INCLUDING RECEIVING CARDS AND LAMP,	
	Inclusion: to maximize and fix all concerns for sound system and	
	lightings set up that is already installed at the venue:	
	1 SET WIRLESS COMMUNICATION SET	
	. SE. THILESS SOMMOTION OF I	

Section VII. Technical Specifications

Technical Specifications

Item	Teenmean Speemeano	
No.	Discription	Statement of Compliance
	(1LOT) SUPPLY, DELIVERY AND INSTALLATION OF LED	[Bidders must state here
1	WALL (3 SETS OF 9X12 FT P3 OUTDOOR and INDOOR LED	either "Comply" or "Not
	WALL) in VSU Main Campus	Comply" against each of the
	Hight refresh High resolution	individual parameters of
	1 SET OF 9X12 FT P4 OUTDOOR	each Specification stating
	PIXEL: at least 4.44	the corresponding
	APPLICATION: OUTDOOR	performance parameter of the equipment offered.
	LED TYPE SMD 3N1	the equipment offered. Statements of "Comply" or
	INSTALLATION: FIXED	"Not Comply" must be
	TECHNICAL SPECIFICATIONS	supported by evidence in a
	BRIGHTNESS: 5,000 – 7,500	Bidders Bid and cross-
	SCREEN RESOLUTION: at least 577x865	referenced to that
	PIXEL DENSITY: at least 50,726 (STANDARD) CABINET MATERIAL: ALUMINUM	evidence. Evidence shall be
	CABINET WEIGHT: at least 27KG	in the form of manufacturer's
	POWER CONSUMPTION: at least 800W	un-amended sales literature,
	INTEGRATED CIRCUIT: ICN2153/MB1512	unconditional statements of
	POWER SUPPLY: 5V60A MEGMEET,CE	specification and
	CONTROL SYSTEM: NOVASTAR TECHNOLOGY or Equivalent	compliance issued by the
	MENTAINANCE: REAR and FRONT	manufacturer, samples,
	SUPPY AND ISTALLATION OF LED VIDEO WALL	independent test data etc.,
	PIXEL: at least 4.44	as appropriate. A statement
	MODULE: ALUMINUM	that is not supported by
	TYPE: OUTDOOR FIX SET	evidence or is subsequently
	IED LAMP: P4.44	found to be contradicted by
	RECEIVING CARD: A55 PLUS (6) or compatible equivalent	the evidence presented will
	INCLUSION	render the Bid under
	STEEL FRAME (4 UNITS) FREE	evaluation liable for
	1 OUTDOOR LED SCREEN 500X500MM ALUMINUM PH 4.44mm outdoor, screen 1 sets of 9x12FT	rejection. A statement either
	Driver IC INDCD2153 /MB15124	in the Bidder's statement of
	Refresh rate at least 3,840hz	compliance or the
	Grey scale 16 bits	supporting evidence that is
	PANEL SIZE	found to be false either
	BRIGHTNES: at least 6000CD	during Bid evaluation, post-
	500X500mm	qualification or the execution
	Water and heat proof IP65, Rear and front maintenance	of the Contract may be
	Height 9.5FT	regarded as fraudulent and
	Width 13.5FT	render the Bidder or supplier
	CONTROL SYTEM	liable for prosecution subject
	PROCESSOR: NOVA STAR VX400 or compatible equivalent	to the applicable laws and
	RECEIVING CARDS	issuances.]
	SENDING CARD: TB30 P4	-
	TRAVEL CASE RJ45 CONNECTORS	
	30 METERS SIGNAL CAT 6	
	POWER DISTRIBUTION	
	POWER SUPPLY CHORD	
	2.5KW,380 VAC INPUT 220 AC OUTPUT	
	MAIN LINE	
	SPARE PARTS	
	SPARE RECIVING CARDS	
	SPARE POWER SUPPLY MODULE	

SPARE A	ALUMINUM MODULE (125MM)
WARRAI	NTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING
	AND LAMP
	to maximize and fix all concerns for sound system and lightings
set up that is already installed at the venue:	
	EO WALL RENTAL TYPE LED SCREEN
PIXEL: 3	.91
APPLICA	ATION: OUTDOOR AND INDOOR
LED TYP	PE SMD 3N1
TECHNIC	CAL SPECIFICATIONS
BRIGHTI	NESS: 5,000 – 7,500
	RESOLUTION: 640x102
	ENSITY: at least 65,410 (STANDARD)
	T MATERIAL: DIE CASTING MAGNETIC
	T WEIGHT: at least 24 KG
	CONSUMPTION: at most 600W
	VE OF INTEGRATED CIRCUIT, POWER SUPPLY AND
	DL SYSTEM
	DL SYSTEM: NOVASTAR TECHNOLOGY or its Equivalent
	INANCE: REAR ONLY
	AND INSTALLATION OF LED VIDEO WALL
	E: MAGNETIC TYPE
	IDOOR AND OUTDOOR FIX SET (FINE VIEWING)
	P: (200-240) V
	G CARD: NOVASTAR 208-1 or compatible equivalent
INCLUSI	
	RAME (4 UNITS)
	RT AND FULL TESTING WITH TRAINIMG ON STAFF
PVC PIP	E LAYING AND MOULDING + DATA CABLING (OPTIONAL)
	OUTDOOR LED SCREEN 500X500MM DIE CASTING
MAGNE	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET
MAGNET PH.391r	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT
MAGNET PH.391r Driver IC	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET nm outdoor, screen 3 sets of 9x12FT INDCD2153
PH.391r Driver IC Refresh	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz
PH.391r Driver IC Refresh	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ale 16 bits
PH.391r Driver IC Refresh Grey sca PANEL S	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ale 16 bits SIZE: 500X500mm
PH.391r Driver IC Refresh Grey sca PANEL S Water an	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ile 16 bits SIZE: 500X500mm id heat proof IP65, Rear maintenance
PH.391r Driver IC Refresh Grey sca PANEL S	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ile 16 bits SIZE: 500X500mm id heat proof IP65, Rear maintenance
PH.391r Driver IC Refresh Grey sca PANEL S Water an	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ale 16 bits SIZE: 500X500mm ad heat proof IP65, Rear maintenance 5FT
PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9.	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ale 16 bits SIZE: 500X500mm ad heat proof IP65, Rear maintenance 5FT
PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ale 16 bits SIZE: 500X500mm ad heat proof IP65, Rear maintenance 5FT
PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz alle 16 bits SIZE: 500X500mm and heat proof IP65, Rear maintenance 5FT 0L SYTEM SSOR: NOVA STAR VX600X or compatible equivalent
PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET IND OUTDOOR Screen 3 sets of 9x12FT IND CD2153 Tate 3,840hz Ille 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT OL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent NG CARDS
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET IND outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz Ille 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent ING CARDS G CARD MSD/MRV 300
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET IND outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz Ille 16 bits BIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT DL SYTEM BSOR: NOVA STAR VX600X or compatible equivalent NG CARDS G CARD MSD/MRV 300 CASE
PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET INM outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz Ile 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent ING CARDS G CARD MSD/MRV 300 CASE DINNECTORS
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET IND OUTDOOR, screen 3 sets of 9x12FT IND CD 2153 Tate 3,840hz Ille 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT ILL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent ING CARDS G CARD MSD/MRV 300 CASE DINNECTORS ERS SIGNAL CAT 6
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ale 16 bits SIZE: 500X500mm and heat proof IP65, Rear maintenance 5FT 0.5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent NG CARDS G CARD MSD/MRV 300 CASE DNNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD
MAGNE PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz alle 16 bits SIZE: 500X500mm and heat proof IP65, Rear maintenance 5FT 0L SYTEM SSOR: NOVA STAR VX600X or compatible equivalent NG CARDS G CARD MSD/MRV 300 CASE DNNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT
MAGNE PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3: MAIN LIN	OUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET IND OUTDOOR Screen 3 sets of 9x12FT IND CD2153 Tate 3,840hz Ille 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT OL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent ING CARDS G CARD MSD/MRV 300 CASE DINNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT INE
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDINO TRAVEL RJ45 CC 30 METI POWER 2.5KW,3 MAIN LIN SPARE F	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET INM outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz Ille 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent ING CARDS G CARD MSD/MRV 300 CASE DINNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT INE RECIVING CARDS
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3: MAIN LIN SPARE F	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET INTO OUTDOOR, screen 3 sets of 9x12FT INDCD2153 Irate 3,840hz Ille 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT ILL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent ING CARDS IS CARD MSD/MRV 300 CASE INNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT INE RECIVING CARDS POWER SUPPLY MODULE
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3 MAIN LIM SPARE F SPARE I	DUTDOOR LED SCREEN 50OX500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ale 16 bits SIZE: 500X500mm ad heat proof IP65, Rear maintenance 5FT 0.5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent ING CARDS G CARD MSD/MRV 300 CASE DINNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT NE RECIVING CARDS POWER SUPPLY MODULE MAGNETIC MODULE (125MM)
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3 MAIN LIN SPARE F SPARE F SPARE I WARRAI	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz ale 16 bits SIZE: 500X500mm ad heat proof IP65, Rear maintenance 5FT5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent NG CARDS G CARD MSD/MRV 300 CASE DNNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT NE RECIVING CARDS POWER SUPPLY MODULE MAGNETIC MODULE (125MM) NTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING
PH.391r Driver IC Refresh I Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3 MAIN LIN SPARE F SPARE F SPARE I WARRAI CARDS	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz lle 16 bits SIZE: 500X500mm ld heat proof IP65, Rear maintenance 5FT5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent NG CARDS G CARD MSD/MRV 300 CASE DNNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT NE RECIVING CARDS POWER SUPPLY MODULE MAGNETIC MODULE (125MM) NTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING AND LAMP
MAGNE PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3 MAIN LIN SPARE F SPARE F WARRAI CARDS 1 SET W	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz lle 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent NG CARDS G CARD MSD/MRV 300 CASE DNNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT NE RECIVING CARDS POWER SUPPLY MODULE MAGNETIC MODULE (125MM) NTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING AND LAMP VIRLESS COMMUNICATION SET
MAGNE PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3 MAIN LIN SPARE F SPARE F WARRAI CARDS 1 SET W	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz lle 16 bits SIZE: 500X500mm ld heat proof IP65, Rear maintenance 5FT5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent NG CARDS G CARD MSD/MRV 300 CASE DNNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT NE RECIVING CARDS POWER SUPPLY MODULE MAGNETIC MODULE (125MM) NTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING AND LAMP
PH.391r Driver IC Refresh Grey sca PANEL S Water an Height 9. Width 13 CONTRO PROCES RECEIVI SENDING TRAVEL RJ45 CC 30 METI POWER 2.5KW,3: MAIN LIM SPARE F SP	DUTDOOR LED SCREEN 500X500MM DIE CASTING TIC CABINET mm outdoor, screen 3 sets of 9x12FT INDCD2153 rate 3,840hz lle 16 bits SIZE: 500X500mm Ind heat proof IP65, Rear maintenance 5FT DL SYTEM SSOR: NOVA STAR VX600X or compatible equivalent NG CARDS G CARD MSD/MRV 300 CASE DNNECTORS ERS SIGNAL CAT 6 SUPPLY CHORD 80 VAC INPUT 220 AC OUTPUT NE RECIVING CARDS POWER SUPPLY MODULE MAGNETIC MODULE (125MM) NTY ON PARTS (at least 2 YEARS) INCLUDING RECEIVING AND LAMP VIRLESS COMMUNICATION SET

	1 travel case	
	1 unit 55 inches tv for live stream monitoring	
	Inclusion: to maximize and fix all concerns for sound system and lightings	
	set up that is already installed at the venue:	
	Delivered to Alang-Alang Campus	
	(1LOT) SUPPLY, DELIVERY AND INSTALLATION OF LED	
2	WALL (3 SETS OF 9X12 FT P3 OUTDOOR and INDOOR LED	
	WALL) in VSU Alang-Alang Campus	
	LEDWALL INSTALLATION (1 SET) IN TOTAL 9X12 FT P3 Hight	
	refresh High resolution, 1	
	SETS OF 9X12 FT INDOOR- OUTDOOR DESCRIPTION -	
	TECHNICAL RIDER LED VIDEO WALL RENTAL TYPE LED	
	SCREEN, UCT P4.4, PIXEL: 4.44, APPLICATION: OUTDOOR,	
	LED TYPE SMD 3N1, INSTALLATION: FIXED TECHNICAL	
	SPECIFICATIONS, MAX BRIGHTNESS: 5,000 - 7,500, SCREEN	
	RESULUTION: 577*865, SUPPY AND ISTALLATION OF LED	
	VIDEO WALL, MODEL: P3.91, MODULE: ALUMINUM, TYPE:	
	INDOOR OUTDOOER, IED LAMP: P3.91, RECIVING CARD:	
	MRV208-1, INCLUSION, STEEL FRAME (4 UNITS) FREE, 1 UTC	
	P4.44 OUTDOOR LED SCREEN 500X500MM ALÚMINUM Driver	
	IC INDCD2153 /MB15124, Refresh rate 3,840hz, Grey scale 16	
	bits, PANEL SIZE, BRIGHTNES: 6000CD 500X500mm, Water and	
	heat proof IP65 (40pcs), Height 9.5FT (X1), Width 13.5FT (X1),	
	CONTROL SYSTEM, PROCESSOR: NOVA STAR VX400 (1),	
	RECEIVING CARDS: MRV 208-1 (40), SENDING CARD: MSD-	
	300 NOVA (1), TRAVEL CASE (4), RJ45 CONNECTORS (40), 30	
	METERS SIGNAL CAT 6 (2), POWER DISTRIBUTION (40),	
	POWER SUPPLY CHORD, 2.5KW,380 VAC INPUT 220 AC	
	OUTPUT (1), MAIN LINE (2), SPARE PARTS (2), SPARE	
	RECIVING CARDS (2), SPARE POWER SUPPLY MODULE (4),	
	SPARE ALUMINUM MODULE (125MM) (4), WARRANTY ON	
	PARTS (2 YEARS) INCLUDING RECEIVING CARDS AND LAMP,	
	Inclusion: to maximize and fix all concerns for sound system and	
	lightings set up that is already installed at the venue:	
	1 SET WIRLESS COMMUNICATION SET	

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

(o)

Class "A" Documents Legal Documents Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); (a) Technical Documents Statement of the prospective bidder of all its ongoing government and private (f) contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and Statement of the bidder's Single Largest Completed Contract (SLCC) similar (g) to the contract to be bid in the amount of at least 50% of the ABC or at least Four Million Five Hundred Thousand Pesos (PhP 4,500,000.00); <u>or</u> Statement of at least two (2) similar completed contracts, the aggregate amount of which should be equivalent to at least 50% of the ABC or at least Four Million Five Hundred Thousand Pesos (PhP 4,500,000.00) and the largest of these similar contracts must be equivalent to at least half of the said aggregate amount or at least Two Million One Hundred Twenty Five Thousand Pesos (PhP 2,125,000.00); and Original copy of Bid Security. If in the form of a Surety Bond, submit also a (h) certification issued by the Insurance Commission; Original copy of Notarized Bid Securing Declaration; and (i) Conformity with the Technical Specifications; and Schedule of Requirements/production and delivery schedule; and (j) Manpower requirements; and (k) After-sales service/parts; and (1)Original duly signed Omnibus Sworn Statement (OSS); (m) and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Financial Documents The Supplier's audited financial statements, showing, among others, the (n) Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and

The prospective bidder's computation of Net Financial Contracting Capacity

A committed Line of Credit from a Universal or Commercial Bank in lieu of

its NFCC computation (at least 10% of ABC or **Ph 850,000.00**).

38

(NFCC) – at least equal to ABC (**PhP 8,500,000.00**);

II.	FINANC	IAL COMPONENT ENVELOPE
	(a)	Original of duly signed and accomplished Financial Bid Form; and
	(b)	Original of duly signed and accomplished Price Schedule(s).

Guidelines on the Preparation of Electronic Bid (e-Bid) (for bidders who prefer electronic bid submission)

- 1. Convert all documents into Portable Document Format (PDF) and should be printable.
- 2. Properly label all documents for prompt identification. Filename of documents, whichever are applicable to the bidder, should be as follows:

	Document	Filename (in PDF form)
1.	PhilGEPS Certificate of Registration	PhilGEPS
	(Platinum)	
2.	Statement of On-Going Government	Statement of On-Going
	& Private Contracts	Contracts
3.	Statement of Bidder's Single Largest	SLCC
	Completed Contract	
4.	Statement of at least two (2) similar	Statement of Completed
	completed contracts	Contracts
5.	Bid Security	Bid Security
6.	Technical Specifications	Technical Specifications
7.	SCHEDULE of	Schedule of Requirements
	Requirements/Production and	
	delivery schedule	
8.	Manpower Requirements	Manpower Requirements
9.	After Sales service/parts	After Sales
10.	Omnibus Sworn Statement	Omnibus Sworn Statement
11.	Audited Financial Statements	Audited Financial Statements
12.	Net Financial Contracting Capacity	NFCC
13.	Committed Line of Credit	CLC
14.	Bid Form	Bid Form
15.	Price Schedule	Price Schedule

- 3. Create two (2) folders that are password-protected. The first folder should contain all requirements under Technical Component checklist as presented under Section VIII. The second folder should contain all requirements under Financial Component checklist.
- 4. Compress the two (2) folders and name as follows: a) first folder: **Technical Documents**, b) second folder: **Financial Documents**.
- 5. Email the 2 compressed folders to Mr. Leopoldo Escala at <u>leopoldo.escala@vsu.edu.ph</u> before the deadline (December 14, 2023; 1:30 PM)



