

# PURCHASE ORDER VISAYAS STATE UNIVERSITY

Visca, Baybay, Leyte

|                                                                 |                                          |
|-----------------------------------------------------------------|------------------------------------------|
| Supplier: <b>Exclusive Traders, Inc.</b>                        | PO No <b>STF-14-08-2-DoPAC/CVM</b>       |
| Address: <b>245 Wireless, Mandaue City, Cebu</b>                | Date: <b>Sept. 8, 2014</b>               |
|                                                                 | PR No: <b>2014-02-201</b>                |
|                                                                 | Mode of Procurement: <b>Comp Bidding</b> |
| Place of Delivery: <b>VSU, Baybay, Leyte</b>                    | Delivery Term: <b>FOB Site</b>           |
| Date of Delivery: <b>30-60 calendar days upon receipt of PO</b> | Payment Term:                            |

| No.                 | Qty | Unit | DESCRIPTION                                               | Amount            | Amount            |
|---------------------|-----|------|-----------------------------------------------------------|-------------------|-------------------|
| 1                   | 1   | unit | <b>IKA Rotary Evaporator, RV 10 Digital, 230V</b>         | <b>310,000.00</b> | <b>310,000.00</b> |
|                     |     |      | Package: AVR, UPS and Vacuum Pump                         |                   |                   |
|                     |     |      | Brand: IKA                      Origin: Germany           |                   |                   |
|                     |     |      | Model: 8022500                                            |                   |                   |
|                     |     |      | Specifications:                                           |                   |                   |
|                     |     |      | Type of cooling                      Vertical             |                   |                   |
|                     |     |      | Cooling Surface                      1200 cm <sup>2</sup> |                   |                   |
|                     |     |      | Motor principle                      DC                   |                   |                   |
|                     |     |      | Speed range                      20 - 270 1/min           |                   |                   |
|                     |     |      | Lift                      Motor                           |                   |                   |
|                     |     |      | Stroke                      140 mm                        |                   |                   |
|                     |     |      | Heating temperature range: room temp. - 180°C             |                   |                   |
|                     |     |      | Heat output                      1300 W                   |                   |                   |
|                     |     |      | Heat control accuracy: 1 ± K                              |                   |                   |
|                     |     |      | Bath volume max.                      3 L                 |                   |                   |
|                     |     |      | Vacuum controller integrated: no                          |                   |                   |
|                     |     |      | Dimensions (W x H x D): 500 x 430 x 410 mm                |                   |                   |
|                     |     |      | Weight: 20 kg                                             |                   |                   |
|                     |     |      | Permissible ambient temp.: 5 - 40°C                       |                   |                   |
|                     |     |      | Permissible relative moisture: 80%                        |                   |                   |
|                     |     |      | Protection class according to DIN EN 60529: IP 20         |                   |                   |
|                     |     |      | RS 232 interface: yes                                     |                   |                   |
|                     |     |      | Voltage: 220 V                                            |                   |                   |
|                     |     |      | Frequency: 60Hz                                           |                   |                   |
|                     |     |      | Power input: 1400 W                                       |                   |                   |
| 2                   | 1   | unit | <b>Phipps &amp; Bird Student Wet Spirometer, 9L</b>       | <b>45,000.00</b>  | <b>45,000.00</b>  |
|                     |     |      | Brand: Phipps & Bird                                      |                   |                   |
|                     |     |      | Model: 7087-200                      Origin: USA          |                   |                   |
|                     |     |      | Unit comes with instructions and lab manual of            |                   |                   |
|                     |     |      | theory and student experiments, along with an             |                   |                   |
|                     |     |      | initial supply of 100 disposable mouthpieces              |                   |                   |
|                     |     |      | Accessories:                                              |                   |                   |
|                     |     |      | 1 Nose Clip and 1 way Valve (3 packs)                     |                   |                   |
| <b>GRAND TOTAL:</b> |     |      |                                                           |                   | <b>355,000.00</b> |

Performance Bond (5% of the total PO) either in Cash or Manager's Check = P17,750.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:

*[Signature]*  
(Supplier's Signature over printed name)

*[Signature]*  
**JOSE L. BACUSMO** *DIC*  
President *9/15*

Date *Sept 29, 2014*  
Requesting Office/Dept

Certified Correct:

Amount:

**ROBERTO C. QUARTE**  
(Authorized Official)

**ERLINDA S. ESGUERRA**  
Head, Acctg. Div

ALOBS No. *14-09-3832*



# PURCHASE ORDER VISAYAS STATE UNIVERSITY

Visca, Baybay, Leyte

|                                                                 |                                          |
|-----------------------------------------------------------------|------------------------------------------|
| Supplier: <b>Exclusive Traders, Inc.</b>                        | PO No: T 14-08-9-PhilRoot                |
| Address: <b>245 Wireless, Mandaue City, Cebu</b>                | Date: <b>Sept. 8, 2014</b>               |
|                                                                 | PR No: <b>2014-4-375</b>                 |
|                                                                 | Mode of Procurement: <b>Comp Bidding</b> |
| Place of Delivery: <b>VSU, Baybay, Leyte</b>                    | Delivery Term: <b>FOB Site</b>           |
| Date of Delivery: <b>30-60 calendar days upon receipt of PO</b> | Payment Term:                            |

| No.                 | Qty | Unit | DESCRIPTION                                                                                                                  | Amount            |
|---------------------|-----|------|------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 1                   | 1   | unit | <b>Telstar Biological Safety Cabinet</b>                                                                                     | <b>463,000.00</b> |
|                     |     |      | <b>BIO II Advance 4, w/ Base Stand Cabinet</b>                                                                               |                   |
|                     |     |      | Package: AVR, UPS                                                                                                            |                   |
|                     |     |      | Brand: Telstar                                                                                                               |                   |
|                     |     |      | Model: JC8227                                                                                                                |                   |
|                     |     |      | Origin: Spain                                                                                                                |                   |
|                     |     |      | > With complete range of options:                                                                                            |                   |
|                     |     |      | ✓ Additional Electrical connections                                                                                          |                   |
|                     |     |      | ✓ Gas and vacuum connections                                                                                                 |                   |
|                     |     |      | ✓ UV germicide kit                                                                                                           |                   |
|                     |     |      | ✓ VHP decontamination kit                                                                                                    |                   |
|                     |     |      | ✓ Double exhaust HEPA filter                                                                                                 |                   |
|                     |     |      | ✓ IQ/OQ documentation                                                                                                        |                   |
|                     |     |      | > Accessories:                                                                                                               |                   |
|                     |     |      | ✓ Adjustable stands available w/ electric or manual adjustment for convenient setting of working positions w/ or w/o casters |                   |
|                     |     |      | ✓ Anti blow-back valve                                                                                                       |                   |
|                     |     |      | ✓ Additional charcoal exhaust filters                                                                                        |                   |
|                     |     |      | ✓ Canopy connection                                                                                                          |                   |
|                     |     |      | ✓ Formalin vaporizer w/ neutralization                                                                                       |                   |
|                     |     |      | ✓ Single piece tray                                                                                                          |                   |
|                     |     |      | ✓ High security gas burner w/ IR (Infrared) & footswitch                                                                     |                   |
|                     |     |      | ✓ Exhaust box w/ charcoal filter                                                                                             |                   |
|                     |     |      | Voltage: 220V                                                                                                                |                   |
|                     |     |      | Frequency: 60Hz                                                                                                              |                   |
| <b>GRAND TOTAL:</b> |     |      |                                                                                                                              | <b>463,000.00</b> |

Performance Bond (5% of the total PO) either in Cash or Manager's Check = P23,150.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:

*[Signature]*

(Supplier's Signature over printed name)

*[Signature]*  
**JOSE L. BACUSMO**

President

161 Trst 20201050-10.6.11  
Amount: **P 463,000.-**

Date: **SEP 27 2014**  
Requesting Office/Dept:

Certified Correct:

**ROBERTO C. QUARTE**  
(Authorized Official)

*[Signature]*  
**ERLINDA S. ESGUERRA**  
Head, Acctg. Div

ALOBS No. **14-09-2972**

**(10605140)**



Visca, Baybay, Leyte

|               |         |
|---------------|---------|
| Payment Term: | 30 Days |
|---------------|---------|

AL OBS No. 14-09-3831

President

9/19



## Visca, Baybay, Leytre

PO No STF-14-08-1-DoPAC

Date: Sept. 8, 2014

PR No: 2014-02-201

Mode of Procurement: Comp Bidding

Place of Delivery: VSU, Baybay, Leyte

Delivery Term: FOB Site

Date of Delivery: 30-60 calendar days upon receipt of PO

Payment Term:

|              |            |
|--------------|------------|
| GRAND TOTAL: | 158,000.00 |
|--------------|------------|

Performance Bond (5% of the total PO) either in Cash or Manager's Check = P7,900.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:

JOSE L. BACUSMO  
President

(Supplier's Signature over printed name)

Date \_\_\_\_\_

Requesting Office/Dept.

Certified Correct:

Amount:

ROBERTO C. GUARIE

ERLINDA S. ESGUERRA

AL OBS No.

(Authorized Official)

Head, Acctg. Div.



041 2290 - 2293 9/24/14

# **PURCHASE ORDER** **VISAYAS STATE UNIVERSITY**

Visca, Baybay, Leyte

|                    |                                        |                      |                     |
|--------------------|----------------------------------------|----------------------|---------------------|
| Supplier:          | <b>ITS Science (Phils.) Inc.</b>       | PO No                | T -14-08-8-PhilRoot |
| Address:           | C. Raymundo Ave., Rosario, Pasig City  | Date:                | Sept. 8, 2014       |
|                    |                                        | PR No:               | 2014-4-375          |
| Place of Delivery: | VSU, Baybay, Leyte                     | Mode of Procurement: | Comp Bidding        |
| Date of Delivery:  | 30-60 calendar days upon receipt of PO | Delivery Term:       | FOB Site            |
|                    |                                        | Payment Term:        |                     |

| No. | Qty | Unit | DESCRIPTION                                                    | Amount            | Amount            |
|-----|-----|------|----------------------------------------------------------------|-------------------|-------------------|
| 1   | 1   | unit | <b>UV-VIS Spectrophotometer, BIO</b>                           | <b>420,000.00</b> | <b>420,000.00</b> |
|     |     |      | Brand: Thermo Scientific Origin: USA                           |                   |                   |
|     |     |      | Model: BIOMATE 3S                                              |                   |                   |
|     |     |      | Optical Design: Dual Beam - Internal Reference Detector        |                   |                   |
|     |     |      | Spectral Bandwidth: 1.8 nm                                     |                   |                   |
|     |     |      | Light Source (Typical lifetime): Xenon Flash Lamp              |                   |                   |
|     |     |      | Wavelength Range: 190-1100nm                                   |                   |                   |
|     |     |      | Wavelength Accuracy: 1.0 nm                                    |                   |                   |
|     |     |      | Wavelength Repeatability: 0.5 nm                               |                   |                   |
|     |     |      | Display: Graphical w/ LCD backlight 9.7 x 7.1 cm(3.8 x 2.8 in) |                   |                   |
|     |     |      | Printer: 40 col Internal (text/graphic) External USB           |                   |                   |
|     |     |      | printer (HP PCL 3.0 and greater)                               |                   |                   |
|     |     |      | Dimensions: 30 W x 40 D x 25 H cm (11.8 x 15.7 x 9.8 in)       |                   |                   |
|     |     |      | Weight: 8.6 kg (19 lb)                                         |                   |                   |
|     |     |      | Power Requirements: Selected Automatically 110-240V; 50-60 Hz  |                   |                   |
|     |     |      | Includes:                                                      |                   |                   |
|     |     |      | > USB power cord                                               |                   |                   |
|     |     |      | > 335927-000 6-Position Automatic Cell Holder                  |                   |                   |
|     |     |      | > 335916-000 Single Cuvette holder                             |                   |                   |
|     |     |      | > 335901-199 dust cover                                        |                   |                   |
|     |     |      | > Full Range Scanning                                          |                   |                   |
|     |     |      | > Fast Scanning Capability                                     |                   |                   |
|     |     |      | > Updated BioTests for nucleic acid and protein                |                   |                   |
|     |     |      | <b>Offer Includes:</b>                                         |                   |                   |
|     |     |      | > 1 unit Desktop PC with printer                               |                   |                   |
|     |     |      | > 1 unit AVR                                                   |                   |                   |
|     |     |      | > 1 unit UPS                                                   |                   |                   |
|     |     |      | > 1 set 10mm Disposable Cells/Cuvettes,                        |                   |                   |
|     |     |      | 500 pcs/set, packed in 5 trays, 100/tray                       |                   |                   |
|     |     |      | > 3 pcs 10 mm Quartz Cell                                      |                   |                   |

**GRAND T O T A L: 420,000.00**

Performance Bond (5% of the total PO) either in Cash or Manager's Check = P21,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:

(Supplier's Signature over printed name)

|                        |  |                     |           |            |
|------------------------|--|---------------------|-----------|------------|
| Date                   |  | Certified Correct:  | Amount:   | 420,000.00 |
| Requesting Office/Dept |  |                     | ALOBS No. | 14-09-2964 |
| ROBERTO C. CHARTE      |  | ERLINDA S. ESGUERRA |           |            |
| (Authorized Official)  |  | Head, Acctg. Div    |           |            |

**JOSE L. BACUSMO**  
President

10/17/2020/050-10-64.2

(10601740)  
Jals



## Visca, Baybay, Leyte

Payment Term:

Date of Delivery: 30-60 calendar days upon receipt of PO

|              |           |
|--------------|-----------|
| GRAND TOTAL: | 98,950.00 |
|--------------|-----------|

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

(Supplier's Signature over printed name)

ALOBS No. 124-09-5830

JOSE L. BACUSMO  
President 9/18/11

f/9/23



Page 2364

| No. | Qty | Unit | DESCRIPTION                                                     |            | Amount     |
|-----|-----|------|-----------------------------------------------------------------|------------|------------|
| 1   | 1   | unit | Stereo Microscope                                               | 106,100.00 | 106,100.00 |
|     |     |      | Trinocular Stereo-Zoom Microscope                               |            |            |
|     |     |      | MOTIC Model SMZ-171-TLED                                        |            |            |
|     |     |      | Greenough Zoom Optical System                                   |            |            |
|     |     |      | Magnification Range: 0.75X - 5X (7.5X - 50X                     |            |            |
|     |     |      | Magnification)                                                  |            |            |
|     |     |      | 45° Trinocular Head, 360° rotation                              |            |            |
|     |     |      | Photo/Video: 100% [right eyetube]                               |            |            |
|     |     |      | Widefield adjustable eyepieces 10X/F.N. 23                      |            |            |
|     |     |      | 6.7 : 1 Zoom Ratio, WD = 110mm                                  |            |            |
|     |     |      | SMZ-171 Incident/Transmitted Large Working Area Stand           |            |            |
|     |     |      | 3W Intensity controlled LED incident & transmitted illumination |            |            |
|     |     |      | 220 V VDE; 60 Hz                                                |            |            |
|     |     |      | CAMERA ATTACHMENT                                               |            |            |
|     |     |      | MOTIC, NEW MOTICAM T8, 8" Touch screen                          |            |            |
|     |     |      | Specifications:                                                 |            |            |
|     |     |      | 8" Touch Screen w/ 1024 x 768 pixel resolution                  |            |            |
|     |     |      | 1/3" 2.0MP CMOS Sensor Modified for Microscopy use              |            |            |
|     |     |      | Micro SD Card Slot                                              |            |            |
|     |     |      | USB Memory Slot                                                 |            |            |
|     |     |      | Complete w/:                                                    |            |            |
|     |     |      | 1x SD Card                                                      |            |            |
|     |     |      | 1x Card Reader                                                  |            |            |
|     |     |      |                                                                 |            |            |
|     |     |      |                                                                 |            |            |
|     |     |      |                                                                 |            |            |
|     |     |      |                                                                 |            |            |
|     |     |      |                                                                 |            |            |

(10605740) *int*



Visca, Baybay, Leyte

Address: Gorordo Ave., Cebu City

PO No T -14-08-10-PhilRoot

Date: Sept. 8, 2014

PR No: 2014-6-635

Mode of Procurement: Comp Bidding

Place of Delivery: VSU, Baybay, Leyte

|                         |
|-------------------------|
| Delivery Term: FOB Site |
|-------------------------|

Date of Delivery: 30-60 calendar days upon receipt of PO

|               |         |
|---------------|---------|
| Payment Term: | 30 Days |
|---------------|---------|

|              |            |
|--------------|------------|
| GRAND TOTAL: | 600,000.00 |
|--------------|------------|

Performance Bond (5% of the total PO) either in Cash or Manager's Check = P 30,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:

(Supplier's Signature over printed name)

Date \_\_\_\_\_

|                         |  |
|-------------------------|--|
| Requesting Office/Dept. |  |
|-------------------------|--|

Certified Correct:

Amount: \$ 600,000 -

AL OBS No. 14-09-2973

ROBERTO C. GUARTE  
(Authorized Official)

ERLINDA S. ESGUERRA  
Head, Acctg. Div

AL OBS No. 14-09-2973

(10 60 514)



# PURCHASE ORDER VISAYAS STATE UNIVERSITY

Visca, Baybay, Leyte

|                    |                                        |                      |                 |
|--------------------|----------------------------------------|----------------------|-----------------|
| Supplier:          | PHILAB Industries, Inc.                | PO No                | STF-14-08-3-CVM |
| Address:           | San Antonio Village, Makati City       | Date:                | Sept. 8, 2014   |
|                    |                                        | PR No:               | 2014-02-201     |
| Place of Delivery: | VSU, Baybay, Leyte                     | Mode of Procurement: | Comp Bidding    |
| Date of Delivery:  | 30-60 calendar days upon receipt of PO | Delivery Term:       | FOB Site        |
|                    |                                        | Payment Term:        |                 |

| No. | Qty | Unit | DESCRIPTION                                               | Amount     |
|-----|-----|------|-----------------------------------------------------------|------------|
| 1   | 1   | unit | DW3101A Portable B-type Ultrasonic                        | 255,618.00 |
|     |     |      | Diagnostic apparatus                                      | 255,618.00 |
|     |     |      | Specifications:                                           |            |
|     |     |      | Scanning mode: convex/linear/micro-convex                 |            |
|     |     |      | Display: 10 inch non-interlaced monitor                   |            |
|     |     |      | Display mode: B, B+B, B+M, M, 4B                          |            |
|     |     |      | Detecting depth: ≥200mm                                   |            |
|     |     |      | Resolution: lateral ≤ 2mm, axial ≤ 1mm                    |            |
|     |     |      | Blind Zone: ≤4mm                                          |            |
|     |     |      | Geometry precision: lateral ≤ 2mm, axial ≤ 1mm            |            |
|     |     |      | Gray scale: 256                                           |            |
|     |     |      | Electronical focusing: 4 focuses combination randomly     |            |
|     |     |      | Cine loop: 256 frames                                     |            |
|     |     |      | Image storage: 127                                        |            |
|     |     |      | Local zoom: 3-4 times                                     |            |
|     |     |      | Dynamic range: 64-96db                                    |            |
|     |     |      | Probe frequency conversion: 2.5, 3.0, 3.5, 4.0, 5.0       |            |
|     |     |      | Magnification: x0.8, x1.0, x1.2, x1.5, x1.8, x2.0         |            |
|     |     |      | Body marks: 16                                            |            |
|     |     |      | Probe interface: 2                                        |            |
|     |     |      | Image conversion: up/down, left/right, black/white        |            |
|     |     |      | Pseudo color: 16                                          |            |
|     |     |      | Measurement: distance, perimeter, area, volume,           |            |
|     |     |      | heart rate, gestational week (BPD, CRL, GS, FL, AC)       |            |
|     |     |      | Note: ID, sex, age, hospital, doctor, comment, date, time |            |
|     |     |      | Output interface: PAL-D, USB port (optional)              |            |
|     |     |      | Main power supply: AC 220V, 60Hz                          |            |

**GRAND TOTAL: 255,618.00**

Performance Bond (5% of the total PO) either in Cash or Manager's Check = P12,780.90

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:

(Supplier's Signature over printed name)

Date

Requesting Office/Dept.

Certified Correct:

Amount:

ROBERTO O. GUARTE  
(Authorized Official)

ERLINDA S. ESGUERRA  
Head, Acctg. Div

ALOBS No. 14-09-3823

*JOSE L. BACUSMO*  
President 9/18

*7/9/20*



## Visca, Baybay, Leyte

Payment Term:

|              |            |
|--------------|------------|
| GRAND TOTAL: | 122,618.00 |
|--------------|------------|

AL OBS No. 14-09-2961

JOSE L. BACUSMO  
President

1015-20201050-10.64.2

$(10605140)_{10}$