Visca, Baybay, Leytre ASPEN MultiSystem Corp Supplier: PO No GF-15-04-10-LabEq-DFST San Juan, Taytay, Rizal Address: 14-May-15 PR No: 2015-5-559 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: No. Qty Unit DESCRIPTION Amount FOR DFST 1 1 unit AW meter; Water Activity Meter, HD-3A 151,300.00 151,300.00 Specifications: Temperature: 0~50 °C Relative Humidity: 0~95%RH Output Mode: Micro printer Display Mode: Large-screen LCD (128X64DOTS Measuring Range: Temperature: 0~50°C Water Activity: 0~0.980aw Measurement Accuracy: Temperature: ±0.5°C Water Activity: ±0.015 (@25°C Repeatability: ≤0.015 Temperature coefficient: ≤0.0005/°C Measurement Point: Print Method: a. Measurement of the end of print b. Real-time print Supply voltage: 220V AC ±10% Power consumption: ≤15W Dimensions: 320mmx120mmx340mm Package: Portable aluminum boxes 1 unit Digital (LCD) Viscometer, NDJ-5S 74,800.00 74,800.00 Viscosity Range cp (mPa.s): 1-100,000 Rotation speed (rpm): 6, 12,30, 60 Rotor size: #1-4 rotors (#0 rotor for option) Measurement Accuracy: ±2.0% Repeatability: 0.5% Power supply: 220V±10%, 50±1Hz 1 unit COLONOMETER, COLONY COUNTER, J-3 15,300.00 15,300.00 Voltage: 220V±10%, 50/60 Hz Power consumption of lamp: 50W Magnification: 3 times Capacity of the Counter: 0-999 or 0-9999 Diameter of the counting plate: Ø155mm External Dimension: 360x300x180mm GRAND Total: 241,400.00 Performance Bond (5% of the total PO) either in Cash or Manager's Check = P12,070.00 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. BACUSMO Conforme: E. COMOUNT igneticans President (Supplier's Signature over printed name) Date Requesting Office Dept. Certified Correct: Amount: ALOBS No. 4-04-3473 ERLINDA S. ESGUERRA (Authorized Official) Head, Acctg. Div

PURCHASE ORDER

VISAYAS STATE UNIVERSITY Visca, Baybay, Leytre ASPEN MultiSystem Corp Supplier: PO No GF-15-04-10-LabEq-Villaba Address: San Juan, Taytay, Rizal Date: 14-May-15 PR No: 2015-5-557 Mode of Procuremnt: Comp Bidding VSU, Baybay, Leyte Place of Delivery: Delivery Term: FOB Site Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: No. Qty Unit DESCRIPTION Amount FOR VSU-VILLABA Campus 1 1 unit Universal CENTRIFUGE, PLC-012 54,400.00 54,400.00 Timer: Mechanical Speed Control: Analog Lid Lock: Yes Brake: Electrical switch Safety shutout: Yes Chamber: stainless steel Motor: Brush 80W ROTOR: A-0815, capacity: 8 x 15ml (or 10) Max RPM/RCF: 6400rpm / 4900 rpm x g 2 76,500.00 1 unit Autoclave, Model: LS-35LJ, CHINCAN 76,500.00 Fully stainless steel structure Chamber Volume 35L (φ340x550); Working pressure: 0.22 MPa: Working Temperature: 134°C: Max working pressure: 0.23 MPa; Heat Average: ≤±1°C: Timer Scope: 0~60min Temperature Range: 105~134°C Power Source: 2.5KW/AC220V, 50Hz 130,900.00 GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P6,545.00 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. BACKSMO Conforme: COMMO Presidentmustera (Supplier's Signature over printed name) Date Requesting Certified Correct: Amount: ROBERTO C. GUARITE ALOBS No.

(Authorized Official)

Head.

Acctg. Div

				PURCHASE ORD VISAYAS STATE UNIV		_
Sun	plier		ASPEN MultiS	Visca, Baybay, Leytre	DO No OF 45	04 40 LabEs Alexan
	ress					04-10-LabEq-Alang2
Add	ress		San Juan, Tay	ay, Rizai	Date:	14-May-15
					PR No: 2015-5	mnt: Comp Bidding
Plac	e of	Delive	ry: VSU, Baybay	Leute	Delivery Term:	
		Deliver		days upon receipt of NTP & PO	Payment Term	
		Unit		DESCRIPTION	1. 57	Amount
			J-Alang-alang C		Contraction of the	
1				RIFUGE, PLC-012	54,400.00	54,400.00
		1	Timer: Mechan			
			Speed Control: A			
			Lid Lock: Yes			<u> </u>
\vdash			Brake: Electrical:	switch		
$\overline{}$		N	Safety shutout:	202000		
			Chamber: stainless			
\vdash			Motor: Brush 80W			
_				apacity: 8 x 15ml (or 10)		
-	\vdash		May RPM/RCE	6400rpm / 4900 rpm x g		7
\vdash	\vdash		WIEW TY WITTON.	0+001р1117 +300 1р111 х д		
_	-	-				
_	_					
	_					
	_					
				ED HE E		
				54.2.2.		U
\vdash		1				
	_	_				
-	\vdash	-	 			-
_	-	-				
_	-	-	ļ			
_	\vdash	-				
	-	-		10,120 - 20 200 (002 20) - 02 3 403		
-	-	-				
_	_	1			CRAND Total	E4 400 00
_		30 2000	.ea		GRAND Total	: 54,400.00
_	_			ner in Cash or Manager's Check = P2,720.00		
one		cent for ne: (Ar	revery day of delay	mm~	JOSE	President
Date		1	6/26/15	underunderunde et dielektriste		
Red	ues	nb Of	ice/Dept	Certified Correct:	Amount	Y- 25
			C. GUARTE	FLIA DF LOS POVIOS	ALOBS No.	
egan (S	(Aut	horized	-Official)	Head, Acctg. Div		

	3		PURCHASE ORDER VISAYAS STATE UNIVERS Visca, Baybay, Leytre	SITY	
Sun	plier		ASPEN MultiSystem Corp	PO No GF-15-04-	10 LabEs Talass
	ress		San Juan, Taytay, Rizal		
Auu	1033.		Sali Juali, Taylay, Rizai		4-May-15
				PR No: 2015-5-55	
Plac	e of	Delive	ry: VSU, Baybay, Leyte	Mode of Procurement Delivery Term: FC	
		Deliver		Payment Term:	DD Site
		Unit		ir dymont rom.	Amount
			J-Tolosa Campus	ana a	Amount
1			Rotary Evaporator, complete set; R206B	255,000.00	255,000.00
	Ė		Rotation Speed: 4-200 rpm	200,000.00	200,000.00
		_	Evaporation flask size: 500ml +1000ml/29 or 2000ml/29		
	\vdash		Receiving flask (ml): 1000ml/S35		
	\vdash	-	Evaporating Speed H ₂ O : >1.2L/h		
	-	_	Rechargeable Vacuum Rate (Pa): <399Pa		,
	-	-	Bath Power (kW): 1.5kW		
-	-	_			
-	_		Static Temp.Control Range & Wave (°C): 0-100(180) ± 0.2		80-3
	-	_	Power Source: 220V, 7A		
2	1	unit	Universal CENTRIFUGE, PLC-012	59,670.00	59,670.00
			Timer: Mechanical		
-			Speed Control: Analog		
			Lid Lock: Yes		
			Brake: Electrical switch		
			Safety shutout: Yes		
			Chamber: stainless steel		
			Motor: Brush 80W		
			ROTOR: A-0815, capacity: 8 x 15ml (or 10)		
			Max RPM/RCF: 6400rpm / 4900 x g		
			ROTOR: A-1215, capacity: 12 x 15ml (or 10)		
-			Max RPM/RCF: 5700rpm / 4180 x g		
3	1	unit	VORTEX MIXER, VM 300	12 070 00	12,070.00
	<u>'</u>	unit	Dimension: 130 x 165 x 180mm	12,070.00	12,070.00
_		_			
_	_		Eccentric Ø: 5.6mm		
	_		Operating modes: Touch / Switch		
_			Speed (single tube) : 3150rpm approx.		
	_		Speed (3" pad): 1800rpm approx.		
			Standard accessory: Single tube head		
			Optional accessory: 3" multi-tube head		
			Net weight: 5.0kg		
				GRAND Total:	326,740.00
Perfo	rmano	e Bond	(5% of the total PO) either in Cash or Manager's Check = P16,337.00		
in ca	ise of	failure	to make the full delivery within the time specified above, a penalty of	f one-tenth (1/10) of	
one	perc	ent for	every day of delay shall be imposed.	12-	
	28000		N	- Any	<u> </u>
Con	form	e:	the think	A//	BACUSMO
-			ymetus & commo	Pres	ident
n .	(Suppli	er's Signature over printed name)	1	1
Date	1	V- 000	1001		
Ked	uest	g Offi	de/Dept Certified Correct:	Amount:	
r	CO.	ALC:	C. CUARTE MENONALE DAVING	ALOBS No.	
	Auth	haring	Official) Head, Acctg. Div	ALUBS NO.	
	null	10112GU	Tiead, Accig. Div		

VISAYAS STATE UNIVERSITY Visca, Baybay, Leytre DAKILA Trading Corp. Supplier: PO No GF-15-04-16-LabEq-DFST Mandaluvong City, MM Address: Date: 14-May-15 PR No: 2015-5-559 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: No. Qty Unit DESCRIPTION Amount FOR DFST 1 unit Lovibond Colour Measurement, LC 100/SV 100 267,000.00 267,000,00 Hand-held imaging Spectrocolorimeter Unique housing stand to protect sample from ambient light Enables measurement of food, powders, cosmetics & pastes Versatile Communication of Colour Measurement Single, Simple, Reliable, Integrated Tool - no need to connect to PC Readings and Comparison Charts within seconds Information on Colour and Surface Texture Effects Conformance Reports in PDF and Excel Formats Precise Image Sampling with 9 Band Accuracy 1 unit Anaerobic Jar. Glass jar with capacity of 5L 17,000.00 17,000.00 ANAERO JAR Code: AG0025 - No catalyst required - Polycarbonate base which is secured to the lid by 4 clips - A carrying handle for safe transportation of the jar from bench to incubator - Vacuum relief screw to overcome any vacuum which may occassionaly occur 284,000.00 GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P14,200.00 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. SE L. BACOSMO Conforme: Chaistine Rollo President (Supplier's Signature over printed name) Date Requesting Office/Dept Certified Correct: Amount 15-04-3476 delta ROBERTO C. GUARTE ALOBS No.

Head Acctg. Div

(Authorized Official)

PURCHASE ORDER VISAYAS STATE UNIVERSITY Visca, Baybay, Leytre **HARNWELL Chemicals Corp** Supplier PO No GF-15-04-2-LabEquip-CVM Cebu City, Cebu Address. Date: 14-May-15 PR No: 2015-5-554 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site 90 calendar days upon receipt of NTP & PO Date of Delivery: Payment Term: No. Qty Unit DESCRIPTION Amount FOR CVM 1 unit Bench Top Autoclave; BOECO BTE-23D 38,500.00 38,500.00 Vol. 23L incl: 1 tray holder, 1 tray handle and 3 trays microprinter and USB port Chamber size: 247 x 460mm (23 l) Inside capacity: 18 L Sterilize temperature: 121°C and 134°C Sterilize pressure: 25min & 6mins Heater: 900W Material quality: stainless steel Power Source: 220V, 50/60Hz GRAND Total: 38,500.00. Performance Bond (5% of the total PO) either in Cash or Manager's Check = P1,925.00 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Conforme: BACOSMO President

(Supplier's Signature over printed name)

Cedified Correct:

ERLINDA S. ESGUERRA

Head, Acctg. Div

Amount

ALOBS No.

15-06-3480

Requesting/Office/Dept.

(Authorized Official)

fulo

		PURCHASE ORI VISAYAS STATE UNIV		
		Visca, Baybay, Leytre		
Suppli	er;	HARNWELL Chemicals Corp	PO No Trust-15-04	I-12-LabEq-NCRC
Addres	SS:	Cebu City, Cebu	Date: 14	-May-15
		V	PR No: 2015-2-237	
			Mode of Procuremnt:	
	of Delive		Delivery Term: FO	B Site
	of Delivery: 90 calendar days upon receipt of NTP & PO DESCRIPTION		Payment Term:	
	OR NO			Amount
	1 unit		55 000 00	55,000.00
	1 Unit	Complete system includes:	55,000.00	33,000.00
	+-			
-		* Rocker 300 oil free vacuum pump		
		* LF 30 filtration set		
		* Glass Fiber Discs (42mm, 1µm		
		* Silicone tube (1m)		1000
_	+			
+	-			
-	+			
\rightarrow	+			
-	+			
+				
-	-			
-	+	·		
-	_			
-	_			
	+			
	+-			
-	+			
	+	1		
	+-			
- 2-		d	GRAND Total:	55,000.00
Perform	ance Bon	d (5% of the total PO) either in Cash or Manager's Check = P2,750.00	Old life Total	00,000.00
One po	ercent fo	TOWN THAT DAG slier's Signature over printed name)	JOSE L.	BACUSMO
Date	- A	Was best	A===	1,000
Reque	1111	ffice Dept. Certified Correct:	Amount: 1	
RO		C. GUARTE ERLINDA S. ESGUERRA	ALOBS No.	
		d Official) Head, Acctg. Div	1 Just 2020 10,00-	.9.2

K-06. 2281 10604140

		7 7	PURCHASE ORDER VISAYAS STATE UNIVER Visca, Baybay, Leytre		
Sun	plier:		HARNWELL Chemicals Corp	PO No GF-15 04-21-	I obEmin Alana?v
	ress:		Cebu City, Cebu		
Add	1622		Cebu City, Cebu	Date: 1 PR No: 2015-5-55	4-May-15
				Mode of Procuremn	
Plac	e of	Deliver	y: VSU, Baybay, Leyte	Delivery Term: F0	
		Payment Term:	DD Offe		
_		Unit			Amount
					Amount
_	FUI		J-Alang-Alang Campus	THE ARE ES	
1	1	unit	Bench Top Autoclave; BOECO BTE-23D	38,500.00	38,500.00
			Vol. 23L		
			incl: 1 tray holder, 1 tray handle and 3 trays		
		d)	microprinter and USB port		
			Chamber size : 247 x 460mm (23 I)		
			Inside capacity: 18 L		
			Sterilize temperature: 121°C and 134°C		
			Sterilize pressure : 25min & 6mins		
			Heater: 900W		
			Material quality : stainless steel		
			Power Source: 220V, 50/60Hz		
					21 - 22 - 21
	-				
-	-				
		_			
	-				
-	-	-			
					est severe sentere
		8			
3 5	12				
				GRAND Total:	38,500.00
Perfo	rmano	ce Bond	(5% of the total PO) either in Cash or Manager's Check = P1,925.00		
			to make the full delivery within the time specified above, a pena	alty of one tenth (1/10) of	_
one	pero form	ent for	every day of delay shall be imposed. JONATH AND DAB1 er's Signature over printed name)	Jose L.	BACUSMO ident
_		ing Offi	ce(Dept, Certified Gorrect/	Amount:	
R	OBI	RIO	C. GUARTE PEDÁ DE LOS REVES	ALOBS No.	
(Auth	prized	Official) Head, Acctg. Div		

Cupplies		Visca, Baybay, Leytre		7.772 27
Supplier:		HARNWELL Chemicals Corp		-11-LabEq-Tolosa
Address:	_	Cebu City, Cebu		4-May-15
			PR No: 2015-5-55	
Place of I	Dolive	ry: VSU, Baybay, Leyte	Mode of Procuremo	
Date of D			Delivery Term: For Payment Term:	OB Site
No. Qty		DESCRIPTION	prayment renn.	Amount
		U-Tolosa Campus	SAME TO SAME	ranount
1 1	unit	BOECO MAGNETIC STIRRER MMS 3000	25,000.00	25,000.00
		AC Adapter 220V		
		Speed range: 0 - 3000 1/min		
		Max. stirring volume: up to 2,0 L		10
\dashv		Platform size: 150 mm dia		
+	-	Platform material: Stainless Steel		
-	_			
-	-	Support Rod height: 320 mm		
\rightarrow		Overall size: 165 x 200 x 65 mm		
\dashv		Weight: 1,2 kg		
		Power" 12 V, 300 mA (External power adapter)		
\rightarrow				
\rightarrow				
	_			
-				
\rightarrow				
	_			
\rightarrow				
\rightarrow				
\rightarrow				
-	_			
-				
+				
		TO SERVICE TO THE SERVICE THE	GRAND Total:	25,000.00
Performance	e Bond	(5% of the total PO) either in Cash or Manager's Check = P1,250.00		
		to make the full delivery within the time specified above, a penalty	of one-tenth (1/10) of	
		every day of delay shall be imposed.	1	1) .
		C9	C Lyhna	ALA
Conforme	9:	TOWNER OF THE	O JOSE L.	BACUSMO
		1990 ANUMOC	Pres	sident
	Suppli	er's Signature over printed name)		
Date N Requestir	M OFF	Certified Correct:	Amount	
	MIL		Amount:	
		C. QUARTE MEWNA E. WALING	ALOBS No.	
		Official) Head, Acctg. Div		

4ASE ORDER ATE UNIVERSITY

8.90 visca, Baybay, Leytre YANA CHEMODITIES Supplier: PO No GF-55-04-01-LabEquip-DFST Mandaue City, Cebu Address: Date: 14-May-15 PR No: 2015-5-559 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site 90 calendar days upon receipt of NTP & PO Date of Delivery: Payment Term: No. Qty Unit DESCRIPTION Amount FOR DFST 1 unit Precision Balance, Top Loading 21,500.00 21,500.00 KERN PCB2500-2 Backlit LCD display digit height 15mm Freely programmable weighing unit Second display for the table, cable length approx: 1,5m Battery Operation possible; Rechargeable battery pack Pre-Tare function 1 unit Hand-held Brix Refractometer, ATAGO #2313 8.680.00 8.680.00 Model: MASTER-M; CAT No. 2313 Scale: Brix Minimum Scale: Brix: 0.2% Measurement Range: 0.0 to 33.0% Brix. Measurement Accuracy: ±0.2 Brix. Automatic Temperature Range: (yes) 10 - 30C Repeatability: Brix: ±0.1% Dimensions & Weight: 3.2 x 3.4 x 16.8cm, 130g. 3 2 unit Dessicator, GLASS PYREX #3081-200 19,960.00 9.980.00 Glass Dessicator with large knob top cover. Complete Dessicator capacity: 5.8 Liters Plate Diameter: 190mm Designed for general analytical laboratory dehydration work Balance carried forward..... 50,140.00 Performance Bond (5% of the total PO) either in Cash or Manager's Check = P In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Conforme: JOSE L. BACUSMO President Requesting Office Dep Certified Correct: Amount: wow N-66-342 ROBERTO C. GUARTE

ERLINDA S. ESGUERRA

Head, Acctg. Div

(Authorized Official)

ALOBS No.

Sup	plier:		YANA CHEMODITIES	PO No. GF-15-04-0	01-LabEquip-DFST
	ress:		Mandaue City, Cebu	Date:	14-May-15
			manage only	PR No: 2015-5	
					mnt: Comp Bidding
Plac	e of	Deliver	y: VSU, Baybay, Leyte	Delivery Term:	
Date	e of D	elivery)	90 calendar days upon receipt of NTP & PO	Payment Term:	
No.	Qty	Unit	DESCRIPTION		Amount
- 0	FOR	R DFS			
			Balance brought forward		50,140.00
4	1	unit	FUME HOOD; CS1 Model 47	220,000.00	220,000.00
			Specifications:		
	\vdash		Approximate dimension: 47"L x 28"W x 94"H	 	
			Acid/Chemical and impact resistant solid laboratory	T	
			counter top 18mm thick		
			Chemical and corrosion resistant compact board resin exterior casin	9	
			Chemical and corrosion resistant molded fiberglass resin interior casi	-	
			Vertical sliding door/adjustable safety sash,	ĭ	
			tampered glass		<u> </u>
		0 - 0.00	1-vapor proof temp fixture with fluorescent lighting		
			1-electrical outlet, duplex universal 220 VAC		
			1-control switch with illuminator for blower and light		11
			1-laboratory grade water outlet with nozzle, remote controlled		
			1-laboratory grade gas outlet with nozzle, remote controlled		
			1-chemical resistant fiberglass/ pp cup sink with drain fittings		
		\$ 1	Corrosion and impact resistant base cabinet made		
		3	of compact board resin		
			Heavy duty motor blower exhaust assembly 1/2HP, 60HZ, 220V		
			Exhaust dust works system and mounting materials		
	THE SE			GRAND Total:	270,140.0
Perfo	rmano	e Bond (5% of the total PO) either in Cash or Manager's Check = P13,507.00		

JOSE L. BACOSMO President

Conforme:

(Supplier's Signature over printed name)

Date Requesting Office/Dept.

ROBERTO C SUARTE

Certified Correct:

ERLINDA S. ESGUERRA

Head, Acctg. Div

Amount: CACO 15-06-3472
ALOBS No. 15-06-3472

Mandaue City, Cebu Date: 14-May-15 PR No: 2015-2-237 Mode of Procuremnt: Comp Bidding Date of Delivery: VSU, Baybay, Leyte Date of Delivery: 90 calendar days upon receipt of NTP & PO Place of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: Amount FOR NCRC			YANA CHEMODITIES	DOM T 130010	
PR No: 2015-2-237 Mode of Procuremnt: Comp Bidding Delivery: VSU, Baybay, Leyte Delivery: 90 calendar days upon receipt of NTP & PO No. Qty Unit PR No: 2015-2-237 Mode of Procuremnt: Comp Bidding Delivery Term: FOB Site Payment Term: Amount FOR NCRC 1 2 unit Autoclave, Bench type HIRAYAMA Model HV-50 FEATURES: * Microprocessor-controlled * Top-loading design saves space * Warming cycles for melting sterilized agar or keeping sterilized agar from solidifying * Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)	Supplier				
Place of Delivery: VSU, Baybay, Leyte Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: POB Site Payment Term: DESCRIPTION Amount FOR NCRC 1 2 unit Autoclave, Bench type HIRAYAMA Model HV-50 Sterilized agar or keeping Sterilized agar from solidifying *Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (im) Outer Dimension: 200.79 x 1040 x 530 (in)	ruuress	t:	Mandade City, Cebu		
Place of Delivery: VSU, Baybay, Leyte Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: DESCRIPTION Amount FOR NCCC 1 2 unit Autoclave, Bench type HIRAYAMA Model HV-50 FEATURES: * Microprocessor-controlled				The state of the s	
Payment Term: No. Qty Unit DESCRIPTION Amount FOR NCRC 1 2 unit Autoclave, Bench type HIRAYAMA Model HV-50 FEATURES: * Microprocessor-controlled	Place of	Deliver	v: VSII Bavhay Leute	Mode of Procuremnt	: Comp Bidding
No. Qty Unit DESCRIPTION Amount FOR NCRC 1 2 unit Autoclave, Bench type HIRAYAMA Model HV-50 338,850.00 677,700. FEATURES: * Microprocessor-controlled * Top-loading design saves space * Warming cycles for melting sterilized agar or keeping sterilized agar from solidifying * Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)	Date of I	Delivery			B Site
FOR NCRC 1 2 unit Autoclave, Bench type HIRAYAMA Model HV-50 338,850.00 677,700. FEATURES: * Microprocessor-controlled * Top-loading design saves space * Warming cycles for melting sterilized agar or keeping sterilized agar from solidifying * Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)				If dyliteric reini.	A
1 2 unit Autoclave, Bench type HIRAYAMA Model HV-50 FEATURES: * Microprocessor-controlled					Amount
FEATURES: * Microprocessor-controlled * Top-loading design saves space * Warming cycles for melting sterilized agar or keeping sterilized agar from solidifying * Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)	1000			777777777	
* Top-loading design saves space * Warming cycles for melting sterilized agar or keeping sterilized agar from solidifying * Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)	1 2	unit		338,850.00	677,700.00
* Warming cycles for melting sterilized agar or keeping sterilized agar from solidifying * Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)					
sterilized agar from solidifying * Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)	+	-	1 op-loading design saves space		
* Temperature recorder option Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)					
Capacity: 50 liters Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)	+				
Chamber Dimension: 11.8 dia x 28.0 height (in) 300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)	+				
300 dia x 710 height (mm) Outer Dimension: 200.79 x 1040 x 530 (in)	_				
Outer Dimension: 200.79 x 1040 x 530 (in)					
	_		300 dia x 710 height (mm)		
510 x 1040 x 530 (mm)	-				13.227-57111-
			510 x 1040 x 530 (mm)		
					5045
		<u> </u>			
GRAND Total: 677,700				GRAND Total:	677,700.0
rformance Bond (5% of the total PO) either in Cash or Manager's Check = P33,885.00		e Bond (5% of the total PO) either in Cash or Manager's Check = P33,885,00	GRAND Total:	6//,/00.0

15-06-2260 1060140 F16/8

Visca, Baybay, Leytre YANA CHEMODITIES Supplier: PO No STF-15-04-01b-LabEquip-DoPAC Mandaue City, Cebu Address: 14-May-15 PR No: 2015-2-167 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: No. Qty Unit DESCRIPTION Amount FOR DoPAC 1 unit FUME HOOD; CSI Model 47 220.000.00 220,000.00 Specifications: Approximate dimension: 47"L x 28"W x 94"H Acid/Chemical and impact resistant solid laboratory counter top 18mm thick Chemical and corrosion resistant compact board resin exterior casing Chemical and corrosion resistant molded fiberglass resin interior casing Vertical sliding door/adjustable safety sash, tampered glass 1-vapor proof temp fixture with fluorescent lighting 1-electrical outlet, duplex universal 220 VAC 1-control switch with illuminator for blower and light 1-laboratory grade water outlet with nozzle, remote controlled 1-laboratory grade gas outlet with nozzle, remote controlled 1-chemical resistant fiberglass/ pp cup sink with drain fittings Corrosion and impact resistant base cabinet made of compact board resin Heavy duty motor blower exhaust assembly 1/2HP, 60HZ, 220V Exhaust dust works system and mounting materials **GRAND Total:** 220,000.00 Performance Bond (5% of the total PO) either in Cash or Manager's Check = P11,000.00 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Conforme: L. BACUSMO President Date Requesting/Office/Dept Certified Correct: Amount: N-06-2038 ROBERTO C. GUARTE ERLINDA S. ESGUERRA ALOBS No

Head, Acctg. Div

(Authorized Official)

frelo

Sun	Contract of		Visca, Baybay, Leytre		
	plier		YANA CHEMODITIES	PO No GF-15-04-02-L	abEq-Villaba
Add	ress		Mandaue City, Cebu		1-May-15
				PR No: 2015-5-55	
DI-		D #		Mode of Procuremnt	: Comp Bidding
		Deliver Deliver		Delivery Term: FC)B Site
_				Payment Term:	
No.	_	Unit	DESCRIPTION		Amount
			J-Villaba Campus		
1	1	unit	Water Distilling Apparatus, LASANY LPH-4	48,000.00	48,000.0
			Distillate Quality Heading: Pyrogen free		
			Output: 4 L / hr		
			Conductivity (using raw water): 3.0 to 4.0 µS/cm		
			Conductivity (using treated water): 1.5 to 2.0 µS/cm		
			pH 5.5 to 6.0		
			Dimensions: (w x d x h): 50cm x 15cm x 45cm		
			Weight: 6 kg approx.		
17.			Electrical: 220/240Vm 50/60Hz Single phase		
			Power: 3KW Heater		
\neg			Water Supply: Min Flow rate 1 liter/min.		
\neg			Min. Pressure: 3 p.s.i. (0.2 x 105 NM ²		
			Power Source: 220V, 60Hz	<u> </u>	
2	1	unit	Furnace, NEYTECH JFF2000	00 700 00	20 700 0
7	-	unit	Ideal for wax burnout, enameling and heat treating	90,780.00	90,780.00
1			Lightweight one piece molded besties showhere		
-			- Lightweight, one-piece molded heating chamber - Heats to 1000°F (538°C) in 15 mins; Max. operating		
-	\rightarrow	-			
-	\rightarrow		temp, 2012°F (1100°C)		
-	_		- Large chamber, 9"W x 6.5"H x 9"D		
4	-		- Simple dial power control		
4	\rightarrow		Control Type Power analog		
-			Chamber Dimensions: w x d x h: 230mm (9") x 230mm(9") x 170mm (6.5*)	
_			Chamber Size: 526 cu.in		
			Cabinet Dimensions: w x d x h (door open)		558.40-1-1-1-1-2
			height (closed open) 390mm (15.5") 390mm (15.5") 420mm (16.5") 42	0mm (16.5")	
			Maximum Operating Temperature: 1100°C 2012°F		
			Power Consumption Watts 1500w		
			Watts to Maintain: 1000C 1050		
			Net Weight: 13kg (29 lbs)		
- 1700			Balance carried forward		138,780.0
artan	mance	Bond (5% of the total PO) either in Cash or Manager's Check = P		

\c:			PURCHASE ORDER VISAYAS STATE UNIVERSIT	ry	
Sun	plier:		Visca, Baybay, Leytre YANA CHEMODITIES	PO No GF-15 04-02	LabEa Milaba
	ress:		The state of the s	100000	
Add	1655.		Mandaue City, Cebu	Date: 1	14-May-15
				Mode of Procurem	
Plac	e of	Deliver	y: VSU, Baybay, Leyte	Delivery Term: F	
		Delivery	The same of the sa	Payment Term:	OB OILE
	-	Unit		1	Amount
110	_		J-Villaba Campus - pp 2		Amount
			Balance brought forward		138,780.00
3	1	unit	Analytical Weighing Balance, KERN ABS220-4N	64,850.00	64,850.00
_	·		* Adjusting program CAL, external test weights at an additional price	04,000.00	04,000.00
_			* Dosage aid: High-stability mode and other filter settings can be selected		
_	-	_	Simple recipe weighing and documenting with a combined	-	19
_		_	tare/print function. In addition, the mixing ingredients for	++	
_			the recipe are numbered automatically and printed out	+	
_		_	with their corresponding number and weight value	+	
-	-	_			
-		_	* Identification numner: 4 numeric positions, printed on		
	-	_	calibration protocol		
		-	* Automatic data output to the PC/printer each time the balan	ice	
	_	_	reaches a steady state		
	_		* Fully automatic manufactured weighing cell from one		
			piece of material		
			* Stable temperature behaviour		
			* Short stabilization time: Steady weight values within		
			approx. 3 sec under laboratory conditions		
			* Shock proof construction		
			* High corner load performance		
		_			
-				GRAND Total:	203,630.00
Perfo	rmano	ce Bond	(5% of the total PO) either in Cash or Manager's Check = P10,181.50		
Con	form	ent for e:	to make the full delivery within the time specified above, a penalty of every day of delay shall be imposed. Guiza er's Signature over printed name)	JOSE L.	BACUSMO
Date		no Offi	ce Dept. Certified Correct:	Amount:	\sim
ı	ROE	RTQ	C. GUARTE REPERBUILDING	ALOBS No.	
	Muu	ionzed	Official) Head, BUDGET Div		

	upplier:		YANA CHEMODITIES	PO No GF-15-04-03-LabEq-AlangAlang		
	ress:		Mandaue City, Cebu		- 1.0 m - 1.0 m	
Auu	1033.		Mandade Oily, Cebu	Date: 14 PR No: 2015-5-555	-May-15	
				Mode of Procuremnt:		
Plac	e of	Delive	ry: VSU, Baybay, Leyte	Delivery Term: FO		
Date	of [Deliver		Payment Term:		
No.	Qty	Unit	DESCRIPTION		Amount	
	FOI	R VS	J-AlangAlang Campus		7,0112,011	
1	_		Water Distilling Apparatus, LASANY LPH-4	48,000.00	48,000.00	
			Distillate Quality Heading: Pyrogen free	40,000.00	40,000.00	
			Output: 4 L / hr			
			Conductivity (using raw water): 3.0 to 4.0 µS/cm	 		
			Conductivity (using treated water): 1.5 to 2.0 µS/cm			
			pH 5.5 to 6.0			
			Dimensions: (w x d x h): 50cm x 15cm x 45cm			
		-	Weight: 6 kg approx.			
			Electrical: 220/240Vm 50/60Hz Single phase			
			Power: 3KW Heater	 		
			Water Supply: Min Flow rate 1 liter/min.			
			Min. Pressure: 3 p.s.i. (0.2 x 105 NM ²	+		
			Power Source: 220V, 60Hz	40-0-20-0		
2	2	unit	Salinity Meter, ATAGO 4250, Cat No. 4250	23,600.00	47,200.00	
-	-	unit	Model: PAL-SALT Pocket Salt Meter is versatile with a wide	23,000.00	47,200.00	
	_		range of 0.00 - 10.00% . Resolution: 0.01% up to 2.99% concentration			
	-		Scale: Salt concentration (g/100g) Temperature			
			Measurement method: Conductivity method	+ +		
			Measurement Range: 0.00 to 10.0% (g/100g) of salt concentration			
			5.0 to 100°C	 		
			Resolution: 0,01% for salt concentration of 0.00 to 2.99%			
			0,1% for salt concentration of 3.0 to 10.0%			
			0,1°C			
			Sample Temperature: 5 to 100°C			
			Ambient Temperature: 10 to 40°C			
			Sample Volume: At least 0.6 ml			
			Measurement Time: Approx. 3 seconds	+		
1.00			Power Supply: Size AAA alkaline beatteries x 2			
			Balance carried forward		95,200.00	
Perfo	rmano	e Bond	5% of the total PO) either in Cash or Manager's Check = P		55,255.55	
Cont	perc forme	ent for	to make the full delivery within the time specified above, a penalty of one every day of delay shall be imposed. The specified above, a penalty of one every day of delay shall be imposed. The specified above, a penalty of one every day of delay shall be imposed. The specified above, a penalty of one every day of delay shall be imposed.	JOSE L. B Presid	ACUSMO	
Date		V	de/Dept. Certified Correct:			
	unni	oh 046	certified Correct:	Amount:		

PURCHASE ORDER VISAYAS STATE UNIVERSITY Visca, Baybay, Leytre YANA CHEMODITIES Supplier: PO No GF-15-04-03-LabEq-AlangAlang Mandaue City, Cebu Address: Date: 14-May-15 PR No: 2015-5-555 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site 90 calendar days upon receipt of NTP & PO Date of Delivery: Payment Term: No. Qty Unit DESCRIPTION Amount FOR VSU-AlangAlang Campus Balance brought forward...... 95,200.00 GPS. Handheld (GARMINeTREX LEGEND HCx 2 unit 49,600,00 24,800.00 Unit Dimension: 4.2" x 2.2" x 1.2" (10.7 x 5.6 x 3.0 cm) Display size (WxH): 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution: 176 x 220 pixels Display Type: 256 level color TFT Weight: 5.5 oz (156 g)with batteries Battery: 2 AA batteries (not included) Battery Life: 25 hours 4 2 unit NPK Test Kit and Soil test Kit, LAMOTTE #5880-6 4,800.00 9,600,00 NPK Soil Test Kit. Includes: Apparatus, Simple Diagrammed Instruction, Laminated Color Chart UNSPSC: 41113910 Weight: 0.430000 5 1 unit Soil Auger, FORESTRY #77814, Brand: AMS 134,750.00 134,750.00 MS 3-1/4" Signature Basic Soil Sampling Kit Everything you need to collect samples in a variety of soils. This kit includes regular auger, mud auger, sand auger, core sampler, slide hammer, three 4' extensions, rubber coated cross handle, two crescent wrenches, slip wrench, and nylon brush. Augers are 3-1/4" diameter. Kit contents are packaged in polyreinforced carrying case with convenient wheels and handles. NOTE: Not compatible with standard AMS Sampling Equipment **GRAND Total:** 289,150.00 Performance Bond (5% of the total PO) either in Cash or Manager's Check = P14,457,50 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Conforme: JOSE L. BACUSMO President (Suppliers nature over printed name Requesting Office/Dept Certified Correct: Amount: ROBERTO C. GUARTE ALOBS No. (Authorized Official) Head, Acctg. Div

3			VISAYAS STATE UNIVERSIT	Υ	
Sun	plier		YANA CHEMODITIES Visca, Baybay, Leytre	DO No OF 45 OF ON	-bE- TOLOGA
	ress		Mandaue City, Cebu	PO No GF-15-04-04-L	CHARLES AND ADDRESS OF THE PARTY OF THE PART
Auu	1622		Mandade City, Cebu	Date: 14 PR No: 2015-5-558	-May-15
Plac	e of	Delive	ry: VSU, Baybay, Leyte	Mode of Procuremnt: Delivery Term: FO	
		Deliver		Payment Term:	D Site
	_	Unit		T. Symone 1 Same	Amount
140.			U-TOLOSA Campus		Amount
1					70 000 00
<u>'</u>	1	unit	HOMOGENIZER, complete set, HSIANGTAI HG-300 with	78,800.00	78,800.00
_	_	_	K-75 CUTTING HEAD		
	_		- Various containers can be used		
			- Operating capacity: 0.3ml - 3L, with the same driver but		
			different homogenizer head choices		4
			- The impeller can be separated completely		
			Motor: DC250W		
			Speed (rpm): 0-26,000		
			Weight (kg): 7		
			Size: (WxDxHmm): 200 x 315 x 500		
_			Power Source: AC 110V/220V, 50/60Hz		
			1 OWE COURCE. AC 110 1/220 1, 30/10/12		
2	1	unit	Sterilizer, Electronic Portable; STEREOCLAVE	49,880.00	49,880.00
			25QTS, ELECTRIC; Model: 25X (25 qt/24 liters)		
			Model 25X-240:240 Volt. 50/60Hz 1050 watts/4.38amps		
			Gross Capacity: 25qt / 24 liter		
			Chamber Capacity: 13.7 L / 14.5 qt		
_					
		-			
	-	_			
_	_	-			
_	-			+	
				1	
		11.55		GRAND Total:	128,680.00
Perfo	rman	ce Bond	(5% of the total PO) either in Cash or Manager's Check = P6,434.00		
one	pero	ent for	to make the full delivery within the time specified above, a penalty of one every day of delay shall be imposed. Y Luizh er's Signature over printed name)	San	BACUSMO dent
	_	no Off	ide/Dept. Certified Correct:	Amount:	$\overline{}$
F	OB	PRIO	EGUARTE MELONA E, DALIND	ALOBS No.	
	Aut	norized	Official) Head, Acctg. Div		

		Visca, Baybay, Leytre		
Suppl	ier:	Cebu Far Eastern Drug	PO No GF-15-0	4-3-CVM
Addre	ss:	Cebu City	Date: 7	7-May-15
			PR No: 2015-5-5	21.7
DI	-f D-E	VOLL B. L. L.	Mode of Procuremnt	: Comp Bidding
	of Delive of Deliver		Delivery Term: FC	B Site
			Payment Term:	0.000.000.000
No. C	Qty Unit			Amount
+		FOR CVM		
1	1 unit	Blood Chemistry Analyzer, EON ONE	199,888.00	199,888.0
-		Specifications:		
\perp		Provides the following parameters : ALB, ALP, ALT, AMY,		
_		BUN, CA, CREA, GLOB, GLU, K+, NA+, PHOS, TBIL,		
		TP, Bilirubin)		
		Stores up to 4GB of patient results		
		Plots Levey-Jenning QC graphs		
		Allows external data storage thru USB		
\neg		Intelligent Quality Control		
		Connectivity option		36
\neg		Power Source: 220V, 60Hz		/
2	1 unit	Urine Analyzer	57,000.00	57,000.0
	-	Specifications:		07,000.0
\neg	+	11 test parameter (Ascorbic acid, SG, Urobilinogen,	1	
+	+	Glucose, pH, Bilirubin, Protein, Nitrite)		
+	-	9 animal species (dog, cat, horse, bunny, guinea	+	
+	_	pig, cattle, pig, sheep, goat)	1	/
3	1 pc	Oxygen regulator with humidifier	4.450.00	4.450.0
3	1 pc	Ready to attach	1,450.00	1,450.0
+	+-	With oxygen hose		
4	1 pc	Stethoscope Cardiology III Littman	42 500 00	42 500 0
4	1 pc	Two tunable diaphragms	13,500.00	13,500.0
		rwo tunable diaphragms		
+				
1		00.0	I TOTAL	074 000
erform	nance Bond	(5% of the total PO) either in Cash or Manager's Check = P13,591.90	ND T O T A L:	271,838.
		to make the full delivery within the time specified above, a penalty	of one tenth /1/10) of	
		r every day of delay shall be imposed.	or one-tenth (1710) or	•
			· Ka	
			SAN	
Confo	rme:	¥ιΦι. /		ACUSMO
	10	NUMBER OF STREET	Presid	dent \
Date	(Suppl	er's Signature over printed name)	1	,
	esting/Off	ide/Dept. Certified Correct:	Amount:	
	1		1 A-1137	
RC		C. SUARTE ERLINDA S. ESGUERRA	ALOBS No. N-	06-3470

06/10

		PURCHASE ORDER VISAYAS STATE UNIVERSITY			
Sup	olier		Visca, Baybay, Leytre Cebu Far Eastern Drug	PO No GF-15-04-	5 \/\$! \/illaha
Add			Cebu City	The state of the s	
Addi	ess.		Cebu City	PR No: 2015-5-557 Mode of Procuremnt: Comp Bidding	
Plac	e of	Deliver	y: VSU, Baybay, Leyte	Delivery Term: FOB	
		Delivery		Payment Term:	Oite
_		Unit	DESCRIPTION		Amount
	ω.,	01111	FOR VSU-Villaba Campus		Amount
1	1	unit	Blood Chemistry Analyzer, EON ONE	199,888.00	100 000 00
-	•	unit		199,000.00	199,888.00
_	()		Specifications:		
_			Provides the following parameters : ALB, ALP, ALT, AMY,		
		-	BUN, CA, CREA, GLOB, GLU, K+, NA+, PHOS, TBIL,		
			TP, Bilirubin)		
			Stores up to 4GB of patient results		
			Plots Levey-Jenning QC graphs		
	3		Allows external data storage thru USB		
			Intelligent Quality Control		
			Connectivity option		
			Power Source: 220V, 60Hz		
	_	_	Fower Source. 220V, ouriz		
-				-	
- 1					
		,			
-	-			+ - +	
-	-				
	_		CDI	AND TOTAL:	199,888.0
Dorfo		a Dand	(5% of the total PO) either in Cash or Manager's Check = P9,994.40	AND TOTAL.	199,000.0
-	_	-		f t t- (4 (4 (5) f	
			to make the full delivery within the time specified above, a penalty of every day of delay shall be imposed.	of one-tenth (1/10) of	
One	Perc	CIII IOI	every day of delay shall be imposed.	1.	•
				PAN	Ŧ_
Con	form	e:	Va	JOSE L. B	ACUSMO
			Mulli	Presid	ent
	(Supplie	er's Signature over proted name)		
Date			A STATE OF THE PARTY OF THE PAR	1	
Req	uest		ce/Dept. Certified Correct:	Amount:	
_	t		ALTON TO LONGO	11 000011	25357
	_		C. GUARTE TERESTIA JUANERO	ALOBS No.	

T

S	plier;	Visca, Baybay, Leytre CEBU FAR EASTERN DRUG Inc.	DO No 05 # 04 6	74 LabE = *!-
_			PO No GF-15-04-2	
Addi	ress:	Cebu City, Cebu	Date: 14 PR No: 2015-5-554	-May-15
			Mode of Procuremnt:	
Plac	e of Deliv	ery: VSU, Baybay, Leyte	Delivery Term: FO	
	of Delive		Payment Term:	
	Qty Uni			Amount
	FOR VS	SU-Alang-alang Campus		
1	2 unit		65,000.00	130,000.0
		UIS2 infinity optical system provides high		
		quality images, built in transmitted illumination system, LED		
		power consumption 0.5W, Stage high movement,		
		(coarse movement satroke, 20mm)		
		Fine focus graduation, 2.5µm		
		Fixed quadruple nosepiece		
		Wire movement mechanical fixed stage 120x132mm		
		Traveling range: 76mm (x) x 30mm (y)		
		Single specimen holder		
		30 degree inclined binocular tube		
	_	Interpupillary distance adjustment range 49-75mm		
-	-	Eyepoint adjustment 377.8-427.7mm		
\dashv	-	Abbe type with aperture iris diaphragm NA: P1.25		
-	-			
	-	Plan objectives (anti fungus)		
-		4x NA 0.10 W.D: 27.8mm		
		10x NA 0.25 WD: 8.0mm		
		40x NA 0.65 WD: 0.6mm		
		100x NA 1.25 WD: 0.13mm		
		Field number (FN) 20 (anti-fungus)		
		Mirror unit: 15x eyepiece		
		Cord hanger		
		Approx. 6 kg		
		AC 100-240V, 50/60Hz 0.4A / 1.7W / 18.5W		
			GRAND Total:	130,000.
		d (5% of the total PO) either in Cash or Manager's Check = P15,842.60		
		e to make the full delivery within the time specified above, a penalty or every day of delay shall be imposed.	one-tenth (1/10) of	DL
	<u> </u>	N.O	1 Lines	M71
Con	forme:	MCa	JOSE DE	BACUSMO
_	/Supr	lier's Signature over printed name)	[President	dent
Date		gradule over printed name)		
_		ffice/Dept Certified Correct:	Amount:	
Reg	uesing o	Geranea Correct.	AHIOUHL	
Req		2011	Amount	

PURCHASE ORDER VISAYAS STATE UNIVERSITY Visca, Baybay, Leytre LABSOLUTIONS Technologies, Inc. Supplier: PO No GF-15-04-2-CVM Address: Cebu City Date: 7-May-15 PR No: 2015-5-554 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: No. Qty Unit DESCRIPTION Amount FOR CVM 1 1 unit Auto Hematology Analyzer; BC-2800Vet 380,000.00 380,000.004 MINDRAY 3-part differentiation of WBC for: dog, cat, horse, mouse, rabbit, rat, cow, monkey, 18 parameters + 3 histograms 13 pre-defined animal species + 3 programmable animals on request Fully automated, compact, flexible and low cost Throughput: 25 samples per hour Automatic sample probe cleaning Huge data storage of 10,000 results with histograms Power Source: 220V, 60Hz 380,000.00 GRAND T O T A L: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P19,000.00 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. JOSE L. BACUSMO Conforme: President (Supplier's Signature over printed name)

Requesting

(Authorized Official)

Cenified Correct:

ERLINDA S. ESGUERRA Head, Acctg. Div

ALOBS No.

N-de-3461

		PURCHASE ORDER VISAYAS STATE UNIVERSITY			
10.5			Visca, Baybay, Leytre	COLLI	
Sup	plier		LABSOLUTIONS Technologies, Inc.	PO No GF-14-04	-4-VSUVillaba
	ress		Cebu City		7-May-15
		-71		PR No: 2015-5-55	
1				Mode of Procuremnt:	
		Deliver		Delivery Term: FOI	
_	_	Delivery		Payment Term:	
No.	Qty	Unit			Amount
			FOR VSU-Villaba Campus		
1	1	unit	Auto Hematology Analyzer; RT-7600	275,000.00	275,000.00
			- 20 parameters + 3 histograms		
			- 3-part differentiation of WBC		
			- 2 counting modes: whole blood and prediluted		
			- 60 samples per hour		
			- 10.4" TFT colorful LCD with touch screen		
			- Built-in thermal printer, optional external printer		
			- External AC adapter avoids electronic noises, enhancing ac	chilach	
			- Up to 50000 sample results (including histograms) can	- Condition	
			be stored		
- 1-1-1			- Multi-language software available on request	_	
			- Original factory's blood control and calibrator		
_			- Original factory's blood control and calibrator		
_	\vdash				
-	\vdash	-			
	\vdash				
111	\vdash			-	
- 1	\vdash				
_					
To code		Don't		RAND TOTAL:	275,000.00
		THE RESERVE OF THE PERSON NAMED IN	(5% of the total PO) either in Cash or Manager's Check = P13,750.00		
one		ent for	to make the full delivery within the time specified above, a penalevery day of delay shall be imposed.	JOSE L. E	BACUSMO ident
Date	1	1/	s Signature over printed name)	1	
	_	MILO	C. GUARTE TERESITA JUANERO	Amount: ALOBS No.	
			Official) Head 6 406 FIDE	ALOBO NO.	

1

I

Sup	plier		WRL CYBERTEC Corp.	PO No GF-15-04-	19-LabEq-Villaba
Add	ress		Dilliman, Quezon City		1-May-15
		100		PR No: 2015-5-55	The state of the s
				Mode of Procuremnt	
		Deliver		Delivery Term: FC	B Site
		Delivery		Payment Term:	
		Unit	J-VILLABA Campus		Amount
1			Constant-Temperature Drying Oven, "BIOBASE"	00.000.00	60 000 00
-	·	uine	Model: BOV-V125C	60,000.00	60,000.00
	_		Capacity: 125L		
-			Temp Range: RT +5 -300°C		
-	-		Temp Precision: 0.1°C		,
_	_				
_			Temp. Fluctuation: ± 1°C		
	1.		Ambient Temp. : 5~40°C		
			Consumption: 2500W		
			Power Source: 220V/ 50Hz		
	-				
-					
	_				
- 4	_				
		/			
_					
_	_				
_	_			CRAND Totals	20 000 00
orfo	mond	n Danel (SN 45th the DOLLAR OLD DOLLAR	GRAND Total:	60,000.00
		THE RESERVE OF THE PERSON NAMED IN	5% of the total PO) either in Cash or Manager's Check = P3,000.00		
			o make the full delivery within the time specified above, a penal every day of delay shall be imposed.	ty of one-tenth (1/10) of	` .
UIIU	perc	CILL TOI		c Helence	
Conf	orm		frynllon	JOSE L. E	BASUSMO
			Jalobie Arapallon 6/24/15	Presi	
		Supplie	r's Signature over printed name)	1 Post 1 (1)	cer Associati
Date		Λ			
Requ	uesti	ng Offic	ce/Dept. Certified Correct:	Amount:	
	00'	-1×m	T 6 1-	77 mma 710	
K	OB	THIO (C. GUARTE TOROCHA MANERO M	ALOBS No.	

			PURCHASE ORD VISAYAS STATE UNIV				
Sur	plier		WRL CYBERTEC Corp.	PO No GE 15 04	20 LabEa Alana?		
	ress		Dilliman, Quezon City		PO No GF-16-04-20-LabEq-Alange Date: 14-May-15 PR No: 2015-5-555 Mode of Procuremnt: Comp Bidding Delivery Term: FOB Site Payment Term: Amount 60,000.00 60,000.00		
700	1633	-	Diminari, Quezon City	The state of the s			
				The second secon	NAME		
Plac	ce of	Delive	ry: VSU, Baybay, Leyte				
Date	e of I	Deliver					
No.	Qty	Unit	DESCRIPTION		Amount		
	FO	R VS	U-Alang-alang Campus				
1	1	unit	Constant-Temperature Drying Oven, "BIOBASE"	60,000.00	60,000.00		
			Model: BOV-V125C				
			Capacity: 125L				
			Temp Range: RT +5 -300°C				
			Temp Precision: 0.1°C				
			Temp. Fluctuation: ± 1°C				
			Ambient Temp. : 5~40°C				
			Consumption: 2500W				
	\vdash		Power Source: 220V/ 50Hz				
	\vdash						
		-					
	-						
_	-						
_	-	-					
_	_						
_	-						
_	-	-					
_	-	-					
-	-	-					
_	\vdash	-					
\vdash		-					
\vdash	\vdash	-					
		-					
		<u> </u>					
				GRAND Total:	60,000.00		
Perfo	orman	ce Bond	(5% of the total PO) either in Cash or Manager's Check = P3,000.00				
one	form	cent for	Jabbie Ayoullon 6/24/15 ier's Signature over printed name)	JOSE	BACUSMO		
		in Off	ige/Dept/ Certified Correct/	Amount:			
1	-	MIA		ALOBS No.			
			Official) Head, Acctg. Div	712000 110.			

	•	PURCHASE ORDER VISAYAS STATE UNIVERS	SITY	
Sun	olier:	Visca, Baybay, Leytre ITS SCIENCE (Phils) Inc.	DO NA OF AF OA	00 L-bF- DE07
	ess:	Cebu City, Cebu	PO No GF-15-04-	
Audi	ess.	Cebu City, Cebu	Date: 14	-May-15
			Mode of Procuremnt	
Plac	e of Deliv	ery: VSU, Baybay, Leyte	Delivery Term: FO	B Site
Date	of Delive	ry: 90 calendar days upon receipt of NTP & PO	Payment Term:	
	Qty Uni			Amount
	FOR DE	ST .		
1	1 unit	UV- visible Spectrophotometer, Double Beam Brand: Thermo Scientific	316,852.00	316,852.00
	-	Model: Genesys 10S, USA		
-	_	Bandwidth: 1.8nm		
-				
	_	Wavelength range: 190-1100nm		
		Accuracy: ±1nm		
		Transmittance: -1.5 to 125%T		
		Absorbance: up to 3.5 at 260nm		
		Concentration: ± 9999 C		
		Stray Light: <0.08%T at 220, 340 nm (Nal, NaNO2);		
		<1.0%T 198-200nm (KCI)		
		Lamp: Xenon (better specs)		
		Connectivity: USB		
		Power: 100-240V; 50/60Hz		
	_			
\dashv	-			
	_			
				-100
			GRAND Total:	316,852.0

Visca, Baybay, Leytre ITS SCIENCE (Phils) Inc. Supplier: PO No GF-15 -04-23-LabEq-CVM Cebu City, Cebu Address: Date: 14-May-15 PR No: 2015-5-554 Mode of Procuremnt: Comp Bidding VSU, Baybay, Leyte Place of Delivery: Delivery Term: FOB Site Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: No. Qty Unit DESCRIPTION Amount FOR CVM 1 unit PCR equipment, Real-time/Quantitative PCR System 1,295,102.00 1,295,102.00 Brand: Agilent/Strategene Model: MX3005P, USA Tube/plate formats: 200 µL: 96-well format: optimized for 25µl sample size Sample volume: 10-50µL Reaction vessel: 96-well PCR plate Excitation source: Quartz Tungsten Halogen lamp Detector: 1 scanning photomultiplier tube(PMT) Excitation Range: 350 nm-750nm Emission Range: 350nm-700nm Real time, quantitative PCR System: View and analyze data in real time Temperature system: solid-state, Peltier-based Temperature Uniformity: +/- .25°C at 72°C Temperature Ramp Rate: up to 2.5°C/second GRAND Total: 1,295,102.00 Performance Bond (5% of the total PO) either in Cash or Manager's Check = P64,755.10 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. BASUSMO Conforme: President (Supplier's Signature over printed name) Date Requesting Office (Dep Certified Correct: ween N-06-3471 ERLINDA S. ESGUERRA ALOBS No. (Authorized Official) Head, Acctg. Div

			PURCHASE ORDER VISAYAS STATE UNIVERS Visca, Baybay, Leytre	ITY	
Sup	plier:		ITS SCIENCE (Phils) Inc.	PO No GF-1 -04-2	23-LabEa
	ress:		Cebu City, Cebu		
ridu	033.		Ceba City, Ceba	PR No: 2015-5-558	-May-15
				Mode of Procuremnt:	
Plac	e of	Delive	ery: VSU, Baybay, Leyte	Delivery Term: FO	
		eliver		Payment Term:	
		Unit			Amou
	FOF	? VS	U-Tolosa Campus		
1	1	unit	UV- visible Spectrophotometer, Double Beam	316,852.00	316,8
			Brand: Thermo Scientific		
			Model: Genesys 10S, USA		
		-	Bandwidth: 1.8nm		4
			Wavelength range: 190-1100nm		
			Accuracy: ±1nm		
			Transmittance: -1.5 to 125%T		
			Absorbance: up to 3.5 at 260nm		
_	-	_	Concentration: ± 9999 C		
-		-			
-	-	_	Stray Light: <0.08%T at 220, 340 nm (Nal, NaNO2); <1.0%T 198-200nm (KCI)		
-	_				
_	_		Lamp: Xenon (better specs)		
			Connectivity: USB		
			Power: 100-240V; 50/60Hz		
2	1	unit	Micro Kjeldahl Extraction Heater, 6 recesses	277,068.00	277,0
			Brand: Electrothermal		
			Model: MM2313/EX6, USA		
			Max element temperature: 800°c		
			Flask capacity: 18-50 ml		
			Housing material: stainless steel		
			Thermal Insulating: ceramic fiber/mineral wood		
			includes: 12 pcs 30ml. Kjeldahl flask		
			1 unit fume collection tube		
					construction.
_		_			
_	_				
				GRAND Total:	593,
Perfo	rmano	e Bond	(5% of the total PO) either in Cash or Manager's Check = P29,696.00	GRAND Total:	593
in ca	se of perc	failure ent fo	to make the full delivery within the time specified above, a penalty of revery day of delay shall be imposed. Revery day of delay shall be imposed. Revery day of delay shall be imposed.	Any	BACUSM
Date		1			$\overline{}$
-	unch	AL OF	fice Pept. Certified Correct:	Amount:	

			VISAYAS STATE UNIVERSIT Visca, Baybay, Leytre	Ľ		
Supp	plier		KRYPTON Industrial Resources, Co.	PO No GF-15-04	-09-LabEq-DEST	
Addr	ress		Tipolo, Mandaue City, Cebu	Date: 14-May-15		
				PR No: 2015-5-55		
				Mode of Procuremr		
		Deliver		Delivery Tem: F	OB Site	
=	_	Delivery	90 calendar days upon receipt of NTP & PO	Payment Term:		
No.	_	Unit	DESCRIPTION		Amount	
	FO	R DFS				
1	1	unit	AUTOCLAVE ; Model: BKM-P18(B), DUAL FUEL TYPE	30,000.00	30,000.00	
			Capacity: 18 L			
			Time Seating: NO			
			Temperature Setting: 126°C or 121°C			
			Power Source: AC 220V/50Hz.		*	
			Power Consumption: 2kW			
			Working Pressure: 0.142Mpa			
			Chamber size: φ280*210mm			
2	1	unit	-40 °C Low Temperature Freezer	112,000.00	112,000.00	
			Model: BDF-40H200	112,000.00	1.12,000.00	
\neg			External Size: 855*650*860			
\neg	a dina		Capacity: 200 L			
\neg			Features	+		
\neg			* Advanced cooling system			
1		_	Precise Microcomputer temperature control	1		
\exists			* Special PU foam insulation materials			
\neg			* Operating security or safety and reliability, alarm module			
\neg			* For safety and reliability, alarm module keep monitoring			
\neg			surroundings and system status.			
\neg			Alarms: high and low temperature alarms, sensor failure alarm,			
7			power failure alarm,			
\neg			Avoid falsification and wrong operation	+		
\neg	1		Power failure protection			
7						
		02				
			(5% of the total PO) either in Cash or Manager's Check = P7,100.00	GRAND Total:	142,000.0	

one percent for every day of delay shall be imposed. JOSE L. BACUSMO Conforme: 6-25-15 PLANITA President (Suppliers Signature over printed name) Date Ceffined Correct: Requesting Office Dept. N-04-3471 ROBERTO C. QUARTE ERLINDA S. ESGUERRA ALOBS No. (Authorized Official) Head, Acctg. Div

reloo

Supplier: Address: Place of D		Visca, Baybay, Leytre KRYPTON Industrial Resources, Co.	PO No GF-(5 04-002	NONE ab/DECT)
Place of D		Mandaue City, Cebu		
		mandade Oity, Gebu	Date: 7: PR No: 2015-5-55	-May-15
			Mode of Procuremn	
	eliver	y: VSU, Baybay, Leyte	Delivery Term: FO	
Date of De			Payment Term:	50 Oilo
No. Qty	Unit	DESCRIPTION		Amount
FOR	DFS			
1 1 1	unit	VERTICAL STEAM BOILER, Model VLH-3, LOGIC HEAT	980,000.00	980,000.0
		Steamed Demand Requirement: 103.5 lbs/hr, from and	300,000.00	300,000.0
		@ 212°F of feedwater temperature		
		Fuel: Light oil; Burner: FBR, Made in Italy		
		Design Pressure: 10 bar		
		Operating Pressure: 9 bar or less		
		Efficiency: 90% minimum		
		Boiler Tubes; Seamless, Germany/France DIN 17175		
3		Plates: ASTM 515, Grade 70		
	1117.7	Insulation: Kaowool; Refractory: Patra		117
		Cladding: Steel Cladding		
		Testing: Radiographic, Hydrostatic, Dye Penetrant		
2 1 L	ınit	Vertical Band sealer. Continuous with table.	36,000.00	36,000.0
		Model: DBF-900, DONGFENG Machinery		
		Dim: 32"L x 15"W x 33"H.		
		Sealing Speed: Up to 10 m/min		
		Sealing width: 5 to 15 mm		
		Temp range: Up to 300°C.		
		Adjustable height		
		Power: 220 V, 60 Hz, 500 W		
3 1 u	ınit	Platform Weighing Scale, WPT 300 C3/K	58,000.00	58,000.0
\perp		Pan size : 500mm x 700mm		
-		Max Capacity : 300kg		
\rightarrow		Minimum load: 2 kg		
\rightarrow		Readability: 100 g		550
\rightarrow		Tare Range: -300 kg		
\rightarrow		Working temperature: -10° ÷ +40 °C		
		Power supply: 230VAC, 50Hz/11VAC		
		and 6 x AA NiMH accumulator		
		Display: LCD (backlit)		
		Net weight / Gross weight: 20,5/26,8 kg		
			001110 T	
lorformon so	Dond /	5% of the total PO) either in Cash or Manager's Check = P53,700.00	GRAND Total:	1,074,000.0

trala

N-06- 3467

ALOBS No.

PURCHASE ORDER VISAYAS STATE UNIVERSITY Visca, Baybay, Leytre KRYPTON Industrial Resources, Co. PO No GF-15-04-001-NONLab(CVM) Supplier: Mandaue City, Cebu ddress: 7-May-15 PR No: 2015-5-554 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: No. Qtv Unit DESCRIPTION Amount FOR CVM Refrigerator, 5 cu.ft. SANYO 1 unit 11.800.00 11,800.00 Model: SRS157SBPH Total gross volume: 132 liters / 5 cu.ft. Total storage volume: 126 liters Freezer storage volume: 15.6 liters Refrigerator volume: 110.4 liters Defrosting Type: Semi-Automatic Refrigerant: HFC-134a Voltage Range: 230 V / 60 Hz Current: 0.63A; SHELF EGG: yes Type: Single Door - Slim Beauty Sisters Rated Lamp Input: 10watts Shelf-Wired-Glass: Wired Vegetable Bin: Yes; CFC FREE: Yes Table Top: Yes: Interior Light: Yes Net / Gross Weight: 23.5/25.5 kg; Color: Silver Unit Dimension (W x H x D) : 505 x 535 x 975mm 1 unit Platform Weighing Scale, WPT 150 C2 48,000.00 48,000.00 Pan size: 400mm x 500mm Max Capacity: 150kg Minimum load: 1 kg Readability: 50 g Working temperature: -10° ÷ +40 °C Power supply: 230VAC, 50Hz/11VAC and 6 x AA NiMH accumulator Display: LCD (backlit) Net weight / Gross weight: 15.5/17.8 kg 59,800.00 Balance carried forward..... Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Conforme: JOSE L. BACUSMO 6-25-15 TAMOA President (Supplier's Signature over printed name) Date Requesting/Office/Dept Certified Correct: when

ERLINDA S. ESGUERRA

Head, Acctg. Div

ROBERTO CVGUARTE (Authorized Official)

Address: Mandaue City, Cebu PR No: 2015-5 Mode of Procure Date of Delivery: VSU, Baybay, Leyte Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term Payment Term Por CVM - Page 2 Balance brought forward 2 units UV Woods lamp or Money Detector #MD-6 * Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed Power Source: 220V, 60Hz CGRAND Total Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00	_	
Address: Mandaue City, Cebu PR No: 2015-5 Mode of Procure Place of Delivery: VSU, Baybáy, Leyte Place of Delivery: 90 calendar days upon receipt of NTP & PO Place of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term Payment Term Payment Term Por CVM - Page 2 Balance brought forward 2 units UV Woods lamp or Money Detector #MD-6 Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed Power Source: 220V, 60Hz GRAND Total: * Cardormance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00	4-001-NONLab(CVM)	
PR No: 2015-5 Mode of Procure Date of Delivery: VSU, Baybáy, Leyte Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term No. Qty Unit DESCRIPTION FOR CVM - Page 2 Balance brought forward 2 units UV Woods lamp or Money Detector #MD-6 1,900.00 * Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed Power Source: 220V, 60Hz * Card mand of the total PO) either in Cash or Manager's Check = P35,150.00 * GRAND Total: * Cardomance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00	7-May-15	
Place of Delivery: Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term Por CVM - Page 2 Balance brought forward 2 units UV Woods lamp or Money Detector #MD-6 1,900.00 * Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total: GRAND Total:		
Delivery:		
Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term No. Qty Unit DESCRIPTION FOR CVM - Page 2 Balance brought forward 2 units UV Woods lamp or Money Detector #MD-6 1,900.00 * Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total: GRAND Total:		
No. Qty Unit DESCRIPTION FOR CVM - Page 2 Balance brought forward 2 units UV Woods lamp or Money Detector #MD-6 1,900.00 * Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total: GRAND Total:		
Balance brought forward 3 2 units UV Woods lamp or Money Detector #MD-6 1,900.00 * Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total: GRAND Total:	Amount	
Balance brought forward 2 units UV Woods lamp or Money Detector #MD-6 1,900.00 * Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total:	, mount	
2 units UV Woods lamp or Money Detector #MD-6 1,900.00 * Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total:	E0 000 00	
* Compact Electronic Money Detector * Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed Power Source: 220V, 60Hz 1,800.00 Power Source: 220V, 60Hz GRAND Total:	59,800.00 3,800.00	
* Uses 1-UV bulb to illuminate currency * Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed Power Source: 220V, 60Hz 1,800.00 Power Source: 220V, 60Hz GRAND Total: **GRAND Total:** **	3,800.00	
* Uses Ultraviolet detection * Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed Power Source: 220V, 60Hz 1,800.00 Rower Source: 220V, 60Hz GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00		
* Can also be used to verify Phil Peso, US\$, Euros, Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed Power Source: 220V, 60Hz 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total:		
Passport, Credit Card, I.D. * Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total:		
* Card and other items printed w/ a UV sensitive ink * Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: GRAND Total:		
* Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00		
* Dimension of: 18.3 x 10 x 10 cm * Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00		
* Packaging Dimension: 19 x 12 x 11 cm 4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00		
4 2 units Heavy duty hair blower, variable speed 1,800.00 Power Source: 220V, 60Hz GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00		
Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150,00		
Power Source: 220V, 60Hz GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150,00	3,600.00	
GRAND Total: Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00	3,000.00	
Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00		
Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00		
erformance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00		
Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00	67,200.00	
In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10)	/ / /	
Conforme: (Supplier's Signature over printed name)	L. BACUSMO President	
Date 0	\sim	
Requesting Office/Debt Certified Correct: Amount:		
ROBERTO C. QUARTE ERLINDA S. ESGUERRA ALOBS No. (Authorized Official) Head, Acctg. Div	15-06-3467	

PURCHASE ORDER VISAYAS STATE UNIVERSITY Visca, Baybay, Leytre LEVIN's International Corp Supplier: PO No GF-15-04-1-CVM Address: Quezon City, Phils Date: 7-May-15 PR No: 2015-5-554 Mode of Procuremnt: Comp Bidding Place of Delivery: VSU, Baybay, Leyte Delivery Term: FOB Site Date of Delivery: 90 calendar days upon receipt of NTP & PO Payment Term: No. Qty Unit DESCRIPTION Amount FOR CVM 1 1 unit Portable X-ray Machine, Model: YJP040DR-B 698,000.00 698,000.00 Specifications: X-ray output: 36-70 mA and 40-100 kV Digital display Thickness gauge for measuring object thickness Serial interface for connection with digital radiography systems **Dual laser points** Focal spot: 0.6/1.5mm Power Source: 220V, 60Hz Accessories: remote control; aluminum box; Machine frame 2 1 unit Fetal Doppler digital; Model: H10-3 5,000.00 5,000.00 Brand: TRIUP; Origin: China Ultrasonic Frequency: 2.5 MHz Pocket Doppler, With LCD display, With built in speaker Two FHR modes: real time and average Audio output can be connected to recorder Automatic switch off function Battery energy level indication Sound alarm function when FHR is out of the normal range Multi color of main Rechargeable batteries, with Charger Dimension: 100(L) x 30(W) x 135(H) mm Weight: 0.5 kg Continuous work time: 8 hours GRAND TOTAL: 703,000.00 Performance Bond (5% of the total PO) either in Cash or Manager's Check = P35,150.00 In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Conforme: JOSE L. BACUSMO

Joel S. Almeria

(Supplier's Signature over printed name)

Date A

Requesting Office Dept.

(Authorized Official)

Certified Correct:

ERLINDA S. ESGUERRA Head, Acctg. Div President

Amount:

ALOBS No. 15-06-3468

fu 10

PURCHASE ORDER VISAYAS STATE UNIVERSITY Visca, Baybay, Leytre

Supplier: Address: Place of De	LEVIN's International Corp	DO No OF 45 OF	
Place of De	0	PO No GF-19-04-1	13-LabEq-DFST
	Quezon City	Date: 14	-May-15
		PR No: 2015-5-559	
		Mode of Procuremnt:	
Date of Del		Delivery Term: FO	B Site
No. Qty L		Payment Term:	Amount
FOR			Amount
THE REAL PROPERTY.	t Electronic Analytical Balance; Model: BA2004B, "BIOBASE"	43,290.00	43,290.00
	Range: 0-200g; Readable Precision: 0.1mg	10,200.00	100000000000000000000000000000000000000
++	Scale size: 80mm; Net weight: 6.8kg		
	External size: 350*215*340mm		
+	Work space height: 240mm		,
++	Calibration: External Cal		
2 1 ui		25,000.00	25,000.00
2 1 0	Timing Control type	25,000.00	20,000.00
+	Capacity: 18 L		
++			
\rightarrow	Time Setting: 1~99 min		
\perp	Temp. Setting: Rt+5~126°C		
+	Power Supply: 220V, 50/60Hz.		
	Consumption: 2KW		
	Working Pressure: Along with temperature changes		
	Chamber Size (mm): Ø280*210		
	Package size (mm): 420*420*560		
3 1 u	Water bath. Circulating. BM 15, "NÜVE"	57,344.00	57,344.00
	Type: Circulated		
	Temperature Range: Ambient Temp. +5°C / 99,9°C		
	Temperature Sensor: Fe-Const		
	Circulation Pump, capacity, lt./min: 16		
+	Tank volume, liters: 14		
+	Useful volume, liters: 8		
	Useful water height, mm: 165		
	Control System: Programmable PID Microprocessor		
	Displays: LED displays for temperature and time		
		GRAND Total:	/ 125,634.0
artarmanar *	nd (5% of the total PO) either in Cash or Manager's Check = P6,281.70	GRAND TOTAL:	120,034.0

Supplier:	Visca, Baybay, Leytre LEVIN's International Corp	PO No GF-15-04-	14.LabEa Villaha
ddress:	Quezon City		
	2432011 011)	Date: 14-May-15 PR No: 2015-5-557	
		Mode of Procuremnt	
lace of Deli		Delivery Term: FO	
ate of Deliv		Payment Term:	
vo. Qty Ur			Amount
FOR V	SU-VILLABA Campus		
1 1 uni	Water bath. Circulating. BM 15, "NÜVE"	57,344.00	57,344.00
	Type: Circulated		
	Temperature Range: Ambient Temp. +5°C / 99,9°C		
	Temperature Sensor: Fe-Const		
	Circulation Pump, capacity, It./min: 16		
	Tank volume, liters: 14		
	Useful volume, liters: 8		
	Useful water height, mm: 165		
	Control System: Programmable PID Microprocessor		
	Displays: LED displays for temperature and time		
	Lab circulating water bath		
	Capacity: 10 L. Material: Stainless steel		
2 1 uni	XRY-1A Oxygen Bomb Calorimeter, "HINOTEK"	226,796.00	226,796.00
	Heat capacity: 14400 J/K~ 14500 J/K	220,700.00	220,700.00
-	Resolution: 0.001 K		
	Measurement accuracy: ± 60J/g		
	Repeatability: ≤ 0.2% (Grade C)		
11	Pressure endured of oxygen bomb: 20 Mpa		
	Temp. measurement range: 10°C~ 35°C		
	Power Supply: AC 220V ±5%, 50 Hz	+	
3 1 uni		22,880.00	22,880.00
	With displaying LCD, blue back light & double digital display	22,000.00	22,000.00
	Auto and manual temp. compensation		
	Measuring or displaying pH and temp. or mV and temp. simultaneously Two points calibration		
4 1 uni			
4 1 um		98,489.60	98,489.60
	Provided with 3.14Mpixels camera with a 2.5 LCD screen (rotating	+	
	and tilting); zoom function; internal picture storing function; video		
	storing function; SD Memory card slot; 1GB SD card included		
	Video output; USB output (to PC)		
F 4		192,000.00	192,000.00
5 1 uni			
5 1 uni	Capacity: 650L; Temp Range: 2 °C - 8 °C		
5 1 uni	External Material: Cold Rolled Steel with antibacterial coating;		
5 1 uni	External Material: Cold Rolled Steel with antibacterial coating; 5 Adjustable shelves		
5 1 uni	External Material: Cold Rolled Steel with antibacterial coating;	GRAND Total:	597,509.6

		PURCHASE ORDER VISAYAS STATE UNIVERSITY	(
C.Jantine		Visca, Baybay, Leytre	Tee	
Supplier		LEVIN's International Corp	PO No GF-15-04-1	
Address		Quezon City		May-15
			PR No: 2015-5-555	
Place of	Delline	VCII Data I a	Mode of Procuremnt:	
Date of I			Delivery Term: FOR Payment Term:	3 Site
No. Qty			Trayment Term.	Amount
		J-Alang-alang Campus		Amount
	_	Stereomicroscope w/ Camera, SZM-LED2; "OPTIKA"	64,597.50	64,597.50
_		Trinocular with pillar stand, LED	04,007.00	04,001.00
-	-	with built-in camera (5MP), LED light, option Stereozoom		
_		with built-in carriera (JWP), LED light, option stereozoom		
2 2	unit	PHS-3E pH Benchtop Meter	22,880.00	45,760.00
		With displaying LCD, blue back light & double digital display		7-17-15-F
		Auto and manual temp. compensation		
		Measuring or displaying pH and temp. or mV and temp. simultaneously		
_		Two points calibration	+	
_		The points calibration	+	
-	_			
-	-			
			-	
			CDAND Totals	440.057.5
Daefarman.	on Donal	(6V - 44 - 4-1-100) - 14 - 1- 0 - 1 -	GRAND Total:	110,357.5
Parforman	a Bond	/5% of the total PO) either in Cook or Managaria Cheek a DE E47.00	GRAND Total:	110,3
Performan		(5% of the total PO) either in Cash or Manager's Check = P5,517.88 to make the full delivery within the time specified above, a penalty of one		

			PURCHASE ORDER VISAYAS STATE UNIVERSIT	Y	
Sun	plier		Visca, Baybay, Leytre EXCLUSIVE Traders, Inc.	DO NATILIPIE OLOS I	-LE- NODO
	ress		Mandaue City, Cebu	PO NoT Fug 15-04-05-L	
Auu	C33		Mandade City, Cebu		4-May-15
			PR No: 2015-2-23		
Plac	e of	Delive	ry: VSU, Baybay, Leyte	Mode of Procuremnt Delivery Term: FC	
		Deliver		Payment Term:	76 Site
_	_	Unit		Ir dymone roma.	Amount
		R NC			Amount
1		unit	Horizontal Laminar Flow Cabinet, BIOBASE	405 000 00	405 000 00
-	·	unit	Model: BBS-H1100	105,000.00	105,000.00
	_		LED Display		
-	-				
-			Microprocessor control system,		
_			External Size (WxDxH): 1060x800x1690mm		
			Internal Size (WxDxH): 980x500x600mm		
			Work surface height: 700 mm		
			Airflow Velocity: Average of 0.3~0.5m/s		
			Material: Main Body: Cold-rolled steel with anti-bacteria po	wder coating	
			Work table: 304 stainless steel	T	
			Side windows: 5mm toughened glass, anti-UV		
			Pre-Filter: Polyester fiber, washable		
			HEPA Filter: 99.999% efficiency at 0.3 µm		
			Noise: <60dB		
-					
-	-	-	Fluorescent Lamp: 21W*1		
-	-		UV Lamp: Emission of 253.7 nanometers		
			Consumption: 320W		
			Waterproof socket: Two, total load <500W		
			Caster: Universal caster with leveling feet		
			Power Supply: 110/220V ± 10%; 60/50 Hz		
			Standard Accessory: Fluorescent Lamp, UV Lamp*2, Bas	e stand	
			Waterproof socket: *2		
		0 11 = 1	Gross Weight: 14.3kg		
			Package size (W*D*H): 1230*940*1900mm		
	-		a delige the (17 D 11). 1200 010 10001111		
-				GRAND Total:	105,000.00
edo	mano	e Bond (5% of the total PO) either in Cash or Manager's Check = P5,250.00	GRAND Total.	103,000.00
n ca one	se of perco	failure (ent for	to make the full delivery within the time specified above, a penalty of onevery day of delay shall be imposed. Analysis Signature over printed name)	SA	BACUSMO
_		no Offic	ce/Dept, Cer#fed Correct:	Amount: Int	J-1910
, ou	, coul	3	Certified Correct:	Amount: 1/04.	0,1,-
R	OBF	RTO	C. SUARTE ERLINDA S. ESGUERRA	ALOBS No.	
			Official Head, Acctg. Div 101 Thurst	2020 10/70 - 1.	a 3

12- ple- 5220

fres

Visca, Baybay, Leytre XCLUSIVE Traders, Inc. Iandaue City, Cebu	PO No GF-15-04-0	06-LabEq-Villaba		
		16-LabEq-Villaba		
landade City, Cebu	IDate: 14			
	PR No: 2015-5-557	-May-15		
VSU, Baybay, Leyte		Mode of Procuremnt: Comp Bidding Delivery Term: FOB Site		
90 calendar days upon receipt of NTP & PO	Payment Term:			
DESCRIPTION		Amount		
ot Plate Stirrer, CMAG HS4, Brand IKA, Model: 3581000	26,000,00	26,000.00		
umber of Stirring positions: 1				
The state of the s				
		17		
		-		
termination of the contract of				
		2.97 1 2 2 2 2 2 2 2 2 2		
The contract of the contract o				
				
The state of the s				
The state of the s				
		05 000 00		
ACCEPTED AND FOR PROPERTY AND WELL AND	85,000.00	85,000.00		
The state of the s				
lectrical: 115 V, 50/60Hz, 400 W				
	GRAND Total:	111,000.00		
	of Plate Stirrer, CMAG HS4, Brand IKA, Model: 3581000 lumber of Stirring positions: 1 tirring quantity max (H20): 51 lotor rating input: 15 W lotor rating output: 1.5 W peed display: scale peed range: 100 - 1500 rpm leat output: 250 W leating Temperature Range: 50 - 500°C leat Control: LED leat Control: LED leat Control: scale 0 - 6 lixed safety circuit: 550°C let-up plate material: ceramic let-up plate dimensions: 100 - 100 mm limensions: (WxHxD): 150 x 105 x 260mm leating Temperature humidity: 80% rotection class according to DIN EN 60529: IP 21 lottage: 230 / 120 / 100 V requency: 50/60 Hz lower Input: 270 W laboratory Incubator with Natural Convection, lapacity: 53Liters; Model: BD53; Germany; Brand: BINDER lemperature range: 5° above ambient to 100°C lemperature accuracy: ± 0.1°C at 37°C lisplay: LED digital lotume, L (cu.ft.): 53 (1.9) lectrical: 115 V, 50/60Hz, 400 W	of Plate Stirrer, CMAG HS4, Brand IKA, Model: 3581000 umber of Stirring positions: 1 tirring quantity max (H20): 51 lotor rating input: 15 W lotor rating output: 1.5 W peed display: scale peed range: 100 - 1500 rpm eat output: 250 W leating Temperature Range: 50 - 500°C leat Control: LED eat Control accuracy: 10 ± K peed control: scale 0 - 6 ixed safety circuit: 550°C et-up plate material: ceramic et-up plate dimensions: 100 - 100 mm imensions: (WxHxD): 150 x 105 x 260mm //eight: 3 kg ermissible ambient temperature: 5 - 40 °C ermissible relative humidity: 80% rotection class according to DIN EN 60529: IP 21 lottage: 230 / 120 / 100 V requency: 50/60 Hz ower Input: 270 W aboratory Incubator with Natural Convection, apacity: 53Liters; Model: BD53; Germany; Brand: BINDER emperature accuracy: ± 0.1°C at 37°C isplay: LED digital olume, L (cu.ft.): 53 (1.9) lectrical: 115 V, 50/60Hz, 400 W GRAND Total:		

Visca, Baybay, Leytre PO No GF-15-04-07-LabEq-Alang-alang Date: 14-May-15 PR No: 2015-5-555 Mode of Procuremnt: Comp Bidding Delivery Term: FOB Site Payment Term: SCRIPTION Amount al Convection, Germany; Brand: BINDER e ambient to 100°C C at 37°C 35,000.00 135,000.00 135,000.00 135,000.00 135,000.00 135,000.00 135,000.00 135,000.00					
Date: 14-May-15 PR No: 2015-5-555 Mode of Procuremnt: Comp Bidding Delivery Term: FOB Site Payment Term: SCRIPTION Amount al Convection, Germany; Brand: BINDER e ambient to 100°C 0°C at 37°C 100 W H1000 135,000.00 135,000.00					
PR No: 2015-5-555 Mode of Procuremnt: Comp Bidding Delivery Term: FOB Site Payment Term: S C R I P T I O N Amount al Convection, Germany; Brand: BINDER e ambient to 100°C C at 37°C Anound Anou					
Mode of Procuremnt: Comp Bidding					
Delivery Term: FOB Site Payment Term: SCRIPTION Amount al Convection, Germany; Brand: BINDER e ambient to 100°C 0°C at 37°C BOO W H1000 135,000.00 135,000.00 135,000.00					
S C R I P T I O N					
Amount al Convection, Germany; Brand: BINDER e ambient to 100°C °C at 37°C BOO W H1000 135,000.00 135,000.00 135,000.00					
al Convection, 85,000.00 85,000.00; Germany; Brand: BINDER e ambient to 100°C °C at 37°C 800 W H1000 135,000.00 135,000.00					
Germany; Brand: BINDER e ambient to 100°C °C at 37°C 100 W H1000 135,000.00 135,000.00					
Germany; Brand: BINDER e ambient to 100°C °C at 37°C 100 W H1000 135,000.00 135,000.00					
e ambient to 100°C °C at 37°C 600 W H1000					
OC at 37°C H00 W H1000 135,000.00 135,000.00					
H1000 135,000.00 135,000.00 mm					
H1000 135,000.00 135,000.00 mm 0 mm					
H1000 135,000.00 135,000.00 mm 0 mm					
H1000 135,000.00 135,000.00 mm 0 mm					
om 0 mm					
0 mm					
h, the exterior size include the cabinet height					
l length: 4 meters					
djustable. The fan inside the Fume Hood					
ughen glass, 5mm thickness;					
ol, height adjustable					
0/60Hz (optional)					
Standard Accessory: Water tap: 1; Water cup: 1; Gas tap: 2; Water proof socket: 2					
grade melamine board w/ good acid and					
roll steel sheets, coated w/ anti-bacteria grade melamine board w/ good acid and cal-Resistant physiochemical board c/Carbon active filter/ GRAND Total: nager's Check = P11,000.00 ime specified above, a penalty of one-tenth (1/10) of ed.					

			PURCHASE ORDER VISAYAS STATE UNIVERSIT Visca, Baybay, Leytre	r	
Cun	plier		EXCLUSIVE Traders, Inc.	DO No. 05 45 04	00 l ab E a Talana
				PO No GF-15-04-	
Ada	Address:		Mandaue City, Cebu		4-May-15
		PR No: 2015-5-558 Mode of Procuremnt: Comp Bidding			
Diag	o of	Delive	or VCII Bouhou Loute		
		Deliver		Delivery Term: FC Payment Term:	JB Site
		Unit		prayment reim.	
No.	_		Annual Control of the		Amount
_		The second	U-TOLOSA Campus		
1	1	unit	Laboratory Incubator with Natural Convection,	85,000.00	85,000.00
			Capacity: 53Liters; Model: BD53; Germany; Brand: BINDER		
1			Temperature range: 5° above ambient to 100°C		
			Temperature accuracy: ± 0.1°C at 37°C		
			Display: LED digital		,
			Volume, L (cu.ft.): 53 (1.9)		
			Electrical: 115 V, 50/60Hz, 400 W		
_			Lieutreal: 113 V, 50/00112, 400 VV		
_					
- 16					
				- - - - - - - - -	
		-			
-					
_	-	-			
_	_	-			
		_			
_					
		_			
				GRAND Total:	85,000.00
-			(5% of the total PO) either in Cash or Manager's Check = P4,250.00		
one	pero	ent for	to make the full delivery within the time specified above, a penalty of or every day of delay shall be imposed. The last the full delivery within the time specified above, a penalty of or every day of delay shall be imposed. The last the full delivery within the time specified above, a penalty of or every day of delay shall be imposed.	JOSE L.	BACUSMO
		n Off	ige/Dept. Certified Correct:	Amount:	$\overline{}$
		11	C. GUARTE MOUNTE DAVINO	ALOBS No.	
			Official) Head, Acctg. Div		

		PURCHASE ORDER VISAYAS STATE UNIVERSITY			
<u> </u>	-11	Visca, Baybay, Leytre	1		
Supplier:		HYTEC POWER, INC	PO No GF-15-04-21-LabEq-DFST		
Addı	ress:	Novaliches, Quezon City		14-May-15	
				PR No: 2015-5-559	
Diag	a of Daline	VCII Parkar Lada		nnt: Comp Bidding	
	e of Deliver of Deliver		Delivery Term: I	FOB Site	
NAME AND ADDRESS OF TAXABLE PARTY.	Qty Unit		Payment Term:		
	FOR DF			Amount	
1		Magnetic Stirrer with Hot plate (Single Plate): 1 kW	40.050.00	38,117.60	
-	Z Grinto	Thermostatic / Analog	19,058.80	30,117.00	
	_	The outer body is made of MS and the top is made of stainless steel	+		
-	-				
		Temperature is controlled by a thermostat from ambient to 250°C		,	
		± 1 °C The unit is fitted with a mains indicator and a heating indicator			
		Air ventilators are also provided on the sides of unit. The speed can		2	
		be regulated using the speed control regulator. The base is fitted			
		with rubber feet to prevent movement/ walking during stirring.			
	_	A Teflon coated magnetic capsule, of adequate size, is provided	-		
-					
\dashv	_	to perform the stirring magnetically. The device works on 220 volts,	-		
_		50Hz, A.C. mains.			
		Les .			
	-		+		
	_				
-					
_		· · · · · · · · · · · · · · · · · · ·			
		A CONTRACTOR OF THE CONTRACTOR			
_					
_					
			GRAND Total:	38,117.60	
Perfor	mance Bond	(5% of the total PO) either in Cash or Manager's Check = P1,905.88			
one	percent for	to make the full delivery within the time specified above, a penalty of one- r every day of delay shall be imposed. ier's Signature over printed name)	JOSE L.	BACUSMO esident	
Date					
Requ	uesting Off	ice/Dept. Certified Correct:	Amount:		
-	OPERTO	A CONTRACTOR OF THE PARTY OF TH	ALODO N		
		C. GUARTE	ALOBS No.		
- (Authorized	Official) Head, Acctg. Div			