

PURCHASE ORDER

VISAYAS STATE UNIVERSITY

Visca, Baybay City, Leyte

Supplier: BAYBAY PRINTSHOP
Address: BAYBAY CITY

PO No: BAC16-06-046 (ITEquip)

Date: 06-29-16

PR No: Assorted

Mode of Proc.: Bidding (Goods - 16-16)

Place of Delivery: VSU, Baybay City, Leyte

Delivery Term: FOB Site

Date of Delivery: Within 30 working days upon receipt of P.O

Payment Term:

No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
			For VLHS 701		
1	2	pc	Projector, LCD, 3200 ANSI Lumens (EPSON Eb-s31)	19,792.00	39,584.00
			For DCE 701		
2	5	pc	DESKTOP COMPUTER. Intel Core i5, Kingston 8GB memory (4GBx2), Asus H81M Motherboard, Seagate 1 TB HDD, Samsung DVD writer, Casing with 600w PSU, ACER 18.5 Monitor; 1024 MB 64bit DDR3 Video Card, UPS 600VA with AVR, Keyboard & Mouse	24,256.00	121,280.00
3	1	pc	Laptop, Core i5, 8GB, 1 TB HDD (Acer Tmp246-mg-59nx)	27,709.00	27,709.00
			For DAE 701		
4	1	pc	Projector, LCD. 3LCD™ Display Technology; 3200 ANSI Lumens; 1280 x 800 Native Resolution; 16:10 Native Aspect Ratio; 3000:1 Contrast Ratio; 9.1 lbs (EPSON Eb-s31)	19,792.00	19,792.00
			For ISRDS 701		
5	1	pc	Projector, DLP, 4200 ANSI (Acer P1287)	28,750.00	28,750.00
			Resolution Native: XGA (1,024 x 768); Maximum: UXGA (1,600 x 1,200); 1080p (1,920 x 1,200); Aspect Ratio: 4:3 (Native), 16:9; Contrast Ratio: 17,000:1; Displayable Colors: 1.07 Billion Colors; Brightness: 4,200 ANSI Lumens (Standard), 3360 ANSI Lumens (ECO); Projection Screen: Size 26" (65cm) - 300" (762cm); Projection Distance: 3.3' (1.0m) - 32.0' (9.8m); Lamp Type: Philips 260 W user replaceable UHP lamp; Lamp Life: 3,000 Hours (Standard), 4,000 Hours (ECO), 5,000 Hours (ExtremeEco); Ceiling Mounting Capability: Yes; Audio: 10 watts Internal Speaker x 1; Weight: 5.5lbs (2.5kg); Input Interface: Analog RGB / Component Video (D-sub) x 2, Composite Video (RCA) x 1 S-Video (mini DIN) x 1, HDMI/MHL (Video, Audio, HDCP) x 1 PC Audio (stereo mini jack) x 2; Dimensions: 314 x 233 x 93 mm (12.4" x 8.8" x 3.7"); Remote Control: IR remote control with laser pointer & PgUp /PgDn Function; Digital Zoom: 2x; Power Supply: AC input 100-240V auto-switching power supply; Other Features: Color Boost 3D; Acer Smart Format Technology; Acer EcoProjection Technology; Color Safe II, Digital Zoom & Pan		
			For DTE 702		
6	2	pc	Projector, LCD, 3200 ANSI Lumens (EPSON Eb-s31)	19,792.00	39,584.00
			For OVPI 701		
7	1	pc	LAPTOP with Retina display, 13 in.; Spec: 2.7GHz dual-core Intel Core i5; Turbo Boost up to 3.1GHz; 8GB 1866MHz LPDDR3 SDRAM; 128GB; PCIe-based flash storage; Intel Iris Graphics 6100; Force Touch trackpad; Backlit Keyboard (English) & User's Guide (Macbook Pro with Retina Display 13in)	63,126.00	63,126.00
Total of this page					339,825.00
Total forwarded					339,825.00

Supplier:	BAYBAY PRINTSHOP	PO No: BAC16-06-046 (ITEquip)
Address:	BAYBAY CITY	Date: 06-29-16
		PR No: Assorted
		Mode of Proc.: Bidding
Place of Delivery:	VSU, Baybay City, Leyte	Delivery Term: FOB Site
Date of Delivery:	Within 30 working days upon receipt of P.O	Payment Term:

No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
				Balance forwarded	339,825.00
8	3	pc	LARGE VENUE PROJECTOR , DLP (Acer P5327W)	51,667.00	155,001.00
			Technical Information: Projection System: DLP; Projection Method: Ceiling Front Rear; Video Compatibility: EDTV HDTV NTSC PAL SDTV SECAM; Computer Compatibility: Mac PC Windows PC; 3D Capability: DLP 3D; Projection Lens: Lens Type: Manual Focu Manual Zoom; Minimum Lens: Aperture: F/2.59; Maximum Lens Aperture: F/2.87; Minimum Focal Length: 16.88 mm; Maximum Focal Length: 21.88 mm; Minimum Diagonal Image Size: 762 mm; Maximum Diagonal Image Size: 7.62 m; Minimum Projection Distance: 1 m; Maximum Projection Distance: 7.80 m; Optical Zoom: 1.3x; Lamp: Lamp Type: UHP; Number of Lamps: 1; Lamp Power: 250 W; Normal Mode Lamp Life: 2500 Hour; Economy Mode Lamp Life: 4000 Hour; ExtremeEco Mode Lamp Life: 6000 Hour; Image: Native Resolution: 1280 x 800; Maximum Resolution: 1920 x 1200; Standard Mode Brightness: 4000 lm; Native Aspect Ratio: 16:10; Compatible Aspect Ratio: 16:94:3; Contrast Ratio: 20,000:1; Throw Ratio: 1.21 to 1.57:1; Digital Zoom: 2x; Vertical Keystone Correction: -30°/+30°;		
			Horizontal Keystone Correction: -30°/+30°; Maximum Vertical Sync: 120 Hz; Maximum Horizontal Sync: 100 kHz; Minimum Vertical Sync: 24 Hz; Minimum Horizontal Sync: 15 kHz; Colour Support: 1.07 Billion Colors (30-bit); Audio: Number of Speakers: 2; Speaker Output Power: 10 W; Speaker Output Mode: Stereo; Network & Communication: Ethernet (LAN) Capability: Crestron eControl; Interfaces/Ports: Number of HDMI Ports: 2; HDMI: Yes; USB: Yes; Composite Video: Yes; Network (RJ-45): Yes; S-Video: Yes; VGA In: Yes; VGA Out: Yes; Audio Line In: Yes; Audio Line Out: Yes; Power Description: Power Supply: 100 V AC~240 V AC; Input Voltage: 120 V AC 230 V AC; Operating Power Consumption: 368 W; Operating Power Consumption (Eco Mode): 298 W; Physical Characteristics: Fan Noise: 27 dB Approximate Economy Mode 32 dB Approximate Standard Mode; Temperature: 0°C to 40°C; Humidity: 80% Maximum Relative Humidity; Weight (Approximate): 2.50 kg; Form Factor: Ceiling Mountable; Miscellaneous: Optional Accessories: • MHL Wireless Adapter; • WirelessHD transmission kit; • Dust Filter; • iPhone/iPod Adapter; • 3D Glasses		
			For DOE 10		
9	1	pc	Projector, LED	27,709.00	27,709.00
			600 ANSI Lumens (Standard), 480 ANSI Lumens (ECO) 17" (43cm) ~ 100" (254cm) 1.8' (0.6m) ~ 10.6' (3.2m) RGB LEDs LED life 20,000 Hours (Standard), 30,000 Hours (ECO) One Internal Speaker with 2 watts Output 0.95 lbs (0.43 Kg) 140 x 116 x 41 mm (5.5" x 4.6" x 1.6") IR remote control DC input 19V via a 65W power adapter (AC input 100-240V auto-switching to DC 19V) 65 Watts (Operation), <0.5 Watts (Standby) 33 dBA (Standard mode), 29 dBA (ECO mode) Analog RGB (via Optional 24-pin Universal to VGA cable) x 1 HDMI/MHL (Video, Audio, HDCP) x 1 USB (Type A) x 1 SD (Micro, SDHC) x 1		
			Total of this page		182,710.00
			Total forwarded		522,535.00

Total forwarded 339,825.00


Supplier: BAYBAY PRINTSHOP	PO No: BAC16-06-046 (ITEquip)
Address: BAYBAY CITY	Date: 06-29-16
	PR No: Assorted
	Mode of Proc.: Bidding (Goods - 16-10)
Place of Delivery: VSU, Baybay City, Leyte	Delivery Term: FOB Site
Date of Delivery: Within 30 working days upon receipt of P.O	Payment Term:


No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
			Balance forwarded		522,535.00
			For DBM		
10	1	pc	Projector, LCD, 3600 ANSI Lumens (EPSON Eb-s36)	34,271.00	34,271.00
			For DLABS		
11	4	pc	Projector, LCD, 3600 ANSI Lumens (EPSON Eb-s31)	19,792.00	79,168.00
			For DMPS		
12	2	pc	Projector, LCD, 3200 ANSI Lumens (EPSON Eb-s31)	19,792.00	39,584.00
13	1	pc	Laptop, Intel Core i5 Processor/4 GB DDR3 Ram/Intel HD Graphics/1 TB SATA HDD/ 8x DVD Super Multi Drive/14" LED display/Card Reader/Webcam/WIFI/Bluetooth/HDMI/VGA/RJ45(Gigabit Ethernet) (Acer Tmp246-mg-59nx)	25,626.00	25,626.00
			For DAS		
14	1	pc	Projector, LCD, 3200 ANSI Lumens (EPSON Eb-s31)	19,792.00	19,792.00
			For DDC		
15	4	pc	Hi-end Desktop Computer with licensed Windows 10 OS; Core i5; Asus H81M; Kingston 8GB memory (4GBx2); Adata SP900 128GB SSD; 1TB HDD; Palit GT730 2GB SDDR3 128BIT Video Card, Samsung DVD-RW; Casing with 600w PSU; Viewsonic 23" Monitor; UPS with AVR, keyboard, mouse; mouse pad; genius speaker	36,683.00	146,732.00
			Charge to: Gen. Fund		

Total of this page 345,173.00

GRAND TOTAL 867,708.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Very truly yours,

EDGARDO E. TULIN
 President

RECEIVED
 BY 
BAYBAY PRINTSHOP
 (Supplier's Signature over printed name) Date


COMMISSION ON AUDIT VISAYAS STATE UNIVERSITY

Requesting Office/Dept.

Certified Correct:

Amount:


REMBERTO A. PATINDOL


ERLINDA S. ESGUERRA

ALOBS No.

(Authorized Official)

Head, Acctg. Div

Total of this page 504,065.00

Total forwarded 504,065.00

Total forwarded 339,625.00

PURCHASE ORDER

VISAYAS STATE UNIVERSITY

Visca, Baybay City, Leyte

Supplier: **BAYBAY PRINTSHOP**
Address: **BAYBAY CITY**

PO No: BAC16-06-048 (ITEquip)

Date: 06-29-16

PR No: Assorted

Mode of Proc: Bidding (GOODS-10-10)

Place of Delivery: **VSU, Baybay City, Leyte**

Delivery Term: FOB Site

Date of Delivery: Within 30 working days upon receipt of P.O

Payment Term:

No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
			For FARMIL-Phil-LIDAR 2		
1	5	sets	BRANDED DESKTOP PC (Dell inspiron 3847)	55,813.00	279,065.00
			Processor: Intel Core i7-4790 4.0G 8M		
			Random Access Memory (RAM): 16GB DDR4		
			Graphics Card: Nvidia GeForce 705 2gb DDR3		
			Hard Drive: 2 TB HDD		
			Operating System: Windows 10 Home (64bit) SL		
			Monitor: 23" LED IPS		
			Include keyboard and optical mouse		
			Include uninterruptible power supply (UPS):		
			Output Power Capacity: 325W/650VA		
			Max Configurable Power: 325W/650VA		
			Nominal Output Voltage: 230V		
			Nominal Input Voltage: 230V		
			Input Frequency: 50/60 Hz +/- 3 Hz (auto sensing)		
			Warranty: At least 1 year repair or replace		
1	1	unit	AO MULTIFUNCTION PLOTTER-SCANNER	225,000.00	225,000.00
			Print		
			Line drawings: 25 sec/page on A1/D, 82 A1/D prints per hour		
			Print resolution: Up to 2400 x 1200 optimized dpi		
			Ink types: Dye-based (C, M, Y); pigment-based (mK)		
			Printheads: 1 (C, M, Y, mK)		
			Line accuracy: +/- 0.1%8		
			Minimum line width: 0.02 mm (0.0008 in) (HP-GL/2 addressable)		
			Media		
			Handling: Sheet feed, roll feed, input tray, media bin, automatic cutter		
			Size: Rolls: 279 to 914 mm (11 to 36 in) Sheets: 210 x 279 to 914 x 1897 mm (8.3 x 11 to 36 x 74.7 in) Standard sheets: A4, A3, A2, A1, A0 (A, B, C, D, E)		
			Scan		
			Scan speed: Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)		
			Scan/copy resolution: 600 dpi		
			Maximum scan: Size: 914mm x 2.77m (36x109in)		
			Copy		
			Reduction/ enlargement: 50 to 400%		
			Total of this page		504,065.00
			Total forwarded		504,065.00
			Total forwarded		339,825.00

Supplier: BAYBAY PRINTSHOP	PO No: BAC16-06-048 (ITEquip)
Address: BAYBAY CITY	Date: 06-29-16
	PR No: Assorted
	Mode of Proc.: Bidding (Goods - 16-10)
Place of Delivery: VSU, Baybay City, Leyte	Delivery Term: FOB Site
Date of Delivery: Within 30 working days upon receipt of P.O	Payment Term:

No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
			Balance forwarded		504,065.00
			Memory: 1 GB		
			Connectivity		
			Interfaces (standard): Gigabit Ethernet (1000Base-T), Wi-Fi, Hi-Speed USB 2.0 certified connector		
			Print languages (standard): HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI, URF		
			Included accessories: Print head, ink cartridges, printer stand, spindle, quick reference guide, setup poster, startup software, power cord, refeed preventers		
			Warranty: All units, accessories, and components supplied under this bid shall come with at least one (1) year warranty against factory defects. Certification from both the vendor and the equipment manufacturer confirming the warranty statement and stating the exact terms of the warranty shall be required for final acceptance of delivery. Parts that fail due to factory defects should be replaced within 1-2 days of notification of the vendor.		
			Delivery period: Within thirty (30) calendar days upon receipt of purchase order		
			with free installation		

GRAND TOTAL 504,065.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Very truly yours,

RECEIVED
 Conformed: *[Signature]*
 BY **BAYBAY PRINTSHOP**
 (Supplier's Signature over printed name)

[Signature]
EDGARDO E. TULIN
 President

Requesting Office/Dept.

Certified Correct:

Amount:

[Signature]
REMBERTO A. PATINDOL
 (Authorized Official)

[Signature]
ERLINDA S. ESGUERRA
 Head, Acctg. Div

ALOBS No.

1017202010SD-10.6.15
 16-07-2874
 10605140
 (279,065) Y3
 (225,000) Y2

Total forwarded 339,825.00

Viscra: Baybury City, Lynton

Proposed: 1999

5.782 00

MISSION ON AUSTIN VISAS STATE: **INTERVIEW** Don't miss yours

Dietary

Certified Correct:

Assignment

이제

Head Acctg Div

AL OBS No.

1015-2020105-10.169

16-07-5899

(40605030)

PURCHASE ORDER

VISAYAS STATE UNIVERSITY

Visca, Baybay, Leyte

Supplier: **COMPUSPEC SALES, INC**
 Address: **CEBU CITY**

PO No: BAC16-06-45B(IT Equip)

Date: 07-21-16

PR No: PSMO16-05-0670

Mode of Proc: **Bidding**

Place of Delivery: VSU, Baybay, Leyte

Delivery Term: FOB Site

Date of Delivery: Within 30 working days upon receipt of P.O

Payment Term:

No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
1	1	unit	UNINTERRUPTIBLE POWER SUPPLY (UPS) for DATA SERVER - APC	118,000.00	118,000.00
			Output: Output Voltage Distortion: Less than 5% at full load		
			Output Frequency (sync to mains): 47.53 Hz for 50 Hz nominal, 57.63 Hz for 60 Hz nominal		
			Output Connections: (8) IEC 320 C13 (Battery Backup)		
			(1) IEC 320 C19 (Battery Backup); Max Configurable Power (Watts): 2.7 KWatts / 3.0 kVA		
			Output power capacity: 2.7 KWatts / 3.0 kVA		
			Topology Line Interactive		
			Output Voltage Note: Configurable for 220, 230 or 240 nominal output voltage		
			Waveform type: Sine wave		
			Transfer Time: 2ms typical		
			Input: Number of Power Cords: 1		
			Input frequency: 50/60 Hz +/-3 Hz (auto sensing)		
			Input voltage adjustable range for mains operation: 151-302V		
			Input voltage adjustable range for main operations: 160-286V		
			Input Breaker Capacity: 0 A		
			Other Input Voltages: 220, 240		
			Input Connections: IEC320 C20, Schuko CEE 7 / EU116P, British BS1363A		
			Battery: Typical recharge time: 3 hour(s)		
			Battery type: Maintenance free sealed Lead Acid battery with suspended electrolyte; leak-proof		
			Extendable Run Time: 1		
			Replacement Battery: RBC55		
			RBC Quantity: 1		
			Battery VoltAmpHour: 816		
			Runtime View: Runtime Graph View Runtime Chart		
			Efficiency: View Efficiency Graph Power supply, Panel board and Bracket Panel Board and Bracket		
			Accumulator 12/60 Ah (Accumulator without housing)		
			Solar Charge controller		
			Solar Panel 20 Wp		
			Surge Filtering: Full time multipole noise filtering : 0.3% IEEE		
			surge let through: zero clamping; response time : meets UL 1449		
			Physical: Color: Black		
			Total of this page	118,000.00	
			Total Forwarded	118,000.00	

Supplier: **COMPUSPEC SALES, INC** PO No: BAC16-06-45A (IT Equip)
 Address: **CEBU CITY** Date: 07-21-16

PR No: PSMO16-05-0660
 Mode of Proc.: **Bidding**

Place of Delivery: **VSU, Baybay, Leyte**
 Date of Delivery: **Within 30 working days upon receipt of P.O**
 Delivery Term: **FOB Site**
 Payment Term:

No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
				Total brought forward	118,000.00
			Maximum Depth: 544 mm , 54.4 CM		
			Maximum Height: 435 mm , 43.5 CM		
			Net Weight: 52.5 KG		
			Units per Pallet: 9.0		
			Shipping Depth: 762 mm , 76.2 CM		
			Shipping Height: 699 mm , 69.9 CM		
			Shipping weight: 63.7 KG		
			Shipping Width: 381 mm , 38.1 CM		
			Maximum Width: 197 mm , 19.7 CM		
			Environmental: Audible noise at 1 meter from surface of unit: 53.0 dBA		
			Operating Temperature: 0-40°C		
			Operating Elevation: 0-3000 meters		
			Operating Relative Humidity: 0-95%		
			Storage Temperature: -15-45°C		
			Storage Elevation: 0-15000 meters		
			Storage Relative Humidity: 0-95%		
			Online thermal dissipation: 375.0 BTU/hr		
			Conformance: Standard warranty: 3 years repair or replace (excluding battery) and 2 year for battery, optional onsite warranties available, optional extended		
			Approvals: Ctick, CE, EN 500911, EN 500912, VDE Sustainable Offer Status		
			REACH: REACH Contains No SVHCs		
			Charge to: Phil-LIDAR 1		

GRAND TOTAL 118,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

Conforme: *[Signature]*
JESIE OSTINA
 COMPUSPEC SALES, INC.
 (Supplier's Signature over printed name)

Date:

[Signature]
EDGARDO E. TULIN
 President

Requesting Office/Dept.

Certified Correct:

Amount:

[Signature]
REMBERTO A. PATINDOL
 (Authorized Official)

[Signature]
ERLINDA S. ESQUERRA
 Head, Acctg. Div

ALOBS No.

101726201000 - 10.6.14
 100-07-2055

Supplier: **COMPUSPEC SALES, INC** PO No. BAC18-06-45 (IT Equip)
 Address: **CEBU CITY** Date: 07-21-16
 PR No. PSMO16-05-0660
 Mode of Proc.: **Bidding**
 Place of Delivery: VSU, Baybay, Leyte
 Date of Delivery: Within 30 working days upon receipt of P.O.
 Delivery Term: FOB Site
 Payment Term:

No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
			Total brought forward		118,000.00
			Maximum Depth: 544 mm , 54.4 CM		
			Maximum Height: 435 mm , 43.5 CM		
			Net Weight: 52.5 KG		
			Units per Pallet: 9.0		
			Shipping Depth: 762 mm , 76.2 CM		
			Shipping Height: 699 mm , 69.9 CM		
			Shipping weight: 63.7 KG		
			Shipping Width: 381 mm , 38.1 CM		
			Maximum Width: 197 mm , 19.7 CM		
			Environmental: Audible noise at 1 meter from surface of unit: 53.0 dBA		
			Operating Temperature: 0-40°C		
			Operating Elevation: 0-3000 meters		
			Operating Relative Humidity: 0-95%		
			Storage Temperature: -15-45°C		
			Storage Elevation: 0-15000 meters		
			Storage Relative Humidity: 0-95%		
			Online thermal dissipation: 375.0 BTU/hr		
			Conformance: Standard warranty: 3 years repair or replace (excluding battery) and 2 year for battery, optional onsite warranties available, optional extended		
			Approvals: CE, CE, EN 500911, EN 500912, VDE Sustainable Offer Status		
			REACH: REACH: Contains No SVHCs		
			Charge to: Phil-LIDAR 2		

GRAND TOTAL 118,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Very truly yours,

Conforme: **JESUS CESTINA**
 COMPUSPEC SALES, INC

(Supplier's Signature over printed name)

Date:

EDGARDO E. TULIN
 President

Requesting Office/Dept.

Certified Correct:

Amount:

REMBERTO A. PATINOL
 (Authorized Official)

ERLINDA S. ESQUERRA
 Head, Acctg. Div

ALOBS No.

101520201050-10.6.15

16-07-3175

PURCHASE ORDER

VISAYAS STATE UNIVERSITY

Visca, Baybay, Leyte

Supplier:	COMPUSPEC SALES, INC	PO No. BAC16-06-45A(IT Equip)
Address:	CEBU CITY	Date: 07-21-16
		PR No. PSMO16-05-0660
		Mode of Proc.: Bidding
Place of Delivery: VSU, Baybay, Leyte		Delivery Term: FOB Site
Date of Delivery: Within 30 working days upon receipt of P.O		Payment Term:

No.	Qty	Unit	DESCRIPTION	Unit Cost	Amount
1	1	unit	UNINTERRUPTIBLE POWER SUPPLY (UPS) for DATA SERVER - APC	118,000.00	118,000.00
			Output: Output Voltage Distortion: Less than 5% at full load		
			Output Frequency (sync to mains): 47.53 Hz for 50 Hz nominal, 57.63 Hz for 60 Hz nominal		
			Output Connections: (8) IEC 320 C13 (Battery Backup)		
			(1) IEC 320 C19 (Battery Backup); Max Configurable Power (Watts): 2.7 KWatts / 3.0 kVA		
			Output power capacity: 2.7 KWatts / 3.0 kVA		
			Topology Line Interactive		
			Output Voltage Note: Configurable for 220 : 230 or 240 nominal output voltage		
			Waveform type: Sine wave		
			Transfer Time: 2ms typical		
			Input: Number of Power Cords: 1		
			Input frequency: 50/60 Hz +/-3 Hz (auto sensing)		
			Input voltage adjustable range for mains operation: 151-302V		
			Input voltage adjustable range for main operations: 160-286V		
			Input Breaker Capacity: 0 A		
			Other Input Voltages: 220, 240		
			Input Connections: IEC320 C20, Schuko CEE 7 / EU116P, British BS1363A		
			Battery Typical recharge time: 3 hour(s)		
			Battery type: Maintenance free sealed Lead Acid battery with suspended electrolyte: leak-proof		
			Extendable Run Time: 1		
			Replacement Battery: RBC55		
			RBC Quantity: 1		
			Battery VoltAmpHour: 816		
			Runtime View: Runtime Graph View Runtime Chart		
			Efficiency: View Efficiency Graph Power supply, Panel board and Bracket Panel Board and Bracket		
			Accumulator 12/60 Ah (Accumulator without housing)		
			Solar Charge controller		
			Solar Panel 20 Wp		
			Surge Filtering: Full time multipole noise filtering : 0.3% IEEE		
			surge let through: zero clamping: response time : meets UI 1449		

7.110

$$u|_K$$

Supplier: COMPUSPEC SALES INC.
Address: CEBU CITY

Date: 06-29-16

PR No: Assorted

Mode of Proc. Bidding (GOODS - 14-10)

Place of Delivery: VSU, Baybay City, Leyte

Delivery Term: FOB Site

Date of Delivery: Within 30 working days upon receipt of P.O.

Payment Term.

MISSION ON AUDIT VISAYAS STATE UNIVERSITY
RECEIVED BY *[Signature]*
GATE: SEP 01 2016

177,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Very truly yours,

Conforme, **JESUS OSTIA**
COMPUSPEC SALES INC

(Supplier's Signature over printed name)

Date: _____

EDGARDO E. TULIN
President

Requesting Office/Dept.

Certified Correct:

Amount:

REMBERTO A. PATINDOL
(Authorized Official) *RM*

ERLINDA S. ESGUERRA
Head, Acctg. Div

ALOBS No.

101720201050-10.6.15
16-07-2873
106051406